

| Date of sampling | 05/06/2023 |
|------------------|------------|
| Reporting date | 16/06/2023 |

| Audit ID | 143093 | Audit firm | SGS Bangladesh Ltd. | | |
|-------------------------|---------------------------------|---|---------------------|--|--|
| Company name | Square Apparels | | | | |
| Contact person | Md. Humayun Kabir | | | | |
| Type of tax – tax ID no | 535364834548 | | | | |
| Address | Jamirdia, Habirbari, Valuka, My | Jamirdia, Habirbari, Valuka, Mymensingh | | | |
| Region state province | Valuka | | | | |
| Town city / village | Mymensingh | | | | |
| Zip / Post code | N/A | | | | |

| Type of wastewater discharge | | |
|--|--------------------|--|
| Type of waste discharge | Direct Discharge | |
| Description of the discharge | Discharge to Canal | |
| [If direct discharge] Temperature of receiving water body: | 33.3°C | |

| Type of sludge disposal pathway | |
|---------------------------------|-----------|
| Type of sludge disposal pathway | Pathway A |

| Sampler accreditation certification number (ZDHC): | | | C74D106818748 | | | |
|--|-----------------------------|--|---------------|--|--|-----|
| Sampling affiliate SGS Bangladesh Ltd. | | | | | | |
| Sample description | | | | | | |
| Simple Composite Comments | | | | | | |
| (1) Untreated wastewater | NO | YES,Dark Blue, composite sample at 11:40, 12:40, 13:40, 14:40, 15:40, 16:40, 17:40 | | N/A | | |
| (2) Effluent | NO | | | YES,Colorless, composite sample at 11:30, 12:30, 13:30, 14:30, 15:30, 16:30, 17:30 | | N/A |
| (3) Sludge | YES, Black, sample at 18:40 | NO | | N/A | | |
| (4) Leachate | YES | | NO | N/A | | |



| Internal description – Final Test Report | |
|--|--|
| Testing laboratory | SGS Bangladesh Ltd;SGS India Private Limited. |
| Internal codification number (report number) | 2310013718 |
| Reference sample number (sample ID) | Untreated Wastewater, Effluent, Sludge. |
| Received on | 05/06/2023 at SGS Bangladesh Ltd; 09/06/2023 at SGS India Private Limited. |
| Analysis carried out from | 05/06/2023-11/06/2023 at SGS Bangladesh Ltd;09/06/2023-16/06/2023 at SGS India Private Limited |
| Arrival temperature at lab | 6 °C |
| Comments | Samples received within 04:50 hours |
| Reporting date | 16/06/2023 |

Sign for and on behalf of SGS Bangladesh Ltd

Jeun (1)

RAFIQUL ISLAM Chemical Lab Manager



| s | ummary of test re | esults | | |
|---|----------------------|--|---|----------|
| Test items | Untreated wastewater | Effluent | Sludge | Leachate |
| Conventional Parameters and Anions | - | Fulfill Foundational Limit [@] | Please refer to the information in TEST RESULTS | |
| Heavy Metals | - | Fulfill Foundational Limit | Please refer to the information in TEST RESULTS | ND |
| Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers | ND | - | ND | - |
| Anti- Microbials & Biocides | ND | - | - | - |
| Chlorinated Parafins | ND | - | - | - |
| Chlorobenzenes & Chlorotoluenes | ND | - | ND | - |
| Chlorophenols | ND | - | - | - |
| N,N-di-methylformamide (DMFa) | ND | - | - | - |
| Dyes - Carcinogenic or Equivalent Concern | ND | - | - | - |
| Dyes – Disperse (Allergenic) | ND | - | - | - |
| Dyes – Navy Blue Colourant | ND | - | - | - |
| Flame Retardants | ND | - | - | - |
| Glycols / Glycol Ethers | ND | - | - | - |
| Halogenated Solvents | ND | - | - | - |
| Organotin Compounds | ND | - | - | - |
| Other / Miscellaneous Chemicals | ND | - | - | - |
| Perfluorinated and Polyfluorinated Chemicals (PFCs) | ND | - | - | - |
| Phthalates – including all other esters of ortho-phthalic acid | ND | - | - | - |
| Polycyclic Aromatic Hydrocarbons (PAHs) | ND | - | ND | - |
| Restricted Aromatic Amines (Cleavable from Azo-colourants) | ND | - | - | - |
| UV Absorbers | ND | - | - | - |
| VOCs | ND | - | - | - |

Remark (Indicated in each parameter)

ND = Not detected

D = Detected

NA = Not applicable

- = Not required to be tested

@ = Maximum holding time exceeded

(T) = handling temperature exceeded



Test results

Wastewater

1. Conventional Parameters and Anions

| Test Items | Test method | | Limit | | Reporting Limit | Result | Unit |
|--|--|-------------------------------|----------------------------------|--------------------------------|--------------------|----------------|-----------------|
| | | Foundational | Progressive | Aspirational | | Effluent | |
| рН | ISO 10523, USEPA 150.1, SM 4500 H+, HJ 1147 or IS 3025 (Part 11) - Electrometric method only | | tile and Leather: 6 | | NA | 7.6 (f) | - |
| Temperature Difference | DIN 38 404-4, USEPA 170.1, SM 2550, GB/T 13195 or IS 3025 (Part 9) | Textile and Leather: Δ+15 | Textile and Leather: Δ+10 | Textile and Leather: Δ+5 | NA | 1.1 (f) | ºC |
| E. Coli | SM 9221 B presumptive, confirm positive with SM 9221 F or G | Tex | tile and Leather: 1 | 26 | 126 | ND | MPN/100mL |
| Colour (436nm; 525nm; 620nm) | ISO 7887 B | Textile and Leather: 7;5;3 | Textile and Leather: 5;3;2 | Textile and Leather: 2;1;1 | NA | 2.1;1.3;1.2(S) | m ⁻¹ |
| Persistent Foam | - | Textile | Textile and Leather: Not visible | | | Not Visible | - |
| Wastewater Flowrate | - | - | | | NA | 2569 (f) | m³/day |
| Ammonium-Nitrogen | ISO 7150, ISO 11732, USEPA 350.1, USEPA 350.3, SM 4500 NH3 D, E, F, G or H, HJ 535 or IS 3025 (Part 34) - Phenate or ammonia selective electrode only | Textile: 10 Leather: 15 | Textile: 1 Leather: 10 | Textile: 0.5 Leather: 1 | 0.5 | ND (S) | mg/L |
| AOX | ISO 9562, HACH LCK 390 or HJ/T 83-2001 | Textile: 3 | Textile: 0.5 | Textile: 0.1 | 0.1 | 0.3 (S) | mg/L |
| Biochemical Oxygen Demand 5-days concentration (BOD ₅) | water (BOD5) | Textile: 30 Leather: 50 | Textile: 15 Leather: 30 | Textile: 8 Leather: 20 | 5 | 8 | mg/L |
| Chemical Oxygen Demand (COD) | ISO 6060, ISO 15705, USEPA 410.4, SM 5220 D, HJ 828, GB/T 11914 or IS 3025 (Part 58) | Textile: 150 Leather: 250 | Textile: 80 Leather: 150 | Textile: 40 Leather: 100 | 40 | ND | mg/L |
| Dissolved Oxygen (DO) | ISO 5814, USEPA 360.1, SM 4500 O G or HJ 506 | Textile and Le | eather: Sample an | d report only | 0.5 | 5.4 (f) | mg/L |
| Oil and grease | ISO 9377-2, USEPA 1664 Revision B, SM 5520 B or C, HJ 637 - Total oil and grease or IS 3025 (Part 39) - Partition gravimetric or partition infra-red | Textile: 10 Leather: 20 | Textile: 2 Leather: 10 | Textile: 0.5 Leather: 5 | 0.5 | ND | mg/L |
| Total Phenols / Phenol Index | ISO 6439, SM 5530 B or C, HJ 503 or IS 3025 (Part 43) | Textile and Leather: 0.5 | Textile:0.01 Leather: 0.3 | Textile: 0.001 Leather: 0.1 | 0.001 | ND | mg/L |
| Total Chlorine | ISO 7393-2, USEPA 330.5, SM 4500 Cl- G or HJ 586 | Textile and Le | eather: Sample an | d report only | 0.5 | ND (f) | mg/L |



| Total Dissolved Solids (TDS) | USEPA 160.1, SM 2540 C, GB/T 5750.4- 2006 (180°C centigrade) or IS 3025 (Part 16) 179°C to 181°C | Textile and Leather: Sample and report only | | | 50 | 802 | mg/L |
|---------------------------------|--|---|---|-------------------------------|------|--------|------|
| Total Nitrogen | ISO 11905 - Part 1, ISO 29441, USEPA 351.2, SM 4500 P J, SM 4500 N B, C, HJ 636 or IS 3025 (Part 34) (Ammonia, nitrate, nitrite, organic) | Textile: 20 Leather: 35 | Textile: 10 Leather: 20 | Textile: 5 Leather: 10 | 5 | 6 | mg/L |
| Total Phosphorus | ISO 6878, ISO 11885, ISO 17294, USEPA 200.7, USEPA 200.8, USEPA 365.4, USEPA 6010 C, USEPA 6020 A, SM 4500 P J, GB/T 11893, IS 3025 (Part 31) or IS 3025 (Part 65) | Textile and Leather: 3 | Textile: 0.5 Leather: 1 | Textile: 0.1 Leather: 0.5 | 0.1 | 0.9 | mg/L |
| Total Suspended Solids (TSS) | ISO 11923, USEPA 160.2, SM 2540 D, GB/T 11901 or IS 3025 (Part 17) 103°C to 105°C | Textile: 50 Leather: 70 | Textile: 15 Leather: 50 | Textile: 5 Leather: 20 | 5 | ND | mg/L |
| Chloride | ISO 10304-1, ISO 15923-1, USEPA 300, SM 4110 B, C, SM 4500 CI D or E, HJ 84- 2016 or IS 3025 (Part 32) - Potentiometric or automated ferricyanide only | Textile and Le | Textile and Leather: Sample and report only | | | 13 | mg/L |
| Cyanide | ISO 6703-1, -2, -3, ISO 14403-1, -2, USEPA 335.2, SM 4500 CN or HJ 484 | Textile: 0.2 | Textile: 0.1 | Textile: 0.05 | 0.05 | ND | mg/L |
| Sulfate | ISO 10304-1, ISO 15923-1, USEPA 300, USEPA 9038, SM 4110 B, C, SM 4500 SO ₄ ²⁻ E, F, G, HJ 84- 2016 or IS 3025 (Part 24) | Textile and Leather: Sample and report only | | | 5 | 200 | mg/L |
| Sulfide | ISO 10530, SM 4500 S ²⁻ D, E, G or I, HJ 1226 or IS 3025 (Part 29) - Methylene blue only | Textile: 0.5 Leather: 1 | Textile: 0.05 Leather: 0.5 | Textile: 0.01 Leather: 0.2 | 0.01 | ND | mg/L |
| Sulfite | ISO 10304-3, SM 4500 SO ₃ ²⁻ C or HJ 84-2016 | Textile: 2 | Textile: 0.5 | Textile: 0.2 | 0.2 | ND (S) | mg/L |

Remark

ND = Not detected

NA = Not applicable

^{- =} Not required to be tested

⁽f) = Parameter tested in field

⁽Ś) = The analysis was subcontracted to SGS India Private Limited, lab Reference no. CH:TX:1442028354 for testing.

^{# =} Non accredited parameter



2. Heavy Metals

Cr (VI): ISO 18412, USEPA 218.6, GB 7467 or IS 3025 (Part 52)

Ba, Se, Sn: USEPA 200.8, USEPA 6010 C, USEPA 6020 A or HJ 700

Sb, As, Cr, Co: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A, HJ 700 or IS 3025 (Part 65)

Cd: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A, GB 7475, HJ 700, IS 3025 (Part 65) or IS 3025 (Part 41) – AAS instrumental method Cu: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A, GB 7475, HJ 700, IS 3025 (Part 65) or IS 3025 (Part 42) – AAS instrumental method Pb: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A, GB 7475, HJ 700, IS 3025 (Part 65) or IS 3025 (Part 47) – AAS instrumental method Ni: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A, GB 11912, HJ 700, IS 3025 (Part 65) or IS 3025 (Part 54) – AAS instrumental method Ac: ISO 17294, USEPA 6010 C, USEPA 6020 A, GB 11907, HJ 700 or IS 3025 (Part 65)

Ag: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A, GB 11907, HJ 700 or IS 3025 (Part 65)
Zn: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A, GB 7472, GB 7475, HJ 700, IS 3025 (Part 65) or IS 3025 (Part 49) – AAS instrumental method

Hg: ISO 17294, USEPA 200.8 - SIM, USEPA 245.1, USEPA 245.7, USEPA 6020 A - SIM, HJ 597, HJ 694, IS 3025 (Part 48) - Cold vapour AAS only or IS 3025 (Part 65) - SI

B: ISO 17294, USEPA 6010 C, USEPA 6020 A, HJ 700 or IS 3025 (Part 65)

| , | 3E1 A 0010 0, 03E1 A | , | Limit | | | Result | |
|------------------------|----------------------|---------------------------------|---------------------------------|---------------------------------|--------------------|----------|------|
| Test items | CAS no. | Foundation al | Progressive | Aspirational | Reporting Limit | Effluent | Unit |
| Arsenic (As) | Various | Textile and Leather: 0.05 | Textile and Leather: 0.01 | Textile and Leather: 0.005 | 0.005 | ND | mg/L |
| Cadmium (Cd) | Various | Textile and Leather: 0.1 | Textile and Leather: 0.05 | Textile and Leather: 0.01 | 0.01 | ND | mg/L |
| Mercury (Hg) | Various | Textile and Leather: 0.01 | Textile and Leather: 0.005 | Textile and Leather: 0.001 | 0.001 | ND | mg/L |
| Lead (Pb) | Various | Textile and Leather: 0.1 | Textile and Leather: 0.05 | Textile and Leather: 0.01 | 0.01 | ND | mg/L |
| Antimony (Sb) * | Various | Textile and Leather: 0.1 | Textile and Leather: 0.05 | Textile and Leather: 0.01 | 0.01 | ND | mg/L |
| Cobalt (Co) | Various | Textile and Leather: 0.05 | Textile and Leather: 0.02 | Textile and Leather: 0.01 | 0.01 | ND | mg/L |
| Nickel (Ni) | Various | Textile and Leather: 0.2 | Textile and Leather: 0.1 | Textile and Leather: 0.05 | 0.05 | ND | mg/L |
| Silver (Ag) | Various | Textile and Leather: 0.1 | Textile and Leather: 0.05 | Textile and Leather: 0.005 | 0.005 | ND | mg/L |
| Copper (Cu) | Various | Textile and Leather: 1 | Textile and Leather: 0.5 | Textile and Leather: 0.25 | 0.25 | ND | mg/L |
| Zinc (Zn) | Various | Textile and Leather: 5 | Textile and Leather: 1 | Textile and Leather: 0.5 | 0.1 | 1.2 | mg/L |
| Total Chromium (Cr) | Various | Textile: 0.2 Leather: 1.5 | Textile: 0.1 Leather: 0.8 | Textile: 0.05 Leather: 0.3 | 0.05 | ND | mg/L |
| Chromium VI (Cr VI) | Various | Textile: 0.05 Leather: 0.15 | Textile: 0.005 Leather: 0.05 | Textile: 0.001 Leather: 0.02 | 0.001 | ND | mg/L |
| Barium (Ba) | Various | Textile: Sample and report only | | | 35 | ND | mg/L |
| Selenium (Se) | Various | Textile: Sample and report only | | | 0.5 | ND | mg/L |
| Tin (Sn) | Various | Tex | tile: Sample and re | port only | 0.1 | ND | mg/L |

Remark

ND = Not detected NA = Not applicable

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



3. Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs): including all isomers

NP/OP: With reference to ISO 18857-2 (Modified dichloromethane extraction) or ASTM D7065 (GC-MS or LC-MS(-MS)) NPEO / OPEO: With reference to ISO 18857-2 or ASTM D7742

| | | | Result | |
|--------------------------------|---|--|----------------------|------|
| Test items | CAS no. | Reporting Limit (Textile and Leather) | Untreated wastewater | Unit |
| Octylphenol (OP) | 140-66-9/ 1806-26-4/ 27193-28-8 | 5 | ND | μg/L |
| Nonylphenol (NP) | 104-40-5/ 11066-49-2/ 25154- 52- 3/84852-15-3 | 5 | ND | μg/L |
| Octylphenolethoxylates (OPEOs) | 9002-93-1/9036-19-5/68987-90-6 | 5 | ND | μg/L |
| Nonylphenolethoxylates (NPEOs) | 9016-45-9/26027-38-3/ 37205- 87- 1/68412-54-4/127087-87-0 | 5 | ND | μg/L |

4. Anti- Microbials & Biocides

o-Phenylphenol (+salts): With reference to BS EN 12673-1999, USEPA 8270 E or Solvent extraction, derivatization with KOH, acetic anhydride followed by GC-MS

Triclosan: With reference to BS EN 12673-1999, USEPA 8270 E or Solvent extraction, derivatization with KOH, acetic anhydride followed by GC-MS

Permethrin: With reference to ISO 14154:2005, USEPA 8270 E, Solvent extraction followed by GC-MS or An alternative method, without derivatization and determination by LC-MS / LC-MS/MS

| Test items | CAS no. | Reporting Limit (Textile) | Result Untreated wastewater | Unit |
|-------------------------|-----------|------------------------------|-----------------------------|------|
| o-Phenylphenol (+salts) | 90-43-7 | Textile: 100 | ND | μg/L |
| Triclosan | 3380-34-5 | Textile and Leather: | ND | μg/L |
| Permethrin | Various | Textile and Leather : 500 | ND | μg/L |

5. Chlorinated Parafins

MCCPs: Preparation: With reference to USEPA 3510. Analysis: With reference to ISO 18219-2:2021 or Method for MCCP with GC-MS(NCI) or LC-MS/MS.

SCCPs: Preparation: With reference to USEPA 3510. Analysis: With reference to ISO 12010:2019, ISO 18219-1:2021 or Method for SCCP with GC-MS(NCI) or LC-MS/MS

| Test items | CAS no. | Reporting Limit (Textile) | Result Untreated wastewater | Unit |
|--|------------|------------------------------|-----------------------------|------|
| Short chain chlorinated paraffins (C10-C13) | 85535-84-8 | Textile and Leather: 25 | ND | μg/L |
| Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17) | 85535-85-9 | Textile and Leather: 500 | ND | μg/L |



6. Chlorobenzenes & Chlorotoluenes

With reference to USEPA 8260 D, USEPA 8270 E, Purge and Trap, Headspace or Dichloromethane extraction followed by GC-MS.

| | | Reporting Limit | Result | |
|----------------------------|------------|-----------------------|----------------------|------|
| Test items | CAS no. | (Textile and Leather) | Untreated wastewater | Unit |
| Monochlorobenzenes | 108-90-7 | 0.2 | ND | μg/L |
| 1,2-Dichlorobenzene | 95-50-1 | 0.2 | ND | μg/L |
| 1,3-Dichlorobenzene | 541-73-1 | 0.2 | ND | μg/L |
| 1,4-Dichlorobezene | 106-46-7 | 0.2 | ND | μg/L |
| 1,2,3-Trichlorobenzene | 87-61-6 | 0.2 | ND | μg/L |
| 1,2,4-Trichlorobenzene | 120-82-1 | 0.2 | ND | μg/L |
| 1,3,5-Trichlorobenzene | 108-70-3 | 0.2 | ND | μg/L |
| 1,2,3,4-Tetrachlorobenzene | 634-66-2 | 0.2 | ND | μg/L |
| 1,2,3,5-Tetrachlorobenzene | 634-90-2 | 0.2 | ND | μg/L |
| 1,2,4,5-Tetrachlorobenzene | 95-94-3 | 0.2 | ND | μg/L |
| Pentachlorobenzene | 608-93-5 | 0.2 | ND | μg/L |
| Hexachlorobenzene | 118-74-1 | 0.2 | ND | μg/L |
| 2-Chlorotoluene | 95-49-8 | 0.2 | ND | μg/L |
| 3-Chlorotoluene | 108-41-8 | 0.2 | ND | μg/L |
| 4-Chlorotoluene | 106-43-4 | 0.2 | ND | μg/L |
| 2,3-Dichlorotoluene | 32768-54-0 | 0.2 | ND | μg/L |
| 2,4-Dichlorotoluene | 95-73-8 | 0.2 | ND | μg/L |
| 2,5-Dichlorotoluene | 19398-61-9 | 0.2 | ND | μg/L |
| 2,6-Dichlorotoluene | 118-69-4 | 0.2 | ND | μg/L |
| 3,4-Dichlorotoluene | 95-75-0 | 0.2 | ND | μg/L |
| 3,5-Dichlorotoluene | 25186-47-4 | 0.2 | ND | μg/L |
| 2,3,4-Trichlorotoluene | 7359-72-0 | 0.2 | ND | μg/L |
| 2,3,6-Trichlorotoluene | 2077-46-5 | 0.2 | ND | μg/L |
| 2,4,5-Trichlorotoluene | 6639-30-1 | 0.2 | ND | μg/L |
| 2,4,6-Trichlorotoluene | 23749-65-7 | 0.2 | ND | μg/L |
| 3,4,5-Trichlorotoluene | 21472-86-6 | 0.2 | ND | μg/L |
| 2,3,4,5-Tetrachlorotoluene | 76057-12-0 | 0.2 | ND | μg/L |
| 2,3,5,6-Tetrachlorotoluene | 29733-70-8 | 0.2 | ND | μg/L |
| 2,3,4,6-Tetrachlorotoluene | 875-40-1 | 0.2 | ND | μg/L |
| Pentachlorotoluene | 877-11-2 | 0.2 | ND | μg/L |



7. Chlorophenols

With reference to BS EN 12673-1999, USEPA 8270 E or Solvent extraction, derivatization with KOH, acetic anhydride followed by GC-MS

| | | | Result | |
|---------------------------|------------|--|----------------------|------|
| Test items | CAS no. | Reporting Limit (Textile and Leather) | Untreated wastewater | Unit |
| 2-Chlorophenol | 95-57-8 | 0.5 | ND | μg/L |
| 3-Chlorophenol | 108-43-0 | 0.5 | ND | μg/L |
| 4-Chlorophenol | 106-48-9 | 0.5 | ND | μg/L |
| 2,3-Dichlorophenol | 576-24-9 | 0.5 | ND | μg/L |
| 2,4-Dichlorophenol | 120-83-2 | 0.5 | ND | μg/L |
| 2,5-Dichlorophenol | 583-78-8 | 0.5 | ND | μg/L |
| 2,6-Dichlorophenol | 87-65-0 | 0.5 | ND | μg/L |
| 3,4-Dichlorophenol | 95-77-2 | 0.5 | ND | μg/L |
| 3,5-Dichlorophenol | 591-35-5 | 0.5 | ND | μg/L |
| 2,3,4-Trichlorophenol | 15950-66-0 | 0.5 | ND | μg/L |
| 2,3,5-Trichlorophenol | 933-78-8 | 0.5 | ND | μg/L |
| 2,3,6-Trichlorophenol | 933-75-5 | 0.5 | ND | μg/L |
| 2,4,5-Trichlorophenol | 95-95-4 | 0.5 | ND | μg/L |
| 2,4,6-Trichlorophenol | 88-06-2 | 0.5 | ND | μg/L |
| 3,4,5-Trichlorophenol | 609-19-8 | 0.5 | ND | μg/L |
| 2,3,5,6-Tetrachlorophenol | 935-95-5 | 0.5 | ND | μg/L |
| 2,3,4,6-Tetrachlorophenol | 58-90-2 | 0.5 | ND | μg/L |
| 2,3,4,5-Tetrachlorophenol | 4901-51-3 | 0.5 | ND | μg/L |
| Pentachlorophenol PCP | 87-86-5 | 0.5 | ND | μg/L |

8. N,N-di-methylformamide (DMFa)

With reference to USEPA 8015 or USEPA 8270 E

| Test item | CAS no. | Reporting Limit (Textile) | Result Untreated wastewater | Unit |
|-------------------------------|---------|--|-----------------------------|------|
| N,N-di-methylformamide (DMFa) | 68-12-2 | 1000 (Sample and Report only for mock leather) | ND | μg/L |



9. Dyes - Carcinogenic or Equivalent Concern

With reference to Liquid extraction followed by LC-MS

| | | | Result | |
|---|------------|--|----------------------|------|
| Test items | CAS no. | Reporting Limit (Textile and Leather) | Untreated wastewater | Unit |
| C.I. Direct Black 38 | 1937-37-7 | 500 | ND | μg/L |
| C.I. Direct Blue 6 | 2602-46-2 | 500 | ND | μg/L |
| C.I. Acid Red 26 | 3761-53-3 | 500 | ND | μg/L |
| C.I. Basic Red 9 | 569-61-9 | 500 | ND | μg/L |
| C.I. Direct Red 28 | 573-58-0 | 500 | ND | μg/L |
| C.I. Basic Violet 14 | 632-99-5 | 500 | ND | μg/L |
| C.I. Disperse Blue 1 | 2475-45-8 | Textile: 500 | ND | μg/L |
| C.I. Disperse Blue 3 | 2475-46-9 | Textile: 500 | ND | μg/L |
| C.I. Basic Blue 26 (with Michler's Ketone > 0.1%) | 2580-56-5 | 500 | ND | μg/L |
| C.I. Basic Green 4 (malachite green chloride) | 569-64-2 | 500 | ND | μg/L |
| C.I. Basic Green 4 (malachite green oxalate) | 2437-29-8 | 500 | ND | μg/L |
| C.I. Basic Green 4 (malachite green) | 10309-95-2 | 500 | ND | μg/L |
| Disperse Orange 11 | 82-28-0 | Textile: 500 | ND | μg/L |
| Basic violet 3 with >0.1% of Michler's Ketone* | 548-62-9 | 500 | ND | μg/L |
| C.I. Acid Violet 49 | 1694-09-3 | 500 | ND | μg/L |

^{*}Reported concentration refers to the dye part only



10. Dyes - Disperse (Allergenic)

With reference to Liquid extraction followed by LC-MS

| | | Reporting Limit | Result | |
|--------------------------|------------|-----------------|----------------------|------|
| Test Items | CAS no. | (Textile) | Untreated wastewater | Unit |
| Disperse Yellow 1 | 119-15-3 | 50 | ND | μg/L |
| Disperse Blue 102 | 12222-97-8 | 50 | ND | μg/L |
| Disperse Blue 106 | 12223-01-7 | 50 | ND | μg/L |
| Disperse Yellow 39 | 12236-29-2 | 50 | ND | μg/L |
| Disperse Orange 37/59/76 | 13301-61-6 | 50 | ND | μg/L |
| Disperse Brown 1 | 23355-64-8 | 50 | ND | μg/L |
| Disperse Orange 1 | 2581-69-3 | 50 | ND | μg/L |
| Disperse Yellow 3 | 2832-40-8 | 50 | ND | μg/L |
| Disperse Red 11 | 2872-48-2 | 50 | ND | μg/L |
| Disperse Red 1 | 2872-52-8 | 50 | ND | μg/L |
| Disperse Red 17 | 3179-89-3 | 50 | ND | μg/L |
| Disperse Blue 7 | 3179-90-6 | 50 | ND | μg/L |
| Disperse Blue 26 | 3860-63-7 | 50 | ND | μg/L |
| Disperse Yellow 49 | 54824-37-2 | 50 | ND | μg/L |
| Disperse Blue 35 | 12222-75-2 | 50 | ND | μg/L |
| Disperse Blue 124 | 61951-51-7 | 50 | ND | μg/L |
| Disperse Yellow 9 | 6373-73-5 | 50 | ND | μg/L |
| Disperse Orange 3 | 730-40-5 | 50 | ND | μg/L |
| Disperse Blue 35 | 56524-77-7 | 50 | ND | μg/L |

11. Dyes - Navy Blue Colourant

With reference to Liquid extraction followed by LC-MS

| Test Items | CAS no. | Reporting Limit (Textile and Leather) | Result Untreated wastewater | Unit |
|---------------------------------------|---------------|--|-----------------------------|------|
| Component 1: C39H23Cl-CrN7O12S 2Na | 118685-33-9 | 500 | ND | μg/L |
| Component 2: C46H-30CrN10O20S2 3Na | Not Allocated | 500 | ND | μg/L |



12.Flame retardants

Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate anhydrous, Tetraboron disodium heptaoxide, hydrate: ISO 17294, USEPA 6010 C, USEPA 6020 A, HJ 700 or IS 3025 (Part 65)

Others: With reference to ISO 22032, USEPA 527, USEPA 8270 E, USEPA 8321 B or Dichloromethane extraction followed by GC-MS or LC-MS(-MS)

| Test Items | CAS no. | Reporting Limit | Result Untreated wastewater | Unit |
|--|--------------------------|---------------------------|-----------------------------|------|
| Decabromodiphenyl ether (DecaBDE) | 1163-19-5 | Textile: 25 Leather: 5 | ND | μg/L |
| Pentabromodiphenyl ether (PentaBDE) | 32534-81-9 | Textile: 25 Leather: 5 | ND | μg/L |
| Octabromodiphenyl ether (OctaBDE) | 32536-52-0 | Textile: 25 Leather: 5 | ND | μg/L |
| Tris(1-aziridinylphosphine oxide) (TEPA) | 545-55-1 | Textile: 25 Leather: 5 | ND | μg/L |
| Polybromobiphenyls (PBBs) | 59536-65-1 | Textile: 25 Leather: 5 | ND | μg/L |
| Tris(2,3-dibromopropyl phosphate) (TRIS) | 126-72-7 | Textile: 25 Leather: 5 | ND | μg/L |
| Tetrabromobisphenol A (TBBPA) | 79-94-7 | Textile: 25 Leather: 5 | ND | μg/L |
| Bis(2,3-dibromopropyl) phosphate | 5412-25-9 | Textile: 25 Leather: 5 | ND | μg/L |
| Hexabromocyclododecane (HBCDD) | 3194-55-6 | Textile: 25 Leather: 5 | ND | μg/L |
| 2,2-Bis(bromomethyl)-1,3-propanediol (BBMP) | 3296-90-0 | Textile: 25 Leather: 5 | ND | μg/L |
| Tris-(2-chloro-1-methylethyl) phosphate (TCPP) | 13674-84-5 | Textile: 25 Leather: 5 | ND | μg/L |
| Decabromobiphenyl (DecaBB) | 13654-09-6 | Textile: 25 | ND | μg/L |
| Dibromobiphenyls (DiBB) | Multiple | Textile: 25 | ND | μg/L |
| Octabromobiphenyls (OctaBB) | Multiple | Textile: 25 | ND | μg/L |
| Dibromopropylether | 21850-44-2 | Textile: 25 | ND | μg/L |
| Heptabromodiphenyl ether (HeptaBDE) | 68928-80-3 | Textile: 25 | ND | μg/L |
| Hexabromodiphenyl ether (HexaBDE) | 36483-60-0 | Textile: 25 | ND | μg/L |
| Monobromobiphenyls (MonoBB) | Multiple | Textile: 25 | ND | μg/L |
| Monobromodiphenylethers (MonoBDEs) | Multiple | Textile: 25 | ND | μg/L |
| Nonabromobiphenyls (NonaBB) | Multiple | Textile: 25 | ND | μg/L |
| Nonabromodiphenyl ether (NonaBDE) | 63936-56-1 | Textile: 25 | ND | μg/L |
| Tetrabromodiphenyl ether (TetraBDE) | 40088-47-9 | Textile: 25 | ND | μg/L |
| Tribromodiphenylethers (TriBDEs) | Multiple | Textile: 25 | ND | μg/L |
| Boric acid | 10043-35-3 11113-50-1 | Textile: 100* | ND (ND) ** | μg/L |
| Diboron trioxide | 1303-86-2 | Textile: 100* | ND (ND) ** | μg/L |
| Disodium octaborate | 12008-41-2 | Textile: 100* | ND (ND) ** | μg/L |
| Disodium tetraborate anhydrous | 1303-96-4 1330-43-4 | Textile: 100* | ND (ND) ** | μg/L |



| Tetraboron disodium heptaoxide, hydrate | 12267-73-1 | Textile: 100* | ND (ND) ** | μg/L |
|---|------------|---------------------------|------------|------|
| Tris(2-chloroethyl) phosphate (TCEP) | 115-96-8 | Textile: 25 Leather: 5 | ND | μg/L |
| Tris(1,3-dichloro-isopropyl) phosphate (TDCP) | 13674-87-8 | Textile: 25 Leather: 5 | ND | μg/L |

^{*} Limit refers to elemental boron, not the salt.

13. Glycols/Glycol Ethers

With reference to USEPA 8270 E or Liquid extraction followed by LC-MS or GC-MS

| Test Items | CAS no. | Reporting Limit (Textile and Leather) | Result Untreated wastewater | - Unit |
|-----------------------------------|------------|--|-----------------------------|--------|
| Bis(2-methoxyethyl)-ether | 111-96-6 | 50 | ND | μg/L |
| 2-ethoxyethanol | 110-80-5 | 50 | ND | μg/L |
| 2-ethoxyethyl acetate | 111-15-9 | 50 | ND | μg/L |
| Ethylene glycol dimethyl ether | 110-71-4 | 50 | ND | μg/L |
| 2-methoxyethanol | 109-86-4 | 50 | ND | μg/L |
| 2-methoxyethylacetate | 110-49-6 | 50 | ND | μg/L |
| 2-methoxypropylacetate | 70657-70-4 | 50 | ND | μg/L |
| Triethylene glycol dimethyl ether | 112-49-2 | 50 | ND | μg/L |

14. Halogenated solvents

With reference to USEPA 8260 D, Purge and Trap or Headspace followed by GC-MS

| | | Donouting Limit | Result | Unit ug/l |
|--------------------|----------|--|----------------------|--------------|
| Test Items | CAS no. | Reporting Limit (Textile and Leather) | Untreated wastewater | Unit |
| 1,2-Dichloroethane | 107-06-2 | 1 | ND | μg/L |
| Methylene chloride | 75-09-2 | 1 | ND | μg/L |
| Trichloroethene | 79-01-6 | 1 | ND | μg/L |
| Tetrachloroethene | 127-18-4 | 1 | ND | μg/L |

^{**}Result in term of elemental boron (Result in term of the corresponding boron salt)



Test Report No. D

DHK: TX: 2310013718 Date: 16/06/2023

15. Organotin compounds

TeET: With reference to ISO 17353

Others: With reference to ISO 17353 or Derivatization with NaB(C₂H₅)₄ followed by GC-MS

| | | Reporting Limit | Result | |
|---|---------------------------|-----------------------|----------------------|------|
| Test Items | C AS no. | (Textile and Leather) | Untreated wastewater | Unit |
| Triclyclohexyltin (TCyHT) | Various | 0.01 | ND | μg/L |
| Tripropyltin (TPT) | Various | 0.01 | ND | μg/L |
| Dipropyltin compounds (DPT) | Various | 0.01 | ND | μg/L |
| Tetrabutyltin compounds (TeBT) | Various | 0.01 | ND | μg/L |
| Tetraoctyltin compounds (TeOT) | Various | 0.01 | ND | μg/L |
| Tetraethyltin Compounds (TeET) | Various | 0.01 | ND | μg/L |
| Mono-, di-and tri-octyltin derivatives | Various | 0.01 | ND | μg/L |
| Monooctyltin (MOT) | 15231-57-9 | 0.01 | ND | μg/L |
| Dioctyltin (DOT) | 94410-05-6, 12531-44-4 | 0.01 | ND | μg/L |
| Trioctyltin (TOT) | Various | 0.01 | ND | μg/L |
| Mono-, di-and tri-methyltin derivatives | Various | 0.01 | ND | μg/L |
| Monomethyltin (MMT) | Various | 0.01 | ND | μg/L |
| Dimethyltin (DMT) | Various | 0.01 | ND | μg/L |
| Trimethyltin (TMT) | Various | 0.01 | ND | μg/L |
| Mono-, di-and tri-butyltin derivatives | Various | 0.01 | ND | μg/L |
| Monobutyltin (MBT) | 1118-46-3, 78763-54-9 | 0.01 | ND | μg/L |
| Dibutyltin (DBT) | 1002-53-5 | 0.01 | ND | μg/L |
| Tributyltin (TBT) | 56573-85-4 | 0.01 | ND | μg/L |
| Mono-, di-and tri-phenyltin derivatives | Various | 0.01 | ND | μg/L |
| Monophenyltin (MPhT) | Various | 0.01 | ND | μg/L |
| Diphenyltin (DPhT) | Various | 0.01 | ND | μg/L |
| Triphenyltin (TPhT) | 892-20-6, 668-34-8 | 0.01 | ND | μg/L |



16. Other/Miscellaneous Chemicals

AEEA [2-(2-aminoethylamino) ethanol]: With reference to Liquid extraction followed by LC-MS/MS

Bisphenol A: With reference to Liquid extraction followed by LC-MS Thiourea: With reference to Liquid extraction followed by LC-MS Quinoline: With reference to Liquid extraction followed by LC-MS

Borate, zinc salt: ISO 17294, USEPA 6010 C, USEPA 6020 A, HJ 700 or IS 3025 (Part 65)

| Test Items | CAS no. | Reporting Limit (Textile) | Result Untreated wastewater | Unit |
|--------------------------------------|------------|------------------------------|-----------------------------------|------|
| AEEA [2-(2-aminoethylamino) ethanol] | 111-41-1 | 500 | ND | μg/L |
| Bisphenol A | 80-05-7 | 10 | ND | μg/L |
| Thiourea | 62-56-6 | 50 | ND | μg/L |
| Quinoline | 91-22-5 | 50 | ND | μg/L |
| Borate, zinc salt | 12767-90-7 | 100* | B: ND (ND) ** Zn: 140 (399) ** | μg/L |

^{*} Limit refers to boron and zinc individually, not the salt.

17. Perfluorinated and Polyfluorinated Chemicals (PFCs)

PFCs: With reference to USEPA 537:2020 followed by LC-MS(-MS)

FTOH:With reference to BS EN 12673-1999, USEPA 8270 E or Derivatization with acetic anhydride followed by GC-MS

| Test Items | CAS no. | Reporting Limit (Textile and Leather) | Result Untreated wastewater | Unit |
|---|------------|--|-----------------------------|------|
| Perfluoro-octane-sulfonic acid (PFOS)* | 1763-23-1 | 0.01 | ND | μg/L |
| Perfluoro-octanoic acid (PFOA)** | 335-67-1 | 0.01 | ND | μg/L |
| Perfluoro-octane-sulfon-amide (PFOSA) | 754-91-6 | 0.01 | ND | μg/L |
| 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) | 27905-45-9 | 1 | ND | μg/L |
| 1H,1H,2H,2H-Perfluorodecanol (8:2 FTOH) | 678-39-7 | 1 | ND | μg/L |
| N-Methyl-perfluoro-octane-sulfon-amido-ethanol (N-Me-FOSE) | 24448-09-7 | 0.01 | ND | μg/L |
| N-Ethyl-Perfluoro-octane-sulfon-amido-ethanol (N-Et-FOSE) | 1691-99-2 | 0.01 | ND | μg/L |
| N-Methyl-perfluoro-octane-sulfon-amide (N-Me-FOSA) | 31506-32-8 | 0.01 | ND | μg/L |
| N-Ethyl-perfluoro-octane-sulfon-amide (N-Et-FOSA) | 4151-50-2 | 0.01 | ND | μg/L |
| 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS) | 39108-34-4 | 1 | ND | μg/L |
| Methyl Perfluorooctanoate (Me-PFOA) | 376-27-2 | 1 | ND | μg/L |
| Ethyl Perfluorooctanoate (Et-PFOA) | 3108-24-5 | 1 | ND | μg/L |
| 8:2 Fluorotelomer methacrylate (8:2 FTMA) | 1996-88-9 | 1 | ND | μg/L |

^{*} PFOS refer to its salts/derivative including PFOS-K (CAS No.: 2795-39-3), PFOS-Li (CAS No.: 29457-72-5), PFOS-NH₄ (CAS No.: 29081-56-9), PFOS-NH(OH)₂ (CAS No.: 70225-14-8), PFOS-N(C₂H₅)₄ (CAS No.: 56773-42-3) and POSF (CAS No.: 307-35-7)

^{**} Result in term of elemental boron / zinc (Result in term of the corresponding boron / zinc salt)

^{**} PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)



18.Phthalates – including all other esters of ortho-phthalic acidWith reference to USEPA 8270 E, ISO 18856 or Dichloromethane extraction followed by GC-MS

| Test Items | CAS no. | Reporting Limit (Textile and Leather) | Result Untreated wastewater | Unit |
|--|---------------------------|--|-----------------------------|------|
| Di-2-ethylhexyl phthalate (DEHP) | 117-81-7 | 10 | ND | μg/L |
| Dimethoxyethyl phthalate (DMEP) | 117-82-8 | 10 | ND | μg/L |
| Di-n-octyl phthalate (DNOP) | 117-84-0 | 10 | ND | μg/L |
| Di-iso-decyl phthalate (DIDP) | 26761-40-0 | 10 | ND | μg/L |
| Di-iso-nonyl phthalate (DINP) | 28553-12-0 | 10 | ND | μg/L |
| Di-n-hexyl phthalate (DnHP) | 84-75-3 | 10 | ND | μg/L |
| Dibutyl phthalate (DBP) | 84-74-2 | 10 | ND | μg/L |
| Butyl benzyl phthalate (BBP) | 85-68-7 | 10 | ND | μg/L |
| Dinonyl phthalate (DNP) | 84-76-4 | 10 | ND | μg/L |
| Diethyl phthalate (DEP) | 84-66-2 | 10 | ND | μg/L |
| Di-n-propyl phthalate (DPRP) | 131-16-8 | 10 | ND | μg/L |
| Di-iso-butyl phthalate (DIBP) | 84-69-5 | 10 | ND | μg/L |
| Di-cyclohexyl phthalate (DCHP) | 84-61-7 | 10 | ND | μg/L |
| Di-iso-octyl phthalate (DIOP) | 27554-26-3 | 10 | ND | μg/L |
| 1,2-benzenedicarboxylic acid, di-C7-11- branched and linearakyl esters (DHNUP) | 68515-42-4, 68515-50-4 | 10 | ND | μg/L |
| 1,2-benzenedicarboxylic acid, di-C6-8 branched and linearalkyl esters , C7-rich (DIHP) | 71888-89-6, 84777-06-0 | 10 | ND | μg/L |
| Di-n-pentylphthalates | 131-18-0 | 10 | ND | μg/L |
| Diisopentylphthalates | 605-50-5 | 10 | ND | μg/L |



19. Polycyclic aromatic hydrocarbons (PAHs)

With reference to DIN 38407-39, USEPA 8270 E or Solvent extraction followed by GC-MS

| Test Items | CAS no. | Reporting Limit (Textile and Leather) | Result Untreated wastewater | Unit |
|-------------------------|-----------|--|-----------------------------|------|
| Benzo(a)pyrene (BaP) | 50-32-8 | 1 | ND | μg/L |
| Anthracene | 120-12-7 | 1 | ND | μg/L |
| Pyrene | 129-00-0 | 1 | ND | μg/L |
| Benzo(ghi)perylene | 191-24-2 | 1 | ND | μg/L |
| Benzo(e)pyrene | 192-97-2 | 1 | ND | μg/L |
| Indeno (1,2,3-cd)pyrene | 193-39-5 | 1 | ND | μg/L |
| Benzo(j)fluoranthene | 205-82-3 | 1 | ND | μg/L |
| Benzo(b)fluoranthene | 205-99-2 | 1 | ND | μg/L |
| Fluoranthene | 206-44-0 | 1 | ND | μg/L |
| Benzo(k)fluoranthene | 207-08-09 | 1 | ND | μg/L |
| Acenaphthylene | 208-96-8 | 1 | ND | μg/L |
| Chrysene | 218-01-9 | 1 | ND | μg/L |
| Dibenz(a,h)anthracene | 53-70-3 | 1 | ND | μg/L |
| Benzo(a)anthracene | 56-55-3 | 1 | ND | μg/L |
| Acenaphthene | 83-32-9 | 1 | ND | μg/L |
| Phenanthrene | 85-01-8 | 1 | ND | μg/L |
| Fluorene | 86-73-7 | 1 | ND | μg/L |
| Naphthalene | 91-20-3 | 1 | ND | μg/L |



20. Restricted Aromatic Amines (Cleavable from Azo-colourants)

With reference to USEPA 8270 E or Reduction step with sodium dithionite, solvent extraction followed by GC-MS and LC-MS/MS

| Test Items | CAS no. | Reporting Limit (Textile and Leather) | Result Untreated wastewater | - Unit |
|--|------------|--|-----------------------------|--------|
| 4,4'-Methylene-bis(2-chloroaniline) | 101-14-4 | 0.1 | ND | μg/L |
| 4,4'-Diaminodiphenylmethane | 101-77-9 | 0.1 | ND | μg/L |
| 4,4'-Oxydianiline | 101-80-4 | 0.1 | ND | μg/L |
| 4-Chloroaniline | 106-47-8 | 0.1 | ND | μg/L |
| 3,3'-Dimethoxybenzidine | 119-90-4 | 0.1 | ND | μg/L |
| 3,3'-Dimethylbenzidine | 119-93-7 | 0.1 | ND | μg/L |
| p-Cresidine | 120-71-8 | 0.1 | ND | μg/L |
| 2,4,5-Trimethylaniline | 137-17-7 | 0.1 | ND | μg/L |
| 4,4'-Thiodianiline | 139-65-1 | 0.1 | ND | μg/L |
| 4-Aminoazobenzene | 60-09-3 | 0.1 | ND | μg/L |
| 2,4-Diaminoanisole | hyl-4,4'- | | ND | μg/L |
| 3,3'-Dimethyl-4,4'- diaminodiphenylmethane | 838-88-0 | 0.1 | ND | μg/L |
| 2,6-Xylidine | 87-62-7 | 0.1 | ND | μg/L |
| o-Anisidine | 90-04-0 | 0.1 | ND | μg/L |
| 2-Naphthylamine | 91-59-8 | 0.1 | ND | μg/L |
| 3,3'-Dichlorobenzidine | 91-94-1 | 0.1 | ND | μg/L |
| 4-Aminobiphenyl | 92-67-1 | 0.1 | ND | μg/L |
| Benzidine | 92-87-5 | 0.1 | ND | μg/L |
| o-Toluidine | 95-53-4 | 0.1 | ND | μg/L |
| 2,4-Xylidine | 95-68-1 | 0.1 | ND | μg/L |
| 4-Chloro-o-toluidine | 95-69-2 | 0.1 | ND | μg/L |
| 2,4-Diaminotoluene | 95-80-7 | 0.1 | ND | μg/L |
| o-Aminoazotoluene | 97-56-3 | 0.1 | ND | μg/L |
| 5-Nitro-o-toluidine | 99-55-8 | 0.1 | ND | μg/L |
| 2-Naphthylammoniumacetate | 553-00-4 | 0.1 | ND | μg/L |
| 2,4,5-trimethylaniline hydrochloride | 21436-97-5 | 0.1 | ND | μg/L |
| 4-chloro-o-toluidinium chloride | 3165-93-3 | 0.1 | ND | μg/L |
| 4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate | 39156-41-7 | 0.1 | ND | μg/L |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



21.UV Absorbers

With reference to ISO 22032, USEPA 527, USEPA 8270 E, USEPA 8321 B or Dichloromethane extraction followed by GC-MS or LC-MS(-MS)

| Test Items | CAS no. | Reporting Limit (Textile) | Result Untreated wastewater | Unit |
|--|------------|------------------------------|-----------------------------|------|
| 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6- (sec- butyl) phenol (UV-350) | 36437-37-3 | 100 | ND | μg/L |
| 2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328) | 25973-55-1 | 100 | ND | μg/L |
| 2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320) | 3846-71-7 | 100 | ND | μg/L |
| 2,4-Di-tert-butyl-6-(5-chlorobenzotriazole- 2-yl) phenol (UV-327) | 3864-99-1 | 100 | ND | μg/L |

22. Volatile organic compounds (VOCs)

Benzene: With reference to ISO 11423-1, ISO 20595, USEPA 8260 D, Purge and Trap or Headspace followed by GC-MS m-cresol / o-cresol / p-cresol: With reference to BS EN 12637-1999, ISO 11423-1, USEPA 8270 E, Purge and Trap or Headspace followed by GC-MS

Xylene: With reference to ISO 11423-1, USEPA 8260 D, Purge and Trap or Headspace followed by GC-MS Toluene: With reference to ISO 11423-1, USEPA 8260 D or HJ 1067

| Test Items | CAS no. | Result Untreated wastewater | Unit | |
|------------|-----------|--|------|------|
| Benzene | 71-43-2 | Textile and Leather: 1 | ND | μg/L |
| Xylene | 1330-20-7 | Textile: 1 | ND | μg/L |
| o-cresol | 95-48-7 | Textile and Leather: 1 | ND | μg/L |
| p-cresol | 106-44-5 | Textile and Leather: 1 | ND | μg/L |
| m-cresol | 108-39-4 | Textile and Leather: 1 | ND | μg/L |
| Toluene | 108-88-3 | Textile: 1 (Sample and Report only for mock leather) | ND | μg/L |

Remark

ND = Not detected

NA = Not applicable

- = Not required to be tested



SLUDGE

23. Sludge Parameters - Step 1 - Conventional

pH: USEPA 9045 D or HJ 962

% Solids: USEPA 160.3 or HJ 613 at 105°C

Paint Filter Test: USEPA SW-846 or USEPA 9095 B

Fecal Coliform: USEPA 1681

| | | | | | Limit | | | | | Result | |
|-------------------|---------|--------------|----------------------------------|----------------------------------|--------------|----------------------------------|-----------|----------------------------------|--------------------|--------|-------|
| Test Items | CAS no. | Pathway A | Pathway B | Pathway C | Pathway D | Pathway E | Pathway F | Pathway G | Reporting Limit | Sludge | Unit |
| рН | - | e and | Sampl e and Report Only | 5-11 | 5-11 | 5-11 | 6.5-9 | 6.5-9 | - | 7.1 | - |
| % Solids | - | e and | e and | e and | e and | e and | e and | Sampl e and Report Only | - | 12.01 | % |
| Paint Filter Test | - | e and | e and | Sampl e and Report Only | Pacc | Pass | Pass | Sampl e and Report Only | | Pass | - |
| Fecal Coliform | - | e and | e and | e and | e and | Sampl e and Report Only | 1000 | 1000 | 1000 | ND | MPN/g |

24. Sludge Parameters - Step 1 - Anions

Preparation: USEPA 9013

Analysis: USEPA 9014, USEPA 9213 or HJ 745

| Test Items | | | Limit – Dry weight | | | | | | | Result | |
|------------|---------|----------------------------------|--------------------|--------------|--------------|--------------|-----------|--------------|---------------------------------|--------|-------|
| | CAS no. | Pathway A | Pathway B | Pathway C | Pathway D | Pathway E | Pathway F | Pathway G | Reporting Limit (Textile) | Sludge | Unit |
| Cyanide | - | Sampl e and Report Only | e and | 100 | 85 | 70 | 70 | 70 | 20 | ND | mg/kg |



25. Sludge Parameters - Step 1 - Metals

Sb, As, Cr, Co, Cd, Cu, Pb, Ni, Zn: Preparation: USEPA 3050 Analysis: USEPA 6010 D, USEPA 6020 B or HJ 803

Cr VI: Preparation: USEPA 3060 A Analysis: USEPA 7196 or USEPA 7199

Ba, Se, Ag: Preparation: USEPA 3050 Analysis: USEPA 6010 D or USEPA 6020 B

Hg: Preparation: option 1: USEPA 7471 B option 2: USEPA 3051 A Analysis: option 1: USEPA 7471 B, option 2: USEPA 6020 B or GB/T 22105.1

or HJ 923

| Test Items | CAS no. | Limit – Dry weigh | it | Reporting Limit | Result | |
|------------------------|---------|--------------------------------|---|---------------------------|--------|-------|
| | | Total Metals Threshold Values* | Max Total Metals limit for Pathway G | | Sludge | Unit |
| Arsenic (As) | Various | 10 | 75 | Textile: 5 Leather 2 | ND | mg/kg |
| Cadmium (Cd) | Various | 3 | 85 | Textile: 1 Leather 2 | ND | mg/kg |
| Mercury (Hg) | Various | 1 | 57 | Textile: 1 Leather 0.2 | ND | mg/kg |
| Lead (Pb) | Various | 10 | 840 | Textile: 5 Leather 2 | ND | mg/kg |
| Antimony (Sb) | Various | 12 | Sample and Report Only | Textile: 5 | ND | mg/kg |
| Cobalt (Co) | Various | 1600 | Sample and Report Only | Textile: 400 | ND | mg/kg |
| Nickel (Ni) | Various | 70 | 420 | Textile: 20 | 33 | mg/kg |
| Silver (Ag) | Various | 100 | Sample and Report Only | Textile: 50 | ND | mg/kg |
| Copper (Cu) | Various | 200 | 4300 | Textile: 50 | 366 | mg/kg |
| Zinc (Zn) | Various | 1000 | 7500 | Textile: 400 | ND | mg/kg |
| Total Chromium (Cr) | Various | 100 | 3000 | Textile: 50 | ND | mg/kg |
| Chromium VI (Cr VI) | Various | 50 | 50 | Textile: 20 Leather 2 | ND | mg/kg |
| Barium (Ba) | Various | 700 | Sample and Report Only | Textile: 200 | ND | mg/kg |
| Selenium (Se) | Various | 10 | 100 | Textile: 5 | ND | mg/kg |

^{*} Leachate should be tested if Total Metals Threshold Values is exceeded in sludge.



26.Sludge Parameters - Step 1 - MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

NP/OP: Preparation: With reference to USEPA 3540 / 3541 - Soxhlet or USEPA 3550 - Ultrasonic

Analysis: With reference to ISO 18857-2 or ASTM D7065

NPEO/OPEO: Preparation: With reference to USEPA 3540 / 3541 - Soxhlet or USEPA 3550 - Ultrasonic

Analysis: With reference to ISO 18254-1, ISO 18857-2 or ASTM D7065

| | | | ı | _imit — [| Ory we | eight | | | | Result | |
|-----------------------------------|---|---------------------------------|---------------------------------|--------------|--------------|--------------|-----------|--------------|--|--------|-------|
| Test Items | CAS no. | Pathway A | Pathway B | Pathway C | Pathway D | Pathway E | Pathway F | Pathway G | Reporting Limit (Textile and Leather) | Sludge | Unit |
| Octylphenol (OP) | 140-66-9/ 1806-26-4/ 27193-28-8 | Sample and Report Only | Sample and Report Only | and | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | ND | mg/kg |
| Nonylphenol (NP) | 104-40-5/ 11066-49- 2/ 25154-52- 3/84852-15-3 | Sample and Report Only | Sample and Report Only | and | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | ND | mg/kg |
| Octylphenolethoxylates (OPEOs) | 9002-93-1/9036-19- 5/68987-90-6 | Sample and Report Only | Sample and Report Only | and | n 4 | 0.4 | 0.4 | 0.4 | 0.4 | ND | mg/kg |
| Nonylphenolethoxylates (NPEOs) | 9016-45-9/26027-38- 3/ 37205-87- 1/68412-54-4/127087- 87-0 | Sample and Report Only | Sample and Report Only | and | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | ND | mg/kg |

27. Sludge Parameters - Step 1 - MRSL - Polycyclic Aromatic Hydrocarbons (PAHs)

Preparation: With reference to USEPA 3540 / 3541 - Soxhlet or USEPA 3550 - Ultrasonic

Clean-up: With reference to USEPA 3640

Analysis: With reference to USEPA 8270 E or HJ 805-2016

| | | | | Limit - | - Dry w | eight | | | | Result | |
|----------------------|----------|----------------------------------|----------------------------------|----------------------------------|--------------|--------------|-----------|--------------|---------------------------------|--------|-------|
| Test Items | CAS no. | Pathway A | Pathway B | Pathway C | Pathway D | Pathway E | Pathway F | Pathway G | Reporting Limit (Textile) | Sludge | Unit |
| Benzo(a)pyrene (BaP) | 50-32-8 | Sampl e and Report Only | e and | Sampl e and Report Only | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Anthracene | 120-12-7 | Sampl e and Report Only | e and | Sampl e and Report Only | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Pyrene | 129-00-0 | Sampl e and Report Only | Sampl e and Report Only | Sampl e and Report Only | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



| | | _ | | | | | | | | |
|-------------------------|-----------|--|----------------|-----|-----|-----|-----|-----|----|-------|
| Benzo(ghi)perylene | 191-24-2 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Benzo(e)pyrene | 192-97-2 | Sampl Sampl e and Report Report Only Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Indeno (1,2,3-cd)pyrene | 193-39-5 | Sampl Samp e and e and Report Repor Only Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Benzo(j)fluoranthene | 205-82-3 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Benzo(b)fluoranthene | 205-99-2 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Fluoranthene | 206-44-0 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Benzo(k)fluoranthene | 207-08-09 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Acenaphthylene | 208-96-8 | Sampl Sample and Report Report Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Chrysene | 218-01-9 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Dibenz(a,h)anthracene | 53-70-3 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Benzo(a)anthracene | 56-55-3 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Acenaphthene | 83-32-9 | Sampl Samp e and e and Report Repor Only Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Phenanthrene | 85-01-8 | Sampl Samp e and e and Report Repor Only Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Fluorene | 86-73-7 | Sampl Samp e and e and Report Repor Only Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Naphthalene | 91-20-3 | Sampl Samp e and e and Report Repor Only Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |



28. Sludge Parameters - Step 1 - MRSL - Chlorotoluenes

Preparation: With reference to USEPA 3540 / 3541 - Soxhlet or USEPA 3550 - Ultrasonic

Clean-up: With reference to USEPA 3640

Analysis: With reference to USEPA 8270 E or HJ 605

| | | | L | .imit – C | ry wei | ght | | | | Result | |
|------------------------|------------|---------------------------------|---------------------------------|----------------|--------------|--------------|-----------|--------------|--|--------|-------|
| Test Items | CAS no. | Pathway A | Pathway B | Pathway C | Pathway D | Pathway E | Pathway F | Pathway G | Reporting Limit (Textile and Leather) | Sludge | Unit |
| 2-Chlorotoluene | 95-49-8 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 3-Chlorotoluene | 108-41-8 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 4-Chlorotoluene | 106-43-4 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,3-Dichlorotoluene | 32768-54-0 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,4-Dichlorotoluene | 95-73-8 | Sample and Report Only | Sample and Report Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,5-Dichlorotoluene | 19398-61-9 | Sample and Report Only | Sample and | | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,6-Dichlorotoluene | 118-69-4 | Sample and Report Only | Sample and Report Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 3,4-Dichlorotoluene | 95-75-0 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 3,5-Dichlorotoluene | 25186-47-4 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,3,4-Trichlorotoluene | 7359-72-0 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,3,6-Trichlorotoluene | 2077-46-5 | Sample and Report Only | Sample and Report Only | Sampl e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,4,5-Trichlorotoluene | 6639-30-1 | Sample and Report Only | Sample and | | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms.and.conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



| 2,4,6-Trichlorotoluene | 23749-65-7 | Sample and Report Only | Sample and Report Only | Sampl e and Report Only | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
|--------------------------------|------------|---------------------------------|---------------------------------|----------------------------------|-----|-----|-----|-----|-----|----|-------|
| 3,4,5-Trichlorotoluene | 21472-86-6 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,3,4,5- Tetrachlorotoluene | 76057-12-0 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,3,5,6- Tetrachlorotoluene | 29733-70-8 | Sample and Report Only | Sample and Report Only | Sampl e and Report Only | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| 2,3,4,6- Tetrachlorotoluene | 875-40-1 | Sample and Report Only | Sample and Report Only | e and | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |
| Pentachlorotoluene | 877-11-2 | Sample and Report Only | Sample and Report Only | Sampl e and Report Only | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | ND | mg/kg |

LEACHATE

29. Leachate Parameters - Step 2 - Metals

As, Cd, Cr, Pb, Sb, Ba, Co, Cu, Ni, Se, Ag, Zn: Leachate Extraction: USEPA 1311 or USEPA 3051 A Analysis: ISO 11885, ISO 17294-2, USEPA 200.7, USEPA 200.8, USEPA 6010 C or USEPA 6020 A

Cr (VI): Leachate Extraction: USEPA 1311 Analysis: ISO 18412, USEPA 7196 or USEPA 7199

Hg: Leachate Extraction: USEPA 1311 of USEPA 3051 A Analysis: ISO 12846, ISO 17852, USEPA 7471 B or USEPA 6020 B

| | | | | Li | mit | | | | | Result | |
|---------------|---------|---------------------------------|---------------------------------|--------------|--------------|--------------|--------------|--------------|--------------------|----------|------|
| Test Items | CAS no. | Pathway A | Pathway B | Pathway C | Pathway D | Pathway E | Pathway F | Pathway G | Reporting Limit | Leachate | Unit |
| Arsenic (As) | Various | Sample and Report Only | Sample and Report Only | 5 | 2.75 | 0.5 | 0.5 | 0.5 | 0.005 | NA | mg/L |
| Cadmium (Cd) | Various | Sample and Report Only | Sample and Report Only | 1 | 0.58 | 0.15 | 0.15 | 0.15 | 0.01 | NA | mg/L |
| Mercury (Hg) | Various | Sample and Report Only | Sample and Report Only | 0.2 | 0.125 | 0.05 | 0.05 | 0.05 | 0.001 | NA | mg/L |
| Lead (Pb) | Various | Sample and Report Only | Sample and Report Only | 5 | 2.75 | 0.5 | 0.5 | 0.5 | 0.01 | NA | mg/L |
| Antimony (Sb) | Various | Sample and Report Only | Sample and Report Only | 15 | 7.8 | 0.6 | 0.6 | 0.6 | 0.01 | NA | mg/L |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



| Cobalt (Co) | Various | Sample and Report Only | Sample and Report Only | 80 | 80 | 80 | 80 | 80 | 0.01 | NA | mg/L |
|------------------------|---------|---------------------------------|---------------------------------|-----|-------|-----|-----|-----|-------|--------|------|
| Nickel (Ni) | Various | Sample and Report Only | Sample and Report Only | 20 | 11.75 | 3.5 | 3.5 | 3.5 | 0.05 | NA | mg/L |
| Silver (Ag) | Various | Sample and Report Only | Sample and Report Only | 5 | 5 | 5 | 5 | 5 | 0.005 | NA | mg/L |
| Copper (Cu) | Various | Sample and Report Only | Sample and Report Only | 25 | 17.5 | 10 | 10 | 10 | 0.25 | ND (S) | mg/L |
| Zinc (Zn) | Various | Sample and Report Only | Sample and Report Only | 250 | 150 | 50 | 50 | 50 | 0.1 | NA | mg/L |
| Total Chromium (Cr) | Various | Sample and Report Only | Sample and Report Only | 15 | 10 | 5 | 5 | 5 | 0.05 | NA | mg/L |
| Chromium VI (Cr VI) | Various | Sample and Report Only | Sample and Report Only | 5 | 3.75 | 2.5 | 2.5 | 2.5 | 0.001 | NA | mg/L |
| Barium (Ba) | Various | Sample and Report Only | Sample and Report Only | 100 | 67.5 | 35 | 35 | 35 | 35 | NA | mg/L |
| Selenium (Se) | Various | Sample and Report Only | Sample and Report Only | 1 | 0.75 | 0.5 | 0.5 | 0.5 | 0.5 | NA | mg/L |

Remark

ND = Not detected

NA = Not applicable

(S)= The analysis was subcontracted to SGS India Private Limited, lab Reference no. CH:TX:1442028354 for testing.


^{- =} Not required to be tested



PIPING PLAN

SQUARE Apparels Limited. Jamirdia, Bhaluka, Mymensingh.

Master plan With Drainage Layout



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Annex A: Sampling photos & Sampling locations

PERSISTENT FOAM

Date & Time of Measurement: 05/06/2023 & 15:30

Sampling Location: Outlet





Untreated Waste Water

GPS Data: N 24 °17.474' E 090 °23.039'


SAMPLING LOCATION, CLOSE-UP VIEW



Effluent

GPS Data: N 24°17.452' E 090°23.067'

SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW



SAMPLING LOCATION, FAR VIEW



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Sludge

GPS Data: N 24 °17.459' E 090 °23.092'

SAMPLING LOCATION, CLOSE-UP VIEW



HAZARDOUS WASTE 漢/布罗介 ব夸5 SLUDGE STORAGE AREA NO-01

SAMPLING LOCATION, FAR VIEW

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Annex B: On-site Field Data Record Sheet

| • | - | G | C | 1 | |
|---|----|---|---|---|--|
| - | 91 | | J | | |

1

Water Sampling Record

2 L

Tracking no. 2306050065 Sampling Date: 05/06/2023

Client Name: SQUARE APPARELS

Therometer: ___

Lab received container temperature:

Sampling No.

-10.4 BEFORE Water Types: _

pH Meter:

18:20

Before

| /olume | Containers | Characteristic Descriptions/Remarks |
|--------|--|--|
| - | 2 (each 1 L)/Amber glass bottle with PTFE lined lid | |
| | 1 (each 1 L)/Amber glass bottle with PTFE lined lid | |
| | 1 (each 1 L)/Amber glass bottle with PTFE lined lid | |
| | 1 (each 1 I VAmber class | |

_43

Phthalates+FR+ COC+FTOA/ FTOH 2-8°C 1 L 2 PAHs, Glycol Before 18:21 3 Disperse Dyes Before 18:22 2-8°C 1 L Chlorophenols Before 2-8°C 1 L 1 (each 1 L)/Amber glass bottle with PTFE lined lid 18:23 Organotin 2 (each 1 L)/Amber glass bottle with PTFE lined lid 18:25 HCI topH 2-3 2-8°C 2 L 5 Before Compounds 1 (each 1 L)/Amber glass bottle with PTFE lined lid 6 SCCP Before 18:26 2-8°C 1 L 2 (each 1 L)/Amber glass bottle with PTFE lined lid 18:27 7 Azo Dyes Before 2-8°C 2 L 2 (each 1 L)/Amber glass bottle with PTFE lined lid 18:28 PFCs 2-8°C 8 Before

2-8°C

Sampling by:

Checked by:

Confirmed by Client:

SGS

Water Sampling Record

Tracking no.

2306050065

Sampling Date: 05/06/2023

Client Name: SQUARE APPARELS

Lab received container temperature:

pH Meter:

Therometer: _

Water Types: _ BEFORE

| No. | Sampling No. | Locations | Time | рН | Temperature (℃) | Sample Volume | Containers | Characteristic Descriptions/Remarks |
|-----|------------------------------|-----------|-------|--------------|-----------------|---------------|--|--|
| 9 | Halogenated Solvent(VOC) | Before | 18:30 | HCL to pH<2 | 2-8°C | 500ml | 1 (each 500ml)/Amber glass bottle with PTFE lined lid | |
| 10 | AP/APEO | Before | 18:31 | 311 2 | 2-8°C | 2 L | 2 (each 1 ltr)/Amber glass bottle with PTFE lined lid | |
| 11 | Anti Microbial & Biocides | Before | 18:32 | | 2-8°C | 2 L | 2 (each 1 ltr)/Amber glass bottle with PTFE lined lid | |
| 12 | DMFa | Before | 18:33 | | 2-8°C | 500ml | 1 (each 500ml)/Amber glass bottle with PTFE lined lid | |
| 13 | Heavy Metals | Before | 18:35 | HNO3 to pH<2 | 2-8°C | 500 ml | 1 (each 500ml)/Amber glass bottle with PTFE lined lid | |
| 14 | UV Absorbers | Before | 18:36 | | 2-8°C | 1 L | 1 (each 1 ltr)/Amber glass bottle with PTFE lined lid | |

Sampling by:

Checked by:

Confirmed by Client:

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHK: TX: 2310013718 Date: 16/06/2023 Test Report No.

SGS Water Sampling Record Client Name: SQUARE APPARELS Sampling Date: 05/06/2023 Tracking no. 2306050065 Therometer: pH Meter: Lab received container temperature: 34 Water Types: AFTER Characteristic scriptions/Remark Temperature Sample Volume (L) рН Containers Sampling No. Locations Time No. 1 (each 500ml)/Amber glass bottle with PTFE lined lid TSS & TDS 17:50 2-8°C 500 ml After 1 17:52 2 (each 250ml)/Amber glass bottle with PTFE lined lid Heavy Metals HNO3 to pH<2 2-8°C 250 ml 0.45µm filter in field, 17:54 1 (each 250ml)/Amber glass bottle with PTFE lined lid 2-8°C 250 ml 3 Cr(VI) After Ammonium sulfate buffer to pH 9.0-9.5 Heavy Metals (Murcury) 1 (each 1 L)/Amber Glass bottle 17:56 After 17:57 1 (each 500ml)/Amber glass bottle with PTFE lined lid 500 ml 5 BOD After 2-8°C 17:59 500 ml COD H2SO4 to pH<2 6 After 1 (each 1 L)/Amber Glass bottle 18:01 E.coli After HNO3 to pH<2 2-8°C 1 L 0.1 ml 10%s 18:02 osulfate, NaOH to pH>12 2-8°C 500 ml ST Plastic bottle 8 Cyanide After Checked by: Confirmed by Client: Sampling by-

SGS

Water Sampling Record

Tracking no. 2306050065 Sampling Date: 05/06/2023 Client Name: SQUARE APPARELS Lab received container temperature: pH Meter: Therometer:

| | | | | Water Types: | AFTER | | | |
|-----|----------------------------------|-----------|-------|--|--------------------|----------------------|--|--|
| No. | Sampling No. | Locations | Time | рН | Temperature (℃) | Sample Volume (L) | Containers | Characteristic Descriptions/Remarks |
| 9 | Sulfite | After | 18:03 | Add 2 ml 2.5% EDTA Soln | 2-8°C | 500ml | 2 (each 250ml)/Amber glass bottle with PTFE lined lid | |
| 10 | Chloride & Sulfate | After | 18:04 | | 2-8°C | 500ml | 1 (each 500ml)/Amber glass bottle with PTFE lined lid | |
| 11 | Total Phenolics | After | 18:06 | H2SO4 to pH<2 | 2-8°C | 500ml | 1 (each 500ml)/Amber glass bottle with PTFE lined lid | |
| 12 | Ammonium-N + Total N+ Total-P | After | 18:08 | H2SO4 to pH<2 | 2-8°C | 500ml | 1 (each 500ml)/Amber glass bottle with PTFE lined lid | |
| 13 | Oil & Grease | After | 18:10 | H2SO4 to pH<2 | 2-8°C | 500ml | 1 (each 500ml)/Amber glass bottle with PTFE lined lid | |
| 14 | Sulfide | Afterer | 18:12 | 4 drops 2N Zinc acetate,NaOH> pH 9 | 2-8°C | 250ml | 2 (each 250ml)/Amber glass bottle with PTFE lined lid | |
| 15 | AOX | After | 18:14 | 0.1 ml 10% sodium thiosulfate H2SO4, pH<2 | 2-8°C | 1L | 2 (each 500ml)/Amber glass bottle | |

Sampling by:

Checked by:

Confirmed by Client:

Boz

Baz

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Sludge Sampling Record Tracking no. 2306050065 Sampling Date: 05/06/2023 Sample Types: GPS Tracking info. Sludge N24°17-4591 Sample Volume Sludge Colour (Visual) E090 23.092 Sampling No. Containers Descriptions/Remarks Location (L) shudge bec 18:40 Black 2 Sludge ETP 1 kg Sludge Disposal pathway If sludge not found, describe the reason Processed at <1000oC ZDHC Disposal Pathway F - Landfills with No Control Measures
 ZDHC Disposal Pathway G - Land Application Checked by: Sampling by: Confirmed by Client: Box

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Annex C: Limit according to regulation / Contract limit with centralized ETP (if proceed)

LOCAL WASTEWATER DISCHARGE REQUIREMENTS BASED ON The Environment Conservation Rules, 2023 (BANGLADESH LOCAL REGULATION-SCHEDULE-5)

| CHEDULE-5 | | | | |
|---|-----------|---|---|----------------|
| | | | Effluent | |
| Paramters | CAS No. | | Value | Unit |
| pH Value (min.) | - | - | 6.0 | - |
| pH Value (max.) | - | - | 9.0 | - |
| Temperature | - | - | Maximum 5 °C above the temperature of the water body | ⁶ C |
| Biochemical Oxygen Demand (BOD5 at 20 °C) | - | < | 30 | mg/L |
| Chemical Oxygen Demand (COD) | - | < | 200 | mg/L |
| Total Suspended Solids (TSS) | - | < | 100 | mg/L |
| Total Dissolved Solid(TDS) | - | < | 2100 | mg/L |
| Sulfide | - | < | 2.0 | mg/L |
| Oil and Grease | - | < | 10 | mg/L |
| Cadmium (Cd) | 7440-43-9 | < | 0.02 | mg/L |
| Lead (Pb) | 7439-92-1 | < | 0.1 | mg/L |
| Nickel (Ni) | 7440-02-0 | < | 1.0 | mg/L |
| Chromium (Total Cr) | 7440-47-3 | < | 0.5 | mg/L |
| Cobalt (Co) | 7440-48-4 | < | 0.5 | mg/L |
| Phenol Compounds | - | < | 1.0 | mg/L |