



Test Report: (6823)084-0105

Report Date: April 12, 2023

Factory Company Name: M.N. Dyeing Printing &amp; Washing Mills Ltd.

Factory Address: Baniarchala, Bhabanipur, Gazipur Sadar, Gazipur, 1740, Bangladesh.

Sampling Method & Description:	I001) Untreated wastewater	Grab	Reddish color liquid
	I002) Effluent	Grab	Lt. reddish color liquid
	I003) Sludge	Composite	Grey color mud
	I004) Leachate	-	Not tested
	I005) Incoming water	-	Not tested

Discharge Type: **Direct Discharge**

On-site ETP / Pretreatment: Yes Homgenization Tank &amp; Holding Time: Yes &amp; 21 hours

Discharge Destination: Labolongo River

Permit Validation Date: /

Conventional, Anions &amp; Heavy Metals Overall Category: Foundational ZDHC MRSL Parameters: Not detected

Sludge Parameters: Meet ZDHC Threshold Value

Sample Pick Up Date: March 25, 2023 Sampler Number: C74D106817480

Test Period: March 25, 2023 to April 12, 2023

Parameter(s) exceeded maximum holding time: Not exceeded

**Remark**

The results of this report shall not be used for any regulatory compliance purposes.

Type of Process:	<b>Textile</b>	Average total industrial wastewater generated:	<b>Equal or more than 15m<sup>3</sup>/day</b>
Sludge Disposal Pathway:	Disposal Pathway A		
Type of Sludge:	Mud		

For enquiry:

Mr. Sharan Roy  
 Mail: sharan.roy@bureauveritas.com  
 Phone No.:+8801755563425

Mr. Md. Robeul Awal  
 Mail: mdrobeul.awal@bureauveritas.com  
 Phone No.:+8801755563437

**BUREAU VERITAS**

CONSUMER PRODUCTS SERVICES (BANGLADESH) LTD.

Report approved by:

**MR. MD. RASHEDUL HAQUE**

DEPUTY SR. MANAGER, RSL OPERATIONS

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Result Summary - ZDHC MRSL Wastewater Parameters**

Test Items	Untreated wastewater	Effluent	Incoming water
1A) AP and APEOs	ND	NR	NR
1B) Anti-Microbials & Biocides	ND		NR
1C) Chlorinated Parafins	ND		NR
1D) Chlorobenzenes and Chlorotoluenes	ND		NR
1E) Chlorophenols	ND		NR
1F) DMFa	ND		NR
1G) Dyes - Carcinogenic or Equivalent Concern	ND		NR
1H) Dyes - Disperse (Sensitising)	ND		NR
1I) Dyes - Navy Blue Colourant	ND		NR
1J) Flame Retardants	ND		NR
1K) Glycols / Glycol Ethers	ND		NR
1L) Halogenated Solvents	ND		NR
1M) Organotin Compounds	ND		NR
1N) Other / Miscellaneous Chemicals	ND		NR
1O) PFCs	ND		NR
1P) Phthalates	ND		NR
1Q) PAHs	ND		NR
1R) Restricted Aromatic Amines	ND		NR
1S) UV Absorbers	ND		NR
1T) VOC	ND		NR



BUREAU  
VERITAS

Test Report: (6823)084-0105

Report Date: April 12, 2023

**Result Summary - ZDHC Heavy Metals, Conventional and Anions Wastewater Parameters**

Test Items	Untreated wastewater	Effluent	Incoming water
Antimony	NR	Meet	NR
Chromium (VI)		Meet	NR
Barium		Refer to result	NR
Selenium		Refer to result	NR
Tin		Refer to result	NR
Arsenic		Meet	NR
Total Chromium		Meet	NR
Cobalt		Meet	NR
Cadmium		Meet	NR
Copper		Meet	NR
Lead		Meet	NR
Nickel		Meet	NR
Silver		Meet	NR
Zinc		Meet	NR
Mercury		Meet	NR
pH		Meet	NR
Temperature difference		Meet	
E.coli		Meet	
Colour		Meet	
Persistent Foam		Meet	
Wastewater Flowrate		Refer to result	
Ammonium-Nitrogen		Meet	
AOX		Meet	
BOD <sub>5</sub>		Meet	
COD		Meet	
DO		Refer to result	
Oil & Grease		Meet	
Total Phenols / Phenol Index		Meet	
Total Chlorine		Refer to result	
TDS		Refer to result	
Total Nitrogen		Meet	
Total Phosphorus		Meet	
TSS		Meet	
Chloride	Refer to result		
Cyanide, total	Meet		
Sulfate	Refer to result		
Sulfide	Meet		
Sulfite	Meet		



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Result Summary - ZDHC Sludge Parameters**

Test Items	Sludge	Leachate
Antimony	ND	NR
Arsenic	ND	NR
Barium	ND	NR
Cadmium	ND	NR
Cobalt	ND	NR
Copper	ND	NR
Lead	Refer to result	NR
Nickel	ND	NR
Selenium	Refer to result	NR
Silver	ND	NR
Total Chromium	ND	NR
Zinc	ND	NR
Chromium (VI)	ND	NR
Mercury	ND	NR
Cyanide	Refer to result	NR
pH	Refer to result	
% Solids	Refer to result	
Paint Filter Test	Refer to result	
Fecal Coliform	Refer to result	
AP and APEOs	ND	
PAHs	ND	
Chlorotoluenes	ND	

## Note / Key:

Meet	=	Meet Foundational Limit / Meet Discharge Criteria
<b>Not Meet</b>	=	Exceed Foundational Limit / Exceed Discharge Criteria
NR	=	Not requested / Not required
NA	=	Not applicable
<b>D</b>	=	Detected
ND	=	Not detected
Refer to result	=	Legal parameter(s) and/or parameter(s) requested by factory, please refer to test result



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Test Result - ZDHC MRSL Parameters**

Test Parameters	Results of Test Items					Requirements [Textile]		
	I001 (µg/L)	I002 (µg/L)	I003 <sup>#</sup> (mg/kg)	I004 <sup>#</sup> (mg/L)	I005 (µg/L)	Wastewater (µg/L)	Sludge <sup>#</sup> (mg/kg)	Leachate <sup>#</sup> -
<b>1A) AP and APEOs: including all isomers</b>								
NPEO	ND	NR	ND	NR	NR	5	0.4	-
NP, mixed isomers	ND		ND		NR			
OPEO	ND		ND		NR			
OP, mixed isomers	ND		ND		NR			
<b>1B) Anti-Microbials &amp; Biocides</b>								
o-Phenylphenol (+salts)	ND	NR	NR	NR	NR	100	-	-
Triclosan	ND				NR			
Permethrin	ND				NR			
<b>1C) Chlorinated Parafins</b>								
MCCPs (C14-C17)	ND	NR	NR	NR	NR	500	-	-
SCCPs (C10-C13)	ND				NR			
<b>1D) Chlorobenzenes and Chlorotoluenes</b>								
1,2-dichlorobenzene	ND	NR	NR	NR	NR	0.2	-	-
Other isomers of mono-, di-, tri-, tetra-, penta- and hexa- chlorobenzene	ND				NR			
Other isomers of mono-, di-, tri-, tetra- and penta- chlorotoluene	ND		ND		NR		0.2	
<b>1E) Chlorophenols</b>								
2-chlorophenol	ND	NR	NR	NR	NR	0.5	-	-
3-chlorophenol	ND				NR			
4-chlorophenol	ND				NR			
2,3-dichlorophenol	ND				NR			
2,4-dichlorophenol	ND				NR			
2,5-dichlorophenol	ND				NR			
2,6-dichlorophenol	ND				NR			
3,4-dichlorophenol	ND				NR			
3,5-dichlorophenol	ND				NR			
2,3,4-trichlorophenol	ND				NR			
2,3,5-trichlorophenol	ND				NR			
2,3,6-trichlorophenol	ND				NR			
2,4,5-trichlorophenol	ND				NR			
2,4,6-trichlorophenol	ND				NR			
3,4,5-trichlorophenol	ND				NR			
2,3,5,6-tetrachlorophenol	ND				NR			
2,3,4,6-tetrachlorophenol	ND				NR			
2,3,4,5-tetrachlorophenol	ND				NR			
Pentachlorophenol (PCP)	ND				NR			
<b>1F) N,N-di-methylformamide (DMFa)</b>								
Dimethyl formamide;								
N,N-dimethylformamide (DMFa) <sup>a</sup>	ND	NR	NR	NR	NR	1000	-	-

a = Report only for mock leather

#Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Test Result - ZDHC MRSL Parameters (continued)**

Test Parameters	Results of Test Items					Requirements [Textile]		
	I001	I002	I003 <sup>#</sup>	I004 <sup>#</sup>	I005	Wastewater	Sludge <sup>#</sup>	Leachate <sup>#</sup>
	(µg/L)	(µg/L)	(mg/kg)	(mg/L)	(µg/L)	(µg/L)	(mg/kg)	-
<b>1G) Dyes - Carcinogenic or Equivalent Concern</b>								
Basic violet 3 with >0.1% of Michler's Ketone	ND				NR			
C.I. Acid Red 26	ND				NR			
C.I. Acid Violet 49	ND				NR			
C.I. Basic Blue 26 (with Michler's Ketone >0/1%)	ND				NR			
C.I. Basic Green 4 (Malachite Green Chloride)	ND				NR			
C.I. Basic Green 4 (Malachite Green Oxalate)	ND				NR			
C.I. Basic Green 4 (Malachite Green)	ND				NR			
C.I. Basic Red 9	ND	NR	NR	NR	NR	500	-	-
C.I. Basic Violet 14	ND				NR			
C.I. Direct Black 38	ND				NR			
C.I. Direct Blue 6	ND				NR			
C.I. Direct Red 28	ND				NR			
C.I. Disperse Blue 1	ND				NR			
C.I. Disperse Blue 3	ND				NR			
Disperse Orange 11	ND				NR			
<b>1H) Dyes - Disperse (Allergenic)</b>								
Disperse Blue 102	ND				NR			
Disperse Blue 106	ND				NR			
Disperse Blue 124	ND				NR			
Disperse Blue 26	ND				NR			
Disperse Blue 35 (CAS 12222-75-2)	ND				NR			
Disperse Blue 35 (CAS 56524-77-7)	ND				NR			
Disperse Blue 7	ND				NR			
Disperse Brown 1	ND				NR			
Disperse Orange 1	ND				NR			
Disperse Orange 3	ND	NR	NR	NR	NR	50	-	-
Disperse Orange 37/59/76	ND				NR			
Disperse Red 1	ND				NR			
Disperse Red 11	ND				NR			
Disperse Red 17	ND				NR			
Disperse Yellow 1	ND				NR			
Disperse Yellow 3	ND				NR			
Disperse Yellow 39	ND				NR			
Disperse Yellow 49	ND				NR			
Disperse Yellow 9	ND				NR			
<b>1I) Dyes - Navy Blue Colourant</b>								
Component 1: C39H23Cl-CrN7O12S 2Na	ND	NR	NR	NR	NR	500	-	-
Component 2: C46H30CrN10O20S2 3Na	ND				NR			

#Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Test Result - ZDHC MRSL Parameters (continued)**

Test Parameters	Results of Test Items					Requirements [Textile]		
	I001 (µg/L)	I002 (µg/L)	I003 <sup>#</sup> (mg/kg)	I004 <sup>#</sup> (mg/L)	I005 (µg/L)	Wastewater (µg/L)	Sludge <sup>#</sup> (mg/kg)	Leachate <sup>#</sup> -
<b>1J) Flame Retardants</b>								
2,2-bis(bromomethyl)-1,3-propanediol (BBMP)	ND				NR			
Dis(2,3-dibromopropyl) phosphate (BIS)	ND				NR			
Decabromophenyl ether (DecaBDE)	ND				NR			
Hexabromocyclodecane (HBCDD)	ND				NR			
Octabromodiphenyl ether (OctaBDE)	ND				NR			
Pentabromodiphenyl ether (PentaBDE)	ND				NR			
Polybromobiphenyls (PBB)	ND				NR			
Tetrabromobisphenol A (TBBPA)	ND				NR			
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	ND				NR			
Tris(1-aziridinyl)phosphone oxide (TEPA)	ND				NR			
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	ND				NR			
Tris(2-chloroethyl) phosphate (TCEP)	ND				NR			
Tris(2,3-dibromopropyl) phosphate (TRIS)	ND				NR	25		
Decabromobiphenyl (DecaBB)	ND				NR			
Dibromobiphenyls (DiBB)	ND	NR	NR	NR	NR			
Octabromobiphenyls (OctaBB)	ND				NR			
Dibromopropylether	ND				NR			
Heptabromodiphenyl ether (HeptaBDE)	ND				NR			
Hexabromodiphenyl ether (HexaBDE)	ND				NR			
Monobromobiphenyls (MonoBB)	ND				NR			
Monobromodiphenylethers (MonoBDEs)	ND				NR			
Nonabromobiphenyls (NonaBB)	ND				NR			
Nonabromodiphenyl ether (NonaBDE)	ND				NR			
Tetrabromodiphenyl ether (TetraBDE)	ND				NR			
Tribromophenylethers (TriBDEs)	ND				NR			
Boric acid <sup>b</sup>	ND				NR			
Diboron trioxide <sup>b</sup>	ND				NR			
Disodium octaborate <sup>b</sup>	ND				NR	100		
Disodium tetraborate anhydrous <sup>b</sup>	ND				NR			
Tetraboron disodium heptaoxide, hydrate <sup>b</sup>	ND				NR			
<b>1K) Glycols / Glycol Ethers</b>								
2-ethoxyethanol	ND				NR			
2-ethoxyethyl acetate	ND				NR			
2-methoxyethanol	ND				NR			
2-methoxyethylacetate	ND	NR	NR	NR	NR	50	-	-
2-methoxypropylacetate	ND				NR			
Bis(2-methoxyethyl)-ether	ND				NR			
Ethylene glycol dimethyl ether	ND				NR			
Triethylene glycol dimethyl ether	ND				NR			
<b>1L) Halogenated Solvents</b>								
1,2-dichloroethane	ND				NR			
Methylene chloride	ND	NR	NR	NR	NR	1	-	-
Tetrachloroethylene	ND				NR			
Trichloroethylene	ND				NR			

b = Limit refers to elemental boron, not the salt.

#Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Test Result - ZDHC MRSL Parameters (continued)**

Test Parameters	Results of Test Items					Requirements [Textile]					
	I001 (µg/L)	I002 (µg/L)	I003 <sup>#</sup> (mg/kg)	I004 <sup>#</sup> (mg/L)	I005 (µg/L)	Wastewater (µg/L)	Sludge <sup>#</sup> (mg/kg)	Leachate <sup>#</sup> -			
<b>1M) Organotin Compounds</b>											
Dipropyltin compounds (DPT)	ND				NR	0.01	-	-			
Mono, di-, and tri-butyltin derivatives	ND				NR						
Mono, di-, and tri-methyltin derivatives	ND				NR						
Mono, di-, and tri-octyltin derivatives	ND				NR						
Mono, di-, and tri-phenyltin derivatives	ND	NR	NR	NR	NR						
Tetrabutyltin compounds (TeBT)	ND				NR						
Tripropyltin compounds (TPT)	ND				NR						
Tetraoctyltin compounds (TeOT)	ND				NR						
Tricyclohexyltin (TCyHT)	ND				NR						
Tetraethyltin compounds (TeET)	ND				NR						
<b>1N) Other / Miscellaneous Chemicals</b>											
AEEA [2-(2-aminoethylamino)ethanol]	ND				NR				500	-	-
Bisphenol A	ND				NR	10					
Thiourea	ND	NR	NR	NR	NR	50					
Quinoline	ND				NR						
Borate, zinc salt <sup>c</sup>	ND				NR	100					
Silica (used in sand blasting) <sup>d</sup>	NR				NR	-					
<b>1O) Perfluorinated and Polyfluorinated Chemicals (PFCs)</b>											
Perfluorooctane sulfonate (PFOS) and related substances, Perfluorooctanoic acid (PFOA)	ND	NR	NR	NR	NR	0.01	-	-			
Perfluorooctanoic acid (PFOA) related substances	ND				NR	1					
<b>1P) Phthalates - including all other esters of ortho-phthalic acid</b>											
1,2-benzenedicarboxylic acid, di-C6-8 branched and linear alkyl esters, C7-rich (DIHP)	ND				NR	10	-	-			
1,2-benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNP)	ND				NR						
Bis(2-methoxyethyl)phthalate (DMEP)	ND				NR						
Butyl benzyl phthalate (BBP)	ND				NR						
Di-cyclohexyl phthalate (DCHP)	ND				NR						
Di-iso-decyl phthalate (DIDP)	ND				NR						
Di-iso-octyl phthalate (DIOP)	ND				NR						
Di-iso-butyl phthalate (DIBP)	ND	NR	NR	NR	NR						
Di-iso-nonyl phthalate (DINP)	ND				NR						
Di-n-hexyl phthalate (DnHP)	ND				NR						
Di-n-octyl phthalate (DNOP)	ND				NR						
Di-n-pentylphthalates	ND				NR						
Di-n-propyl phthalate (DPRP)	ND				NR						
Di(ethylhexyl) phthalate (DEHP)	ND				NR						
Dibutyl phthalate (DBP)	ND				NR						
Diethyl phthalate (DEP)	ND				NR						
Diisopentylphthalates	ND				NR						
Dinonyl phthalate (DNP)	ND				NR						

c = Limit refers to elemental boron and/or zinc, not the salt.

d = Not a ZDHC wastewater parameter, and not required to test this parameter as this is related to sand blasting

<sup>#</sup>Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.





Test Report: (6823)084-0105

Report Date: April 12, 2023

**Test Result - ZDHC MRSL Parameters (continued)**

Test Parameters	Results of Test Items					Requirements [Textile]		
	I001 (µg/L)	I002 (µg/L)	I003 <sup>#</sup> (mg/kg)	I004 <sup>#</sup> (mg/L)	I005 (µg/L)	Wastewater (µg/L)	Sludge <sup>#</sup> (mg/kg)	Leachate <sup>#</sup> -
<b>1Q) Polycyclic Aromatic Hydrocarbons (PAHs)</b>								
Acenaphthene	ND		ND		NR			
Acenaphthylene	ND		ND		NR			
Anthracene	ND		ND		NR			
Benzo[a]anthracene	ND		ND		NR			
Benzo[a]pyrene (BaP)	ND		ND		NR			
Benzo[b]fluoranthene	ND		ND		NR			
Benzo[e]pyrene	ND		ND		NR			
Benzo[ghi]perylene	ND		ND		NR			
Benzo[j]fluoranthene	ND	NR	ND	NR	NR	1	0.2	-
Benzo[k]fluoranthene	ND		ND		NR			
Chrysene	ND		ND		NR			
Dibenz[a,h]anthracene	ND		ND		NR			
Fluoranthene	ND		ND		NR			
Fluorene	ND		ND		NR			
Indeno[1,2,3-cd]pyrene	ND		ND		NR			
Naphthalene	ND		ND		NR			
Phenanthrene	ND		ND		NR			
Pyrene	ND		ND		NR			
<b>1R) Restricted Aromatic Amines (Cleavable from Azo-colourants)</b>								
2-naphthylamine	ND				NR			
2-naphthylammoniumacetate	ND				NR			
2,4-xylidine	ND				NR			
2,4,5-trimethylaniline	ND				NR			
2,4,5-trimethylaniline hydrochloride	ND				NR			
2,6-xylidine	ND				NR			
3,3'-dichlorobenzidine	ND				NR			
3,3-dimethoxybenzidine	ND				NR			
3,3-dimethylbenzidine	ND				NR			
4-aminoazobenzene	ND				NR			
4-aminodiphenyl	ND				NR			
4-chloro-o-toluidine	ND				NR			
4-chloro-o-toluidinium chloride	ND				NR			
4-chloroaniline	ND				NR			
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	ND	NR	NR	NR	NR	0.1	-	-
4-methoxy-m-phenylenediamine	ND				NR			
4-methyl-m-phenylenediamine	ND				NR			
4,4-methylene-bis-(2-chloro-aniline)	ND				NR			
4,4-methylenedi-o-toluidine	ND				NR			
4,4-methylenedianiline	ND				NR			
4,4-oxydianiline	ND				NR			
4,4-thiodianiline	ND				NR			
5-nitro-o-toluidine	ND				NR			
6-methoxy-m-toluidine	ND				NR			
Benzidine	ND				NR			
o-aminoazotoluene	ND				NR			
o-anisidine	ND				NR			
o-toluidine	ND				NR			

#Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Test Result - ZDHC MRSL Parameters (continued)**

Test Parameters	Results of Test Items					Requirements [Textile]		
	I001 (µg/L)	I002 (µg/L)	I003 <sup>#</sup> (mg/kg)	I004 <sup>#</sup> (mg/L)	I005 (µg/L)	Wastewater (µg/L)	Sludge <sup>#</sup> (mg/kg)	Leachate <sup>#</sup> -
<b>1S) UV Absorbers</b>								
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	ND	NR	NR	NR	NR	100	-	-
2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328)	ND				NR			
2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320)	ND				NR			
2,4-Di-tert-butyl-6-(5- chlorobenzotriazole-2-yl) phenol (UV-327)	ND				NR			
<b>1T) Volatile Organic Compounds (VOC)</b>								
Benzene	ND	NR	NR	NR	NR	1	-	-
m-cresol	ND				NR			
o-cresol	ND				NR			
p-cresol	ND				NR			
Xylene	ND				NR			
Toluene <sup>a</sup>	ND				NR			

a = Report only for mock leather

#Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Test Result - ZDHC Heavy Metals Parameters**

Test Parameters	Unit			Results of Test Items					Requirements [Textile]				
	Wastewater	Sludge	Leachate	I001	I002	I003#	I004#	I005	Wastewater			Sludge	
									Foundational	Progressive	Aspirational	Discharge Limit	Sludge Threshold Values
<b>ZDHC Heavy Metals</b>													
Antimony	mg/L	mg/kg	mg/L	NR	ND	ND	NR	NR	0.1	0.05	0.01	-	12
Chromium (VI)	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.05	0.005	0.001	-	50
Barium	mg/L	mg/kg	mg/L		ND	ND	NR	NR	Sample & Report			-	700
Selenium	mg/L	mg/kg	mg/L		ND	7	NR	NR				-	10
Tin	mg/L	-	-		ND	NR	NR	NR	-	-			
Arsenic	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.05	0.01	0.005	-	10
Total Chromium	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.2	0.1	0.05	-	100
Cobalt	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.05	0.02	0.01	-	1600
Cadmium	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.1	0.05	0.01	-	3
Copper	mg/L	mg/kg	mg/L		ND	ND	NR	NR	1	0.5	0.25	-	200
Lead	mg/L	mg/kg	mg/L		ND	7	NR	NR	0.1	0.05	0.01	-	10
Nickel	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.2	0.1	0.05	-	70
Silver	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.1	0.05	0.005	-	100
Zinc	mg/L	mg/kg	mg/L		ND	ND	NR	NR	5	1	0.5	-	1000
Mercury	mg/L	mg/kg	mg/L		ND	ND	NR	NR	0.01	0.005	0.001	-	1

#Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.



Report Date: April 12, 2023

**Test Result - ZDHC Conventional and Anions Parameters**

Test Parameters	Unit			Results of Test Items					Requirements [Textile]					
	Wastewater	Sludge	Leachate	I001	I002	I003#	I004#	I005	Wastewater			Sludge		
									Foundational	Progressive	Aspirational	Discharge Limit	Sludge Threshold Values	
<b>ZDHC Conventional</b>														
pH	pH				7.2	6.8				6 - 9			-	
Tempature difference	Δ °C				0.5					15	10	5	-	
E.coli	cfu/100-ml				<1					126			-	
Colour (436 nm)	m <sup>-1</sup>				4.3					7	5	2	-	
Colour (525 nm)	m <sup>-1</sup>				3.4					5	3	1	-	
Colour (620 nm)	m <sup>-1</sup>				2.5					3	2	1	-	
Persistent Foam	-				Absent					No indication of Persistent Foam			-	
Wastewater Flowrate	m <sup>3</sup> /day				4,243.60								-	
Ammonium-Nitrogen	mg/L				ND					10	1	0.5	-	
AOX	mg/L				0.76					3	0.5	0.1	-	
BOD <sub>5</sub>	mg/L				12	NR				30	15	8	-	
COD	mg/L				47					150	80	40	-	
DO	mg/L			NR	5.5			NR	NR	Sample & Report			-	
Oil & Grease	mg/L				1.6					10	2	0.5	-	
Total Phenols / Phenol Index	mg/L				0.002					0.5	0.01	0.001	-	
Total Chlorine	mg/L				0.3					Sample & Report			-	
TDS	mg/L				428								-	
Total Nitrogen	mg/L				11.97					20	10	5	-	
Total Phosphorus	mg/L				0.63					3	0.5	0.1	-	
TSS	mg/L				7					50	15	5	-	
% Solids	-	%				43.04							-	
Paint Filter Test	-	-			NR	Pass							-	
Fecal Coliform	-	MPN/100 ml				<1.8							-	
<b>ZDHC Anions</b>														
Chloride	mg/L	-	-		22.49	NR				Sample & Report			-	
Cyanide, total	mg/L	mg/kg	-		ND	ND				0.2	0.1	0.05	-	
Sulfate	mg/L			NR	48.51		NR	NR		Sample & Report			-	
Sulfide	mg/L	-	-		0.06	NR				0.5	0.05	0.01	-	
Sulfite	mg/L				1					2	0.5	0.2	-	

#Limit refers to the chosen ZDHC sludge disposal pathway in Table 4 in accordance with the ZDHC Wastewater Guidelines.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix A - Discharge limit according to regulation: The Environment Conservation Rules, 1997, (Inland Surface Water. 4)**

Sl No.	Test Parameters	Type	unit	Limitation Value of Legal Requirements
1	Temperature	Conventional	°C	40
2	TSS	Conventional	mg/L	150
3	COD	Conventional	mg/L	200
4	Total-N	Conventional	mg/L	NA
5	pH	Conventional	Range	6-9
6	Colour [m-1] (436nm; 525; 620nm)	Conventional	m <sup>-1</sup>	NA
7	BOD5	Conventional	mg/L	50
8	Ammonium-N	Conventional	mg/L	50
9	Total Phosphorus	Conventional	mg/L	8
10	AOX	Conventional	mg/L	NA
11	Oil and Grease	Conventional	mg/L	10
12	Phenol / Phenol Index	Conventional	mg/L	1
13	Coliform	Conventional	bacteria/100 ml	NA
14	Chloride	Conventional	mg/L	600
15	Persistent Foam	Conventional	--	NA
16	Cyanide	Conventional	mg/L	0.1
17	DO(Dissolved Oxygen)	Conventional	mg/L	4.5-8
18	Sulfide	Conventional	mg/L	1
19	Total Dissolved Solids	Conventional	mg/L	2100
20	Electrical Conductivity	Conventional	µmhos/cm	1200
21	Fluoride	Conventional	mg/L	2
22	Sulfite	Conventional	mg/L	NA
23	Antimony	Metals	mg/L	NA
24	Chromium, total	Metals	mg/L	0.5
25	Cobalt	Metals	mg/L	NA
26	Copper	Metals	mg/L	0.5
27	Boron	Metals	mg/L	2
28	Nickel	Metals	mg/L	1
29	Silver	Metals	mg/L	NA
30	Zinc	Metals	mg/L	5
31	Arsenic	Metals	mg/L	0.2
32	Cadmium	Metals	mg/L	0.5
33	Chromium (VI)	Metals	mg/L	0.1
34	Lead	Metals	mg/L	0.1
35	Mercury	Metals	mg/L	0.01
36	Iron	Metals	mg/L	2
37	Selenium	Metals	mg/L	0.05
38	Manganese	Metals	mg/L	5

NA=Not Applicable



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix B - Sample Photos**

**I001) Sampling point**

(GPS Location: N 24° 25' 30"; E 90° 32' 30.12")



**I001) Sampling location surrounding**

N 24° 25' 30"; E 90° 32' 30.12"



**I001) Labelled sample bottles**



**I001) Sample for phthalate test**



**I001) Sample packaging**



**I002) Sampling point**

(GPS Location: N 24° 25' 30"; E 90° 32' 30.12")



**I002) Sampling location surrounding**

N 24° 25' 30"; E 90° 32' 30.12"



**I002) Labelled sample bottles**



**I002) pH measurement**



**I002) Sample packaging**







Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix B - Sample Photos (continued)**

**I003) Sampling point**

(GPS Location: N 24° 25' 30"; E 90° 32' 30.12")



**I003) Sampling location surrounding**

N 24° 25' 30"; E 90° 32' 30.12"



**I003) Labelled sample bottles**



**I003) Sample packaging**





Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet**

FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)		CPSD-AN-00613-DATA 04							
		Issue Date: _____ Version No.: 18 Business Line: Analytical							
<b>General Data</b>									
Laboratory Sample Number:	(623) 084-0105								
Client Name:	Abu Syed								
Field Contact Person:	M.N. Dyeing, Printing & Washing Mills Ltd. - Baniarchela, Bhabsaipura Chazi Pur								
Project (Facility Name and Address):	Zero discharge with surfacing plan								
Sample Identification:	Composite Sample / Grab sample (Please delete as appropriate) (Low Long River) Homogenization tank								
Sample Type:	Direct discharge to environment (Specify destination: River, Sea, Stream...) OR indirect discharge to sewage treatment plant								
Discharge mode:	23.03.23								
Date of collection:	Average holding time = 21 hrs								
Factory Type:	Dyeing / Picking / Washing / Finishing / Others (please specify): _____								
<small>*Note: It would be selected more than one</small>									
<b>Sampling Collection Information</b>									
Sampling Location / Description:	ETP - Inlet								
Sampling Device Description/ Owner:	_____								
Sampling mode:	Autosampler/ Manual								
<b>Sampler Information</b>									
Sampler Name/ Email:	Asfaque Rahman / asfaque.91@gmail.com								
Sampler ZDHC Accredited no.:	C7D104817980								
ZDHC Composite Sample Code:	_____								
<b>Field Data for Wastewater</b>									
Arrival Time:	11:30	Departure Time: 15:30							
Field Parameters:	pH: 7.8	Temp: 37.8 °C							
Control No. of field equipment:		Color: Reddish							
Factory with effluent treatment plant:	Flow rate: 180 L/min								
Sample matrix:	<input checked="" type="checkbox"/> Incoming water (if required) <input checked="" type="checkbox"/> Wastewater before treatment <input type="checkbox"/> Wastewater after treatment - water at discharge point								
Sampler container number:	18	18 18 18 18 18 18							
<b>ZDHC Wastewater Flow Device Dimensions</b>									
Measurement (cm)	Meter	Pipe (D)							
Diameter	NA	Flume (L)							
Depth	NA	Wier (V)							
<b>ZDHC Wastewater Sampling Field Testing QA/QC</b>									
Parameter	Laboratory control sample (LCS) Known	LCS Measured	Accuracy %						
pH									
Total Chlorine									
<b>ZDHC Wastewater Sample Collection Field Test Measurements</b>									
Recording time	ID	0	1	2	3	4	5	6	Average (Report with lab data)
Temp (°C):	Time	12:30							
	Wastewater Discharge	37.8							
	Receiving Water								
pH:		7.8							
Dissolved Oxygen (mg/L):									
Total Chlorine (mg/L):									
Persistent Foam (Yes/ No):									
Wastewater Flow meter (L/min):		180 ± 0.2							
Alternate measured Flow	Depth (cm)								
	Velocity (cm/sec)								
Color (visual estimation):		Reddish							
Volume collected, mL:		18 x 100							
Total volume collected:		18550							
<small>Remark: Total volume collected must be greater than total of sample size required</small>									





Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet (continued)**

	<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>	CPD-AN-00613-DATA 04 Issue Date: _____ Version No.: 18 Business Line: Analytical
--	---	---

Analysis Required and Preservation Method						
Tests (ZDHC MRSL Parameters)	Test required (v)	Total of sample size	Type of container	Preservation method (Store sample at 2-8°C)		
Combined test or Individual test (Remark 4)	1. Phthalate	✓	Amber Glass, washed with nitric acid,	Without adding acid		
	2. Chlorobenzenes, Chlorotoluene & PAH	✓				
	3. SCCPs	✓				
	4. APS	✓				
5. APEOs	✓	100 mL				
6. Chlorophenols & Cresols	✓	100 mL				
7. Flame retardant	✓	500 mL				
8. Dyes	✓	10 mL				
9. Glycol	✓	50 mL				
10. *Pesticides	x	1000 mL				
11. *Nitrosamine	x	10 mL				
12. Banned Azodyes	✓	2000 mL				
13. *Free primary aromatic amines	x	500 mL				
14. Organotin Compounds	✓	500 mL				
15. UV absorbers	✓	100				
16. BPA	✓	2				
17. Preservatives	✓	52				
18. VOC & Halogenated Solvents (Remark 6)	✓	10 mL			PE, washed with pesticide grade Acetone	Fill to full container without air gap; acidify to pH 2 with HCl
19. PFCs (Remark 6)	✓	2 mL			PE, washed with pesticide grade Acetone	Without adding acid

Tests (Conventional Parameters)	Test required (v)	Total of sample size	Type of container	Preservation method (Store sample at 2-8°C)
Combined test or Individual test (Remark 4)	20. Total suspended solids (TSS)	x	Amber Glass, washed with nitric acid,	Without adding acid
	21. Total dissolved solids (TDS)	x		
22. 5-day Biochemical Oxygen Demand (BOD5)	x	1000 mL	PE, washed with nitric acid	Acidify to pH 2 with HNO <sub>3</sub>
23. Colour	x	100 mL	PE, washed with nitric acid	Acidify to pH 2 with HNO <sub>3</sub>
24. Heavy Metals except Cr(VI) & Total-P (Remark 6)	x	9 mL	PE, washed with nitric acid	Acidify to pH 2 with HNO <sub>3</sub>
25. Cyanide	x	500 mL	Amber Glass, washed with pesticide grade acetone	Adjust pH 12 with 50% NaOH, add 0.05 ml of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>
26. Cr(VI)	x	95 mL	Amber Glass, washed with nitric acid	Filter by 0.45µm filter in field, fill to full container without air gap; adjust pH to 9.0-9.5 by adding ammonium buffer
27. Chemical oxygen demand (COD)	x	150 mL	Amber Glass, washed with nitric acid	Acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub>
28. Phenols	x	500 mL	Amber Glass, washed with nitric acid	Acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub>
29. Oil and Grease & Total Hydrocarbon	x	1000 mL	Amber Glass, washed with nitric acid	Fill to full container without air gap; acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub>
30. *Formaldehyde	x	25 mL	Amber Glass, washed with nitric acid	Fill to full container without air gap; acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub>
31. Sulfide (Remark 5)	x	50 mL	PE, washed with pesticide grade Acetone;	Fill to full container without air gap; add 2 drops of 2M zinc acetate, adjust pH to 9 with 6M NaOH
32. E. coli (Remark 6)	x	125 mL	PE, clean, sterile, non-reactive	Add 0.1 ml of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> keep in dark
33. Sulfite	x	100 mL	Amber Glass, washed with pesticide grade acetone	Add 1ml of 2.5% EDTA
34. Total-N	x	100 mL	Amber Glass, washed with nitric acid;	Acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub>
35. Ammonium-N	x	500 mL	Amber Glass, washed with nitric acid;	Acidify to pH 2 with HNO <sub>3</sub>
36. Adsorbable organically bound halogens (AOX)	x	100 mL	Amber Glass, washed with nitric acid;	Without adding acid
37. Acute aquatic toxicity: Luminus Bacteria; Fish Egg; Daphne; Algae;	x	1000 mL	Amber Glass, washed with nitric acid;	Without adding acid
38. Sulphate	x	100 mL	Amber Glass, washed with nitric acid;	Without adding acid



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet (continued)**

<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>		<b>CPSD-AN-00613-DATA 04</b> Issue Date: _____ Version No.: 18 Business Line: Analytical	
		39. Chloride	100 mL
40. Others:			
Observation/ Remark:			

- \*Remarks:**
- Individual sampling can be performed upon request.
  - The minimum sampling time for 2019 ZDHC guideline is 6 hours with no more than one hour between discrete samples. Sampling time could be adjusted upon request.
  - Scope of ZDHC guideline: Parameter 1-9, 12, 14-29, 31-36, 39, 39.
  - Scope of synthetic leather industry: Parameter 1-9, 12, 14-24, 26-29, 31, 32, 34, 35, 38, 39.
  - Scope of MMCF: Parameter 5, 18, 20, 22-24, 26-29, 31, 34-37.
  - Free primary aromatic amine, pesticides, nitrosamine and formaldehyde are not in the scope of ZDHC Guideline, they are tested upon request.
  - Refer to CPSD-AN-G00019-STIP01, locations with those CPSD test capability inside TCD matrix can perform the combined test.
  - Refer to CPSD-AN-000570-MTHD for additional pretreatment of sulfide if only dissolved sulfide is required to be tested.
  - Refer to CPSD-AN-00613-MTHD for preparation of field blank for specific parameters.

Recorded by: Asif Rahman Date: 23.03.23  
 Full name: \_\_\_\_\_

Comment from factory

**Acknowledgment by factory**

I hereby confirmed that Bureau Veritas has completed the stated sampling activity at captioned date, time and location. All sample(s) is/are collected in designated container(s) and without any observation in leakage. Sample(s) collected by Bureau Veritas is/are stored in portable freezer / fridge that is maintained in 1-6°C

Signatory of Factory Representative: Abu Syed Date: 22.03.23  
 Full Name: \_\_\_\_\_



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet (continued)**

	<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>	CPSD-AN-00613-DATA 04 Issue Date: _____ Version No.: 18 Business Line: Analytical
--	---	--

**General Data**

Laboratory Sample Number: (6823) 084 0105

Client Name: \_\_\_\_\_

Field Contact Person: Abu Syed Phone No: 01844240891

Project (Facility Name and Address): M.N. Dyeing, Printing & Washing Mills Ltd. Baniorchela Bhabanpur, Kizibur

Sample Identification: Zero discharge with sampling plan

Sample Type: Composite Sample / Grab sample (Please delete as appropriate) (How long running) Homogenization

Discharge mode: \_\_\_\_\_

Date of collection: \_\_\_\_\_

Factory Type: tank average holding time 21 hours

Dyeing /  Printing /  Washing /  Finishing / Others (please specify): \_\_\_\_\_

\*Note: It would be selected more than one

**Sampling Collection Information**

Sampling Location / Description: ETP - Outlet

Sampling Device Description/ Owner: \_\_\_\_\_

Sampling mode: Autosampler/ Manual

**Sampler Information**

Sampler Name/ Email: Asfazzur Rahman / asfazzur.4@gmail.com

Sampler ZDHC Accredited no.: C7D106817480

ZDHC Composite Sample Code: \_\_\_\_\_

**Field Data for Wastewater**

Arrival Time:	<u>11:30</u>	Departure Time:	<u>15:30</u>
Field Parameters	pH: <u>7.2</u>	Temp: <u>28.5</u> °C	Color: <u>Light Reddish</u> Flow rate: <u>165</u> (l/min)
Control No. of field equipment	_____		
Factory with effluent treatment plant:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Sample matrix:	<input type="checkbox"/> Incoming water (if required)		
	<input type="checkbox"/> Wastewater before treatment		
	<input checked="" type="checkbox"/> Wastewater after treatment - water at discharge point		
Sampler container number	<u>12</u>	<u>12</u>	<u>12</u>

**ZDHC Wastewater Flow Device Dimensions**

Measurement (cm)	Meter	Pipe (Ø)	Furne (U)	Wier (V)
Diameter	NA			
Depth	NA	NA	NA	

**ZDHC Wastewater Sampling Field Testing QA/QC**

Parameter	Laboratory control sample (LCS) Known	LCS Measured	Accuracy %
pH			
Total Chlorine			

**ZDHC Wastewater Sample Collection Field Test Measurements**

Recording time	ID	Sampling Time (Hours)						Average (Report with lab data)
		0	1	2	3	4	5	
Temp (°C)	Time	<u>12:40</u>						
	Wastewater Discharge	<u>28.3</u>						
	Receiving Water	<u>27.8</u>						
pH:		<u>7.2</u>						
Dissolved Oxygen (mg/L):		<u>5.50</u>						
Total Chlorine (mg/L):		<u>0.3</u>						
Persistent Foam (Yes/No):		<u>NO</u>						
Wastewater Flow meter (L/min):		<u>165.9</u>						
	Alternate measured Flow							
Color (visual estimation):	Depth (cm)	<u>-</u>						
	Velocity (cm/sec)	<u>-</u>						
Color (visual estimation):		<u>L. Reddish</u>						
Volume collected, mL:		<u>12500</u>						
Total volume collected		<u>12500</u>						

Remark: Total volume collected must be greater than total of sample size required



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet (continued)**

	<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>	CPSD-AN-00613-DATA 04 Issue Date: _____ Version No.: 18 Business Line: Analytical
--	---	--

Tests (ZDHC MRSL Parameters)		Test required (v)	Total of sample size	Type of container	Preservation method (Store sample at 2-8°C)	
Combined test or Individual test (Remark 4)	1. Phthalate	✓	1000 mL total or 1000 mL each	Amber Glass, washed with nitric acid.	Without adding acid	
	2. Chlorobenzenes, Chlorotoluene & PAH	✓				
	3. SCCPs	✓				
	4. APS	✓				
5. APEOs	✓	100 mL				
6. Chlorophenols & Cresols	✓	100 mL				
7. Flame retardant	✓	500 mL				
8. Dyes	✓	10 mL				
9. Glycol	✓	50 mL				
10. *Pesticides	✓	1000 mL				
11. *Nitrosamine	✓	10 mL				
12. Banned Azodyes	✓	2000 mL				
13. *Free primary aromatic amines	✓	500 mL				
14. Organotin Compounds	✓	500 mL				
15. UV absorbers	✓	100				
16. BPA	✓	2				
17. Preservatives	✓	52				
18. VOC & Halogenated Solvents (Remark 6)	✓	10 mL				Fill to full container without air gap; acidify to pH 2 with HCl
19. PFCs (Remark 6)	✓	2 mL	PE, washed with pesticide grade Acetone			Without adding acid

Tests (Conventional Parameters)		Test required (v)	Total of sample size	Type of container	Preservation method (Store sample at 2-8°C)
Combined test or Individual test (Remark 4)	20. Total suspended solids (TSS)	✓	2000 mL total or 2000 mL each	Amber Glass, washed with nitric acid.	Without adding acid
	21. Total dissolved solids (TDS)	✓			
22. 5-day Biochemical Oxygen Demand (BOD5)	✓	1000 mL			
23. Colour	✓	100 mL			
24. Heavy Metals except Cr(VI) & Total-P (Remark 6)	✓	9 mL	PE, washed with nitric acid.	Acidify to pH 2 with HNO <sub>3</sub>	
25. Cyanide	✓	500 mL	Amber Glass, washed with pesticide grade acetone	Adjust pH 12 with 50% NaOH, add 0.05 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>5</sub>	
26. Cr(VI)	✓	95 mL	Amber Glass, washed with nitric acid	Filter by 0.45µm filter in field, fill to full container without air gap; adjust pH to 9.0-9.5 by adding ammonium buffer	
27. Chemical oxygen demand (COD)	✓	150 mL			
28. Phenols	✓	500 mL			
29. Oil and Grease & Total Hydrocarbon	✓	1000 mL			
30. *Formaldehyde	X	25 mL		Acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub>	
31. Sulfide (Remark 5)	✓	50 mL	PE, washed with pesticide grade Acetone.	Fill to full container without air gap; add 2 drops of 2M zinc acetate, adjust pH to 9 with 6M NaOH	
32. E.coli (Remark 6)	✓	125 mL	PE, clean, sterile, non-reactive	Add 0.1 mL of 10% Na2S2O3 keep in dark	
33. Sulfite	✓	100 mL	Amber Glass, washed with pesticide grade acetone	Add 1mL of 2.5% EDTA	
34. Total-N	✓	100 mL	Amber Glass, washed with nitric acid	Acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub>	
35. Ammonium-N	✓	500 mL		Acidify to pH 2 with HNO <sub>3</sub>	
36. Adsorbable organically bound halogens (AOX)	✓	100 mL			
37. Acute aquatic toxicity: Luminescent Bacteria, Fish Egg, Daphnia, Algae	✓	1000 mL			
38. Sulphate	✓	100 mL		Without adding acid	





Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet (continued)**

<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>		CPSD-AN-00613-DATA 04	
		Issue Date:	
		Version No.: 18	
Business Line: Analytical			
39. Chloride	✓	100 mL	
40. Others:	✗		
Observation/ Remark:			

**\*Remarks:**

1. Individual sampling can be performed upon request
2. The minimum sampling time for 2019 ZDHC guideline is 6 hours with no more than one hour between discrete samples. Sampling time could be adjusted upon request.
3. Scope of ZDHC guideline: Parameter: 1-9, 12, 14-29, 31-36, 38, 39
4. Scope of synthetic leather industry: Parameter: 1-9, 12, 14-24, 26-29, 31, 32, 34, 35, 38, 39
5. Scope of MMCF: Parameter: 5, 18, 20, 22-24, 26-29, 31, 34-37
6. Free primary aromatic amine, pesticides, nitrosamine and formaldehyde are not in the scope of ZDHC Guideline, they are tested upon request.
7. Refer to CPSD-AN-G00019-STIP01, locations with those CPSD test capability inside TCD matrix can perform the combined test.
8. Refer to CPSD-AN-000570-MTHD for additional pretreatment of sulfide if only dissolved sulfide is required to be tested.
9. Refer to CPSD-AN-00613-MTHD for preparation of field blank for specific parameters.

Recorded by: Asstaur Rahman Date: 23.03.23  
 Full name:

Comment from factory

**Acknowledgment by factory**

I hereby confirmed that Bureau Veritas has completed the stated sampling activity at captioned date, time and location. All sample(s) is/are collected in designated container(s) and without any observation in leakage. Sample(s) collected by Bureau Veritas is/are stored in portable freezer / fridge that is maintained in 1-8°C

Signature of Factory Representative: Abu Syed Date: 23.03.23  
 Full Name:





Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet (continued)**

	<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>		CPSD-AN-00613-DATA 04	
	Issue Date:			
	Version No.: 18			
	Business Line: Analytical			

**Field Data for Sludge**

Arrival Time:	11:30		Departure Time:		
Field Parameters	pH:	Temp: °C	Flow rate (volume/time) / sludge flux (weight/time):		
Control No. of field equipment	Edon		Grey	Mud	
Sampling Time (Hours)	0	1	2	3	4
Recording time	ID				
	Time	13:30			
pH:					
Temp (°C):					
Flow rate (volume/time) / sludge flux (weight/time)	3.1158				
Volume collected, mL	3.1106				
Total volume collected	3.060				

Remark: Total volume collected must be greater than total of sample size required

**Analysis Required and Preservation Method**

Factory with effluent treatment plant		Yes	No	
Sample matrix		Sludge in clarifier (sedimentation tank)		
Sampler container number				
Recording time				
Tests (MRSL Parameter)	Test required (v)	Total of sample size	Preservation method (Store sample at 2-8°C)	
Combined test or Individual test (Remark 3)	1. Phthalate	10g total or 10g each	Amber Glass, washed with nitric acid	
	2. Chlorobenzenes, Chlorotoluene & PAHs			
	3. SCCPs			
	4. APS			
5. APEOs	✓	20 g		Add 0.2 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> (0.008% W/W)
6. Flame retardant		10 g		
7. Dyes		10 g		
8. Glycols		100 g		
9. *Pesticides		20 g		
10. Banned Azodyes		20 g		
11. *Free primary aromatic amines		10 g		
12. Chlorophenols & Cresols		20 g		
13. Organotin Compounds		10 g		
14. VOC & Halogenated Solvents (Remark 5)		10 g		
15. PFCs (Remark 5)		10 g		
PE, wash with pesticide grade acetone			Acidify to -pH 2 with H <sub>2</sub> SO <sub>4</sub> . Add 0.02 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> (0.008% W/W)	
Fill to full container without any air gap and acid add			Fill to full bottle without any air gap. Acidify to -pH 2 with HCl	
Add 0.02 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> (0.008% W/W)				

Tests (Conventional Parameters)	Test required (v)	Total of sample size	Type of container	Preservation method (Store sample at 2-8°C)
16. Heavy Metals except Cr(VI) (Remark 5)	✓	0.2 g	PE, wash with nitric acid	Acidify to -pH 2 with HNO <sub>3</sub>
17. Cr(VI)	✓	2.5 g		
18. Adsorbable organically bound halogens (AOX)		1 g	Amber Glass, wash with nitric acid	Fill to full container without any air gap and acid add
19. Extractable organohalides (EOX)		20 g		
20. Total organic carbon (TOC)		20 g		
21. Cyanide	✓	50 g	Amber Glass, wash with pesticide grade acetone	Adjust pH to 12-13 with 50% NaOH
22. Faecal Coliform	✓	20 g	PE, clean, sterile, non-reactive	Add 0.1 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> , keep in dark



Test Report: (6823)084-0105





Report Date: April 12, 2023

**Appendix C - On-site Field Data Record Sheet (continued)**

FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)			CPSD-AN-00613-DATA 04	
			Issue Date:	
			Version No.: 18	
			Business Line: Analytical	
23. % Solids	<input checked="" type="checkbox"/>	20 g	Amber Glass, wash with nitric acid	Acidify to ~pH 2 with HNO3
24. Paint Filter Test	<input checked="" type="checkbox"/>	20 g		
25. Others	<input checked="" type="checkbox"/>			
Observation/ Remark:				

**\*Remarks:**

- Individual sampling can be performed upon request
- The minimum sampling time for 2019 ZDHC guideline is 6 hours with no more than one hour between discrete samples. Sampling time could be adjusted upon request.
- Scope of ZDHC guideline: Parameter 1, 2, 4, 5, 16-17, 21-24  
 Scope of synthetic leather industry: Parameter 1-8, 10, 12-17  
 Scope of MMCF: Parameter 16, 18-20  
 Free primary aromatic amine and pesticides are not in the scope of ZDHC Guideline, they are tested upon request.
- Refer to CPSD-AN-G00019-STIP01, locations with those CPSD test capability inside TCD matrix can perform the combined test.
- Refer to CPSD-AN-00613-MTHD for preparation of field blank for specific parameters.

**ZDHC Wastewater Sampling - Facility Confirmation**

The Wastewater samples have been collected under the facilities' normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Facility Name: MN Dong Printing & Wishing  
 Facility Representative Name: Abdul Halim  
 Facility Representative Signature: [Signature]

Sampler's Name: Asthan Rahman  
 Sampler's ZDHC Accreditation: CFD106817180  
 Sampler's Signature: [Signature]





Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers**

Test Parameters	Unit		CAS No.	LOQ		Test methods
	Wastewater	Sludge		Wastewater	Sludge	
<b>1A) AP and APEOs: including all isomers</b>						
Nonylphenol ethoxylates (NPEO)	µg/L	mg/kg	9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	5	0.4	NP/OP: ISO 18857-2 (modified dichloromethane extraction) or ASTM D7065 (GC-MS or LC-MS(-MS)), OPEO/NPEO (n>2): ASTM D7742 ISO 18857-2
Nonylphenol (NP), mixed isomers			104-40-5, 11066-49-2, 25154-52-3, 84852-15-3			
Octylphenol ethoxylates (OPEO)			9002-93-1, 9036-19-5, 68987-90-6			
Octylphenol (OP), mixed isomers			140-66-9, 1806-26-4, 27193-28-8			
<b>1B) Anti-Microbials &amp; Biocides</b>						
o-Phenylphenol (+salts)	µg/L	-	90-43-7	100	-	USEPA 8270E Solvent extraction, derivatisation with KOH, acetic anhydride followed by GC-MS BS EN 12673-1999
Triclosan			3380-34-5			
Permethrin			Multiple	500		
<b>1C) Chlorinated Paraffins</b>						
Medium-chain chlorinated paraffins (MCCPs) (C14-C17)	µg/L	-	85535-85-9	500	-	EPA 3510 and analyzed by ISO18219-2:2021 Method for MCCP with GC-MS(NCI) or LC-MS/MS EPA 3510 and analyzed by ISO18219-1:2021, ISO 12010:2019 Methods for SCCP with GC-MS(NCI) or LC-MS/MS
Short-chain chlorinated paraffins (SCCPs) (C10-C13)			85535-84-8	25		
<b>1D) Chlorobenzenes and Chlorotoluenes</b>						
1,2-dichlorobenzene	µg/L	-	95-50-1	0.2	-	USEPA 8260D, 8270E, Purge and Trap, Head Space, Dichloromethane extraction followed by GC-MS
Other isomers of mono-, di-, tri-, tetra-, penta-, and hexa- chlorobenzene			Multiple			
Other isomers of mono-, di-, tri-, tetra-, and penta- chlorotoluene				mg/kg		
<b>1E) Chlorophenols</b>						
2-chlorophenol	µg/L	-	95-57-8	0.5	-	USEPA 8270E Solvent extraction, derivatisation with KOH, acetic anhydride followed by GC-MS, BS EN 12673-1999 the procedure of solvent extraction and derivatization are included
3-chlorophenol			108-43-0			
4-chlorophenol			106-48-9			
2,3-dichlorophenol			576-24-9			
2,4-dichlorophenol			120-83-2			
2,5-dichlorophenol			583-78-8			
2,6-dichlorophenol			87-65-0			
3,4-dichlorophenol			95-77-2			
3,5-dichlorophenol			591-35-5			
2,3,4-trichlorophenol			15950-66-0			
2,3,5-trichlorophenol			933-78-8			
2,3,6-trichlorophenol			933-75-5			
2,4,5-trichlorophenol			95-95-4			
2,4,6-trichlorophenol			88-06-2			
3,4,5-trichlorophenol			609-19-8			
2,3,5,6-tetrachlorophenol			935-95-5			
2,3,4,6-tetrachlorophenol			58-90-2			
2,3,4,5-tetrachlorophenol			4901-51-3			
Pentachlorophenol (PCP)			87-86-5			
<b>1F) Dimethyl Formamide (DMFa)</b>						
Dimethyl formamide; N,N-dimethylformamide (DMFa) <sup>a</sup>	µg/L	-	68-12-2	1000	-	EPA 8015, EPA 8270E

a = Report only for mock leather





Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers (continued)**

Test Parameters	Unit		CAS No.	LOQ		Test methods
	Wastewater	Sludge		Wastewater	Sludge	
<b>1G) Dyes - Carcinogenic or Equivalent Concern</b>						
Basic Violet 3 with >0.1% of Michler's Ketone	µg/L	-	548-62-9	500	-	Liquid extraction, LC-MS
C.I. Acid Red 26			3761-53-3			
C.I. Acid Violet 49			1694-09-3			
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)			2580-56-5			
C.I. Basic Green 4 (Malachite Green Chloride)			569-64-2			
C.I. Basic Green 4 (Malachite Green Oxalate)			2437-29-8			
C.I. Basic Green 4 (Malachite Green)			10309-95-2			
C.I. Basic Red 9			569-61-9			
C.I. Basic Violet 14			632-99-5			
C.I. Direct Black 38			1937-37-7			
C.I. Direct Blue 6			2602-46-2			
C.I. Direct Red 28			573-58-0			
C.I. Disperse Blue 1			2475-45-8			
C.I. Disperse Blue 3			2475-46-9			
Disperse Orange 11			82-28-0			
<b>1H) Dyes - Disperse (Allergenic)</b>						
Disperse Blue 102	µg/L	-	12222-97-8	50	-	Liquid extraction, LC-MS
Disperse Blue 106			12223-01-7			
Disperse Blue 124			61951-51-7			
Disperse Blue 26			3860-63-7			
Disperse Blue 35			12222-75-2			
Disperse Blue 7			56524-77-7			
Disperse Brown 1			3179-90-6			
Disperse Orange 1			23355-64-8			
Disperse Orange 3			2581-69-3			
Disperse Orange 37/59/76			730-40-5			
Disperse Red 1			13301-61-6			
Disperse Red 11			2872-52-8			
Disperse Red 17			2872-48-2			
Disperse Yellow 1			3179-89-3			
Disperse Yellow 3			119-15-3			
Disperse Yellow 39			2832-40-8			
Disperse Yellow 49			12236-29-2			
Disperse Yellow 9			54824-37-2			
Disperse Yellow 9	6373-73-5					
<b>1I) Dyes - Navy Blue Colourant</b>						
Component 1: C39H23Cl-CrN7O12S 2Na	µg/L	-	118685-33-9	500	-	Liquid extraction, LC-MS
Component 2: C46H-30CrN10O20S2 3Na			Not Allocated			



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers (continued)**

Test Parameters	Unit		CAS No.	LOQ		Test methods			
	Wastewater	Sludge		Wastewater	Sludge				
<b>1J) Flame Retardants</b>									
2,2-bis(bromomethyl)-1,3-propanediol (BBMD)	µg/L	-	3296-90-0	25	-	USEPA 8270E, ISO 22032, USEPA 527 and USEPA 8321B Dichloromethane extraction GC-MS or LC-MS(-MS)			
Bis(2,3-dibromopropyl) phosphate (BIS)			5412-25-9						
Decabromodiphenyl ether (DecaBDE)			1163-19-5						
Hexabromocyclodecane (HBCDD)			3194-55-6						
Octabromodiphenyl ether (OctaBDE)			32536-52-0						
Pentabromodiphenyl ether (PentaBDE)			32534-81-9						
Polybromobiphenyls (PBB)			59536-65-1						
Tetrabromobisphenol A (TBBPA)			79-94-7						
Tris(2-chloro-1-methylethyl)phosphate (TCPP)			13674-84-5						
Tris(1-aziridinyl)phosphine oxide (TEPA)			545-55-1						
Tris(1,3-dichloro-isopropyl)phosphate (TDCP)			13674-87-8						
Tris(2-chloroethyl)phosphate (TCEP)			115-96-8						
Tris(2,3-dibromopropyl)-phosphate (TRIS)			126-72-7						
Decabromobiphenyl (DecaBB)			13654-09-6						
Dibromobiphenyls (DiBB)			Multiple						
Octabromobiphenyls (OctaBB)			Multiple						
Dibromopropylether			21850-44-2						
Heptabromodiphenyl ether (HeptaBDE)			68928-80-3						
Hexabromodiphenyl ether (HexaBDE)			36483-60-0						
Monobromobiphenyls (MonoBB)			Multiple						
Monobromodiphenylethers (MonoBDEs)			Multiple						
Nonabromobiphenyls (NonaBB)			Multiple						
Nonabromodiphenyl ether (NonaBDE)			63936-56-1						
Tetrabromodiphenyl ether (TetraBDE)			40088-47-9						
Tribromodiphenylethers (TriBDEs)			Multiple						
Boric acid <sup>b</sup>			10043-35-3, 11113-50-1				100	-	Determined as total boron via ICP
Diboron trioxide <sup>b</sup>			1303-86-2						
Disodium octaborate <sup>b</sup>			12008-41-2						
Disodium tetraborate anhydrous <sup>b</sup>	1303-96-4, 1330-43-4								
Tetraboron disodium heptaoxide, hydrate <sup>b</sup>	12267-73-1								
<b>1K) Glycols / Glycol Ethers</b>									
2-ethoxyethanol	µg/L	-	110-80-5	50	-	USEPA 8270E Liquid extraction, LC-MS GC-MS			
2-ethoxyethyl acetate			111-15-9						
2-methoxyethanol			109-86-4						
2-methoxyethylacetate			110-49-6						
2-methoxypropylacetate			70657-70-4						
Bis(2-methoxyethyl)-ether			111-96-6						
Ethylene glycol dimethyl ether			110-71-4						
Triethylene glycol dimethyl ether			112-49-2						
<b>1L) Halogenated Solvents</b>									
1,2-dichloroethane	µg/L	-	107-06-2	1	-	USEPA 8260D Headspace GC-MS or Purge and trap GC-MS			
Methylene chloride			75-09-2						
Tetrachloroethylene			127-18-4						
Trichloroethylene			79-01-6						

b = Limit refer to elemental boron, not the salt.



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers (continued)**

Test Parameters	Unit		CAS No.	LOQ		Test methods
	Wastewater	Sludge		Wastewater	Sludge	
<b>1M) Organotin Compounds</b>						
Dipropyltin compounds (DPT)	µg/L	-	Multiple	0.01	-	ISO 17353 Derivatisation with NaB (C2H5)4 GC-MS
Mono-, di- and tri-butyltin derivatives						
Mono-, di- and tri-methyltin derivatives						
Mono-, di- and tri-octyltin derivatives						
Mono-, di- and tri-phenyltin derivatives						
Tetraethyltin compounds (TeET)						
Tripolytin Compounds (TPT)						
Tetraoctyltin compounds (TeOT)						
Tricyclohexyltin (TCyHT)						
Tetraethyltin Compounds (TeET)						
<b>1N) Other/Miscellaneous Chemicals</b>						
AEAA [2-(2-aminoethylamino)ethanol]	µg/L	-	111-41-1	500	-	Liquid extraction, LC-MSMS
Bisphenol A			80-05-7	10		
Thiourea			62-56-6	50		Liquid extraction, LC-MS
Quinoline			91-22-5	50		
Borate, zinc salt <sup>c</sup>			12767-90-7	100		Determine as total boron and total zinc via ICP
Silica (Used in sand blasting) <sup>d</sup>			14464-46-1	NA		Not a ZDHC Wastewater parameter
<b>1O) Perfluorinated and Polyfluorinated Chemicals (PFCs)</b>						
Perfluorooctane sulfonate (PFOS) and related substances, Perfluorooctanoic acid (PFOA)	µg/L	-	Multiple	0.01	-	PFCs: EPA 537:2020 FTOH: BS EN 12673-1999, EPA 8270 PFCs: LC-MSMS FTOH: GC-MS Derivatisation with acetic anhydride followed by GC-MS
Perfluorooctanoic acid (PFOA) related substances				1		
<b>1P) Phthalates - including all other esters of ortho-phthalic acid</b>						
1,2-benzenedicarboxylic acid, di-C6-8 branched and linear alkyl esters, C7-rich (DIHP)	µg/L	-	71888-89-6, 84777-06-0	10	-	USEPA 8270E, ISO 18856 Dichloromethane extraction GC-MS
1,2-benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNUP)			68515-42-4, 68515-50-4			
Bis(2-methoxyethyl)phthalate (DMEP)			117-82-8			
Butyl benzyl phthalate (BBP)			85-68-7			
Di-cyclohexyl phthalate (DCHP)			84-61-7			
Di-iso-decyl phthalate (DIDP)			26761-40-0			
Di-iso-octyl phthalate (DIOP)			27554-26-3			
Di-iso-butyl phthalate (DIBP)			84-69-5			
Di-iso-nonyl phthalate (DINP)			28553-12-0			
Di-n-hexyl phthalate (DnHP)			84-75-3			
Di-n-octyl phthalate (DNOP)			117-84-0			
Di-n-pentylphthalates			131-18-0			
Di-n-propyl phthalate (DPRP)			131-16-8			
Di(ethylhexyl) phthalate (DEHP)			117-81-7			
Dibutyl phthalate (DBP)			84-74-2			
Diethyl phthalate (DEP)			84-66-2			
Diisopentylphthalates			605-50-5			
Dinonyl phthalate (DNP)			84-76-4			

c = Limit refers to elemental boron and/or zinc, not the salt.

d = Not required to test this parameter as this is related to sand blasting



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers (continued)**

Test Parameters	Unit		CAS No.	LOQ		Test methods				
	Wastewater	Sludge		Wastewater	Sludge					
<b>1Q) Polycyclic Aromatic Hydrocarbons (PAHs)</b>										
Acenaphthene	µg/L	mg/kg	83-32-9	1	0.2	USEPA 8270E DIN 38407-39 Solvent extraction GC-MS				
Acenaphthylene			208-96-8							
Anthracene			120-12-7							
Benzo[a]anthracene			56-55-3							
Benzo[a]pyrene (BaP)			50-32-8							
Benzo[b]fluoranthene			205-99-2							
Benzo[e]pyrene			192-97-2							
Benzo[ghi]perylene			191-24-2							
Benzo[j]fluoranthene			205-82-3							
Benzo[k]fluoranthene			207-08-9							
Chrysene			218-01-9							
Dibenz[a,h]anthracene			53-70-3							
Fluoranthene			206-44-0							
Fluorene			86-73-7							
Indeno[1,2,3-cd]pyrene			193-39-5							
Naphthalene			91-20-3							
Phenanthrene			85-01-8							
Pyrene	129-00-0									
<b>1R) Restricted Aromatic Amines (Cleavable from Azo-colourants)</b>										
2-naphthylamine	µg/L	-	91-59-8	0.1	-	Reduction step with sodium dithionite, solvent extraction EPA 8270				
2-naphthylammoniumacetate			553-00-4							
2,4-xylidine			95-68-1							
2,4,5-trimethylaniline			137-17-7							
2,4,5-trimethylaniline hydrochloride			21436-97-5							
2,6-xylidine			87-62-7							
3,3'-dichlorobenzidine			91-94-1							
3,3-dimethoxybenzidine			119-90-4							
4-aminoazobenzene			60-09-3							
4-aminodiphenyl			92-67-1							
4-chloro-o-toluidine			95-69-2							
4-chloro-o-toluidinium chloride			3165-93-3							
4-chloroaniline			106-47-8							
4-methoxy-m-phenylene diammonium sulphate;			39156-41-7							
2,4-diaminoanisole sulphate			615-05-4							
4-methoxy-m-phenylenediamine			95-80-7							
4-methyl-m-phenylenediamine			101-14-4							
4,4-methylene-bis-(2-chloro-aniline)			838-88-0							
4,4-methylenedi-o-toluidine			101-77-9							
4,4-methylenedianiline			101-80-4							
4,4-thiodianiline			139-65-1							
5-nitro-o-toluidine			99-55-8							
6-methoxy-m-toluidine			120-71-8							
Benzidine			92-87-5							
o-aminoazotoluene			97-56-3							
o-anisidine			90-04-0							
o-toluidine			95-53-4							
										Reduction step with sodium dithionite, solvent extraction EPA 8270E and ISO 14362-1 GC/MS and LC/MS/MS



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers (continued)**

Test Parameters	Unit		CAS No.	LOQ		Test methods
	Wastewater	Sludge		Wastewater	Sludge	
<b>1S) UV Absorbers</b>						
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	µg/L	-	36437-37-3	100	-	USEPA 8270 ISO 22032, USEPA 527 and USEPA 8321B. Dichloromethane extraction GC-MS or LC-MS(-MS)
2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328)			25973-55-1			
2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320)			3846-71-7			
2,4-Di-tert-butyl-6-(5- chlorobenzotriazole-2-yl) phenol (UV-327)			3864-99-1			
<b>1T) Volatile Organic Compounds (VOC)</b>						
Benzene	µg/L	-	71-43-2	1	-	ISO 11423-1 Headspace or Purge and trap GC-MS USEPA 8260D Add ISO 20595 Static headspace for  ISO 11423-1 Headspace or Purge and trap GC-MS EPA 8270 BS EN 12673-1999  ISO 11423-1 Headspace or Purge and trap GC-MS USEPA 8260D HJ 1067 or EPA 8260D or ISO 11423-1
m-cresol			108-39-4			
o-cresol			95-48-7			
p-cresol			106-44-5			
Xylene			1330-20-7			
Toluene <sup>a</sup>			108-88-3			

a = Report only for mock leather



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers (continued)**

Test Parameters	Unit		CAS No.	LOQ		Test methods
	Wastewater & Leachate	Sludge		Wastewater	Sludge	
<b>Heavy Metals</b>						
Antimony	mg/L	mg/kg	7440-36-0	0.01	5	With reference to EPA 3015A, 6020A, 200.8, 6020B, 3051A and ISO 17294-2 and analyzed by ICP-MS With reference to EPA 1311 and HJ/T 300 for leachate
Chromium (VI)			18540-29-9	0.001	20	
Barium			7440-39-3	1	200	
Selenium			7782-49-2	1	5	
Tin			7440-31-5	1	-	
Arsenic			7440-38-2	0.005	5	
Total Chromium			7440-47-3	0.05	50	
Cobalt			7440-48-4	0.01	400	
Cadmium			7440-43-9	0.01	1	
Copper			7440-50-8	0.25	50	
Lead			7439-92-1	0.01	5	
Nickel			7440-02-0	0.05	20	
Silver			7440-22-4	0.005	50	
Zinc			7440-66-6	0.5	400	
Mercury			7439-97-6	0.001	1	
<b>Conventional</b>						
pH	pH	pH		6 - 9		EPA 150.2, APHA 4500- H+ For Water & EPA SW 9045D For Sludge
Temperature difference	°C			-		Measurement by thermometer
E.coli	cfu/100-ml			126		ISO 9308-1
Colour	m <sup>-1</sup>			2;1;1		ISO 7887: 2011(E), B
Persistent Foam	-			-		Visual
Wastewater Flowrate	m <sup>3</sup> /day			-		-
Ammonium-Nitrogen	mg/L			0.5		Reference to APHA 4500-NH <sub>3</sub> - N
AOX	mg/L			0.1		Reference to ISO 9562
Biochemical Oxygen Demand 5-days concentration (BOD <sub>5</sub> )	mg/L			8		Reference to APHA 5210B (5 days)
Chemical Oxygen Demand (COD)	mg/L			40		Reference to APHA 5220 D
Dissolved Oxygen (DO)	mg/L			-		Hach manual for LDO & In-house
Oil & Grease	mg/L			0.5		Reference to EPA 1664
Total Phenols / Phenol Index	mg/L			0.001		Reference to APHA 5530 C
Total Chlorine	mg/L			0.1		APHA 4500-Cl G
Total Dissolved Solids (TDS)	mg/L			5		APHA 22nd Edition-2540C
Total Nitrogen	mg/L			5		Reference to APHA 4500- N-C
Total Phosphorus	mg/L			0.1		Reference to APHA 4500-P-J
Total Suspended Solids (TSS)	mg/L			5		APHA 2540D, GB 11901, ISO 11923
% Solids	-	%		-	-	USEPA 160.3
Paint Filter Test	-	-		-	-	EPA 9095B
Fecal Coliform	-	MPN/100ml		-	-	APHA 22 nd Ed. Part 9221 B



Test Report: (6823)084-0105

Report Date: April 12, 2023

**Appendix D - Test methods, reporting limits and CAS numbers (continued)**

Test Parameters	Unit		CAS No.	LOQ		Test methods
	Wastewater & Leachate	Sludge		Wastewater	Sludge	
<b>Anions</b>						
Chloride	mg/L	-	-	-	-	APHA 4500-Cl B
Cyanide, total		mg/kg		0.05	20	APHA 22nd Edition-4500-CN. C&E (2012), EPA 9010C, 9013 & 9014
Sulfate		-		-	-	APHA- 4500 SO4-E (2012)
Sulfide		-		0.01	-	Reference to APHA 4500-S2-D
Sulfite		-		0.2	-	Reference to EPA 377.1

Remark: The report [(6823)084-0105] is sub-contracted to India (Testex India Laboratories Pvt. Ltd.) for E. coli, AOX, T-Nitrogen, Fecal Coliform, Anti- Microbials & Biocides, UV Absorbers & Other/Miscellaneous Chemicals Tests.

**END OF REPORT**