

SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Report Date: 25/04/2023

Factory's name	:	BSL LIMITED
Factory's address	:	P.B. 16,17, MANDPAM, BHILWARA, RAJASTHAN
Type of wastewater discharge:		Zero Liquid Discharge (ZLD)
On-site Wastewater treatment plant:		With wastewater treatment plant
Average total industrial wastewater generated:		≥15m3/day
Date of sampling	:	11/04/2023
Date of sample arrived laboratory:		12/04/2023
Date of testing:		12/04/2023
Sample type:		
Sample / Untreated wastewater		[Dk. Grey, composite sample at 10:30,11:30,12:30;01:30,02:30,3:30] [Sampling location: Latitude 25.237878, Longitude 74.624061]
Sample / Sludge		[Brown colour, Grab sample at 03:30] [Sampling location: Latitude 25.237878, Longitude 74.624061]
Sampling laboratory:		Intertek India Pvt. Ltd. Gurgaon
Testing laboratory:		Intertek India Pvt. Ltd. Gurgaon
ZDHC sampler accreditation certification number:		C74D106817390

Tests conducted:

As requested by a brand program, for details refer to attached page(s).



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Summary of test results:

Wastewater / MRSL – Test items	Untreated Wastewater
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	ND
Anti-Microbials & Biocides	ND
Chlorinated Parafins	ND
Chlorobenzenes and Chlorotoluenes	ND
Chlorophenols	ND
Dyes – Carcinogenic or Equivalent Concern	ND
Dyes – Disperse (Allergenic)	ND
Dyes – Navy Blue Colourant	ND
Flame Retardants	D
Glycols / Glycol Ethers	ND
Halogenated solvents	ND
Organotin compounds	ND
Other/Miscellaneous Chemicals	D
Perfluorinated & Polyfluorinated chemicals (PFCs)	ND
Phthalates (Ortho-phthalates)	ND
Polycyclic aromatic hydrocarbons (PAHs)	ND
Restricted Aromatic Amines (Cleavable from Azo-colourants)	ND
UV Absorbers	ND
Volatile Organic Compounds (VOC)	ND



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Sludge – Disposal Pathways
D

Sludge / Heavy metals - Test items	Sludge (Total)	Sludge (Leachate)
Antimony		Meet
Arsenic	Meet	
Barium	Meet	
Cadmium	Meet	
Cobalt	Meet	
Copper	Meet	
Lead	Meet	
Nickel		Meet
Selenium	Meet	
Silver	Meet	
Chromium (total)		Meet
Zinc	Meet	
Chromium VI	Meet	
Mercury	Meet	

Sludge / Anion - Test items	Sludge
Cyanide	refer data

Sludge / Conventional parameters - Test items	Sludge
pH	Meet
% Solids	refer data
Paint filter test	refer data
Faecal coliform	refer data

Sludge / MRSL - Test items	Sludge
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	D
Polycyclic Aromatic Hydrocarbons (PAHs)	ND
Chlorotoluenes	ND



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Note :	
ND = Not detected (less than reporting limit)	
D = Detected	
N/A = Not applicable	- = Did not perform
# = No comment	* = See Remark
^(S) = The samples were subcontracted to Intertek Food for testing.	
@ = Maximum holding time exceeded.	
(*) = Report for mock leather only.	
^[f] = On-site test by sampler.	

Authorized by
For Intertek India Pvt. Ltd. [Analytical- Gurgaon]



Ravindra Singh, Lab Manager- C&A



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Sample / Wastewater

1. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

NP/OP: With reference to ISO 18857-2 (modified dichloromethane extraction) or ASTM D7065 with GC-MS or LC-MS-MS analysis.

OPEO/NPEO (n>2): With reference to ASTM D7742 or ISO 18857-2

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	5	ND	µg/L
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5	ND	µg/L
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	5	ND	µg/L
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	5	ND	µg/L

Remark: ND = Not detected (less than reporting limit)

2. Anti- Microbials & Biocides

OPP, Triclosan: With reference to USEPA 8270E Solvent extraction, derivatization with KOH, acetic anhydride followed by GC-MS analysis; with reference to BS EN 12673-1999 an alternative method of solvent extraction and derivatization are included.

Permethrin: With reference to USEPA 8270E Solvent extraction, followed by GC-MS analysis; With reference to ISO 14154:2005 without derivatization and determination by LC-MS or LC-MS-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
o-Phenylphenol (+salts)	90-43-7	100	ND	µg/L
Triclosan	3380-34-5	100	ND	µg/L
Permethrin	Multiple	500	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

3. Chlorinated Paraffins

For MCCP: With reference to EPA 3510, analysis by ISO18219-2:2021 with GC-MS-NCI or LC-MS-MS analysis.
For SCCP: With reference to EPA 3510, analysis by ISO18219-1:2021, ISO 12010:2019 with GC-MS-NCI or LC-MS-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Medium-chain Chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	500	ND	µg/L
Short-chain Chlorinated paraffin (C10 – C13)	85535-84-8	25	ND	µg/L

Remark: ND = Not detected (less than reporting limit)

4. Chlorobenzenes and Chlorotoluenes

With reference to USEPA 8260D, USEPA 8270E, Purge and Trap, Head Space, Dichloromethane extraction followed by GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
1,2-Dichlorobenzene	95-50-1	0.2	ND	µg/L
Other isomers of mono-, di-, tri-, tetra-, penta- and hexa- Chlorobenzene and mono-, di-, tri-, tetra- and penta-chlorotoluene	Multiple	0.2	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

5. Chlorophenols

With reference to US EPA 8270E solvent extraction, derivatization with KOH, acetic anhydride followed by GC-MS; with reference to BS EN 12673-1999 solvent extraction and derivatization are included.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
2-Chlorophenol	95-57-8	0.5	ND	µg/L
3-Chlorophenol	108-43-0	0.5	ND	µg/L
4-Chlorophenol	106-48-9	0.5	ND	µg/L
2,3-Dichlorophenol	576-24-9	0.5	ND	µg/L
2,4-Dichlorophenol	120-83-2	0.5	ND	µg/L
2,5-Dichlorophenol	583-78-8	0.5	ND	µg/L
2,6-Dichlorophenol	87-65-0	0.5	ND	µg/L
3,4-Dichlorophenol	95-77-2	0.5	ND	µg/L
3,5- Dichlorophenol	591-35-5	0.5	ND	µg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	µg/L
2,3,5-Trichlorophenol	933-78-8	0.5	ND	µg/L
2,3,6-Trichlorophenol	933-75-5	0.5	ND	µg/L
2,4,5-Trichlorophenol	95-95-4	0.5	ND	µg/L
2,4,6-Trichlorophenol	88-06-2	0.5	ND	µg/L
3,4,5-Trichlorophenol	609-19-8	0.5	ND	µg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	µg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	ND	µg/L
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	µg/L
Pentachlorophenol (PCP)	87-86-5	0.5	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

6. Dyes – Carcinogenic or Equivalent Concern

By Liquid extraction, LC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Basic violet 3 with >0.1% of Michler's Ketone	548-62-9	500	ND	µg/L
C.I. Acid Red 26	3761-53-3	500	ND	µg/L
C.I. Acid Violet 49	1694-09-3	500	ND	µg/L
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	µg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	µg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	µg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	µg/L
C.I. Basic Red 9	569-61-9	500	ND	µg/L
C.I. Basic Violet 14	632-99-5	500	ND	µg/L
C.I. Direct Black 38	1937-37-7	500	ND	µg/L
C.I. Direct Blue 6	2602-46-2	500	ND	µg/L
C.I. Direct Red 28	573-58-0	500	ND	µg/L
C.I. Disperse Blue 1	2475-45-8	500	ND	µg/L
C.I. Disperse Blue 3	2475-46-9	500	ND	µg/L
Disperse Orange 11	82-28-0	500	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

7. Dyes – Disperse (Allergenic)

By Liquid extraction, LC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Disperse Blue 102	12222-97-8	50	ND	µg/L
Disperse Blue 106	12223-01-7	50	ND	µg/L
Disperse Blue 124	61951-51-7	50	ND	µg/L
Disperse Blue 26	3860-63-7	50	ND	µg/L
Disperse Blue 35	12222-75-2 56524-77-7	50	ND	µg/L
Disperse Blue 7	3179-90-6	50	ND	µg/L
Disperse Brown 1	23355-64-8	50	ND	µg/L
Disperse Orange 1	2581-69-3	50	ND	µg/L
Disperse Orange 3	730-40-5	50	ND	µg/L
Disperse Orange 37/59/76	13301-61-6	50	ND	µg/L
Disperse Red 1	2872-52-8	50	ND	µg/L
Disperse Red 11	2872-48-2	50	ND	µg/L
Disperse Red 17	3179-89-3	50	ND	µg/L
Disperse Yellow 1	119-15-3	50	ND	µg/L
Disperse Yellow 3	2832-40-8	50	ND	µg/L
Disperse Yellow 39	12236-29-2	50	ND	µg/L
Disperse Yellow 49	54824-37-2	50	ND	µg/L
Disperse Yellow 9	6373-73-5	50	ND	µg/L

Remark: ND = Not detected (less than reporting limit)

8. Dyes – Navy Blue Colourant

By Liquid extraction, LC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	500	ND	µg/L
Component 2: C46H-30CrN10O20S2 3Na	Not Allocated	500	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

9. Flame retardants

Other flame retardant substances: With reference to USEPA 8270E, ISO 22032, USEPA 527 and USEPA 8321B, Dichloromethane extraction GC-MS or LC-MS-MS analysis.

Borate salt: determined as total boron via ICP analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	ND	µg/L
Bis(2,3-dibromopropyl) phosphate (BIS)	5412-25-9	25	ND	µg/L
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	ND	µg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	25	ND	µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	ND	µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	ND	µg/L
Polybromobiphenyls (PBBs)	59536-65-1	25	ND	µg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	25	ND	µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	ND	µg/L
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	25	ND	µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	ND	µg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	ND	µg/L
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	25	ND	µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	25	ND	µg/L
Dibromobiphenyls (DiBB)	Multiple	25	ND	µg/L
Octabromobiphenyls (OctaBB)	Multiple	25	ND	µg/L
Dibromopropylether	21850-44-2	25	ND	µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	ND	µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	ND	µg/L
Monobromobiphenyls (MonoBB)	Multiple	25	ND	µg/L
Monobromodiphenylethers (MonoBDEs)	Multiple	25	ND	µg/L
Nonabromobiphenyls (NonaBB)	Multiple	25	ND	µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	ND	µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	ND	µg/L
Tribromodiphenylethers (TriBDEs)	Multiple	25	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Boric acid	10043-35-3 11113-50-1	100 in Boron	129.77	µg/L
Diboron trioxide	1303-86-2	100 in Boron	129.77	µg/L
Disodium octaborate	12008-41-2	100 in Boron	129.77	µg/L
Disodium tetraborate anhydrous	1303-96-4 1330-43-4	100 in Boron	129.77	µg/L
Tetraboron disodium heptaoxide, hydrate	12267-73-1	100 in Boron	129.77	µg/L

Remark: ND = Not detected (less than reporting limit)

10. Glycols / Glycol Ethers

With reference to US EPA 8270E, Liquid extraction, LC-MS or GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
2-ethoxyethanol	110-80-5	50	ND	µg/L
2-ethoxyethyl acetate	111-15-9	50	ND	µg/L
2-methoxyethanol	109-86-4	50	ND	µg/L
2-methoxyethylacetate	110-49-6	50	ND	µg/L
2-methoxypropylacetate	70657-70-4	50	ND	µg/L
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	µg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND	µg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND	µg/L

Remark: ND = Not detected (less than reporting limit)

11. Halogenated solvents

With reference to USEPA 8260D, Headspace GC-MS or Purge and trap GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
1,2-Dichloroethane	107-06-2	1	ND	µg/L
Methylene chloride	75-09-2	1	ND	µg/L
Tetrachloroethylene	127-18-4	1	ND	µg/L
Trichloroethylene	79-01-6	1	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

12. Organotin compounds

With reference to ISO 17353, Derivatisation with NaB (C₂H₅)₄, with GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Dipropyltin compounds (DPT)	Multiple	0.01	ND	µg/L
Mono-, di- and tri-butyltin derivatives	Multiple	0.01	ND	µg/L
Mono, di-, and tri-methyltin derivatives	Multiple	0.01	ND	µg/L
Mono, di-, and tri-octyltin derivatives	Multiple	0.01	ND	µg/L
Mono, di-, and tri-phenyltin derivatives	Multiple	0.01	ND	µg/L
Tetraethyltin compounds (TeBT)	Multiple	0.01	ND	µg/L
Tripropyltin Compounds (TPT)	Multiple	0.01	ND	µg/L
Tetraoctyltin compounds (TeOT)	Multiple	0.01	ND	µg/L
Tricyclohexyltin (TCyHT)	Multiple	0.01	ND	µg/L
Tetraethyltin Compounds (TeET)	Multiple	0.01	ND	µg/L

Remark: ND = Not detected (less than reporting limit)

13. Other/Miscellaneous Chemicals

Others: With reference to Liquid extraction, LC-MS-MS analysis.

Borate salt: determined as total boron and total zinc via ICP analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	500	ND	µg/L
Bisphenol A	80-05-7	10	ND	µg/L
Thiourea	62-56-6	50	ND	µg/L
Quinoline	91-22-5	50	ND	µg/L
Borate, zinc salt	12767-90-7	100 in Boron & Zinc	Boron:129.77 Zinc:ND	µg/L

Remark: ND = Not detected (less than reporting limit)

14. Perfluorinated & polyfluorinated chemicals (PFCs)

PFCs: With reference to EPA 537:2020 with LC-MSMS

FTOH: With reference to BS EN 12673-1999, EPA 8270, GC-MS, Derivatization with acetic anhydride followed by GC-MS

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Perfluorooctane sulfonate (PFOS) and related substances, Perfluorooctanoic acid (PFOA)	Multiple	0.01	ND	µg/L
Perfluorooctanoic acid (PFOA) related substances	Multiple	1	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

15. Phthalates – including all other esters of ortho-phthalic acid

With reference to USEPA 8270E, ISO 18856, Dichloromethane extraction GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	ND	µg/L
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	10	ND	µg/L
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	ND	µg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND	µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	µg/L
Di-isobutyl phthalate (DIBP)	84-69-5	10	ND	µg/L
Di-isononyl phthalate (DINP)	28553-12-0	10	ND	µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	µg/L
Di-n-pentylphthalates	131-18-0	10	ND	µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	µg/L
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	ND	µg/L
Dibutyl phthalate (DBP)	84-74-2	10	ND	µg/L
Diethyl phthalate (DEP)	84-66-2	10	ND	µg/L
Diisopentylphthalates	605-50-5	10	ND	µg/L
Dinonyl phthalate (DNP)	84-76-4	10	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

16. Polycyclic aromatic hydrocarbons (PAHs)

With reference to US EPA 8270E, DIN 38407-39, solvent extraction GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Acenaphthene	83-32-9	1	ND	µg/L
Acenaphthylene	208-96-8	1	ND	µg/L
Anthracene	120-12-7	1	ND	µg/L
Benzo[a]anthracene	56-55-3	1	ND	µg/L
Benzo[a]pyrene (BaP)	50-32-8	1	ND	µg/L
Benzo[b]fluoranthene	205-99-2	1	ND	µg/L
Benzo[e]pyrene	192-97-2	1	ND	µg/L
Benzo[ghi]perylene	191-24-2	1	ND	µg/L
Benzo[j]fluoranthene	205-82-3	1	ND	µg/L
Benzo[k]fluoranthene	207-08-9	1	ND	µg/L
Chrysene	218-01-9	1	ND	µg/L
Dibenz[a,h]anthracene	53-70-3	1	ND	µg/L
Fluoranthene	206-44-0	1	ND	µg/L
Fluorene	86-73-7	1	ND	µg/L
Indeno[1,2,3-cd]pyrene	193-39-5	1	ND	µg/L
Naphthalene	91-20-3	1	ND	µg/L
Phenanthrene	85-01-8	1	ND	µg/L
Pyrene	129-00-0	1	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

17. Restricted Aromatic Amines (Cleavable from Azo-colourants)

With reference to reduction step with sodium dithionite, solvent extraction, EPA 8270E and ISO 14362-1 with GC-MS and LC-MS-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
2-Naphthylamine	91-59-8	0.1	ND	µg/L
2-Naphthylammoniumacetate	553-00-4	0.1	ND	µg/L
2,4-Xylidine	95-68-1	0.1	ND	µg/L
2,4,5-Trimethylaniline	137-17-7	0.1	ND	µg/L
2,4,5-Trimethylaniline hydrochloride	21436-97-5	0.1	ND	µg/L
2,6-Xylidine	87-62-7	0.1	ND	µg/L
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	µg/L
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	µg/L
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	µg/L
4-Aminoazobenzene	60-09-3	0.1	ND	µg/L
4-Aminodiphenyl	92-67-1	0.1	ND	µg/L
4-Chloro-o-toluidine	95-69-2	0.1	ND	µg/L
4-Chloro-o-toluidinium chloride	3165-93-3	0.1	ND	µg/L
4-Chloroaniline	106-47-8	0.1	ND	µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	0.1	ND	µg/L
4-methoxy-m-phenylenediamine	615-05-4	0.1	ND	µg/L
4-methyl-m-phenylenediamine	95-80-7	0.1	ND	µg/L
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1	ND	µg/L
4,4'-methylenedi-o-toluidine	838-88-0	0.1	ND	µg/L
4,4'-methylenedianiline	101-77-9	0.1	ND	µg/L
4,4'-Oxydianiline	101-80-4	0.1	ND	µg/L
4,4'-Thiodianiline	139-65-1	0.1	ND	µg/L
5-Nitro-o-toluidine	99-55-8	0.1	ND	µg/L
6-methoxy-m-toluidine	120-71-8	0.1	ND	µg/L
Benzidine	92-87-5	0.1	ND	µg/L
o-Aminoazotoluene	97-56-3	0.1	ND	µg/L
o-Anisidine	90-04-0	0.1	ND	µg/L
o-Toluidine	95-53-4	0.1	ND	µg/L

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

18. UV Absorbers

With reference to USEPA 8270, ISO 22032, USEPA 527 and USEPA 8321B, dichloromethane extraction GC-MS or LC-MS-MS analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	100	ND	µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	ND	µg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	ND	µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	ND	µg/L

Remark: ND = Not detected (less than reporting limit)

19. Volatile organic compounds (VOCs)

With reference to ISO 11423-1 Headspace or Purge and trap, GC-MS analysis. USEPA 8260D, add ISO 20595 static headspace for determination of VOC in wastewater

With reference to ISO 11423-1 Headspace or Purge and trap, GC-MS analysis. EPA 8270, BS EN 12673-1999.

With reference to HJ 1067 or EPA 8260D or ISO 11423-1.

Chemical substances	CAS no.	Reporting limit (µg/L)	Untreated wastewater	Unit
Benzene	71-43-2	1	ND	µg/L
m-cresol	108-39-4	1	ND	µg/L
o-cresol	95-48-7	1	ND	µg/L
p-cresol	106-44-5	1	ND	µg/L
Xylene	1330-20-7	1	ND	µg/L
Toluene (*)	108-88-3	1	ND	µg/L

Remark: ND = Not detected (less than reporting limit)

(*) Report for mock leather only.



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Sample / Sludge

Sludge flux (weight/time) and / or flow data volume/time: N/A

1. Heavy metals

Other heavy metals: With reference to acid/peroxide digestion EPA 3050, EPA 6010D, or EPA 6020B, HJ 803 with ICP/OES, or ICP-MS analysis.

Chromium VI: With reference to alkaline digestion USEPA 3060a, USEPA 7196, or USEPA 7199, HJ 1082 with Colourimetric UV/VIS, or Colourimetric IC analysis.

Mercury: With reference to Dissolution, acid digestion USEPA 7473, USEPA 7471 b, or USEPA 3051a USEPA 7471b, or USEPA 6020b, GB/T 22105.1, HJ 923 with CVAA or ICP MS analysis.

Chemical substances	Reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Antimony	5	63.99	mg/kg
Arsenic	5	ND	mg/kg
Barium	200	ND	mg/kg
Cadmium	1	ND	mg/kg
Cobalt	400	ND	mg/kg
Copper	50	ND	mg/kg
Lead	5	ND	mg/kg
Nickel	20	100.72	mg/kg
Selenium	5	ND	mg/kg
Silver	50	ND	mg/kg
Total Chromium	50	109.04	mg/kg
Zinc	400	ND	mg/kg
Chromium (VI)	20	ND	mg/kg
Mercury	1	ND	mg/kg

Remark: ND = Not detected (less than reporting limit)

@ = Maximum holding time exceeded.

2. Anions

With reference to USEPA 9013, USEPA 9014, USEPA 9213, HJ745 with Colourimetry or ISE analysis.

Chemical substances	Reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Cyanide	20	ND	mg/kg

Remark: ND = Not detected (less than reporting limit)

@ = Maximum holding time exceeded.



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

3. Conventional parameters

Chemical substances	Test method	Reporting limit (Dry weight)	Sludge (Dry weight)	Unit
pH	USEPA SW 9045D / HJ962	N/A	9.64	N/A
% Solids	USEPA 160.3 / HJ613	N/A	40.03	%
Paint Filter Test	USEPA SW-846 / USEPA 9095B	N/A	Pass	N/A
Fecal Coliform	USEPA 1681	100 MPN/g	2500	MPN/g

Remark: ND = Not detected (less than reporting limit)

@ = Maximum holding time exceeded.

4. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

With reference to USEPA 3540/3541, USEPA 3550, ISO 18857-2, ASTM D7065, ISO 18254-1, with GC-MS and LC-MS-MS analysis.

Chemical substances	CAS no.	Reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	0.4	ND	mg/kg
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	0.4	10.35	mg/kg
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	0.4	ND	mg/kg
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	0.4	ND	mg/kg

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

5. Polycyclic aromatic hydrocarbons (PAHs)

With reference to US EPA 3540/3541, US EPA 3550, US EPA 3640, US EPA 827, HJ 805-2016 with GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Acenaphthene	83-32-9	0.2	ND	mg/kg
Acenaphthylene	208-96-8	0.2	ND	mg/kg
Anthracene	120-12-7	0.2	ND	mg/kg
Benzo[a]anthracene	56-55-3	0.2	ND	mg/kg
Benzo[a]pyrene (BaP)	50-32-8	0.2	ND	mg/kg
Benzo[b]fluoranthene	205-99-2	0.2	ND	mg/kg
Benzo[e]pyrene	192-97-2	0.2	ND	mg/kg
Benzo[ghi]perylene	191-24-2	0.2	ND	mg/kg
Benzo[j]fluoranthene	205-82-3	0.2	ND	mg/kg
Benzo[k]fluoranthene	207-08-9	0.2	ND	mg/kg
Chrysene	218-01-9	0.2	ND	mg/kg
Dibenz[a,h]anthracene	53-70-3	0.2	ND	mg/kg
Fluoranthene	206-44-0	0.2	ND	mg/kg
Fluorene	86-73-7	0.2	ND	mg/kg
Indeno[1,2,3-cd]pyrene	193-39-5	0.2	ND	mg/kg
Naphthalene	91-20-3	0.2	ND	mg/kg
Phenanthrene	85-01-8	0.2	ND	mg/kg
Pyrene	129-00-0	0.2	ND	mg/kg

Remark: ND = Not detected (less than reporting limit)

6. Chlorotoluenes

With reference to US EPA 3540/3541, US EPA 3550, US EPA 3650, US EPA 827, HJ 605 with GC-MS analysis.

Chemical substances	CAS no.	Reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Other isomers of mono-, di-, tri-, tetra- and penta- chlorotoluene	Multiple	0.2	ND	mg/kg

Remark: ND = Not detected (less than reporting limit)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

7. Leachate heavy metals

With reference to toxicity leachate extraction procedure EPA 1311 followed by Acid digestion EPA 3051A, with ICP-OES, ICP-MS or , ISO 11885, ISO 17294-2, USEPA 200.7, USEPA 200.8, USEPA 6010c, USEPA 6020a analysis.

Chromium VI: With reference to toxicity leachate extraction procedure EPA 1311 followed by ISO 18412, USEPA 7196 or USEPA 7199 Colourimetric UV/VIS, or Colourimetric IC analysis.

Mercury: With reference to toxicity leachate extraction procedure EPA 1311 followed by acid digestion EPA 7471b , EPA 3051a with ISO 12846 or ISO 17852, EPA 6020b CVAA or ICP MS analysis.

Chemical substances	Reporting limit (mg/L)	Sludge	Unit
Arsenic	0.5	NA	mg/L
Cadmium	0.15	NA	mg/L
Total Chromium	5	ND	mg/L
Lead	0.5	NA	mg/L
Antimony	0.6	ND	mg/L
Barium	35	NA	mg/L
Cobalt	80	NA	mg/L
Copper	10	NA	mg/L
Nickel	3.5	ND	mg/L
Selenium	0.5	NA	mg/L
Silver	5	NA	mg/L
Zinc	50	NA	mg/L
Chromium (VI)	2.5	NA	mg/L
Mercury	0.05	NA	mg/L

Remark: ND = Not detected (less than reporting limit)

Testing period: From 11/04/2023 to 25 /04/2023



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Appendix 1: reference to ZDHC WWSG v2.1 Table 4B

Parameters	Total metals and anions threshold values (mg/kg)	Disposal pathways						
		A and B (Leachate result in mg/L)	C (Leachate result in mg/L)	D (Leachate result in mg/L)	E (Leachate result in mg/L)	F (Leachate result in mg/L)	G (Leachate result in mg/L)	G (Total metals limit in mg/kg)
Arsenic	10	Report only if required to test	5	2.75	0.5	0.5	0.5	75
Cadmium	3		1	0.58	0.15	0.15	0.15	85
Total Chromium	100		15	10	5	5	5	3000
Lead	10		5	2.75	0.5	0.5	0.5	840
Antimony	12		15	7.8	0.6	0.6	0.6	Sample and report only
Barium	700		100	67.5	35	35	35	
Cobalt	1600		80	80	80	80	80	Sample and report only
Copper	200		25	17.5	10	10	10	
Nickel	70		20	11.75	3.5	3.5	3.5	420
Selenium	10		1	0.75	0.5	0.5	0.5	100
Silver	100		5	5	5	5	5	Sample and report only
Zinc	1000		250	150	50	50	50	
Chromium VI	50		5	3.75	2.5	2.5	2.5	50
Mercury	1		0.2	0.125	0.05	0.05	0.05	57



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

Appendix 2: reference to ZDHC WWSG v2.1 Table 4C

Parameters	Disposal pathways							
	A and B	C	D	E	F	G		
pH	Sample and report only	5 – 11 s.u.	5 – 11 s.u.	5 – 11 s.u.	6.5 – 9 s.u.	6.5 – 9 s.u.		
% Solids		Sample and report only	Sample and report only	Sample and report only	Sample and report only	Sample and report only	Sample and report only	
Fecal Coliform				< 1000 (MPN/g)				
Paint Filter Test				Pass Paint filter test				Sample and report only
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers				< 0.4 mg/kg				
Polycyclic Aromatic Hydrocarbons (PAHs)				< 0.2 mg/kg				
Chlorotoluenes				< 0.2 mg/kg				

Appendix 2: reference to ZDHC WWSG v2.1 Table 4D

Parameters	Disposal pathways					
	A and B	C	D	E	F	G
Cyanide	Report only if required to test	100 mg/kg	85 mg/kg	70 mg/kg	70 mg/kg	70 mg/kg



**SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)**

Number: DELC23004164

Photo of sampling points:



Before Treatment Photo



Sludge Point



ETP Area



**SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)**

Number: DELC23004164

Photo of samples:



End of report

This report is made solely on the basis of instructions and/or information and materials supplied by you (the Client), It is not intended to be a recommendation for any specific course of action. Intertek shall not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as that which is expressly contained in the terms and conditions governing the provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent, truthful and careful basis and we do not accept any liability to you for any direct or in-direct loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

intertek SOFTLINES WASTEWATER & SLUDGE PROGRAM
TEST REQUISITION FORM

ZDHC Wastewater & Sludge Program
 Textiles Mock Leather Leather

SERVICE REQUIRED Regular (10-14 working days) Form No. _____

Applicant : BSL LIMITED		Official Use Only	
Address : P.B. 16,17,MANDPAM, BHILWARA, RAJASTHAN		Rpt. No.	
Contact Person : Mr. CS SHARMA Email: csaharma@bslsoftlines.com		Job No.	
Telephone : 01482-245000 (Ext. 110) Fax: _____		A/C No.	
Invoice to Applicant <input type="checkbox"/> No	Company Name: BSL LIMITED	Contact Person:	
	Address: P.B.NO. 16,17,MANDPAM,BHILWARA, RAJASTHAN		
	Pin:	E-mail:	Tel:

Brand Name (please specific Brand Name[s]) – Mandatory NO ANY SPECIFIC BUYER

Wet processing facility - Mandatory
Name of facility: BSL LIMITED
Address: P.B.NO. 16,17,MANDPAM,BHILWARA
Contact Person: Mr. CS SHARMA
Phone Number: _____ Email: _____
ZDHC WW Gateway: Supplier Name: _____ ZDHC AID: _____
IPE upload request: Yes (please provide IPE account name & password) Complete consent letter: Yes No
IPE Account Name: _____ IPE Account Password: _____

Information required about facility (Lab require to verify information during visit) - Mandatory
Type of wastewater discharge: ZLD
 Direct discharge Indirect discharge Zero liquid discharge (ZLD)
On-site wastewater treatment plant
 with wastewater treatment plant with pretreatment without pretreatment
Pretreatment type: _____
Samples (refer to ZDHC WWSG v2.1)
 Incoming water Untreated wastewater Effluent Sludge
Sludge disposal pathway A B C D E F G Not provided
Test parameters (refer to ZDHC WWSG v2.1)
 Table 1A-1T MRSL wastewater parameters
 Table 2 Heavy metals wastewater parameters
 Table 3 Conventional parameters and anions for wastewater
 Table 4A-4C Sludge
Additional information - Mandatory
What is the total average Industrial Wastewater generated at facility? * 1700KLD
Total Industrial Wastewater generated over a 12 months: _____ m³
Total working days in a 12 month period: 265
(Total working days, refers to the full days of which Industrial Wastewater is generated)
Average total industrial wastewater generated: ≥ 15m³/day < 15m³/day
Discharge volume (Liters/hour): _____
Local legal standard name: BPCB

2/5



**SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)**

Number: DELC23004164

Local legal standard name: RPCB
 Local legal standard no.: _____
 Central effluent treatment plant (CETP) name: _____
 Central effluent treatment plant (CETP) address: _____

DELC23004164
A -
Reg - 10 Regular
NOT PROVIDED ZDHC



*reviewed by
12/11/23
Neraj
OPE @ 8:00/12*



Following documents requested by ZDHC must be included with the application - Mandatory

- A copy of piping plan must be included with the application (mandatory).
- A copy of wastewater discharge permit/license must be included with the application (mandatory).
- A copy of local wastewater testing report (mandatory).
- Regulation/Standard information for discharged wastewater as well as the limitation value (or contractual limit value agreed by CETP) for the required parameters (mandatory).

We request for the above tests and agree that all testing will be carried out subject to INTERTEK TESTING SERVICES HONG KONG LTD.'s scale of charges as set forth in their prevalent price list of which we have seen a copy and upon and subject to the terms and conditions set out herein and overleaf.

Herewith we agree the sampling charge of USD 250 + OPE per facility if Intertek staff has reached the facility and was refused to perform the sampling.

Herewith we give the permission to Intertek to share any information regarding project status and all results with ZDHC and above mentioned ZDHC supplier. Furthermore, Intertek is entitled to upload reports to the IPE platform.

Date: _____ Authorized Signature _____
 and Company Chop of Invoice Recipient _____
(P.T.O. for terms and conditions)



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164



Intertek India Pvt. Ltd. Gurgaon
Wastewater and Sludge Sampling Field Data Form

Customer:						
Address:						
Facility type & name: BSL LTD.						
Facility location / address: PB 16, 17 MANDPAM BHILWARA, RAJASTHAN						
Operator of facility: GOPALJI KABRA.						
Cause of sampling:						
Date of sampling: 11-04-2023		Date of entry in lab:				
Sample Type:	<input type="checkbox"/> Direct discharge <input type="checkbox"/> Indirect discharge <input checked="" type="checkbox"/> Zero Liquid Discharge (ZLD)	discharge to:	<input type="checkbox"/> With treatment <input type="checkbox"/> Without treatment <input type="checkbox"/> Zero Liquid Discharge (ZLD)			
Description of discharge						
Time(s) of sampling:						
Weather conditions on sampling day: Normal						
Weather conditions on day before: sunny day.						
Sampling Point Data						
<input type="checkbox"/> Effluent before treatment		<input checked="" type="checkbox"/> Facility has own wastewater treatment plant	<input type="checkbox"/> plant is in working state			
<input type="checkbox"/> Discharge	<input type="checkbox"/> From bypass	<input type="checkbox"/> Collecting Tank	<input type="checkbox"/> Direct <input type="checkbox"/> After treatment <input type="checkbox"/> Sludge age: 21 days / weeks <input type="checkbox"/> MDCF			
Sludge disposal pathway:						
<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input checked="" type="checkbox"/> D	<input type="checkbox"/> E	<input type="checkbox"/> F	<input type="checkbox"/> G
>1000 °C offsite incineration	Landfill with significant control	Building products processed >1000 °C	Landfill with limited control	Incineration / Building products processed <1000 °C	Landfill with no control	Land application
Effluent/Sludge volume flow in <input type="checkbox"/> m ³ /h <input type="checkbox"/> L/sec <input type="checkbox"/> other unit (specify):..... <input type="checkbox"/> as provided <input type="checkbox"/> measured						



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

<input type="checkbox"/> estimated				
<input type="checkbox"/> Process Chemical <input type="checkbox"/> Liquid <input type="checkbox"/> solid (powder / granulate / pieces) <input type="checkbox"/> 'in process' <input type="checkbox"/> from warehouse/storage				
Picture ID (or Date & Time / Interval):		Description / condition of sampling point:		
Kind of sample:	<input type="checkbox"/> Grab Sample			
<input type="checkbox"/> Composite sample (also fill discrete samples' entries)	Sampling interval: min / h / d / L / m ³	Volume of aliquots: mL

CH/269-A,Rev:02

Page | 1

Latitude Longitude
25.2352 74.62632



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164



Total Quality. Assured.

Intertek India Pvt. Ltd. Gurgaon
On Site Wastewater Sample Measurements Data Sheet

Company Name: **BSL LTD.**

Date of Sampling: **11-04-2023**

Company Address: **PB NO 16,17 MANDPAM BHILWARA RAJASTHAN**

Sampling time (Hours)	pH(units)	Temperature (°C)	Conductivity (µS/cm)	Dissolved oxygen (mg/L)	Total chlorine (mg/L) <i>color of sample</i>	Persistent foam (Yes/No)	Flow rate (m³/h)
1 10:30 AM	8.32	39			DK. grey	No	
2 11:30 AM	8.01	41			Black	No.	
3 12:30 PM	8.05	40			Black	NO.	
4 1:30 PM	8.20	42			Lf. Black	No.	
5 2:30 PM	8.35	43			Black	No.	
6 3:30 PM	8.16	41			Black	NO	
Ave*							m³/d avg.

Control sample: Yes No Standard and conc. Added
Homogenised: Yes No

*Reported with Lab data

Field Parameters and Sensory Data					
T [°C] ambient	T [°C] upstream	Odour	Colour	Foaming	Floating matter



SOFTLINES WASTEWATER TESTING
TEST REPORT(TEXTILES)

Number: DELC23004164

*Reported with Lab data

Field Parameters and Sensory Data					
T [°C] ambient	T [°C] upstream	Odour	Colour	Foaming	Floating matter
Additional comments:					

ZDHC Wastewater sampling-facility confirmation:

The wastewater sample have been collected under the facilities normal production scale and wastewater flow rate.
The Sampler listed below was on on-site and collected the samples.

Facility Name: *BSL Unileal*
Facility Representative Name: *Alok Sinisthant*
Facility representative signature and stamp:

Sampler's Name: *Nasee Gopal Jera*
Sampler's ZDHC accreditation:
Sampler's Signature: *Nandg*
01-04-23
Page | 1

For BSL LTD. (Processing Division)
CH/269, Rev:03
Alok Sinisthant
Authorised Signatory

