

TEST REPORT

CLIENT DETAILS

Client Name: ARVIND LIMITED
Client Contact: MR. HUSEN MULLANI
Telephone: +91 7201931313
E-mail: Husen.mullani@arvind.in
Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

LABORATORY DETAILS

SGS Affiliate: SGS India Pvt Ltd., Chennai
SGS Contact: Balla Suresh Kumar
Telephone: +91 9840830472
E-mail: balla.sureshkumar@sgs.com
Address: 28 B/1(SP), 28B/2 (SP), Second Main Road, Ambattur Ind. Est., Ambattur,Chennai-58.

FACTORY DETAILS

Factory Name: ARVIND LIMITED
Factory Contact: MR. HUSEN MULLANI
Telephone: +91 7201931313
E-mail: husen.mullani@arvind.in
Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721
Types of Mills: (1) Spinning
(2) Yarn Dyeing, Bleaching
(3) Fabric Dyeing, Finishing, Washing
(5) Vertical Knit
(10) Packing, Warehouse
On-Site ETP: Yes
Discharge Destination: Zero Liquid Discharge (ZLD)
Name of Municipal/Centralized ETP: --
Address of Municipal/Centralized ETP: --

SAMPLE DRAWN BY SGS INDIA PVT LTD

SAMPLE AND TESTING DETAILS

Sampling Country: SGS India Pvt. Ltd.,
ZDHC Sampler's Certification No.: Chandrasekhar Singh (C74D106818029)
Sampling Date: 01-03-2023
Sample Received Date: 03-03-2023
Test Performing Period: 03-03-2023 - 17-03-2023
No. of Samples: Water (1); Sludge (1)
Sample Descriptions: 1) Untreated Wastewater (6-hour Composite)
2) Sludge (Grab)
Sample Volume 8L water sample; 2 kg sludge
Testing Institute: SGS India Pvt. Ltd.,
Discharge Method: Zero Liquid Discharge (ZLD)

OVERALL RESULTS

	Untreated Wastewater	Sludge	Leachate
Conventional Parameters / Anions / Metals:	Not Tested	Sample and Report Only	Not Detected
MRSL Parameters:	Not Detected	Sample and Report Only	-

REMARKS

1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.
3. Above conclusion was based on ZDHC waste water Guideline, Version 2.1
4. The results shown in this test report refer only to the sample(s) tested

Per pro SGS India Private Ltd



P.SHANMUGAM
EXECUTIVE

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

RESULT SUMMARY

Factory Name: ARVIND LIMITED
 Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR,
 GUJRAT-382721

TEST ITEMS	Untreated Wastewater	Sludge	Leachate
Conventional Parameters	-	Please refer to the information in TEST RESULTS	-
Anions	-	Sample and Report Only	-
Metals	-	Please refer to the information in TEST RESULTS	O
Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs)	O	Sample and Report Only	-
Anti-Microbials & Biocides	O	-	-
Chlorinated Paraffins	O	-	-
Chlorobenzenes and Chlorotoluenes	O	Sample and Report Only	-
Chlorophenols	O	-	-
Dimethyl Formamide (DMFa)	O	-	-
Dyes - Carcinogenic or Equivalent Concern	O	-	-
Dyes - Disperse (Allergenic)	O	-	-
Dyes - Navy Blue Colourant	O	-	-
Flame Retardants	O	-	-
Glycols / Glycol Ethers	O	-	-
Halogenated Solvents	O	-	-
Organotin Compounds	O	-	-
Other / Miscellaneous Chemicals	O	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)	O	-	-
Phthalates	O	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)	O	Sample and Report Only	-
Restricted Aromatic Amines	O	-	-
UV Absorbers	O	-	-
Volatile Organic Compounds (VOCs)	O	-	-

Note:

X - Detected

O - Not Detected

N/A - Not Tested / Not Applicable

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Sample ID		1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances				
Date of Sampling		01.03.2023	-	-	01.03.2023	-	-	-					
Sampling Location		Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-					
Sampling Start Time		10:00	-	-	16:15	-	-	-					
Sampling End Time		16:00	-	-	16:30	-	-	-					
Date of Sample Received		03.03.2023	-	-	03.03.2023	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Sample Colour Description	-	-	-	Pale green	-	-	Lt. brown	-	-	-	-	-	-
Wastewater Flowrate*	-	-	m ³ /day	-	-	-	-	-	-	-	-	-	-
Sludge Disposal Pathway	-	-	-	-	-	-	Pathway B	-	-	-	-	-	-
Conventional Parameters													
pH	-	-	-	-	-	-	7.3	-	-	-	-	Sample and Report Only	-
Paint Filter Test	-	-	-	-	Pass	-	Pass	-	-	-	-	Sample and Report Only	-
Fecal Coliform	-	-	-	-	1000	MPN/g	19000000	-	-	-	-	Sample and Report Only	-
Anions													
Cyanide, Total	-	-	-	-	20	mg/kg	n.d.	-	-	-	-	Sample and Report Only	-
Metals													
Total Antimony (Sb)	7440-36-0	-	-	-	5	mg/kg	n.d.	0.01	mg/L	n.d.	-	-	Sample and Report Only
Chromium (VI)	7440-47-3, 18540-29-9	-	-	-	20	mg/kg	n.d.	0.001	mg/L	n.d.	-	-	Sample and Report Only
Total Barium (Ba)	7440-39-3	-	-	-	200	mg/kg	n.d.	35	mg/L	n.d.	-	-	Sample and Report Only
Total Selenium (Se)	7782-49-2	-	-	-	5	mg/kg	n.d.	0.5	mg/L	n.d.	-	-	Sample and Report Only
Total Arsenic (As)	7440-38-2	-	-	-	5	mg/kg	n.d.	0.005	mg/L	n.d.	-	-	Sample and Report Only
Total Chromium (Cr)	7440-47-3	-	-	-	50	mg/kg	n.d.	0.05	mg/L	n.d.	-	-	Sample and Report Only
Total Cobalt (Co)	7440-48-4	-	-	-	400	mg/kg	n.d.	0.01	mg/L	n.d.	-	-	Sample and Report Only
Total Cadmium (Cd)	7440-43-9	-	-	-	1	mg/kg	n.d.	0.01	mg/L	n.d.	-	-	Sample and Report Only
Total Copper (Cu)	7440-50-8	-	-	-	50	mg/kg	404	0.25	mg/L	n.d.	-	-	Sample and Report Only
Total Lead (Pb)	7439-92-1	-	-	-	5	mg/kg	11	0.01	mg/L	n.d.	-	-	Sample and Report Only
Total Nickel (Ni)	7440-02-0	-	-	-	20	mg/kg	n.d.	0.05	mg/L	n.d.	-	-	Sample and Report Only
Total Silver (Ag)	7440-22-4	-	-	-	50	mg/kg	n.d.	0.005	mg/L	n.d.	-	-	Sample and Report Only
Total Zinc (Zn)	7440-66-6	0.1	mg/L	n.d.	400	mg/kg	499	0.1	mg/L	n.d.	Not Detected	-	Sample and Report Only
Total Mercury (Hg)	7439-97-6	-	-	-	1	mg/kg	n.d.	0.001	mg/L	n.d.	-	-	Sample and Report Only
Total Boron (B)	7440-42-8	0.1	mg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Sample ID		1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances				
Date of Sampling		01.03.2023	-	-	01.03.2023	-	-	-					
Sampling Location		Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-					
Sampling Start Time		10:00	-	-	16:15	-	-	-					
Sampling End Time		16:00	-	-	16:30	-	-	-					
Date of Sample Received		03.03.2023	-	-	03.03.2023	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers													
Nonylphenol ethoxylates (NPEO)	9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	5	µg/L	n.d.	0.4	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Nonylphenol (NP), mixed isomers	104-40-5, 11066-49-2, 25154-52-3, 84852-15-3	5	µg/L	n.d.	0.4	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Octylphenol ethoxylates (OPEO)	9002-93-1, 9036-19-5, 68987-90-6	5	µg/L	n.d.	0.4	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Octylphenol (OP), mixed isomers	140-66-9, 1806-26-4, 27193-28-8	5	µg/L	n.d.	0.4	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Anti- Microbials & Biocides													
o-Phenylphenol (+salts)	90-43-7	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Triclosan	3380-34-5	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Permethrin	Multiple	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Chlorinated Paraffins													
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Short-chain Chlorinated Paraffin (SCCPs) (C10-C13)	85535-84-8	5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Chlorobenzenes and Chlorotoluenes													
Monochlorobenzenes	108-90-7	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,2-Dichlorobenzene	95-50-1	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,3-Dichlorobenzene	541-73-1	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,4-Dichlorobenzene	106-46-7	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,2,3-Trichlorobenzene	87-61-6	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,2,4-Trichlorobenzene	120-82-1	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,3,5-Trichlorobenzene	108-70-3	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

		Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances			
		Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-				
		Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-				
		Sampling Start Time	10:00	-	-	16:15	-	-	-				
		Sampling End Time	16:00	-	-	16:30	-	-	-				
		Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-				
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Pentachlorobenzene	608-93-5	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Hexachlorobenzene	118-74-1	0.2	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-Chlorotoluene	95-49-8	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
3-Chlorotoluene	108-41-8	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
4-Chlorotoluene	106-43-4	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,3-Dichlorotoluene	32768-54-0	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,4-Dichlorotoluene	95-73-8	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,5-Dichlorotoluene	19398-61-9	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,6-Dichlorotoluene	118-69-4	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
3,4-Dichlorotoluene	95-75-0	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
3,5-Dichlorotoluene	25186-47-4	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,3,4-Trichlorotoluene	7359-72-0	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,3,6-Trichlorotoluene	2077-46-5	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,4,5-Trichlorotoluene	6639-30-1	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,4,6-Trichlorotoluene	23749-65-7	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
3,4,5-Trichlorotoluene	21472-86-6	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Pentachlorotoluene	877-11-2	0.2	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Sample ID		1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances				
Date of Sampling		01.03.2023	-	-	01.03.2023	-	-	-					
Sampling Location		Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-					
Sampling Start Time		10:00	-	-	16:15	-	-	-					
Sampling End Time		16:00	-	-	16:30	-	-	-					
Date of Sample Received		03.03.2023	-	-	03.03.2023	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Chlorophenols													
2-Chlorophenol	95-57-8	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
3-Chlorophenol	108-43-0	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
4-Chlorophenol	106-48-9	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,3-Dichlorophenol	576-24-9	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,4-Dichlorophenol	120-83-2	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,5-Dichlorophenol	583-78-8	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,6-Dichlorophenol	87-65-0	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
3,4-Dichlorophenol	95-77-2	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
3,5-Dichlorophenol	591-35-5	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,3,4-Trichlorophenol	15950-66-0	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,3,5-Trichlorophenol	933-78-8	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,3,6-Trichlorophenol	933-75-5	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,4,5-Trichlorophenol	95-95-4	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,4,6-Trichlorophenol	88-06-2	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
3,4,5-Trichlorophenol	609-19-8	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Pentachlorophenol (PCP)	87-86-5	0.5	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Dimethyl Formamide (DMFa)													
Dimethyl formamide; N,N-dimethylformamide (DMFa)**	68-12-2	1000	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

		Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances			
		Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-				
		Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-				
		Sampling Start Time	10:00	-	-	16:15	-	-	-				
		Sampling End Time	16:00	-	-	16:30	-	-	-				
		Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-				
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Dyes - Carcinogenic or Equivalent Concern													
Basic Violet 3 with >0.1% of Michler's Ketoneb	548-62-9	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Acid Red 26	3761-53-3	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Acid Violet 49	1694-09-3	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Basic Blue 26 with Michler's Ketone >0.1%	2580-56-5	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Basic Green 4 (Malachite Green Chloride)^	569-64-2	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Basic Green 4 (Malachite Green Oxalate)^	2437-29-8	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Basic Green 4 (Malachite Green)	10309-95-2	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Basic Red 9	569-61-9	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Basic Violet 14	632-99-5	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Direct Black 38	1937-37-7	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Direct Blue 6	2602-46-2	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Direct Red 28	573-58-0	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Disperse Blue 1	2475-45-8	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
C.I. Disperse Blue 3	2475-46-9	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Orange 11	82-28-0	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Dyes - Disperse (Allergenic)													
Disperse Blue 102	12222-97-8	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Blue 106	12223-01-7	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Blue 124	61951-51-7	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Blue 26	3860-63-7	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Blue 35	12222-75-2, 56524-77-7	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Blue 7	3179-90-6	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

		Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-				
		Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-				
		Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-	Factory Performances			
		Sampling Start Time	10:00	-	-	16:15	-	-	-				
		Sampling End Time	16:00	-	-	16:30	-	-	-				
		Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-				
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Disperse Brown 1	23355-64-8	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Orange 1	2581-69-3	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Orange 3	730-40-5	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Orange 37/59/76	13301-61-6	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Red 1	2872-52-8	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Red 11	2872-48-2	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Red 17	3179-89-3	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Yellow 1	119-15-3	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Yellow 3	2832-40-8	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Yellow 39	12236-29-2	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Yellow 49	54824-37-2	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Disperse Yellow 9	6373-73-5	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Dyes - Navy Blue Colourant													
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Component 2: C46H-30CrN10O20S2 3Na	Not Allocated	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Flame Retardants													
2,2-bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Bis(2,3-dibromopropyl) phosphate (BIS)	5412-25-9	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Hexabromocyclodecane (HBCDD)	3194-55-6	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Polybromobiphenyls (PBB)	59536-65-1	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Items	CAS No.	Reporting Limit	Units	Sample ID			Date of Sampling			Sampling Location			Sampling Start Time			Sampling End Time			Date of Sample Received			Factory Performances																
				1442011258(A)	-	-	1442011258(B)	-	-	-	01.03.2023	-	-	-	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-	10:00	-	-	16:15	-	-	-	16:00	-	-	16:30	-	-	-	03.03.2023	-	-
				Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate																									
Tetrabromobisphenol A (TBBPA)	79-94-7	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Tris(2,3,-dibromopropyl)-phosphate (TRIS)	126-72-7	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Decabromobiphenyl (DecaBB)	13654-09-6	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Dibromobiphenyls (DiBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Octabromobiphenyls (OctaBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Dibromopropylether	21850-44-2	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Monobromobiphenyls (MonoBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Monobromodiphenylethers (MonoBDEs)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Nonabromobiphenyls (NonaBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Tribromodiphenylethers (TriBDEs)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Boric acid	10043-35-3, 11113-50-1	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Diboron trioxide	1303-86-2	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									
Disodium octaborate	12008-41-2	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																									

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Sample ID		1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances				
Date of Sampling		01.03.2023	-	-	01.03.2023	-	-	-					
Sampling Location		Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-					
Sampling Start Time		10:00	-	-	16:15	-	-	-					
Sampling End Time		16:00	-	-	16:30	-	-	-					
Date of Sample Received		03.03.2023	-	-	03.03.2023	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	Sludge	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Disodium tetraborate anhydrous	1303-96-4, 1330-43-4	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Tetraboron disodium heptaoxide, hydrate	12267-73-1	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Glycols / Glycol Ethers													
2-ethoxyethanol	110-80-5	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-ethoxyethyl acetate	111-15-9	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-methoxyethanol	109-86-4	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-methoxyethylacetate	110-49-6	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-methoxypropylacetate	70657-70-4	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Bis(2-methoxyethyl)-ether	111-96-6	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Ethylene glycol dimethyl ether	110-71-4	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Triethylene glycol dimethyl ether	112-49-2	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Halogenated Solvents													
1,2-Dichloroethane	107-06-2	1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Methylene chloride	75-09-2	1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Tetrachloroethylene	127-18-4	1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Trichloroethylene	79-01-6	1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Organotin Compounds													
Dipropyltin compounds (DPT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Mono-, di- and tri-butyltin derivatives	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Monobutyltin (MBT)	1118-46-3, 78763-54-9	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Dibutyltin (DBT)	1002-53-5	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Tributyltin (TBT)	56573-85-4	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Mono-, di- and tri-methyltin derivatives	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
Monomethyltin (MMT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Factory Performances			
											Untreated Wastewater	Sludge	Leachate	
				Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-			
				Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-			
				Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-			
				Sampling Start Time	10:00	-	-	16:15	-	-	-			
				Sampling End Time	16:00	-	-	16:30	-	-	-			
				Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-			
Dimethyltin (DMT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Trimethyltin (TMT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Mono-, di- and tri-octyltin derivatives	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Monooctyltin (MOT)	15231-57-9	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Dioctyltin (DOT)	94410-05-6, 12531-44-4	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Trioctyltin (TOT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Mono-, di- and tri-phenyltin derivatives	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Monophenyltin (MPHT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Diphenyltin (DPHT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Triphenyltin (TPHT)	892-20-6, 668-34-8	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Tetrabutyltin compounds (TeBT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Tripropyltin Compounds (TPT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Tetraoctyltin compounds (TeOT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Tricyclohexyltin (TCyHT)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Tetraethyltin Compounds (TeET)	Multiple	0.01	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Other/Miscellaneous Chemicals														
AEEA [2-(2-aminoethylamino) ethanol]	111-41-1	500	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Bisphenol A	80-05-7	10	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Thiourea	62-56-6	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Quinoline	91-22-5	50	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-	
Borate, zinc salt	12767-90-7	100	µg/L	See Total Zinc (Zn) & Total Boron (B) Results	-	-	-	-	-	-	Not Detected	-	-	

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Sample ID		1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances				
Date of Sampling		01.03.2023	-	-	01.03.2023	-	-	-					
Sampling Location		Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-					
Sampling Start Time		10:00	-	-	16:15	-	-	-					
Sampling End Time		16:00	-	-	16:30	-	-	-					
Date of Sample Received		03.03.2023	-	-	03.03.2023	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	Sludge Φ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Perfluorinated and Polyfluorinated Chemicals (PFCs)													
Perfluorooctane sulfonate (PFOS)***	1763-23-1	0.01	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
N-ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	4151-50-2	0.01	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
N-methylperfluoro-1-octanesulfonamide (N-Me-FOSA)	31506-32-8	0.01	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-Et-FOSE)	1691-99-2	0.01	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-Me-FOSE)	24448-09-7	0.01	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Perfluorooctane sulfonamide (PFOSA)	754-91-6	0.01	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Perfluorooctanoic acid (PFOA)****	335-67-1	0.01	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Methyl Perfluorooctanoate (Me-PFOA)	376-27-2	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Ethyl Perfluorooctanoate (Et-PFOA)	3108-24-5	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
1H,1H,2H,2H-Perfluorodecylacrylate (8:2 FTA)	27905-45-9	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
8:2 Fluorotelomer methacrylate (8:2 FTMA)	1996-88-9	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Phthalates - including all other esters of ortho-phthalic acid													
1,2-benzenedicarboxylic acid, di-C6-8 branched and linear alkyl esters, C7-rich (DIHP)	71888-89-6, 84777-06-0	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
1,2-benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNUP)	68515-42-4, 68515-50-4	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Butyl benzyl phthalate (BBP)	85-68-7	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

		Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances			
		Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-				
		Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-				
		Sampling Start Time	10:00	-	-	16:15	-	-	-				
		Sampling End Time	16:00	-	-	16:30	-	-	-				
		Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-				
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	Sludge Φ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Di-isobutyl phthalate (DIBP)	84-69-5	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-isononyl phthalate (DINP)	28553-12-0	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-n-hexyl phthalate (DnHP)	84-75-3	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-n-octyl phthalate (DNOP)	117-84-0	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-n-pentylphthalates	131-18-0	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di-n-propyl phthalate (DPRP)	131-16-8	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Dibutyl phthalate (DBP)	84-74-2	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Diethyl phthalate (DEP)	84-66-2	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Diisopentylphthalates	605-50-5	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Dinonyl phthalate (DNP)	84-76-4	10	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)													
Acenaphthene	83-32-9	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Acenaphthylene	208-96-8	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Anthracene	120-12-7	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Benzo[a]anthracene	56-55-3	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Benzo[a]pyrene (BaP)	50-32-8	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Benzo[b]fluoranthene	205-99-2	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Benzo[e]pyrene	192-97-2	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Benzo[ghi]perylene	191-24-2	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Benzo[j]fluoranthene	205-82-3	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Benzo[k]fluoranthene	207-08-9	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Chrysene	218-01-9	1	$\mu\text{g/L}$	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Sample ID		1442011258(A)	-	-	1442011258(B)	-	-	-	Factory Performances				
Date of Sampling		01.03.2023	-	-	01.03.2023	-	-	-					
Sampling Location		Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-					
Sampling Start Time		10:00	-	-	16:15	-	-	-					
Sampling End Time		16:00	-	-	16:30	-	-	-					
Date of Sample Received		03.03.2023	-	-	03.03.2023	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Dibenz[a,h]anthracene	53-70-3	1	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Fluoranthene	206-44-0	1	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Fluorene	86-73-7	1	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Indeno[1,2,3-cd]pyrene	193-39-5	1	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Naphthalene	91-20-3	1	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Phenanthrene	85-01-8	1	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Pyrene	129-00-0	1	µg/L	n.d.	0.2	mg/kg	n.d.	-	-	-	Not Detected	Sample and Report Only	-
Restricted Aromatic Amines (Cleavable from Azo-colourants)													
2-naphthylamine	91-59-8	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2-Naphthylammoniumacetate^	553-00-4	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,4-xylidine	95-68-1	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,4,5-trimethylaniline	137-17-7	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,4,5-trimethylaniline hydrochloride^	21436-97-5	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
2,6-xylidine	87-62-7	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
3,3'-dichlorobenzidine	91-94-1	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
3,3-dimethoxybenzidine	119-90-4	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
3,3-dimethylbenzidine	119-93-7	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
4-aminoazobenzene	60-09-3	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
4-aminodiphenyl	92-67-1	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
4-chloro-o-toluidine	95-69-2	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-
4-chloro-o-toluidinium chloride^	3165-93-3	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Factory Performances																																																																															
											Untreated Wastewater	Sludge	Leachate																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%;">Sample ID</td> <td>1442011258(A)</td> <td>-</td> <td>-</td> <td>1442011258(B)</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="2"></td> </tr> <tr> <td>Date of Sampling</td> <td>01.03.2023</td> <td>-</td> <td>-</td> <td>01.03.2023</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="2"></td> </tr> <tr> <td>Sampling Location</td> <td>Waste Water Before Treatment - Pipe Line</td> <td>-</td> <td>-</td> <td>Sludge - Storage bed</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="2"></td> </tr> <tr> <td>Sampling Start Time</td> <td>10:00</td> <td>-</td> <td>-</td> <td>16:15</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="2"></td> </tr> <tr> <td>Sampling End Time</td> <td>16:00</td> <td>-</td> <td>-</td> <td>16:30</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="2"></td> </tr> <tr> <td>Date of Sample Received</td> <td>03.03.2023</td> <td>-</td> <td>-</td> <td>03.03.2023</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="2"></td> </tr> </table>													Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-	-	-	-			Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-	-	-	-			Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-	-	-	-			Sampling Start Time	10:00	-	-	16:15	-	-	-	-	-	-			Sampling End Time	16:00	-	-	16:30	-	-	-	-	-	-			Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-	-	-	-		
Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-	-	-	-																																																																																
Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-	-	-	-																																																																																
Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-	-	-	-																																																																																
Sampling Start Time	10:00	-	-	16:15	-	-	-	-	-	-																																																																																
Sampling End Time	16:00	-	-	16:30	-	-	-	-	-	-																																																																																
Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-	-	-	-																																																																																
4-chloroaniline	106-47-8	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate^	39156-41-7	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4-methoxy-m-phenylenediamine	615-05-4	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4-methyl-m-phenylenediamine	95-80-7	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4,4-methylenebis-(2-chloro-aniline)	101-14-4	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4,4-methylenedi-o-toluidine	838-88-0	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4,4-methylenedianiline	101-77-9	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4,4-oxydianiline	101-80-4	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
4,4-thiodianiline	139-65-1	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
5-nitro-o-toluidine	99-55-8	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
6-methoxy-m-toluidine	120-71-8	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
Benzidine	92-87-5	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
o-aminoazotoluene	97-56-3	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
o-anisidine	90-04-0	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
o-toluidine	95-53-4	0.1	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
UV Absorbers																																																																																										
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	µg/L	n.d.	-	-	-	-	-	-	Not Detected	-	-																																																																													

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST RESULTS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Reporting Limit	Units	Sludge Φ	Reporting Limit	Units	Leachate	Untreated Wastewater	Sludge	Leachate
Factory Performances													
Sample ID	1442011258(A)	-	-	1442011258(B)	-	-	-	-	-	-	-	-	-
Date of Sampling	01.03.2023	-	-	01.03.2023	-	-	-	-	-	-	-	-	-
Sampling Location	Waste Water Before Treatment - Pipe Line	-	-	Sludge - Storage bed	-	-	-	-	-	-	-	-	-
Sampling Start Time	10:00	-	-	16:15	-	-	-	-	-	-	-	-	-
Sampling End Time	16:00	-	-	16:30	-	-	-	-	-	-	-	-	-
Date of Sample Received	03.03.2023	-	-	03.03.2023	-	-	-	-	-	-	-	-	-
Volatile Organic Compounds (VOC)													
Benzene	71-43-2	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
m-cresol	108-39-4	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
o-cresol	95-48-7	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
p-cresol	106-44-5	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Xylene	1330-20-7	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Toluene**	108-88-3	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	Not Detected	-	-
Additional Parameters													
Dry Mass (Total Solids)	-	-	-	-	-	%	55.3	-	-	-	-	Sample and Report Only	-

Remarks:

"n.d." = Not Detected

"N/A" = Not Tested / Not Applicable

"-" = Not Required to be Test

^The test result is based on the calculation of selected element(s) and to the worst-case scenario

*Test data is measured/provided by the client

**Sample and report only for mock leather

***PFOS refer to its salts/derivative including PFOS-K (CAS No.: 2795-39-3) , PFOS-Li (CAS No.: 29457-72-5), PFOS-NH₄ (CAS No.: 29081-56-9), PFOS-NH(OH)₂ (CAS No.: 70225-14-8), PFOS-N(C₂H₅)₄ (CAS No.: 56773-42-3) and POSF (CAS No.: 307-35-7)

****PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)

Φ Sludge results are reported based on dry mass

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST PARAMETERS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Conventional Parameters												
pH	-	Wastewater: SM 4500 H ⁺ Sludge: USEPA 9045 D or HJ 962		6-9		Sample and Report Only	Sample and Report Only	5-11	5-11	5-11	6.5-9	6.5-9
Temperature	-	SM 2550	Δ+15°C	Δ+10°C	Δ+5°C							
E. Coli	-	SM 9221 B fermentation with LTB for presumptive followed by SM 9221 F (fluorogenic substrate) or SM 9221 G (GAD or Indole) for confirmation		126cfu/100mL								
Colour (436nm; 525nm; 620nm)	-	ISO 7887 B	7;5;3m ⁻¹	5;3;2m ⁻¹	2;1;1m ⁻¹							
Persistent Foam	-	-	No indication of Persistent Foam in receiving water									
Wastewater Flowrate	-	-	15m ³ per day									
Ammonium-N	-	SM 4500 G	10mg/L	1mg/L	0.5mg/L							
AOX	-	ISO 9562	3mg/L	0.5mg/L	0.1mg/L							
5-Days Biochemical Oxygen Demand (BOD5)	-	SM 5210 B	30mg/L	15mg/L	8mg/L							
Chemical Oxygen Demand (COD)	-	SM 5220 D	150mg/L	80mg/L	40mg/L							
Dissolved Oxygen (DO)	-	ISO 5814	Sample and Report Only									
Oil & Grease	-	SM 5520 B or C	10mg/L	2mg/L	0.5mg/L							
Total Phenols / Phenol Index	-	SM 5530 B/C	0.5mg/L	0.01mg/L	0.001mg/L							
Total Chlorine	-	ISO 7393-2	Sample and Report Only									
Total Dissolved Solids (TDS)	-	SM 2540 C	Sample and Report Only									
Total Nitrogen	-	SM 4500 N B, C	20mg/L	10mg/L	5mg/L							
Total Phosphorus	-	SM 4500 P J	3mg/L	0.5mg/L	0.1mg/L							
Total Suspended Solids (TSS)	-	SM 2540 D	50mg/L	15mg/L	5mg/L							
% Solids	-	USEPA 160.3				Sample and Report Only	Sample and Report Only	Sample and Report Only	Sample and Report Only	Sample and Report Only	Sample and Report Only	Sample and Report Only
Paint Filter Test	-	USEPA 9095 B				Sample and Report Only	Sample and Report Only	Sample and Report Only	Pass	Pass	Pass	Sample and Report Only
Fecal Coliform	-	USEPA 1681				Sample and Report Only	Sample and Report Only	Sample and Report Only	Sample and Report Only	Sample and Report Only	1000MPN/g	1000MPN/g
Anions												
Chloride	-	SM 4500 Cl	Sample and Report Only									
Cyanide	-	Wastewater: SM 4500 CN Sludge: Preparation: USEPA 9013 Analysis: USEPA 9213	0.2mg/L	0.1mg/L	0.05mg/L	Sample and Report Only	Sample and Report Only	100mg/kg	85mg/kg	70mg/kg	70mg/kg	70mg/kg
Sulfate	-	SM 4500 SO ₄ ²⁻	Sample and Report Only									
Sulfide	-	SM 4500 S ²⁻ D, E, G	0.5mg/L	0.05mg/L	0.01mg/L							
Sulfite	-	ISO 10304-3	2mg/L	0.5mg/L	0.2mg/L							
Metals												
Total Antimony (Sb)	7440-36-0	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.1mg/L	0.05mg/L	0.01mg/L							Sample and Report Only

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST PARAMETERS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Chromium (VI)	7440-47-3, 18540-29-9	<u>Wastewater:</u> ISO 18412 <u>Sludge:</u> Preparation: USEPA 3060 A Analysis: USEPA 7196 - Analysis using UV-VIS Spectrophotometer <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.05mg/L	0.005mg/L	0.001mg/L	-	-	-	-	-	-	50mg/kg
Total Barium (Ba)	7440-39-3	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	Sample and Report Only			-	-	-	-	-	-	Sample and Report Only
Total Selenium (Se)	7782-49-2	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	Sample and Report Only			-	-	-	-	-	-	100mg/kg
Total Tin (Sn)	7440-31-5	USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis	Sample and Report Only			-	-	-	-	-	-	
Total Arsenic (As)	7440-38-2	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.05mg/L	0.01mg/L	0.005mg/L	-	-	-	-	-	-	75mg/kg
Total Chromium (Cr)	7440-47-3	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.2mg/L	0.1mg/L	0.05mg/L	-	-	-	-	-	-	3000mg/kg
Total Cobalt (Co)	7440-48-4	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.05mg/L	0.02mg/L	0.01mg/L	-	-	-	-	-	-	Sample and Report Only
Total Cadmium (Cd)	7440-43-9	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	85mg/kg
Total Copper (Cu)	7440-50-8	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	1mg/L	0.5mg/L	0.25mg/L	-	-	-	-	-	-	4300mg/kg

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST PARAMETERS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Total Lead (Pb)	7439-92-1	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	840mg/kg
Total Nickel (Ni)	7440-02-0	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.2mg/L	0.1mg/L	0.05mg/L	-	-	-	-	-	-	420mg/kg
Total Silver (Ag)	7440-22-4	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.1mg/L	0.05mg/L	0.005mg/L	-	-	-	-	-	-	Sample and Report Only
Total Zinc (Zn)	7440-66-6	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	5mg/L	1mg/L	0.5mg/L	-	-	-	-	-	-	7500mg/kg
Total Mercury (Hg)	7439-97-6	<u>Wastewater:</u> USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis <u>Sludge:</u> Preparation: USEPA 3051 A Analysis: USEPA 6020 B -acid/peroxide digestion followed by ICP/ICP-MS analysis <u>Leachate:</u> Leachate Extraction: USEPA 1311 Analysis: ISO 11885	0.01mg/L	0.005mg/L	0.001mg/L	-	-	-	-	-	-	57mg/kg
Total Boron (B)	7440-42-8	USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis										
Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs)												
NP / OP	-	<u>Wastewater:</u> With reference to ISO 18857-2 (Modified dichloromethane extraction) (GC-MS or LC-MS(-MS)) <u>Sludge:</u> Preparation: With reference to USEPA 3550 - Ultrasonic Analysis: With reference to ISO 18857-2 (GC-MS or LC-MS(-MS))		5µg/L		Sample and Report Only	Sample and Report Only	Sample and Report Only	0.4mg/kg	0.4mg/kg	0.4mg/kg	0.4mg/kg
NPEO / OPEO	-	<u>Wastewater:</u> With reference to ISO 18857-2 (Modified dichloromethane extraction) (LC-MS(-MS)) <u>Sludge:</u> Preparation: With reference to USEPA 3550 - Ultrasonic Analysis: With reference to ISO 18254-1 (LC-MS(-MS))		5µg/L		Sample and Report Only	Sample and Report Only	Sample and Report Only	0.4mg/kg	0.4mg/kg	0.4mg/kg	0.4mg/kg

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST PARAMETERS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE												
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G						
Anti-Microbials & Biocides																		
o-Phenylphenol (+salts)	90-43-7	With reference to USEPA 8270 E. Determination by LC-MS(-MS)		100µg/L														
Triclosan	3380-34-5	With reference to USEPA 8270 E. Determination by LC-MS(-MS)		100µg/L														
Permethrin	Multiple	With reference to ISO 14154:2005. Determination by LC-MS(-MS) or GC-MS		500µg/L														
Chlorinated Paraffins																		
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	Preparation: With reference to USEPA 3510 Analysis: With reference to ISO 18219-2:2021 with GC-MS(NCI)		5µg/L														
Short-chain Chlorinated Paraffin (SCCPs) (C10-C13)	85535-84-8	Preparation: With reference to USEPA 3510 Analysis: With reference to ISO 18219-1:2021 with GC-MS(NCI)		5µg/L														
Chlorobenzenes & Chlorotoluenes		<u>Wastewater:</u> With reference to USEPA 8260 D, Dichloromethane extraction followed by GC-MS <u>Sludge:</u> Preparation: USEPA 3550 - Ultrasonic Clean-up: With reference to USEPA 3640 Analysis: With reference to USEPA 8270 E		0.2µg/L		Chlorotoluenes: Sample and Report Only	Chlorotoluenes: Sample and Report Only	Chlorotoluenes: Sample and Report Only	Chlorotoluenes: 0.2mg/kg	Chlorotoluenes: 0.2mg/kg	Chlorotoluenes: 0.2mg/kg	Chlorotoluenes: 0.2mg/kg						
Chlorophenols		With reference to USEPA 8270 E, Solvent extraction, derivatization with KOH, acetic anhydride followed by GC-MS		0.5µg/L														
Dimethyl Formamide (DMFa)	68-12-2	With reference to USEPA 8270 E		1000µg/L														
Dyes - Carcinogenic or Equivalent Concern		With reference to Liquid extraction followed by LC-MS		500µg/L														
Dyes - Disperse (Allergenic)		With reference to Liquid extraction followed by LC-MS		50µg/L														
Dyes - Navy Blue Colourant		With reference to Liquid extraction followed by LC-MS		500µg/L														
Flame Retardants		<u>Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate anhydrous, Tetraboron disodium heptaoxide, hydrate:</u> With reference to USEPA 8270 E - Dichloromethane extraction followed by GC-MS <u>Others:</u> With reference to ISO 22032 - Dichloromethane extraction followed by GC-MS or LC-MS(-MS)		Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate anhydrous, Tetraboron disodium heptaoxide, hydrate: 100µg/L Others: 25µg/L														
Glycols / Glycol Ethers		With reference to USEPA 8270 E followed by GC-MS		50µg/L														
Halogenated Solvents		With reference to USEPA 8260 D, followed by GC-MS		1µg/L														
Organotin Compounds		<u>TeET:</u> With reference to ISO 17353 <u>Others:</u> With reference to ISO 17353 - Derivatization with NaB(C ₂ H ₅) ₄ followed by GC-MS		0.01µg/L														

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST PARAMETERS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721


ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE								
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G		
Other/Miscellaneous Chemicals														
AEEA [2-(2-aminoethylamino) ethanol]	111-41-1	With reference to Liquid extraction followed by LC-MS/MS		500µg/L					-					
Bisphenol A	80-05-7	With reference to Liquid extraction followed by LC-MS		10µg/L					-					
Thiourea	62-56-6	With reference to Liquid extraction followed by LC-MS		50µg/L					-					
Quinoline	91-22-5	With reference to Liquid extraction followed by LC-MS		50µg/L					-					
Borate, zinc salt	12767-90-7	USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis		100µg/L					-					
Perfluorinated and Polyfluorinated Chemicals (PFCs)		<u>PFCs:</u> With reference to solvent extraction followed by LC-MSMS <u>FTOH:</u> With reference to solvent extraction followed by LC-MSMS		PFCs: 0.01µg/L FTOH: 1µg/L					-					
Phthalates		With reference to Dichloromethane extraction followed by GC-MS		10µg/L					-					
Polycyclic Aromatic Hydrocarbons (PAHs)		<u>Wastewater:</u> With reference to USEPA 8270 E - Solvent extraction followed by GC-MS <u>Sludge:</u> Preparation: With reference to USEPA 3550 - Ultrasonic Clean-up: With reference to USEPA 3640 Analysis: With reference to USEPA 8270 E		1µg/L		Sample and Report Only	Sample and Report Only	Sample and Report Only	0.2mg/kg	0.2mg/kg	0.2mg/kg	0.2mg/kg		
Restricted Aromatic Amines (Cleavable from Azo-colourants)		With reference to ISO 14362-1, USEPA 8270 E - Reduction step with sodium dithionite, solvent extraction followed by GC-MS or LC-MS/MS		0.1µg/L					-					
UV Absorbers		With reference to USEPA 8270 E - Dichloromethane extraction followed by GC-MS		100µg/L					-					
Volatile Organic Compounds (VOCs)														
Benzene	71-43-2	With reference to ISO 11423-1 - Headspace followed by GC-MS		1µg/L					-					
m-cresol / o-cresol / p-cresol	108-39-4 / 94-48-7 / 106-44-5	With reference to ISO 11423-1 - Headspace followed by GC-MS		1µg/L					-					
Xylene	1330-20-7	With reference to ISO 11423-1 - Headspace followed by GC-MS		1µg/L					-					
Toluene	108-88-3	With reference to ISO 11423-1 - Headspace followed by GC-MS		1µg/L					-					

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

PIPING PLAN

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721




This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SAMPLING PHOTOS

Factory Name: ARVIND LIMITED

Factory Address: PO KHATRAJ, TAL-KALOL, DIST - GANDHINAGAR, GUJRAT-382721



This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.