



# LAB REPORT

<b>Report Number</b>	(6624)256-0049		
<b>Date of sampling</b>	September 12, 2024		
<b>Reporting Date</b>	September 26, 2024		
<b>Factory Company Name</b>	Jiangyin Benda Garment Co., Ltd.		
<b>Factory Address</b>	No. 2, Huachang Road, Zhutang Town, Jiangyin City, Jiangsu Province, China		
<b>Discharge Type</b>	Indirect Discharge with Pretreatment		
<b>Discharge Destination Name &amp; Address</b>	Wastewater Treatment Plant (Zhutang Branch of Wuxi Huishan Environmental Protection Water Co., Ltd.)		
<b>Average total industrial wastewater generated</b>	Equal or more than 15m <sup>3</sup> per day	<b>Manufacturing Process Type</b>	Textile
<b>Onsite ETP / Pretreatment</b>	Yes	<b>Homogenization Tank &amp; Holding Time</b>	No
<b>ZDHC Sampler ID</b>	C74D106818233		
<b>Sample Type &amp; Description &amp; Sampling Method</b>	Untreated wastewater	I001, purple red liquid, composite sample at 8:35, 9:35, 10:35, 11:35, 12:35, 13:35, 14:35	
	Effluent	I002, light yellow liquid, composite sample at 8:30, 9:30, 10:30, 11:30, 12:30, 13:30, 14:30	
	Sludge	I003, black solid, composite sample at 8:55	

<b>Local Legal Data / Contractual agree by CETP Data</b>	
<b>Local Legal Standard Name / Name of Contractual agree by CETP<sup>[a]</sup></b>	Emission Standards for Water Pollutants in Textile Dyeing and Finishing Industry, and Emission Standards for Antimony Pollutants in Textile Dyeing and Finishing Industry Wastewater
<b>Standard Number</b>	GB 4287-2012,DB 32/3432-2018
<b>Parameters (ZDHC WWG V2.1, Table 2 &amp; 3) exceeded local legal standard / contractual agree by CETP standard</b>	No exceeded
<b>Discharge permit provided</b>	Yes

<b>Result Overview</b>			
<b>Wastewater Overall Result (ZDHC WWG V2.1, Table 1)</b>	Not detected		
<b>Wastewater Overall Result (ZDHC WWG V2.1, Table 2 &amp; 3)</b>	Not applicable		
<b>Sludge Disposal Pathway</b>	A	<b>Sludge Overall Result</b>	Meet Sludge Disposal Pathway (sample & report)




<b>Internal Description</b>	
<b>Sample reference number</b>	(6624)256-0049
<b>Date &amp; time of the beginning of sampling</b>	September 12, 2024 , 8:20
<b>Date &amp; time of the end of sampling</b>	September 12, 2024 , 14:40
<b>Sample received date</b>	September 13, 2024
<b>Testing period</b>	September 13, 2024 to September 26, 2024
<b>Arrival temperature at laboratory</b>	7.84 °C
<b>Comments</b>	Samples received within holding time and temperature.

The results of this report shall not be used for any regulatory compliance purposes. The sampling is agreed with client. If there are questions or concerns on this report, please contact the following persons:

**General enquiry and invoicing** Mr. Henry Chen  
 Email: henry.chen@bureauveritas.com; Tel: (021) 24081953

**Technical enquiry** Mr. Steven Han  
 Email: steven-z.han@bureauveritas.com; Tel: (021) 24081838

**Report reviewed by**  
  
 Amy Feng

**Report approved by**  
  
 \_\_\_\_\_  
 Aten Wu, Technical Support

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



BUREAU  
VERITAS

Report Number

(6624)256-0049

**Wastewater Result Summary - ZDHC MRSL Parameters**

ZDHC MRSL Wastewater	Untreated I001		
1A) AP and APEOs: including all isomers	ND		
1B) Anti-Microbials & Biocides	ND		
1C) Chlorinated Parafins	ND		
1D) Chlorobenzenes and Chlorotoluenes	ND		
1E) Chlorophenols	ND		
1F) DMFa	ND		
1G) Dyes - Carcinogenic or Equivalent Concern	ND		
1H) Dyes - Disperse (Sensitising)	ND		
1I) Dyes - Navy Blue Colourant	ND		
1J) Flame Retardants	ND		
1K) Glycols / Glycol Ethers	ND		
1L) Halogenated Solvents	ND		
1M) Organotin Compounds	ND		
1N) Other / Miscellaneous Chemicals	ND		
1O) PFCs	ND		
1P) Phthalates	ND		
1Q) PAHs	ND		
1R) Restricted Aromatic Amines	ND		
1S) UV Absorbers	ND		
1T) VOC	ND		



BUREAU  
VERITAS

Report Number

(6624)256-0049

**Wastewater Result Summary - ZDHC Heavy Metals Parameters**

ZDHC Heavy Metals Wastewater	Effluent I002		
Antimony	NA		
Chromium (VI)	DATA		
Barium	NA		
Selenium	NA		
Tin	NA		
Arsenic	DATA		
Total Chromium	NA		
Cobalt	NA		
Cadmium	DATA		
Copper	NA		
Lead	DATA		
Nickel	NA		
Silver	NA		
Zinc	NA		
Mercury	DATA		



**Wastewater Result Summary - ZDHC Conventional and Anions Parameters**

ZDHC Conventional and Anions Wastewater	Effluent I002		
pH <sup>(f)</sup>	NA		
Temperature difference <sup>(f)</sup>	NA		
E.coli	NA		
Colour	NA		
Persistent foam <sup>(f)</sup>	NA		
Wastewater flowrate <sup>(f)</sup>	NA		
Ammonium-Nitrogen	NA		
AOX	NA		
Biochemical Oxygen Demand (BOD <sub>5</sub> )	NA		
Chemical Oxygen Demand (COD)	NA		
Dissolved Oxygen (DO) <sup>(f)</sup>	NA		
Oil & Grease	NA		
Total Phenols / Phenol Index	NA		
Total Chlorine <sup>(f)</sup>	NA		
Total Dissolved Solids (TDS)	NA		
Total Nitrogen	NA		
Total Phosphorus	NA		
Total Suspended Solids (TSS)	NA		
Chloride	NA		
Cyanide, total	NA		
Sulfate	NA		
Sulfide	NA		
Sulfite	NA		



BUREAU  
VERITAS

Report Number

(6624)256-0049

**Sludge Result Summary - ZDHC Sludge Parameters**

Sludge Parameters	Sludge I003		
Antimony	DATA		
Arsenic	DATA		
Barium	DATA		
Cadmium	DATA		
Cobalt	DATA		
Copper	DATA		
Lead	DATA		
Nickel	DATA		
Selenium	DATA		
Silver	DATA		
Total Chromium	DATA		
Zinc	DATA		
Chromium (VI)	DATA		
Mercury	DATA		
pH	DATA		
% Solids	DATA		
Paint Filter Test	DATA		
Fecal Coliform	DATA (S)		
AP and APEOs: including all isomers	DATA		
Polycyclic Aromatic Hydrocarbons (PAHs)	DATA		
Chlorotoluenes	DATA		
Cyanide	DATA		

Sludge flux and/or sludge flow data: NA

Note / Key:

- ND = Not detected (less than reporting limit)
- D = Detected
- MEET = Meet ZDHC Wastewater Guidelines Requirements
- NOT MEET** = Not Meet ZDHC Wastewater Guidelines Requirements
- DATA = Report only, refer data
- (T) = Handling temperature exceeded
- @ = Maximum holding time exceeded
- [a] = The local legal standard name and number are referenced to discharge permit (or contractual agree by CETP) that provided by company
- (S) = Analysis was subcontracted for testing - Bureau Veritas Science and Technology Service (Xi'an) Co., Ltd
- \* = See remark
- NA = Not applicable
- = Did not perform
- [f] = Parameter tested in field



BUREAU  
VERITAS

Report Number

(6624)256-0049

**Wastewater Test Result - ZDHC MRSL**

**1A) AP and APEOs: including all isomers**

NP/OP: ASTM D7065 LC-MS; OPEO/NPEO (n>2): ASTM D7742

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
NPEO	9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	5	ND			µg/L
NP, mixed isomers	104-40-5, 11066-49-2, 25154-52-3, 84852-15-3	5	ND			µg/L
OPEO	9002-93-1, 9036-19-5, 68987-90-6	5	ND			µg/L
OP, mixed isomers	140-66-9, 1806-26-4, 27193-28-8	5	ND			µg/L

**1B) Anti-Microbials & Biocides**

USEPA 8270E Solvent extraction, derivatisation with KOH, acetic anhydride followed by GC-MS; USEPA 8270E Solvent extraction followed by GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
o-Phenylphenol (+salts)	90-43-7	100	ND			µg/L
Triclosan	3380-34-5	100	ND			µg/L
Permethrin	Multiple	500	ND			µg/L

**1C) Chlorinated Parafins**

EPA 3510 and analyzed by ISO18219-2:2021 with GC-MS(NCI); ISO 12010:2019 with GC-MS(NCI)

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
MCCPs (C14-C17)	85535-85-9	500	ND			µg/L
SCCPs (C10-C13)	85535-84-8	25	ND			µg/L

**1D) Chlorobenzenes and Chlorotoluenes**

USEPA 8270E Dichloromethane extraction followed by GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
1,2-dichlorobenzene	95-50-1	0.2	ND			µg/L
Other isomers of mono-, di-, tri-, tetra-, penta-, and hexa-chlorobenzene and mono-, di-, tri-, tetra-, and penta- chlorotoluene	Multiple	0.2	ND			µg/L



**1E) Chlorophenols**

USEPA 8270E Solvent extraction, derivatisation with KOH, acetic anhydride followed by GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
2-chlorophenol	95-57-8	0.5	ND			µg/L
3-chlorophenol	108-43-0	0.5	ND			µg/L
4-chlorophenol	106-48-9	0.5	ND			µg/L
2,3-dichlorophenol	576-24-9	0.5	ND			µg/L
2,4-dichlorophenol	120-83-2	0.5	ND			µg/L
2,5-dichlorophenol	583-78-8	0.5	ND			µg/L
2,6-dichlorophenol	87-65-0	0.5	ND			µg/L
3,4-dichlorophenol	95-77-2	0.5	ND			µg/L
3,5-dichlorophenol	591-35-5	0.5	ND			µg/L
2,3,4-trichlorophenol	15950-66-0	0.5	ND			µg/L
2,3,5-trichlorophenol	933-78-8	0.5	ND			µg/L
2,3,6-trichlorophenol	933-75-5	0.5	ND			µg/L
2,4,5-trichlorophenol	95-95-4	0.5	ND			µg/L
2,4,6-trichlorophenol	88-06-2	0.5	ND			µg/L
3,4,5-trichlorophenol	609-19-8	0.5	ND			µg/L
2,3,5,6-tetrachlorophenol	935-95-5	0.5	ND			µg/L
2,3,4,6-tetrachlorophenol	58-90-2	0.5	ND			µg/L
2,3,4,5-tetrachlorophenol	4901-51-3	0.5	ND			µg/L
Pentachlorophenol (PCP)	87-86-5	0.5	ND			µg/L

**1F) N,N-di-methylformamide (DMFa)**

EPA 8270E

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Dimethyl formamide; N,N-dimethylformamide (DMFa) <sup>a</sup>	68-12-2	1000	ND			µg/L

**1G) Dyes - Carcinogenic or Equivalent Concern**

Liquid extraction, LC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Basic violet 3 with >0.1% of Michler's Ketone	548-62-9	500	ND			µg/L
C.I. Acid Red 26	3761-53-3	500	ND			µg/L
C.I. Acid Violet 49	1694-09-3	500	ND			µg/L
C.I. Basic Blue 26 (with Michler's Ketone >0/1%)	2580-56-5	500	ND			µg/L
C.I. Basic Green 4 (Malachite Green Chloride)	569-64-2	500	ND			µg/L





**1G) Dyes - Carcinogenic or Equivalent Concern (continued)**

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
C.I. Basic Green 4 (Malachite Green Oxalate)	2437-29-8	500	ND			µg/L
C.I. Basic Green 4 (Malachite Green)	10309-95-2	500	ND			µg/L
C.I. Basic Red 9	569-61-9	500	ND			µg/L
C.I. Basic Violet 14	632-99-5	500	ND			µg/L
C.I. Direct Black 38	1937-37-7	500	ND			µg/L
C.I. Direct Blue 6	2602-46-2	500	ND			µg/L
C.I. Direct Red 28	573-58-0	500	ND			µg/L
C.I. Disperse Blue 1	2475-45-8	500	ND			µg/L
C.I. Disperse Blue 3	2475-46-9	500	ND			µg/L
Disperse Orange 11	82-28-0	500	ND			µg/L

**1H) Dyes - Disperse (Sensitising)**

Liquid extraction, LC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Disperse Blue 102	12222-97-8	50	ND			µg/L
Disperse Blue 106	12223-01-7	50	ND			µg/L
Disperse Blue 124	61951-51-7	50	ND			µg/L
Disperse Blue 26	3860-63-7	50	ND			µg/L
Disperse Blue 35 (CAS 12222-75-2)	12222-75-2	50	ND			µg/L
Disperse Blue 35 (CAS 56524-77-7)	56524-77-7	50	ND			µg/L
Disperse Blue 7	3179-90-6	50	ND			µg/L
Disperse Brown 1	23355-64-8	50	ND			µg/L
Disperse Orange 1	2581-69-3	50	ND			µg/L
Disperse Orange 3	730-40-5	50	ND			µg/L
Disperse Orange 37/59/76	13301-61-6	50	ND			µg/L
Disperse Red 1	2872-52-8	50	ND			µg/L
Disperse Red 11	2872-48-2	50	ND			µg/L
Disperse Red 17	3179-89-3	50	ND			µg/L
Disperse Yellow 1	119-15-3	50	ND			µg/L
Disperse Yellow 3	2832-40-8	50	ND			µg/L
Disperse Yellow 39	12236-29-2	50	ND			µg/L
Disperse Yellow 49	54824-37-2	50	ND			µg/L
Disperse Yellow 9	6373-73-5	50	ND			µg/L



**1I) Dyes - Navy Blue Colourant**

Liquid extraction, LC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	500	ND			µg/L
Component 2: C46H-30CrN10O20S2 3Na	Not allocated	500	ND			µg/L

**1J) Flame Retardants**

USEPA 8270E, USEPA 527 and USEPA 8321B Dichloromethane extraction GC-MS or LC-MS; Determined as total boron via ICP

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
2,2-bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	ND			µg/L
Bis(2,3-dibromopropyl) phosphate (BIS)	5412-25-9	25	ND			µg/L
Decabromophenyl ether (DecaBDE)	1163-19-5	25	ND			µg/L
Hexabromocyclodecane (HBCDD)	3194-55-6	25	ND			µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	ND			µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	ND			µg/L
Polybromobiphenyls (PBB)	59536-65-1	25	ND			µg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	25	ND			µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	ND			µg/L
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	25	ND			µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	ND			µg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	ND			µg/L
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	25	ND			µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	25	ND			µg/L
Dibromobiphenyls (DiBB)	Multiple	25	ND			µg/L
Octabromobiphenyls (OctaBB)	Multiple	25	ND			µg/L
Dibromopropylether	21850-44-2	25	ND			µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	ND			µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	ND			µg/L
Monobromobiphenyls (MonoBB)	Multiple	25	ND			µg/L



**1J) Flame Retardants (continued)**

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Monobromodiphenylethers (MonoBDEs)	Multiple	25	ND			µg/L
Nonabromobiphenyls (NonaBB)	Multiple	25	ND			µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	ND			µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	ND			µg/L
Tribromophenylethers (TriBDEs)	Multiple	25	ND			µg/L
Boric acid <sup>b</sup>	10043-35-3, 11113-50-1	100	ND			µg/L
Diboron trioxide <sup>b</sup>	1303-86-2	100	ND			µg/L
Disodium octaborate <sup>b</sup>	12008-41-2	100	ND			µg/L
Disodium tetraborate anhydrous <sup>b</sup>	1303-96-4, 1330-43-4	100	ND			µg/L
Tetraboron disodium heptaoxide, hydrate <sup>b</sup>	12267-73-1	100	ND			µg/L

**1K) Glycols / Glycol Ethers**

USEPA 8270E Liquid extraction, LC-MS GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
2-ethoxyethanol	110-80-5	50	ND			µg/L
2-ethoxyethyl acetate	111-15-9	50	ND			µg/L
2-methoxyethanol	109-86-4	50	ND			µg/L
2-methoxyethylacetate	110-49-6	50	ND			µg/L
2-methoxypropylacetate	70657-70-4	50	ND			µg/L
Bis(2-methoxyethyl)-ether	111-96-6	50	ND			µg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND			µg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND			µg/L

**1L) Halogenated Solvents**

USEPA 8260D Headspace GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
1,2-dichloroethane	107-06-2	1	ND			µg/L
Methylene chloride	75-09-2	1	ND			µg/L
Tetrachloroethylene	127-18-4	1	ND			µg/L
Trichloroethylene	79-01-6	1	ND			µg/L



**1M) Organotin Compounds**

ISO 17353 Derivatisation with NaB (C<sub>2</sub>H<sub>5</sub>)<sub>4</sub> GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Dipropyltin compounds (DPT)	Multiple	0.01	ND			µg/L
Mono, di-, and tri-butyltin derivatives	Multiple	0.01	ND			µg/L
Mono, di-, and tri-methyltin derivatives	Multiple	0.01	ND			µg/L
Mono, di-, and tri-octyltin derivatives	Multiple	0.01	ND			µg/L
Mono, di-, and tri-phenyltin derivatives	Multiple	0.01	ND			µg/L
Tetrabutyltin compounds (TeBT)	Multiple	0.01	ND			µg/L
Tripropyltin compounds (TPT)	Multiple	0.01	ND			µg/L
Tetraoctyltin compounds (TeOT)	Multiple	0.01	ND			µg/L
Tricyclohexyltin (TCyHT)	Multiple	0.01	ND			µg/L
Tetraethyltin compounds (TeET)	Multiple	0.01	ND			µg/L

**1N) Other / Miscellaneous Chemicals**

Liquid extraction, LC-MS; Determine as total boron and total zinc via ICP

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	500	ND			µg/L
Bisphenol A	80-05-7	10	ND			µg/L
Thiourea	62-56-6	50	ND			µg/L
Quinoline	91-22-5	50	ND			µg/L
Borate (Borate, zinc salt <sup>c</sup> )	12767-90-7	100	ND			µg/L
Zinc salt (Borate, zinc salt <sup>c</sup> )		100	111			µg/L
Silica (used in sand blasting) <sup>d</sup>	14464-46-1	-	NA			µg/L

**1O) Perfluorinated and Polyfluorinated Chemicals (PFCs)**

FTOH: EPA 8270; PFCs: LC-MSMS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Perfluorooctane sulfonate (PFOS) and related substances, Perfluorooctanoic acid (PFOA)	Multiple	0.01	ND			µg/L
Perfluorooctanoic acid (PFOA) related substances	Multiple	1	ND			µg/L



**1P) Phthalates - including all other esters of ortho-phthalic acid**  
 USEPA 8270E, Dichloromethane extraction GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
1,2-benzenedicarboxylic acid, di-C6-8 branched and linear alkyl esters, C7-rich (DIHP)	71888-89-6, 84777-06-0	10	ND			µg/L
1,2-benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNUP)	68515-42-4, 68515-50-4	10	ND			µg/L
Bis(2-methoxyethyl)phthalate (DMEP)	117-82-8	10	ND			µg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	ND			µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND			µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND			µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND			µg/L
Di-iso-butyl phthalate (DIBP)	84-69-5	10	ND			µg/L
Di-iso-nonyl phthalate (DINP)	28553-12-0	10	ND			µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND			µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND			µg/L
Di-n-pentylphthalates	131-18-0	10	ND			µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND			µg/L
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	ND			µg/L
Dibutyl phthalate (DBP)	84-74-2	10	ND			µg/L
Diethyl phthalate (DEP)	84-66-2	10	ND			µg/L
Diisopentylphthalates	605-50-5	10	ND			µg/L
Dinonyl phthalate (DNP)	84-76-4	10	ND			µg/L

**1Q) Polycyclic Aromatic Hydrocarbons (PAHs)**  
 USEPA 8270E; Solvent extraction GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Acenaphthene	83-32-9	1	ND			µg/L
Acenaphthylene	208-96-8	1	ND			µg/L
Anthracene	120-12-7	1	ND			µg/L
Benzo[a]anthracene	56-55-3	1	ND			µg/L
Benzo[a]pyrene (BaP)	50-32-8	1	ND			µg/L
Benzo[b]fluoranthene	205-99-2	1	ND			µg/L
Benzo[e]pyrene	192-97-2	1	ND			µg/L
Benzo[ghi]perylene	191-24-2	1	ND			µg/L
Benzo[j]fluoranthene	205-82-3	1	ND			µg/L
Benzo[k]fluoranthene	207-08-9	1	ND			µg/L
Chrysene	218-01-9	1	ND			µg/L
Dibenz[a,h]anthracene	53-70-3	1	ND			µg/L



**1Q) Polycyclic Aromatic Hydrocarbons (PAHs) (continued)**

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Fluoranthene	206-44-0	1	ND			µg/L
Fluorene	86-73-7	1	ND			µg/L
Indeno[1,2,3-cd]pyrene	193-39-5	1	ND			µg/L
Naphthalene	91-20-3	1	ND			µg/L
Phenanthrene	85-01-8	1	ND			µg/L
Pyrene	129-00-0	1	ND			µg/L

**1R) Restricted Aromatic Amines (Cleavable from Azo-colourants)**

Reduction step with sodium dithionite, solvent extraction EPA 8270; Reduction step with sodium dithionite, solvent extraction EPA 8270E

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
2-naphthylamine	91-59-8	0.1	ND			µg/L
2-naphthylammoniumacetate	553-00-4	0.1	ND			µg/L
2,4-xylidine	95-68-1	0.1	ND			µg/L
2,4,5-trimethylaniline	137-17-7	0.1	ND			µg/L
2,4,5-trimethylaniline hydrochloride	21436-97-5	0.1	ND			µg/L
2,6-xylidine	87-62-7	0.1	ND			µg/L
3,3'-dichlorobenzidine	91-94-1	0.1	ND			µg/L
3,3-dimethoxybenzidine	119-90-4	0.1	ND			µg/L
3,3-dimethylbenzidine	119-93-7	0.1	ND			µg/L
4-aminoazobenzene	60-09-3	0.1	ND			µg/L
4-aminodiphenyl	92-67-1	0.1	ND			µg/L
4-chloro-o-toluidine	95-69-2	0.1	ND			µg/L
4-chloro-o-toluidinium chloride	3165-93-3	0.1	ND			µg/L
4-chloroaniline	106-47-8	0.1	ND			µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	0.1	ND			µg/L
4-methoxy-m-phenylenediamine	615-05-4	0.1	ND			µg/L
4-methyl-m-phenylenediamine	95-80-7	0.1	ND			µg/L
4,4-methylene-bis-(2-chloro-aniline)	101-14-4	0.1	ND			µg/L
4,4-methylenedi-o-toluidine	838-88-0	0.1	ND			µg/L
4,4-methylenedianiline	101-77-9	0.1	ND			µg/L
4,4-oxydianiline	101-80-4	0.1	ND			µg/L
4,4-thiodianiline	139-65-1	0.1	ND			µg/L
5-nitro-o-toluidine	99-55-8	0.1	ND			µg/L
6-methoxy-m-toluidine	120-71-8	0.1	ND			µg/L
Benzidine	92-87-5	0.1	ND			µg/L
o-aminoazotoluene	97-56-3	0.1	ND			µg/L
o-anisidine	90-04-0	0.1	ND			µg/L
o-toluidine	95-53-4	0.1	ND			µg/L



**1S) UV Absorbers**

USEPA 8270, Dichloromethane extraction GC-MS

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	100	ND			µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	ND			µg/L
2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	100	ND			µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	ND			µg/L

**1T) Volatile Organic Compounds (VOC)**

USEPA 8260D, EPA 8270

Test Parameters	CAS Number	Reporting limit & LOQ	Result of Test Items			Unit
			Untreated I001			
Benzene	71-43-2	1	ND			µg/L
m-cresol	108-39-4	1	ND			µg/L
o-cresol	95-48-7	1	ND			µg/L
p-cresol	106-44-5	1	ND			µg/L
Xylene	1330-20-7	1	ND			µg/L
Toluene <sup>a</sup>	108-88-3	1	ND			µg/L

Note / Key:

- a = Sample and report only for mock leather.
- b = Limit refers to elemental boron, not the salt.
- c = Limit refers to total boron and total zinc individually, not the salt. Total boron and total zinc values should be less than 100 µg/L to be conformant. When total boron is >100 µg/L and total zinc are <100 µg/L (or vice versa) the sample is still conformant.
- d = Not required to test this parameter as this related to sand blasting.



BUREAU  
VERITAS

Report Number

(6624)256-0049

**Wastewater Test Result - ZDHC Heavy Metals**

**Wastewater - ZDHC Heavy Metals**

EPA 3015A, 6020A; 3051A; GB/T 7467-1987

Test Parameters	Reporting limit & LOQ	Limit				Local Legal Standard / Contractual agree with CETP Standard	Result of Test Items			Unit
		Foundational	Progressive	Aspirational	Effluent					
Antimony	0.01	0.1	0.05	0.01	-	I002	NA		mg/L	
Chromium (VI)	0.001	0.05	0.005	0.001	-		ND		mg/L	
Barium	1	Sample & Report			-		NA		mg/L	
Selenium	1	Sample & Report			-		NA		mg/L	
Tin	1	Sample & Report			-		NA		mg/L	
Arsenic	0.005	0.05	0.01	0.005	-		ND		mg/L	
Total Chromium	0.05	0.2	0.1	0.05	-		NA		mg/L	
Cobalt	0.01	0.05	0.02	0.01	-		NA		mg/L	
Cadmium	0.01	0.1	0.05	0.01	-		ND		mg/L	
Copper	0.25	1	0.5	0.25	-		NA		mg/L	
Lead	0.01	0.1	0.05	0.01	-		ND		mg/L	
Nickel	0.05	0.2	0.1	0.05	-		NA		mg/L	
Silver	0.005	0.1	0.050	0.005	-		NA		mg/L	
Zinc	0.5	5	1	0.5	-		NA		mg/L	
Mercury	0.001	0.01	0.005	0.001	-		ND		mg/L	





BUREAU  
VERITAS

Report Number

(6624)256-0049

**Wastewater Test Result - ZDHC Conventional & Anions**

**Wastewater - ZDHC Conventional**

Test Parameters	Test Method	Reporting limit & LOQ	Limit				Local Legal Standard / Contractual agree with CERP Standard	Result of Test Items		Unit
			Foundational	Progressive	Aspirational	Effluent		1002		
pH <sup>[f]</sup>	HJ 1147-2020	-	6-9	6-9	6-9	-	NA		-	
Temperature difference <sup>[f]</sup>	GB/T 13195-1991	-	15	10	5	-	NA		Δ °C	
E.coli	SM 9221B, SM 9221F	126	126	126	126	-	NA		MPN/100-ml	
Colour (436 nm)	ISO 7887-B:2011	2	7	5	2	-	NA		m <sup>-1</sup>	
Colour (525 nm)		1	5	3	1	-	NA		m <sup>-1</sup>	
Colour (620 nm)		1	3	2	1	-	NA		m <sup>-1</sup>	
Persistent Foam <sup>[f]</sup>	Visual	-	No indication of Persistent Foam			-	NA		-	
Wastewater Flowrate <sup>[f]</sup>	-	-	-	-	-	-	NA		m <sup>3</sup> /day	
Ammonium-Nitrogen	HJ 535-2009	0.5	10	1	0.5	-	NA		mg/L	
AOX	HJ/T 83-2001	0.1	3	0.5	0.1	-	NA		mg/L	
BOD <sub>5</sub>	HJ 505-2009	8	30	15	8	-	NA		mg/L	
COD	HJ 828-2017	40	150	80	40	-	NA		mg/L	
DO <sup>[f]</sup>	HJ 506-2009	-	Sample & Report	Sample & Report	Sample & Report	-	NA		mg/L	
Oil & Grease	HJ 637-2018	0.5	10	2	0.5	-	NA		mg/L	
Total Phenols / Phenol Index	HJ 503-2009	0.001	0.5	0.01	0.001	-	NA		mg/L	
Total Chlorine <sup>[f]</sup>	HJ 585-2010, HJ 586-2010	0.1	Sample & Report	Sample & Report	Sample & Report	-	NA		mg/L	
TDS	GB/T 5750.4-2006	5	Sample & Report	Sample & Report	Sample & Report	-	NA		mg/L	
Total Nitrogen	HJ 636-2012	5	20	10	5	-	NA		mg/L	
Total Phosphorus	GB/T 11893-1989	0.1	3	0.5	0.1	-	NA		mg/L	
TSS	GB/T 11901-1989	5	50	15	5	-	NA		mg/L	



**BUREAU  
VERITAS**

Report Number (6624)256-0049

**Wastewater Test Result - ZDHC Conventional & Anions**

Wastewater - ZDHC Anions										
Test Parameters	Test Method	Reporting limit & LOQ	Limit				Local Legal Standard / Contractual agree with CFTP Standard	Result of Test Items		Unit
			Foundational	Progressive	Aspirational	Effluent				
Chloride	HJ 84-2016	0.007	Sample & Report	Sample & Report	Sample & Report	-	NA		mg/L	
Cyanide, total	HJ 484-2009	0.05	0.2	0.1	0.05	-	NA		mg/L	
Sulfate	HJ 84-2016	0.018	Sample & Report	Sample & Report	Sample & Report	-	NA		mg/L	
Sulfide	HJ 1226-2021	0.01	0.5	0.05	0.01	-	NA		mg/L	
Sulfite	HJ 84-2016	0.2	2	0.5	0.2	-	NA		mg/L	



BUREAU  
VERITAS

Report Number

(6624)256-0049

**Sludge Test Result - Metals & Conventional and Anions & MRSL**

**Sludge - Metals**

EPA 3050, EPA 3051A, EPA 6020A, EPA 6020B, USEPA 7196

Test Parameters	Sludge Reporting limit & LOQ	Total Metals and Anions Threshold Values	Limit		Result of Test Items			Unit
					Sludge			
Antimony	5	12			<b>1003</b>			mg/kg
Arsenic	5	10			ND			mg/kg
Barium	200	700			ND			mg/kg
Cadmium	1	3			ND			mg/kg
Cobalt	400	1600			ND			mg/kg
Copper	50	200			104.3			mg/kg
Lead	5	10			<b>16.5</b>			mg/kg
Nickel	20	70			36.8			mg/kg
Selenium	5	10			ND			mg/kg
Silver	50	100			ND			mg/kg
Total Chromium	50	100			<b>111.4</b>			mg/kg
Zinc	400	1000			709.2			mg/kg
Chromium (VI)	20	50			ND			mg/kg
Mercury	1	1			<b>1.9</b>			mg/kg

**Sludge (Leachate) - Metals**

HJ/T 300, EPA 3015A, EPA 6020A, GB 7467, EPA 6020B

Test Parameters	Reporting limit & LOQ	Leachate Limit	Limit		Result of Test Items			Unit
					Leachate			
Antimony	0.6	-			ND			mg/L
Arsenic	0.5	-			NA			mg/L
Barium	35	-			NA			mg/L
Cadmium	0.15	-			NA			mg/L
Cobalt	80	-			NA			mg/L
Copper	10	-			NA			mg/L
Lead	0.5	-			ND			mg/L
Nickel	3.5	-			NA			mg/L
Selenium	0.5	-			NA			mg/L
Silver	5	-			NA			mg/L
Total Chromium	5	-			ND			mg/L
Zinc	50	-			NA			mg/L
Chromium (VI)	2.5	-			NA			mg/L
Mercury	0.05	-			ND			mg/L



Sludge - Conventional								
Test Parameters	Test Method	Reporting limit & LOQ	Limit		Result of Test Items			Unit
			Sludge Reportin g Limit	Limits for specific disposal pathway	Sludge I003			
pH	HJ 962-2018	-	-	Sample &report	6.72			-
% Solids	HJ 613-2011	-	-	Sample &report	27.6			%
Fecal Coliform	EPA 1681	-	-	Sample &report	9			MPN/g
Paint Filter Test	EPA 9095B	-	-	Sample &report	Pass			-

Sludge - AP and APEOs: including all isomers							
USEPA 3550C,ASTM D7065, ISO 18254-1, ASTM D7742							
Test Parameters	CAS Number	Limit		Result of Test Items			Unit
		Sludge Reportin g Limit & LOQ	Limits for specific disposal pathway	Sludge I003			
NPEO	9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	0.4	Sample &report	ND			mg/kg
NP, mixed isomers	104-40-5, 11066-49-2, 25154-52-3, 84852-15-3			ND			mg/kg
OPEO	9002-93-1, 9036-19-5, 68987-90-6			ND			mg/kg
OP, mixed isomers	140-66-9, 1806-26-4, 27193-28-8			ND			mg/kg

Sludge - Chlorotoluenes							
USEPA 3550, EPA 8270E,HJ 605-2011							
Test Parameters	CAS Number	Limit		Result of Test Items			Unit
		Sludge Reportin g Limit & LOQ	Limits for specific disposal pathway	Sludge I003			
Chlorotoluenes	Multiple	0.2	Sample &report	ND			mg/kg



**Sludge - Polycyclic Aromatic Hydrocarbons (PAHs)**  
 USEPA 3550, EPA 8270E, HJ 805-2016

Test Parameters	CAS Number	Limit		Result of Test Items			Unit
		Sludge Reportin g Limit & LOQ	Limits for specific disposal pathway	Sludge I003			
Acenaphthene	83-32-9	0.2	Sample & report	ND			mg/kg
Acenaphthylene	208-96-8			ND			mg/kg
Anthracene	120-12-7			ND			mg/kg
Benzo[a]anthracene	56-55-3			ND			mg/kg
Benzo[a]pyrene (BaP)	50-32-8			ND			mg/kg
Benzo[b]fluoranthene	205-99-2			ND			mg/kg
Benzo[e]pyrene	192-97-2			ND			mg/kg
Benzo[ghi]perylene	191-24-2			ND			mg/kg
Benzo[j]fluoranthene	205-82-3			ND			mg/kg
Benzo[k]fluoranthene	207-08-9			ND			mg/kg
Chrysene	218-01-9			ND			mg/kg
Dibenz[a,h]anthracene	53-70-3			ND			mg/kg
Fluoranthene	206-44-0			ND			mg/kg
Fluorene	86-73-7			ND			mg/kg
Indeno[1,2,3-cd]pyrene	193-39-5			ND			mg/kg
Naphthalene	91-20-3			ND			mg/kg
Phenanthrene	85-01-8			ND			mg/kg
Pyrene	129-00-0			ND			mg/kg

**Sludge - Anions**  
 HJ 745-2015

Test Parameters	Sludge Reportin g Limit & LOQ	Limit		Result of Test Items			Unit
		Sludge Reportin g Limit & LOQ	Limits for specific disposal pathway	Sludge I003			
Cyanide	20	Sample & report		ND			mg/kg

**Appendix A - Discharge limit according to regulation**

当前位置：水污染物排放信息审核

## 1、废水污染物排放许可限值

## (1) 主要排放口

排放口编号	排放口名称	污染物种类	许可排放浓度限值 (mg/L)
DW001	综合废水排放口	五日生化需氧量	50mg/L
DW001	综合废水排放口	总磷 (以P计)	1.5mg/L
DW001	综合废水排放口	苯胺类	1mg/L
DW001	综合废水排放口	化学需氧量	200mg/L
DW001	综合废水排放口	硫化物	0.5mg/L
DW001	综合废水排放口	悬浮物	100mg/L
DW001	综合废水排放口	流量	/
DW001	综合废水排放口	氨氮 (NH <sub>3</sub> -N)	20mg/L
DW001	综合废水排放口	二氧化氯	0.5mg/L
DW001	综合废水排放口	pH值	6-9
DW001	综合废水排放口	总镉	0.08mg/L
DW001	综合废水排放口	色度	80
DW001	综合废水排放口	总氮 (以N计)	30mg/L
主要排放口合计			CODcr
			氨氮
			总氮 (以N计)
			总磷 (以P计)

**Appendix B - Photos of sampling points and samples (with relative time and date)**

**I001 - Untreated wastewater**

Sampling point  
12/09/2024, 8:35



Sampling point surrounding environment  
12/09/2024, 8:35



Labelled sample bottles  
12/09/2024, 8:35



Sample for phthalate test  
12/09/2024, 8:35



Sample packaging  
12/09/2024, 14:40



**Appendix B - Photos of sampling points and samples (with relative time and date) (continued)**

**I002 - Effluent**

Sampling point  
12/09/2024, 8:30



Sampling point surrounding environment  
12/09/2024, 8:30



Labelled sample bottles  
12/09/2024, 8:30



pH measurement  
12/09/2024, 8:30



Sample packaging  
12/09/2024, 14:40





**Appendix B - Photos of sampling points and samples (with relative time and date) (continued)**

**I003 - Sludge**

Sampling point  
12/09/2024, 8:55



Sampling point surrounding environment  
12/09/2024, 8:55



Labelled sample bottles  
12/09/2024, 8:55



Sample packaging  
12/09/2024, 14:40





Appendix C - On-site Field Data Record Sheet

ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration		CPBD-AN-00613-DATA 07
Issue Date:		
Version No.: 1		
Business Line: Analytical		
Attach the completed field data form in the test report.		
Facility Information		
Date of Sampling:	2024.09.12	
Sample Number / Test Report Number (ZDHC Composite Sample Code):	66242560049	
Facility Name:	亿科新达服饰有限公司	
Facility Address:	1214年叙永镇文林华路2号	
Facility Type (tick all applicable):	<input checked="" type="checkbox"/> Dyeing and Finishing <input type="checkbox"/> Fabric Mill <input type="checkbox"/> Laundry, Washing and Finishing <input type="checkbox"/> Natural Leather processing <input type="checkbox"/> Printing <input type="checkbox"/> Synthetic Leather processing <input type="checkbox"/> Other (please specify)	
Discharge Type (tick applicable):	<input type="checkbox"/> Direct discharge <input checked="" type="checkbox"/> with pre-treatment      Other Notes: <input checked="" type="checkbox"/> Indirect discharge <input type="checkbox"/> without pre-treatment <input type="checkbox"/> Zero liquid discharge (ZLD) <input checked="" type="checkbox"/> with own ETP <input type="checkbox"/> Discharge to environment (e.g. river, stream, sea etc.) <input type="checkbox"/> Other (please specify)	
Discharge Description:	<input checked="" type="checkbox"/> Sewage treatment plant	
Discharge Volume:	<input checked="" type="checkbox"/> < 15m <sup>3</sup> per day <input type="checkbox"/> > 15m <sup>3</sup> per day	
Sample Type and Details		
Sample Type	Sample Details	
<input type="checkbox"/> Incoming Water		
<input checked="" type="checkbox"/> Untreated WW	<input checked="" type="checkbox"/> with equalisation tank (EGT) present      储水池 500m <sup>3</sup> Hydraulic Retention Time (HRT) (Hours):      入水: 3000 m <sup>3</sup>	
<input checked="" type="checkbox"/> Effluent	<input type="checkbox"/> Direct <input checked="" type="checkbox"/> Indirect <input checked="" type="checkbox"/> with equalisation tank (EGT) present      储水池 400m <sup>3</sup> Enter sampling time(s) in page 2 and take field test measurements.      2. No field test measurements required except on clients request. <input checked="" type="checkbox"/> Facility has WWTP      Hydraulic Retention Time (HRT) (Hours):      12h <input type="checkbox"/> Plant is in operating condition <input type="checkbox"/> volume of tank (m <sup>3</sup> ) flow rate (m <sup>3</sup> /h)      12h * 3000m <sup>3</sup> if HRT > 12 h, grab sampling from EGT is allowed.	
<input checked="" type="checkbox"/> Sludge	Disposal Pathway (The pathway must be defined by the facility. If the facility cannot provide information, pathway "F" shall be assumed.) <input checked="" type="checkbox"/> A >1000°C offsite incineration <input type="checkbox"/> B Landfill with significant control <input type="checkbox"/> C Building products processed >1000°C <input type="checkbox"/> D Landfill with limited control <input type="checkbox"/> E Incineration/ Building products processed <1000°C <input type="checkbox"/> F Landfill with no control <input type="checkbox"/> G Land application Sludge flux (weight/time) if applicable:	
ZDHC Wastewater Sampling - Facility Confirmation		
The wastewater samples have been collected under the facilities' normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples. Sampling protocol for wastewater and sludge samples are in accordance with ZDHC SAP including appendix E. In no circumstances shall samples be taken during times when the production process is not running or the wastewater is diluted, for example due to heavy rainfall.		
Facility Confirmation		Sampler Information
Facility Name:		Sampler's Name/ Email:
Facility Representative Name:		Sampler's ZDHC Accredited No.:
Facility Representative Signature and Stamp:		Sampler's Signature:
Date:		Date:



Appendix C - On-site Field Data Record Sheet (continued)

ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration		CPSD-AN-00613-DATA 07	
Issue Date:		Version No.: 1	
Business Line: Analytical			
ZDHC Wastewater Flow Device Dimensions			
Measurement (cm)	Meter	Pipe (O)	Flume (U)
Diameter			
Depth			
ZDHC Wastewater Sampling Field Testing QA/QC			
Parameter	Lab Control Sample (LCS) Known	Lab Control Sample (LCS) Measured	Accuracy (%)
pH			
Total Chlorine			
ZDHC Wastewater Sample Collection Field Test Measurements			
Incoming Sample Point	<input type="checkbox"/> Composite Sample <input type="checkbox"/> Grab Sample Start Time: Stop Time:		
Sampling Locations	GPS coordinates: Lat. N+6 21°42'49.8" Long. E+107 120°24'42.46"		
Sampling Mode	<input type="checkbox"/> Manual <input type="checkbox"/> Autosampler - Sampling Device Description/ Owner:		
Sampling Time (Hours)	0	2	3
Recording time of discrete sample			
Colour (visual estimation)			
Untreated Sample Point	<input checked="" type="checkbox"/> Composite Sample <input type="checkbox"/> Grab Sample Start Time: 8:20 Stop Time: 14:40		
Sampling Locations	GPS coordinates: Lat. N+6 21°42'49.8" Long. E+107 120°24'42.46"		
Sampling Mode	<input checked="" type="checkbox"/> Manual <input type="checkbox"/> Autosampler - Sampling Device Description/ Owner:		
Sampling Time (Hours)	0	1	2
Recording time of discrete sample	8:25	9:25	10:25
Colour (visual estimation)	黄棕色	黄棕色	黄棕色
Effluent Sample Point	<input checked="" type="checkbox"/> Composite Sample <input type="checkbox"/> Grab Sample Start Time: 8:20 Stop Time: 14:40		
Sampling Locations	GPS coordinates: Lat. N+6 21°42'49.8" Long. E+107 120°24'42.46"		
Sampling Mode	<input checked="" type="checkbox"/> Manual <input type="checkbox"/> Autosampler - Sampling Device Description/ Owner:		
Sampling Time (Hours)	0	1	2
Recording time of discrete sample	8:30	9:30	10:30
Temperature (°C)	27.5	27.6	27.5
pH	7.5	7.4	7.5
Dissolved Oxygen (mg/L)	1.7	1.7	1.7
Total Chlorine (mg/L)	1.9	1.9	1.9
Wastewater Flow Meter (L/min)	302	302	302
Alternate Measured Flow:	Depth (cm)	Velocity (cm/sec)	
Colour (visual estimation)	浅黄色	浅黄色	浅黄色
Volume collected (L)	110	110	110
Total volume collected (L)	750	Collect 3.33-litres each hour for a total minimum volume of 20-litres	
Sludge Sample Point	<input checked="" type="checkbox"/> Composite Sample <input type="checkbox"/> Grab Sample Start Time: 8:20 Stop Time: 14:40		
Sampling Locations	GPS coordinates: Lat. N+6 21°42'49.8" Long. E+107 120°24'42.46"		
Sampling Mode	<input type="checkbox"/> Manual <input type="checkbox"/> Autosampler - Sampling Device Description/ Owner:		
Sampling Time (Hours)	0	1	2
Recording time of discrete sample	8:55		
Colour (visual estimation)	黑色		
Comments/ Other Observations			
记录及处理流程图			

END OF REPORT