

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Report Date: 24/10/2024

Factory's name :	REALTEKS TEKSTİL İŞLETMELERİ A.Ş
Factory's address :	Acidere Osb Mah.Recep Tayyip Erdoğan Bulvarı No : 9 Sarıçam/Adana
Type of wastewater discharge:	Indirect discharge
On-site Wastewater treatment plant:	With pretreatment
Avg. total industrial wastewater:	≥ 15m ³ /day
Date and time of the beginning of sampling:	17/10/2024
Date and time of the end of sampling:	17/10/2024
Date received sample	18/10/2024
Testing period:	From 18/10/2024 to 24/10/2024
Arrival temperature at laboratory:	7.7 °C
Sample type:	Composite
Sample / Incoming water	[Transparent, grab at 15:50] [Sampling location: Latitude 36.58436, Longitude 35.38533]
Sample / Untreated wastewater	[Blue, composite sample at 10:30, 11:30, 12:30, 13:30, 14:30, 15:30, 16:30] [Sampling location: Latitude 36.58424, Longitude 35.38546]
Sample / Effluent	[Blue, composite sample at 10:40, 11:40, 12:40, 13:40, 14:40, 15:40, 16:40] [Sampling location: Latitude 36.58412, Longitude 35.38575]
Sample / Sludge	N/A
Sampling laboratory:	Intertek Turkey
Testing laboratory:	Intertek Turkey
ZDHC sampler accreditation certification number:	ZDHC-A-22-E-C001068-R21DE-56D90
Local legal standard name ^[a] :	-
Local legal standard no. ^[a] :	-
Parameters (ZDHC WWSG V2.1, Table 2-3) exceeded local regulation:	N/A
Discharge permit provided:	Yes

Tests conducted:

As requested by a brand program, for details refer to attached page(s).



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Summary of test results:

Wastewater / MRSL – Test items	Testing period	Untreated Wastewater	Incoming
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	From 18/10/2024 to 24/10/2024	ND	N/A
Anti-Microbials & Biocides	From 18/10/2024 to 24/10/2024	ND	N/A
Chlorinated Parafins	From 18/10/2024 to 24/10/2024	ND	N/A
Chlorobenzenes and Chlorotoluenes	From 18/10/2024 to 24/10/2024	ND	N/A
Chlorophenols	From 18/10/2024 to 24/10/2024	ND	N/A
Dimethyl Formamide (DMFa) (*)	From 18/10/2024 to 24/10/2024	ND	N/A
Dyes – Carcinogenic or Equivalent Concern	From 18/10/2024 to 24/10/2024	ND	N/A
Dyes – Disperse (Allergenic)	From 18/10/2024 to 24/10/2024	ND	N/A
Dyes – Navy Blue Colourant	From 18/10/2024 to 24/10/2024	ND	N/A
Flame Retardants	From 18/10/2024 to 24/10/2024	D	D
Glycols / Glycol Ethers	From 18/10/2024 to 24/10/2024	ND	N/A
Halogenated solvents	From 18/10/2024 to 24/10/2024	ND	N/A
Organotin compounds	From 18/10/2024 to 24/10/2024	ND	N/A
Other/Miscellaneous Chemicals (^)	From 18/10/2024 to 24/10/2024	ND	N/A
Perfluorinated & Polyfluorinated chemicals (PFCs)	From 18/10/2024 to 24/10/2024	ND	N/A
Phthalates (Ortho-phthalates)	From 18/10/2024 to 24/10/2024	ND	N/A
Polycyclic aromatic hydrocarbons (PAHs)	From 18/10/2024 to 24/10/2024	ND	N/A
Restricted Aromatic Amines (Cleavable from Azo- colourants)	From 18/10/2024 to 24/10/2024	ND	N/A
UV Absorbers	From 18/10/2024 to 24/10/2024	ND	N/A
Volatile Organic Compounds (VOC)	From 18/10/2024 to 24/10/2024	ND	N/A



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Wastewater / Heavy metals - Test items	Testing period	Effluent		
		Foundational	Progressive	Aspirational
Antimony	N/A			N/A
Chromium (VI)	From 18/10/2024 to 24/10/2024			Meet
Barium	N/A			N/A
Selenium	N/A			N/A
Tin	N/A			N/A
Arsenic	From 18/10/2024 to 24/10/2024			Meet
Chromium (total)	N/A			N/A
Cobalt	N/A			N/A
Cadmium	From 18/10/2024 to 24/10/2024			Meet
Copper	N/A			N/A
Lead	From 18/10/2024 to 24/10/2024			Meet
Nickel	N/A			N/A
Silver	N/A			N/A
Zinc	N/A			N/A
Mercury	From 18/10/2024 to 24/10/2024			Meet



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Wastewater / Conventional parameters - Test items	Testing period	Effluent		
		Foundational	Progressive	Aspirational
pH ^[f]	N/A	N/A		
Temperature difference ^[f]	N/A			N/A
E.coli	N/A	N/A		
Colour	N/A			
Persistent foam ^[f]	N/A	N/A		
Wastewater flowrate ^[f]	N/A	N/A		
Ammonium-Nitrogen	N/A			
AOX	N/A			
Biochemical Oxygen Demand (BOD ₅)	N/A			
Chemical Oxygen Demand (COD)	N/A			
Dissolved Oxygen (DO) ^[f]	N/A	N/A		
Oil & Grease	N/A			
Total Phenols / Phenol Index	N/A			
Total Chlorine ^[f]	N/A	N/A		
Total Dissolved Solids (TDS)	N/A	N/A		
Total Nitrogen	N/A			
Total Phosphorus	N/A			
Total Suspended Solids (TSS)	N/A			

Wastewater / Anions - Test items	Testing period	Effluent		
		Foundational	Progressive	Aspirational
Chloride	N/A	N/A		
Cyanide, total	N/A			N/A
Sulfate	N/A	N/A		
Sulfide	N/A			
Sulfite	N/A			



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Sludge – Disposal Pathways
N/A

Sludge / Heavy metals - Test items	Testing period	Sludge (Total)	Sludge (Leachate)
Antimony	N/A	N/A	
Arsenic	N/A	N/A	
Barium	N/A	N/A	
Cadmium	N/A	N/A	
Cobalt	N/A	N/A	
Copper	N/A	N/A	
Lead	N/A	N/A	
Nickel	N/A	N/A	
Selenium	N/A	N/A	
Silver	N/A	N/A	
Chromium (total)	N/A	N/A	
Zinc	N/A	N/A	
Chromium VI	N/A	N/A	
Mercury	N/A	N/A	

Sludge / Anion - Test items	Testing period	Sludge
Cyanide	N/A	N/A

Sludge / Conventional parameters - Test items	Testing period	Sludge
pH	N/A	N/A
% Solids	N/A	N/A
Paint filter test	N/A	N/A
Faecal coliform	N/A	N/A



SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: TURA240121160

Sludge / MRSL - Test items	Testing period	Sludge
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	N/A	N/A
Polycyclic Aromatic Hydrocarbons (PAHs)	N/A	N/A
Chlorotoluenes	N/A	N/A

Remark:
ND = Not detected (less than ZDHC reporting limit for MRSL parameters) / Not detected (less than lab reporting limit for other parameters)
D = Detected
N/A = Not applicable (Out of scope according to ZDHC WWSG v2.1)
NT = Not tested (Did not test according to applicant's request)
^(S) = The samples were subcontracted to Intertek [Intertek Turkey Food Laboratory] for testing.
^(T) = If sample temperature is greater than 8°C and less than 10°C when received from the laboratory.
^(TT) = If sample temperature is exceeded 10°C when received from the laboratory.
@ = Maximum holding time exceeded.
(*) = Sample and report for mock leather.
(^) = Borate, zinc salt would report ND when total boron or total zinc less than 100 µg/L.
^(f) = On-site test by sampler.
^(a) = The local legal standard name and legal standard no. is referenced to discharge permit (or contractual agree by CETP) that provided by applicant.
This report shown the test result of the environment samples of above factory which collected on specific date and time. The results of this report shall not be used for any regulatory compliance purposes.

For and on behalf of
Intertek Testing Services TURKEY Limited

Prepared and Checked By :



Eralp ANIL
Environmental Engineer
For Intertek Testing Services Turkey

Authorized By :



Emre ÇALIK
Chemical Laboratory Manager
For Intertek Testing Services Turkey

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Sample / Incoming

1. Flame retardants

Brominated substances: Modified from EPA 3510C, EPA 527, ISO 22032 (GC-MS and ICP-MS analysis)

Brominated/Phosphorus substances: Modified from EPA 3510C, EPA 8321B (LC-MS-MS analysis)

Chemical substances	CAS no.	Lab reporting limit (µg/L)	Incoming	Unit
Boric acid **	10043-35-3 11113-50-1	1 in Boron	66.1	µg/L
Diboron trioxide **	1303-86-2	1 in Boron	66.1	µg/L
Disodium octaborate **	12008-41-2	1 in Boron	66.1	µg/L
Disodium tetraborate anhydrous**	1303-96-4 1330-43-4	1 in Boron	66.1	µg/L
Tetraboron disodium heptaoxide, hydrate **	12267-73-1	1 in Boron	66.1	µg/L

** Report total Boron directly, no conversion from Boron salt.

1. Other/Miscellaneous Chemicals

Borate salt: Modified from EPA 3015A ve EPA 6020B (ICP-MS analysis)

Chemical substances	CAS no.	Lab reporting limit (µg/L)	Incoming	Unit
Borate, zinc salt ^^	12767-90-7	1 in Boron & 1 in Zinc	Boron:66.1 Zinc: ND	µg/L

(^^) = Report total boron & total zinc individually, and no conversion from boron / zinc salt.



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Sample / Wastewater

1. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

APs&APEOs (n=1,2): modified from ISO 18857-1, ISO 18857-2, ASTM D7065) (GC-MS analysis)

APs&APEOs (n>2): modified from ISO 18254-1) (LC-MS-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	5	ND	µg/L
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5	ND	µg/L
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	5	ND	µg/L
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	5	ND	µg/L

2. Anti- Microbials & Biocides

Modified from EPA 3510C, EPA 8270E (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
o-Phenylphenol (+salts)	90-43-7	100	ND	µg/L
Triclosan	3380-34-5	100	ND	µg/L
Permethrin	Multiple	500	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

3. Chlorinated Parafins

Modified from EPA 3510C, ISO 1201 (GC-ECNI-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Medium-chain Chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	500	ND	µg/L
Short-chain Chlorinated paraffin (C10 – C13)	85535-84-8	25	ND	µg/L

4. Chlorobenzenes and Chlorotoluenes

Modified from EPA 3510C, EPA 8260D, EPA 8270E (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
1,2-Dichlorobenzene	95-50-1	0.2	ND	µg/L
Other isomers of mono-, di-, tri-, tetra-, penta- and hexa- Chlorobenzene and mono-, di-, tri-, tetra- and penta- chlorotoluene	Multiple	0.2	ND	µg/L

5. Chlorophenols

Modified from EPA 3510C, EPA 8270E (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-Chlorophenol	95-57-8	0.5	ND	µg/L
3-Chlorophenol	108-43-0	0.5	ND	µg/L
4-Chlorophenol	106-48-9	0.5	ND	µg/L
2,3-Dichlorophenol	576-24-9	0.5	ND	µg/L
2,4-Dichlorophenol	120-83-2	0.5	ND	µg/L
2,5-Dichlorophenol	583-78-8	0.5	ND	µg/L
2,6-Dichlorophenol	87-65-0	0.5	ND	µg/L
3,4-Dichlorophenol	95-77-2	0.5	ND	µg/L
3,5- Dichlorophenol	591-35-5	0.5	ND	µg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	µg/L
2,3,5-Trichlorophenol	933-78-8	0.5	ND	µg/L
2,3,6-Trichlorophenol	933-75-5	0.5	ND	µg/L
2,4,5-Trichlorophenol	95-95-4	0.5	ND	µg/L
2,4,6-Trichlorophenol	88-06-2	0.5	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

3,4,5-Trichlorophenol	609-19-8	0.5	ND	µg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	µg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	ND	µg/L
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	µg/L
Pentachlorophenol (PCP)	87-86-5	0.5	ND	µg/L

6. Dimethyl Formamide (DMFa)

Modified from DIN 54439 (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Dimethyl formamide; N,N-dimethylformamide (DMFa) (*)	68-12-2	1000	ND	µg/L

(*) = Sample and report for mock leather.

7. Dyes – Carcinogenic or Equivalent Concern

Modified from DIN 54231 (LC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Basic violet 3 with >0.1% of Michler's Ketone	548-62-9	500	ND	µg/L
C.I. Acid Red 26	3761-53-3	500	ND	µg/L
C.I. Acid Violet 49	1694-09-3	500	ND	µg/L
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	µg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	µg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	µg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	µg/L
C.I. Basic Red 9	569-61-9	500	ND	µg/L
C.I. Basic Violet 14	632-99-5	500	ND	µg/L
C.I. Direct Black 38	1937-37-7	500	ND	µg/L
C.I. Direct Blue 6	2602-46-2	500	ND	µg/L
C.I. Direct Red 28	573-58-0	500	ND	µg/L
C.I. Disperse Blue 1	2475-45-8	500	ND	µg/L
C.I. Disperse Blue 3	2475-46-9	500	ND	µg/L
Disperse Orange 11	82-28-0	500	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

8. Dyes – Disperse (Allergenic)

Modified from DIN 54231 (LC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Disperse Blue 102	12222-97-8	50	ND	µg/L
Disperse Blue 106	12223-01-7	50	ND	µg/L
Disperse Blue 124	61951-51-7	50	ND	µg/L
Disperse Blue 26	3860-63-7	50	ND	µg/L
Disperse Blue 35	12222-75-2 56524-77-7	50	ND	µg/L
Disperse Blue 7	3179-90-6	50	ND	µg/L
Disperse Brown 1	23355-64-8	50	ND	µg/L
Disperse Orange 1	2581-69-3	50	ND	µg/L
Disperse Orange 3	730-40-5	50	ND	µg/L
Disperse Orange 37/59/76	13301-61-6	50	ND	µg/L
Disperse Red 1	2872-52-8	50	ND	µg/L
Disperse Red 11	2872-48-2	50	ND	µg/L
Disperse Red 17	3179-89-3	50	ND	µg/L
Disperse Yellow 1	119-15-3	50	ND	µg/L
Disperse Yellow 3	2832-40-8	50	ND	µg/L
Disperse Yellow 39	12236-29-2	50	ND	µg/L
Disperse Yellow 49	54824-37-2	50	ND	µg/L
Disperse Yellow 9	6373-73-5	50	ND	µg/L

9. Dyes – Navy Blue Colourant

Modified from DIN 54231 (LC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	500	ND	µg/L
Component 2: C46H-30CrN10O20S2 3Na	Not Allocated	500	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

10. Flame retardants

Brominated substances: Modified from EPA 3510C, EPA 527, ISO 22032 (GC-MS and ICP-MS analysis)

Brominated/Phosphorus substances: Modified from EPA 3510C, EPA 8321B (LC-MS-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	ND	µg/L
Bis(2,3-dibromopropyl) phosphate (BIS)	5412-25-9	25	ND	µg/L
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	ND	µg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	25	ND	µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	ND	µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	ND	µg/L
Polybromobiphenyls (PBBs)	59536-65-1	25	ND	µg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	25	ND	µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	ND	µg/L
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	25	ND	µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	ND	µg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	ND	µg/L
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	25	ND	µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	25	ND	µg/L
Dibromobiphenyls (DiBB)	Multiple	25	ND	µg/L
Octabromobiphenyls (OctaBB)	Multiple	25	ND	µg/L
Dibromopropylether	21850-44-2	25	ND	µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	ND	µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	ND	µg/L
Monobromobiphenyls (MonoBB)	Multiple	25	ND	µg/L
Monobromodiphenylethers (MonoBDEs)	Multiple	25	ND	µg/L
Nonabromobiphenyls (NonaBB)	Multiple	25	ND	µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	ND	µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	ND	µg/L
Tribromodiphenylethers (TriBDEs)	Multiple	25	ND	µg/L
Boric acid **	10043-35-3 11113-50-1	100 in Boron	104.5	µg/L
Diboron trioxide **	1303-86-2	100 in Boron	104.5	µg/L
Disodium octaborate **	12008-41-2	100 in Boron	104.5	µg/L
Disodium tetraborate anhydrous**	1303-96-4 1330-43-4	100 in Boron	104.5	µg/L
Tetraboron disodium heptaoxide, hydrate **	12267-73-1	100 in Boron	104.5	µg/L

** Report total Boron directly, no conversion from Boron salt.



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

11. Glycols / Glycol Ethers

Modified from EPA 3510C (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-ethoxyethanol	110-80-5	50	ND	µg/L
2-ethoxyethyl acetate	111-15-9	50	ND	µg/L
2-methoxyethanol	109-86-4	50	ND	µg/L
2-methoxyethylacetate	110-49-6	50	ND	µg/L
2-methoxypropylacetate	70657-70-4	50	ND	µg/L
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	µg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND	µg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND	µg/L

12. Halogenated solvents

Modified from EPA 8260D, EPA 5021A (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
1,2-Dichloroethane	107-06-2	1	ND	µg/L
Methylene chloride	75-09-2	1	ND	µg/L
Tetrachloroethylene	127-18-4	1	ND	µg/L
Trichloroethylene	79-01-6	1	ND	µg/L

13. Organotin compounds

Modified from EPA 3510C, ISO 17353 (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Dipropyltin compounds (DPT)	Multiple	0.01	ND	µg/L
Mono-, di- and tri-butyltin derivatives	Multiple	0.01	ND	µg/L
Mono, di-, and tri-methyltin derivatives	Multiple	0.01	ND	µg/L
Mono, di-, and tri-octyltin derivatives	Multiple	0.01	ND	µg/L
Mono, di-, and tri-phenyltin derivatives	Multiple	0.01	ND	µg/L
Tetrabutyltin compounds (TeBT)	Multiple	0.01	ND	µg/L
Tripropyltin Compounds (TPT)	Multiple	0.01	ND	µg/L
Tetraoctyltin compounds (TeOT)	Multiple	0.01	ND	µg/L
Tricyclohexyltin (TCyHT)	Multiple	0.01	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Tetraethyltin Compounds (TeET)	Multiple	0.01	ND	µg/L
--------------------------------	----------	------	----	------

14. Other/Miscellaneous Chemicals

Others: Micro filtration method (LC-MS-MS analysis)

AEEA: Liquid-liquid extraction (LC-MS-MS analysis)

Quinoline: Modified from DIN 54231 (LC-MS-MS analysis)

Borate salt: Modified from EPA 3015A ve EPA 6020B (ICP-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	500	ND	µg/L
Bisphenol A	80-05-7	10	ND	µg/L
Thiourea	62-56-6	50	ND	µg/L
Quinoline	91-22-5	50	ND	µg/L
Borate, zinc salt ^^	12767-90-7	100 in Boron & 100 in Zinc	Boron:104.5 Zinc: ND	µg/L

(^^) = Report total boron & total zinc individually, and no conversion from boron / zinc salt.

15. Perfluorinated & polyfluorinated chemicals (PFCs)

PFCs: Modified from DIN 38407-42, CEN/TS 15968 (LC-MS-MS analysis)

FTOH: Modified from EPA 3510C, CEN/TS 15968, Journal of Chromatography A, 1178 (2008) 199-205 (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Perfluorooctane sulfonate (PFOS) and related substances, Perfluorooctanoic acid (PFOA)	Multiple	0.01	ND	µg/L
Perfluorooctanoic acid (PFOA) related Substances	Multiple	1	ND	µg/L

16. Phthalates – including all other esters of ortho-phthalic acid

Modified from EPA 3510C, EPA 8270E, ISO 18856, ISO 14389 (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
1,2-benzenedicarboxylic acid, di-C6-8- branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	ND	µg/L



SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: TURA240121160

1,2-benzenedicarboxylic acid, di-C7-11- branched and linear alkyl esters (DHNUP)	68515-42-4	10	ND	µg/L
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	ND	µg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND	µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	µg/L
Di-isobutyl phthalate (DIBP)	84-69-5	10	ND	µg/L
Di-isononyl phthalate (DINP)	28553-12-0	10	ND	µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	µg/L
Di-n-pentylphthalates	131-18-0	10	ND	µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	µg/L
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	ND	µg/L
Dibutyl phthalate (DBP)	84-74-2	10	ND	µg/L
Diethyl phthalate (DEP)	84-66-2	10	ND	µg/L
Diisopentylphthalates	605-50-5	10	ND	µg/L
Dinonyl phthalate (DNP)	84-76-4	10	ND	µg/L

17. Polycyclic aromatic hydrocarbons (PAHs)

Modified from EPA 3510C, EPA 8270E, DIN 38407-39 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Acenaphthene	83-32-9	1	ND	µg/L
Acenaphthylene	208-96-8	1	ND	µg/L
Anthracene	120-12-7	1	ND	µg/L
Benzo[a]anthracene	56-55-3	1	ND	µg/L
Benzo[a]pyrene (BaP)	50-32-8	1	ND	µg/L
Benzo[b]fluoranthene	205-99-2	1	ND	µg/L
Benzo[e]pyrene	192-97-2	1	ND	µg/L
Benzo[ghi]perylene	191-24-2	1	ND	µg/L
Benzo[j]fluoranthene	205-82-3	1	ND	µg/L
Benzo[k]fluoranthene	207-08-9	1	ND	µg/L
Chrysene	218-01-9	1	ND	µg/L
Dibenz[a,h]anthracene	53-70-3	1	ND	µg/L
Fluoranthene	206-44-0	1	ND	µg/L
Fluorene	86-73-7	1	ND	µg/L
Indeno[1,2,3-cd]pyrene	193-39-5	1	ND	µg/L
Naphthalene	91-20-3	1	ND	µg/L
Phenanthrene	85-01-8	1	ND	µg/L
Pyrene	129-00-0	1	ND	µg/L

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

18. Restricted Aromatic Amines (Cleavable from Azo-colourants)

Modified from EPA 3510C, ISO 14362-1 (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-Naphthylamine	91-59-8	0.1	ND	µg/L
2-Naphthylammoniumacetate	553-00-4	0.1	ND	µg/L
2,4-Xylidine	95-68-1	0.1	ND	µg/L
2,4,5-Trimethylaniline	137-17-7	0.1	ND	µg/L
2,4,5-Trimethylaniline hydrochloride	21436-97-5	0.1	ND	µg/L
2,6-Xylidine	87-62-7	0.1	ND	µg/L
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	µg/L
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	µg/L
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	µg/L
4-Aminoazobenzene	60-09-3	0.1	ND	µg/L
4-Aminodiphenyl	92-67-1	0.1	ND	µg/L
4-Chloro-o-toluidine	95-69-2	0.1	ND	µg/L
4-Chloro-o-toluidinium chloride	3165-93-3	0.1	ND	µg/L
4-Chloroaniline	106-47-8	0.1	ND	µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	0.1	ND	µg/L
4-methoxy-m-phenylenediamine	615-05-4	0.1	ND	µg/L
4-methyl-m-phenylenediamine	95-80-7	0.1	ND	µg/L
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1	ND	µg/L
4,4'-methylenedi-o-toluidine	838-88-0	0.1	ND	µg/L
4,4'-methylenedianiline	101-77-9	0.1	ND	µg/L
4,4'-Oxydianiline	101-80-4	0.1	ND	µg/L
4,4'-Thiodianiline	139-65-1	0.1	ND	µg/L
5-Nitro-o-toluidine	99-55-8	0.1	ND	µg/L
6-methoxy-m-toluidine	120-71-8	0.1	ND	µg/L
Benzidine	92-87-5	0.1	ND	µg/L
o-Aminoazotoluene	97-56-3	0.1	ND	µg/L
o-Anisidine	90-04-0	0.1	ND	µg/L
o-Toluidine	95-53-4	0.1	ND	µg/L



SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: TURA240121160

19. UV Absorbers

Liquid-Liquid extraction (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	100	ND	µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	ND	µg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	ND	µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl)phenol (UV-327)	3864-99-1	100	ND	µg/L

20. Volatile organic compounds (VOCs)

Modified from EPA 8260D, EPA 5021A (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Benzene	71-43-2	1	ND	µg/L
m-cresol	108-39-4	1	ND	µg/L
o-cresol	95-48-7	1	ND	µg/L
p-cresol	106-44-5	1	ND	µg/L
Xylene	1330-20-7	1	ND	µg/L
Toluene (*)	108-88-3	1	ND	µg/L

(*) = Sample and report for mock leather.

21. Heavy metals

Others; Modified from EPA 3015A, EPA 6020B (ICP-MS analysis)

Chromium (VI); ISO 18412 (UV/VIS analysis)

Chemical substances	Limit			Legal* Requirement	Lab Reporting limit	Effluent	Unit
	Foundational	Progressive	Aspirational				
Antimony	0.1 mg/L	0.05 mg/L	0.01 mg/L	N/A	0.01	N/A	mg/L
Chromium (VI)	0.05 mg/L	0.005 mg/L	0.001 mg/L	N/A	0.001	ND	mg/L
Barium	Sample and report only			N/A	0.01	N/A	mg/L
Selenium	Sample and report only			N/A	0.01	N/A	mg/L
Tin	Sample and report only			N/A	0.01	N/A	mg/L
Arsenic	0.05 mg/L	0.01 mg/L	0.005 mg/L	N/A	0.005	ND	mg/L

SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: TURA240121160

Chromium (total)	0.2 mg/L	0.1 mg/L	0.05 mg/L	N/A	0.05	N/A	mg/L
Cobalt	0.05 mg/L	0.02 mg/L	0.01 mg/L	N/A	0.01	N/A	mg/L
Cadmium	0.1 mg/L	0.05 mg/L	0.01 mg/L	N/A	0.01	ND	mg/L
Copper	1 mg/L	0.5 mg/L	0.25 mg/L	N/A	0.25	N/A	mg/L
Lead	0.1 mg/L	0.05 mg/L	0.01 mg/L	N/A	0.01	ND	mg/L
Nickel	0.2 mg/L	0.1 mg/L	0.05 mg/L	N/A	0.05	N/A	mg/L
Silver	0.1 mg/L	0.05 mg/L	0.005 mg/L	N/A	0.005	N/A	mg/L
Zinc	5.0 mg/L	1.0 mg/L	0.5 mg/L	N/A	0.5	N/A	mg/L
Mercury	0.01 mg/L	0.005 mg/L	0.001 mg/L	N/A	0.001	ND	mg/L

22. Conventional parameters

Parameters	Test method	Limit			Legal* Requirement	Lab Reporting limit	Effluent	Unit
		Foundational	Progressive	Aspirational				
pH	SM 4500-H+	6-9			N/A	N/A	N/A	^[f]
Temperature difference	SM 2550 B	△+15	△+10	△+5	N/A	N/A	N/A	^[f] °C
E.coli ⁽⁵⁾	ISO 9308-1	126			N/A	126	N/A	MPN/100ml
Colour (436 nm ; 525 nm ; 620nm)	ISO 7887-B	7;5;3	5;3;2	2;1;1	N/A	N/A	N/A	[m-1]
Persistent Foam	/	No indication of Persistent foam in receiving water			N/A	N/A	Absent	^[f]
Wastewater Flowrate	/	N/A			N/A	N/A	N/A	^[f] m ³ /day
Ammonium-Nitrogen	SM 4500 NH3 F	10	1	0.5	N/A	0.5	N/A	mg/L
AOX	ISO 9562	3	0.5	0.1	N/A	0.1	N/A	mg/L
Biochemical Oxygen Demand (BOD ₅)	SM 5210-B	30	15	8	N/A	8	N/A	mg/L
Chemical Oxygen Demand (COD)	SM 5220-D	150	80	40	N/A	40	N/A	mg/L
Dissolved Oxygen (DO)	SM 4500-O-G	Sample and report only			N/A	N/A	N/A	^[f] mg/L
Oil and grease	USEPA 1664	10	2	0.5	N/A	0.5	N/A	mg/L
Total Phenols / Phenol Index	SM 5530-B&C	0.5	0.01	0.001	N/A	0.001	N/A	mg/L
Total Chlorine	ISO 7393-2	Sample and report only			N/A	0.2	N/A	^[f] mg/L

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Total Dissolved Solids (TDS)	SM 2540-C	Sample and report only			N/A	10	N/A	mg/L
Total-Nitrogen	IS 3025 (Sum of SM4500-Norg B, SM4500-NO2-B, SM4500-NO3- E)	20	10	5	N/A	5	N/A	mg/L
Total-Phosphorus	EPA 3015 A & ISO 11885	3	0.5	0.1	N/A	0.1	N/A	mg/L
Total Suspended Solids (TSS)	SM 2540D	50	15	5	N/A	5	N/A	mg/L
Chloride	SM 4500-Cl C	Sample and report only			N/A	10	N/A	mg/L
Cyanide, total	SM 4500-CN-C&E	0.2	0.1	0.05	N/A	0.05	N/A	mg/L
Sulfate	SM 4500 SO4 E	Sample and report only			N/A	10	N/A	mg/L
Sulfide	SM 4500-S2-D	0.5	0.05	0.01	N/A	0.01	N/A	mg/L
Sulfite	SM 4500 SO32 C	2	0.5	0.2	N/A	0.2	N/A	mg/L

Remark:

ND = Not detected (less than reporting limit)

△ is the degree above ambient temperature of receiving water body.

@ = Maximum holding time exceeded.

^[f] = On-site test by sampler.

^(s) = The samples were subcontracted to Intertek [Intertek Turkey Food Laboratory] for testing.



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Sample / Sludge

Sludge flux (weight/time) and / or flow data volume/time: N/A

1. Heavy metals

Others: Modified from EPA 3051A, ISO 17294-2, EPA 6020B (ICP-MS analysis)

Chromium VI: Modified from ISO 18412, TS EN ISO 18412 (UV/VIS analysis)

Chemical substances	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Antimony	5	N/A	mg/kg
Arsenic	5	N/A	mg/kg
Barium	200	N/A	mg/kg
Cadmium	1	N/A	mg/kg
Cobalt	400	N/A	mg/kg
Copper	50	N/A	mg/kg
Lead	5	N/A	mg/kg
Nickel	20	N/A	mg/kg
Selenium	5	N/A	mg/kg
Silver	50	N/A	mg/kg
Total Chromium	50	N/A	mg/kg
Zinc	400	N/A	mg/kg
Chromium (VI)	20	N/A	mg/kg
Mercury	1	N/A	mg/kg

2. Anions

USEPA 9013 A, USEPA 9014 (UV/VIS analysis)

Chemical substances	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Cyanide	20	N/A	mg/kg



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

3. Conventional parameters

Chemical substances	Test method	Lab reporting limit (Dry weight)	Sludge (Dry weight)	Unit
pH	USEPA SW 9045D	N/A	N/A	N/A
% Solids	USEPA 160.3	N/A	N/A	%
Paint Filter Test ^	USEPA 9095B	N/A	N/A	N/A
Fecal Coliform ^(S)	TS EN ISO 7899-2	10 MPN/g	N/A	MPN/g

^ - Report "Pass" when Paint Filter Test does not contain free liquid; Report "Fail" when Paint Filter Test does contain free liquid.

^(S) = The samples were subcontracted to Intertek [Intertek Turkey Food Laboratory] for testing.

4. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

APs/APEOs (n=1,2): Modified from EPA 3540C, ISO 18857-2 (GC-MS analysis)

APs/APEOs (n>2): Modified from EPA 3550C, ISO 18254-1 (LC-MS-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	0.4	N/A	mg/kg
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	0.4	N/A	mg/kg
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	0.4	N/A	mg/kg
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	0.4	N/A	mg/kg



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

5. Polycyclic aromatic hydrocarbons (PAHs)

Modified from EPA 3540C, EPA 8270E, DIN 38407-39 (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Acenaphthene	83-32-9	0.2	N/A	mg/kg
Acenaphthylene	208-96-8	0.2	N/A	mg/kg
Anthracene	120-12-7	0.2	N/A	mg/kg
Benzo[a]anthracene	56-55-3	0.2	N/A	mg/kg
Benzo[a]pyrene (BaP)	50-32-8	0.2	N/A	mg/kg
Benzo[b]fluoranthene	205-99-2	0.2	N/A	mg/kg
Benzo[e]pyrene	192-97-2	0.2	N/A	mg/kg
Benzo[ghi]perylene	191-24-2	0.2	N/A	mg/kg
Benzo[j]fluoranthene	205-82-3	0.2	N/A	mg/kg
Benzo[k]fluoranthene	207-08-9	0.2	N/A	mg/kg
Chrysene	218-01-9	0.2	N/A	mg/kg
Dibenz[a,h]anthracene	53-70-3	0.2	N/A	mg/kg
Fluoranthene	206-44-0	0.2	N/A	mg/kg
Fluorene	86-73-7	0.2	N/A	mg/kg
Indeno[1,2,3-cd] pyrene	193-39-5	0.2	N/A	mg/kg
Naphthalene	91-20-3	0.2	N/A	mg/kg
Phenanthrene	85-01-8	0.2	N/A	mg/kg
Pyrene	129-00-0	0.2	N/A	mg/kg

6. Chlorotoluenes

Modified from EPA 3510C, EPA 8260D, EPA 8270E (GC-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Other isomers of mono-, di-, tri-, tetra- and penta- chlorotoluene	Multiple	0.2	N/A	mg/kg



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

7. Leachate heavy metals

Others: EPA 1311, ISO 17294-2(ICP-MS analysis)

Chromium VI: EPA 1311, ISO 18412 (UV/VIS analysis)

Chemical substances	Lab. Reporting limit (mg/L)	Sludge	Unit
Arsenic	0.1	N/A	mg/L
Cadmium	0.03	N/A	mg/L
Total Chromium	1	N/A	mg/L
Lead	0.1	N/A	mg/L
Antimony	0.12	N/A	mg/L
Barium	7	N/A	mg/L
Cobalt	16	N/A	mg/L
Copper	2	N/A	mg/L
Nickel	0.7	N/A	mg/L
Selenium	0.1	N/A	mg/L
Silver	1	N/A	mg/L
Zinc	10	N/A	mg/L
Chromium (VI)	0.5	N/A	mg/L
Mercury	0.01	N/A	mg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Appendix 1: reference to ZDHC WWSG v2.1 Table 4B

Parameters	Total metals and anions threshold values (mg/kg)	Disposal pathways						
		A and B (Leachate result in mg/L)	C (Leachate result in mg/L)	D (Leachate result in mg/L)	E (Leachate result in mg/L)	F (Leachate result in mg/L)	G (Leachate result in mg/L)	G (Total metals limit in mg/kg)
Arsenic	10	Report only if required to test	5	2.75	0.5	0.5	0.5	75
Cadmium	3		1	0.58	0.15	0.15	0.15	85
Total Chromium	100		15	10	5	5	5	3000
Lead	10		5	2.75	0.5	0.5	0.5	840
Antimony	12		15	7.8	0.6	0.6	0.6	Sample and report only
Barium	700		100	67.5	35	35	35	
Cobalt	1600		80	80	80	80	80	Sample and report only
Copper	200		25	17.5	10	10	10	
Nickel	70		20	11.75	3.5	3.5	3.5	420
Selenium	10		1	0.75	0.5	0.5	0.5	100
Silver	100		5	5	5	5	5	Sample and report only
Zinc	1000		250	150	50	50	50	
Chromium VI	50		5	3.75	2.5	2.5	2.5	50
Mercury	1		0.2	0.125	0.05	0.05	0.05	57



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Appendix 2: reference to ZDHC WWSG v2.1 Table 4C

Parameters	Disposal pathways							
	A and B	C	D	E	F	G		
pH	Sample and report only	5 – 11 s.u.	5 – 11 s.u.	5 – 11 s.u.	6.5 – 9 s.u.	6.5 – 9 s.u.		
% Solids		Sample and report only	Sample and report only	Sample and report only	Sample and report only	Sample and report only		
Fecal Coliform							Pass Paint filter test	Sample and report only
Paint Filter Test								
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers		Sample and report only	Sample and report only	< 0.4 mg/kg				
Polycyclic Aromatic Hydrocarbons (PAHs)								
Chlorotoluenes				< 0.2 mg/kg				

Appendix 2: reference to ZDHC WWSG v2.1 Table 4D




Parameters	Disposal pathways					
	A and B	C	D	E	F	G
Cyanide	Report only if required to test	100 mg/kg	85 mg/kg	70 mg/kg	70 mg/kg	70 mg/kg



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Photo of sampling points:




<p>Incoming water -</p>	<p>Untreated wastewater 17/10/2024, 10:30</p>
	
<p>Effluent 17/10/2024, 10:40</p>	<p>Sludge -</p>
	<p style="text-align: center;">X</p>



SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: TURA240121160

Photo of samples:

<p>Incoming water 18/10/2024, 08:00</p>	<p>Untreated wastewater 18/10/2024, 08:00</p>
	
<p>Effluent 18/10/2024, 08:00</p>	<p>Sludge -</p>
	<p>X</p>

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Attachment – sampling protocol for wastewater & sludge:

Form LG.469/11.03.2024/Rev.2

ZDHC İzleme / Monitoring

Atıksu ve Çamur Numune Alım Tutanağı, ZDHC SAP 2.1'e göre Ek-E dahil.
Sampling Protocol for Wastewater and Sludge acc. ZDHC SAP 2.1 incl. Apdx. E

Firma Adı / Facility Name: Realeks Tekstil Denim İşletmeleri A.Ş.

Adres ve İlgili / Address and Contact: Açıdere OSB, Açıdere Osb Mah. Recep Tayyip Erdoğan Bul. Açıdere Ünlüce No:9, 01790 Sarıcın (ADANA)

Firma Türü / Facility Type: Boya & Apre / Dyeing & Finishing Kumaş Fabrikası / Fabric Mill Yıkama & Apre / Washing & Finishing Doğal Deri İşleme / Natural Leather proc. Baskı / Printing Yapay Deri İşleme / Synthetic Leather proc.

Numune Alım Tarihi / Date of sampling: 17.10.2024

Genel Numune Kodu / Sample General ID (Eğer Varsa / If Available): Direkt Deşarj / Direct Discharge Dolaylı Deşarj / Indirect Discharge Sıfır Sıvı Deşarjı / Zero Liquid Discharge (ZLD) Sentetik Selülozik Elyaf / MMCF Arıtmasız / Without Treatment Ön Arıtmalı / With Pre-treatment Arıtma Tesisi Var / With Own ETP

Deşarj Tanımı / Discharge Description: Boyama ve apre kaynaklı dolaylı deşarj. **Deşarj Yeri / Discharge to:** AOSB Atıksu Arıtma Tesisi

Hava Durumu / Weather Conditions: Numune Alım Gününde / On Sampling Day: Güneşli Önceki Gün / On Day Before: Güneşli

Numune Türü ve Detayları (ayrıca 2. Sayfaya bakın) / Sample Type and Details (also see page 2)

Atıksu Deşarjı / Effluent Discharge Direkt / Direct: veya / or Dolaylı / Indirect

ÖN arıtılmış Atıksu, Çamursuz / Pre-treated WW without sludge Arıtılmamış Atıksu / Untreated Wastewater Dengeleme Tankı (DT) Mevcut / with Equalisation Tank (EQT) Present: Tesis Kullanım Suyu / Incoming Water Sentetik Selülozik Elyaf / MMCF

Çamur seçilen bertaraf yoluyla* / Sludge with below disposal pathway: Çamur Yaşı / Age of Sludge: gün/ hafta (days/ weeks)

Ö A	Ö B	Ö C	Ö D	Ö E	Ö F	Ö G
>1000 °C Harici Yakma Tesisi / >1000 °C Offsite Incineration	Kontrollü Düzenli Depolama Sahası / Landfill with Significant Control	>1000 °C Yapı Malzemesi Üretim Prosesi / Building products processed >1000 °C	Sınırlı Kontrollü Düzenli Depolama Sahası / Landfill with Limited Control	<1000 °C Yapı Malzemesi Üretim Prosesi / Yakma / Incineration / Building Products Processed <1000 C	Düzensiz Depolama Sahası / Landfill with No Control	Arazi İslahı / Land Application

*Eğer bertaraf yolu bilgisi sağlanmazsa, bertaraf yolu 'F' olarak kabul edilir. / if supplier cannot provide information, pathway 'F' shall be assumed.

Üretilen Çamur Hacmi / Sludge Volume Produced: Om³/saat (m³/h) Ol/saniye (L/sn) Diğer Birim (Belirtiniz) / Other Unit (Specify): Per Facility Info Ölçülen / Measured Tahmini / Estimated

Proses Kimyasalları / Process Chemical Sıvı / Liquid Katı (Toz / Granül / Parçacıklı) / Solid (Powder / Granulate / Pieces) 'İşlemden' / 'In Process' Depo / Stoktan / From Warehouse / Storage

Numune Alım Zamanları / Times of Sampling	Arıtılmamış Atıksu / Untreated	1	2	3	4	5	6	7	Veya Anlık / or Grab:
Dolaylı Deşarj / Effluent	1	10.30	11.30	12.30	13.30	14.30	15.30	16.30	10.74
Kullanım Suyu / Incoming	1	10.40	11.40	12.40	13.40	14.40	15.40	16.40	6.80
Sıvı Çamur / Liquid Sludge	1								29.0
	1								15.50
	1								Kuru Çamur / Solid Sludge:

Fotoğraf No. (veya Tarih & Saat / Aralık) / Picture ID (or Date & Time / Interval):


Numune Alım Noktalarının GPS Koordinatları / GPS Coordinates of Sampling Points:

Tesis Kullanım Suyu / Incoming W.: Lat.: 36° 58' 42.6680" Long.: 35° 38' 5.2900" **ÖE OW**

Arıtılmamış Atıksu / Untreated WW: Lat.: 36° 58' 42.6680" Long.: 35° 38' 5.2900" **ÖE OW**

Deşarj / Effluent: Lat.: 36° 58' 42.6680" Long.: 35° 38' 5.2900" **ÖE OW**

Çamur / Sludge: Lat.: 36° 58' 42.6680" Long.: 35° 38' 5.2900" **ÖE OW**

Rev 10b-4 - use with Guideline CS009.TP (Issue 10b) Page 1 of 3 Effective Date: 04-Sept-2023
©Intertek 2023, All Rights Reserved. Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted, or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material. 



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

Form LG.469/11.03.2024/Rev.2

ZDHC İzleme / Monitoring

Numune Detayları Sample Details		Saha ölçüm parametreleri sadece direkt deşarj için gereklidir. Ancak dolaylı deşarj için talep varsa bu alan kullanılmalıdır. Field parameters usually are required only for direct discharge . If client requests also for indirect discharge, use below fields.						
<input checked="" type="checkbox"/> Kompozit Numune Alım Composite Sample		<input type="checkbox"/> Anlık Numune Alım (Ortalama değer kolonunu kullanın) Grab Sample (Use column for Averaged Readings and fields at right)					Alınan Numunelerin Hacmi Volume of Aliquot(s): <u>20.000</u> mL	
Numune Alma Zamanları Time of Taking Discrete Sample	1	2	3	4	5	6	7	Ortalama Değerler veya Anlık Numune Ölçümleri Ava. Readings or Grab Sample:
pH:								
Sıcaklık Temp. of								
Atıksu Deşarj WW Discharge								
Alıcı Ortam Receiving Water								
Debi Flow Rate:	<u>21.9 m³/sa.(h)</u>	<u>21.9 m³/sa.(h)</u>	<u>22 m³/sa.(h)</u>	<u>21.9 m³/sa.(h)</u>	<u>21.9 m³/sa.(h)</u>	<u>22.0 m³/sa.(h)</u>	<u>21.9 m³/sa.(h)</u>	<u>526 m³/gün(d)</u>
Çözülmüş Oksijen Dissolved Oxygen:								
Toplam Klor Total Chlorine:								
Kalıca Köpük Persistent Foam:	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No
Numune adedi yedi'den fazla ve eğer yukarıdaki alan yeterli gelmezse, yorumlar kısmını kullanın. Use comment field if number of samples is greater than seven, or if above fields are otherwise not sufficient.								
Numune Alım Metodu Technique:	<input type="radio"/> Otomatik Numune Alım Automated Sampling		<input checked="" type="radio"/> Beher ile With Beaker		<input type="radio"/> Diğer Other:			
Atıksu Debi Bilgisi (Deşarj) Wastewater Flow Data (Effluent / Discharge)	<input checked="" type="checkbox"/> Debi Metre (Firmanın) Flow Meter (In Facility)		<input type="checkbox"/> Boru (O) Pipe		<input type="checkbox"/> Su yolu (U) Flume		<input type="checkbox"/> V Çentikli Savak (V) Wier	
Ölçüm Sistemi System:								
Çap [cm] Diameter								
Su Derinliği [cm] Water Depth								
Akış Hızı [cm/sec] Flow Speed								
Genel Saha Parametreleri ve Duyusal Veriler (mümkün olduğu kadar) General Field Parameters and Sensory Data (as far as applicable)								
Type	Ortam Sıcaklığı / T ambient air [°C]	Koku / Odour	Colour / Renk	Köpük / Foam	Yüzer Madde / Floating Matter			
Kullanım Incoming	<u>27°C</u>	<u>Yok</u>	<u>Seffaf</u>	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No			
Artılmamış Untreated	<u>27°C</u>	<u>Yok</u>	<u>Mavi</u>	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No			
Deşarj Effluent	<u>27°C</u>	<u>Yok</u>	<u>Mavi</u>	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No	<input type="radio"/> Var / Yes <input checked="" type="radio"/> Yok / No			
Çamur Sludge								
Saha Kalite Kontrol Çalışması Field Testing QA/QC								
Parametre Parameter	Lab. Kontrol Numunesi Hedef Değer Lab. Control Sample Target Value		Lab. Kontrol Numunesi Ölçülen Değer Lab. Control Sample Measured Value		Doğruluk [%] Accuracy			
pH								
Toplam Klor / Total Chlorine								
Diğer Gözlemler / Other Observations: <u>Mevcut atıksu kaba inşaatlardan geçirildikten sonra pH dengeleme yapılmaktadır.</u> <u>- 24 saat faaliyet mevcut olduğu kayan esbittir.</u>								
İlave Yorumlar (ör., kullanılan kısaltmalar, alternatif olarak ölçülen debi ve okumalar, vb.) Additional Comments (e.g., abbreviations used, alternatively measured flow and readings, etc.): <u>İlave yorum mevcut değildir</u>								

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

ZDHC İzleme / Monitoring

ZDHC Atıksu Numune Alımı - Firma Onayı ZDHC Wastewater Sampling - Facility Confirmation

Atıksu numuneleri firmanın normal üretim düzeni ve atıksu deşarjı kapsamında alınmıştır. Aşağıda belirtilen numune alım personeli sahada bulunarak numuneleri toplamıştır.

The Wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Numune Alım Personeli (Ad-Soyad & E-posta Adresi)

Sampling Person (Name & E-mail Address):

Ersin AYDOĞAN
detox.turkey@intertek.com**Firma İsmi**

Facility Name:

Realteks Tekstil Denim
İşletmeleri A.Ş.**Numune Alım Personeli ZDHC Akreditasyon Numarası**

Sampler's ZDHC Accreditation No.:

ZDHC - A-22-E-0001068-R21DE-56D90

Firma Temsilcisi Ad-Soyad

Facility's Representative Name:

Fıyruz ÖZ ZENGİN ERGEN

Numune Alım Personeli İmza

Sampler's Signature:

Ersin Aydoğan

Firma Temsilcisi İmza ve Firma Kaşesi

Facility's Representative Signature and Stamp:

Fıyruz ÖZ ZENGİN ERGEN
REALTEKS TEKSTİL
DENİM İŞLETMELERİ A.Ş.
Kaptanpaşa Mah. Dere Boşanı Sk.
No: 2/10 Beyoğlu / İSTANBUL
Marmara Kat. V.D.: 7340746820

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: TURA240121160

End of report

This report is made solely on the basis of instructions and/or information and materials supplied by you (the Client), It is not intended to be a recommendation for any specific course of action. Intertek shall not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as that which is expressly contained in the terms and conditions governing the provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent, truthful, and careful basis and we do not accept any liability to you for any direct or in-direct loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

