

TEST REPORT

CLIENT DETAILS

Client Name: Envoy Textiles Limited
Client Contact: Md. Rahatul Islam
Telephone: 01313448614
E-mail: rahatul.islam@envoytextiles.com
Address: Jamirdia, Bhaluka, Mymensingh

LABORATORY DETAILS

SGS Affiliate: SGS Bangladesh Limited
SGS Contact: Rafiqul Islam,
Chemical Lab Manager
Telephone: +88029676500 Ext-632
E-mail: rafiqul.islam@sgs.com
Address: Noor Tower, 110 Bir Uttam C.R
Datta Road, Dhaka-1205,
Bangladesh

FACTORY DETAILS

Factory Name: Envoy Textiles Limited
Factory Contact: Md. Rahatul Islam
Telephone: 01313448614
E-mail: rahatul.islam@envoytextiles.com
Address: Jamirdia, Bhaluka, Mymensingh
Types of Mills: (3) Fabric Dyeing, Finishing, Washing
On-Site ETP: Yes
Discharge Destination: To the Environment
Name of Municipal/Centralized ETP: N/A
Address of Municipal/Centralized ETP: N/A

SAMPLE AND TESTING DETAILS

Sampling Country: SGS Bangladesh Limited
ZDHC Approved Sampler & Cert. No.: Md. Faysal Islam (ZDHC-A-25-E-C001068-R4CE2-5938D)
Sampling Date: 27-02-2025
Sample Received Date: 27-02-2025
Test Performing Period: 27-02-2025 to 07-03-2025
Sample Received Temperature: 8.1 °C
No. of Samples: Water (2); Sludge (1);
Sample Descriptions: 1) Untreated Wastewater (6-hour Composite)
2) Effluent (6-hour Composite)
3) Sludge (Grab)
Sample Volume: 18L each water sample; 500g sludge sample in total
Testing Institute: SGS Bangladesh Limited
Discharge Method: Direct Discharge

OVERALL RESULTS

	Untreated Wastewater	Effluent	Sludge	Leachate
Conventional Parameters / Anions / Metals:	-	Fulfill Progressive Limit	Sample and Report Only	-
MRS� Parameters:	Not Detected	-	Not Detected	-

REMARKS

1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.
3. Sample received temperature is greater than 8°C and less than 10°C when received from the laboratory

Signed for and on behalf of



RAFIQUL ISLAM
 Chemical Lab Manager

RESULT SUMMARY

Factory Name: Envoy Textiles Limited

Factory Address: Jamirdia, Bhaluka, Mymensingh

TEST ITEMS	Untreated Wastewater	Effluent	Sludge	Leachate
Conventional Parameters	-	Please refer to the information in TEST RESULTS	Please refer to the information in TEST RESULTS	-
Anions	-	O	N/A	-
Metals	-	O	N/A	N/A
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs)	O	-	O	-
Antimicrobials and Biocides	O	-	-	-
Chlorinated Paraffins	O	-	-	-
Chlorobenzenes and Chlorotoluenes	O	-	O	-
Chlorophenols	O	-	-	-
N,N-di-methylformamide (DMFa)	O	-	-	-
Dyes - Carcinogenic or Equivalent Concern	O	-	-	-
Dyes - Disperse (Allergenic)	O	-	-	-
Flame Retardants	O	-	-	-
Glycols / Glycol Ethers	O	-	-	-
Halogenated Solvents	O	-	-	-
Organotin Compounds	O	-	-	-
Other / Miscellaneous Chemicals	O	-	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)	O	-	-	-
Phthalates	O	-	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)	O	-	O	-
Restricted Aromatic Amines	O	-	-	-
UV Absorbers	O	-	-	-
Volatile Organic Compounds (VOC)	O	-	-	-

Note:

X - Detected

O - Not Detected

N/A - Not Tested / Not Applicable

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Sample ID		Untreated Wastewater		Effluent		Sludge		Factory Performances				Local Wastewater Discharge Requirement %	
				Untreated Wastewater	Effluent	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge		Leachate
Sample Colour Description	-	-	-	Black	Transparent	-	-	-	-	Grey	-	-	-	-	-	-	-
Wastewater Flow Rate*	-	-	m ³ /day	-	1661	-	-	-	-	-	-	-	-	-	-	-	-
Sludge Disposal Pathway	-	-	-	-	-	-	-	-	-	Pathway C	-	-	-	-	-	-	-
Conventional Parameters																	
pH	-	-	-	-	8.1	-	-	-	-	N/A	-	-	-	-	-	-	6-9
Temp-Difference	-	-	°C	-	N/A	-	-	-	-	-	-	-	-	-	-	-	<5
Temp-Discharge Pipe	-	-	°C	-	32.0	-	-	-	-	-	-	-	-	-	N/A	-	N/A
Temp-Receiving Water	-	-	°C	-	NA	-	-	-	-	-	-	-	-	-	-	-	N/A
E. Coli	-	126	MPN / 100mL	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Colour (436nm)	-	2	m ⁻¹	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Colour (525nm)	-	1	m ⁻¹	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Colour (620nm)	-	1	m ⁻¹	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Persistent Foam	-	Absent / Present	-	-	Absent	-	-	-	-	-	-	-	-	-	-	-	N/A
Ammonium-N	-	0.5	mg/L	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
AOX	-	0.1	mg/L	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Biochemical Oxygen Demand 5-days Concentration (BOD ₅)	-	8	mg/L	-	10	-	-	-	-	-	-	-	-	-	-	-	<30
Chemical Oxygen Demand (COD)	-	40	mg/L	-	56	-	-	-	-	-	-	-	-	-	-	-	<200
Dissolved Oxygen (DO)	-	4	mg/L	-	5	-	-	-	-	-	-	-	-	-	-	-	N/A
Oil & Grease	-	0.5	mg/L	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	<10
Total Phenols / Phenol Index	-	0.001	mg/L	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	<1
Total Chlorine	-	1	mg/L	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Total Dissolved Solids (TDS)	-	50	mg/L	-	2042	-	-	-	-	-	-	-	-	-	-	-	<2100
Total Nitrogen	-	5	mg/L	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Total Phosphorus	-	0.1	mg/L	-	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A
Total Suspended Solids (TSS)	-	5	mg/L	-	6	-	-	-	-	-	-	-	-	-	-	-	<100
Faecal Coliform	-	-	-	-	-	1000	MPN/g	N/A	-	-	-	-	-	-	-	-	N/A
Paint Filter Test	-	-	-	-	-	Pass	-	N/A	-	-	-	-	-	-	-	-	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Sample ID		Untreated Wastewater		Effluent		Sludge		Factory Performances				Local Wastewater Discharge Requirement %
				Untreated Wastewater	Effluent	Reporting Limit	Units	Sludge	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate	
				27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-					
				ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-					
				10:40	10:30	-	-	11:50	-	-	-					
				16:40	16:30	-	-	11:55	-	-	-					
				27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	Sludge	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate	Effluent
Anions																
Chloride	-	1	mg/L	-	696	-	-	-	-	-	-	-	Sample and Report Only	-	-	N/A
Cyanide, Total	-	0.05	mg/L	-	n.d.	20	mg/kg	N/A	-	-	-	-	Fulfill Aspirational Limit	N/A	-	N/A
Sulfate	-	5	mg/L	-	60	-	-	-	-	-	-	-	Sample and Report Only	-	-	N/A
Sulfide	-	0.01	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	<2
Sulfite	-	0.2	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	N/A
Metals																
Total Antimony (Sb)	-	0.01	mg/L	-	n.d.	5	mg/kg	N/A	0.01	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	N/A
Chromium (VI)	-	0.001	mg/L	-	n.d.	20	mg/kg	N/A	0.001	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	N/A
Total Barium (Ba)	-	35	mg/L	-	n.d.	200	mg/kg	N/A	35	mg/L	N/A	-	Sample and Report Only	N/A	N/A	N/A
Total Selenium (Se)	-	0.5	mg/L	-	n.d.	5	mg/kg	N/A	0.5	mg/L	N/A	-	Sample and Report Only	N/A	N/A	N/A
Total Tin (Sn)	-	0.1	mg/L	-	n.d.	-	-	-	-	-	-	-	Sample and Report Only	-	-	N/A
Total Arsenic (As)	-	0.005	mg/L	-	n.d.	5	mg/kg	N/A	0.005	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	N/A
Total Chromium (Cr)	-	0.05	mg/L	-	n.d.	50	mg/kg	N/A	0.05	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	<0.5
Total Cobalt (Co)	-	0.01	mg/L	-	n.d.	400	mg/kg	N/A	0.01	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	<0.5
Total Cadmium (Cd)	-	0.01	mg/L	-	n.d.	1	mg/kg	N/A	0.01	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	<0.02
Total Copper (Cu)	-	0.25	mg/L	-	n.d.	50	mg/kg	N/A	0.25	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	N/A
Total Lead (Pb)	-	0.01	mg/L	-	n.d.	5	mg/kg	N/A	0.01	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	<0.1
Total Nickel (Ni)	-	0.05	mg/L	-	n.d.	20	mg/kg	N/A	0.05	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	<1
Total Silver (Ag)	-	0.005	mg/L	-	n.d.	50	mg/kg	N/A	0.005	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	N/A
Total Zinc (Zn)	-	0.1	mg/L	n.d.	n.d.	400	mg/kg	N/A	0.1	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	N/A
Total Mercury (Hg)	-	0.001	mg/L	-	n.d.	1	mg/kg	N/A	0.001	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A	N/A
Total Boron (B)	-	0.1	mg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	Sludge ϕ	Reporting Limit	Units	Leachate	Factory Performances				Local Wastewater Discharge Requirement %																																																																																																
												Untreated Wastewater	Effluent	Sludge	Leachate		Effluent																																																																																															
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>Sample ID</td> <td>Untreated Wastewater</td> <td>Effluent</td> <td>-</td> <td>-</td> <td>Sludge</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="4">Factory Performances</td> <td rowspan="6">Local Wastewater Discharge Requirement %</td> </tr> <tr> <td>Date of Sampling</td> <td>27-02-2025</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="4">Factory Performances</td> </tr> <tr> <td>Sampling Location</td> <td>ETP Inlet Drain Line</td> <td>ETP Outlet Drain Line</td> <td>-</td> <td>-</td> <td>Sludge Sack</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="4">Factory Performances</td> </tr> <tr> <td>Sampling Start Time</td> <td>10:40</td> <td>10:30</td> <td>-</td> <td>-</td> <td>11:50</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="4">Factory Performances</td> </tr> <tr> <td>Sampling End Time</td> <td>16:40</td> <td>16:30</td> <td>-</td> <td>-</td> <td>11:55</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="4">Factory Performances</td> </tr> <tr> <td>Date of Sample Received</td> <td>27-02-2025</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="4">Factory Performances</td> </tr> </table>																Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-	-	-	-	-	Factory Performances				Local Wastewater Discharge Requirement %	Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-	Factory Performances				Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-	-	-	-	Factory Performances				Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-	-	-	-	Factory Performances				Sampling End Time	16:40	16:30	-	-	11:55	-	-	-	-	-	-	Factory Performances				Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-	Factory Performances			
Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-	-	-	-	-	Factory Performances				Local Wastewater Discharge Requirement %																																																																																																
Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-	Factory Performances																																																																																																				
Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-	-	-	-	Factory Performances																																																																																																				
Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-	-	-	-	Factory Performances																																																																																																				
Sampling End Time	16:40	16:30	-	-	11:55	-	-	-	-	-	-	Factory Performances																																																																																																				
Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-	Factory Performances																																																																																																				
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers																																																																																																																
Nonylphenol ethoxylates (NPEO)	Multiple including: 9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	5	$\mu\text{g/L}$	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-																																																																																																
Nonylphenol (NP), mixed isomers	Multiple including: 104-40-5, 11066-49-2, 25154-52-3, 84852-15-3	5	$\mu\text{g/L}$	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-																																																																																																
Octylphenol ethoxylates (OPEO)	Multiple including: 9002-93-1, 9036-19-5, 68987-90-6	5	$\mu\text{g/L}$	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-																																																																																																
Octylphenol (OP), mixed isomers	Multiple including: 140-66-9, 1806-26-4, 27193-28-8	5	$\mu\text{g/L}$	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-																																																																																																
Antimicrobials and Biocides																																																																																																																
o-Phenylphenol (+salts)	90-43-7	100	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
Triclosan	3380-34-5	100	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
Permethrin	Multiple including: 52645-53-1	500	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
Chlorinated Paraffins																																																																																																																
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	500	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	85535-84-8	25	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
Chlorobenzenes and Chlorotoluenes																																																																																																																
1,2-Dichlorobenzene	95-50-1	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
Monochlorobenzene	108-90-7	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,3-Dichlorobenzene	541-73-1	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,4-Dichlorobenzene	106-46-7	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,2,3-Trichlorobenzene	87-61-6	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,2,4-Trichlorobenzene	120-82-1	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,3,5-Trichlorobenzene	108-70-3	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																																

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
 Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		Sludge	Reporting Limit	Units	Leachate	Factory Performances				Local Wastewater Discharge Requirement %	
				Untreated Wastewater	Effluent	Reporting Limit	Units					Untreated Wastewater	Effluent	Sludge	Leachate		Effluent
				Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-	-					
				Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-					
				Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-					
				Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-					
				Sampling End Time	16:40	16:30	-	-	11:55	-	-	-					
				Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-					
Pentachlorobenzene	608-93-5	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-	
Hexachlorobenzene	118-74-1	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-	
2-Chlorotoluene	95-49-8	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
3-Chlorotoluene	108-41-8	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
4-Chlorotoluene	106-43-4	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,3-Dichlorotoluene	32768-54-0	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,4-Dichlorotoluene	95-73-8	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,5-Dichlorotoluene	19398-61-9	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,6-Dichlorotoluene	118-69-4	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
3,4-Dichlorotoluene	95-75-0	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
3,5-Dichlorotoluene	25186-47-4	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,3,4-Trichlorotoluene	7359-72-0	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,3,6-Trichlorotoluene	2077-46-5	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,4,5-Trichlorotoluene	6639-30-1	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,4,6-Trichlorotoluene	23749-65-7	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
3,4,5-Trichlorotoluene	21472-86-6	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,3,4,5-Tetrachlorotoluene	1006-32-2	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
2,3,5,6-Tetrachlorotoluene	1006-31-1	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
Pentachlorotoluene	877-11-2	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-	
Chlorophenols																	
2-Chlorophenol	95-57-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-	
2,3-Dichlorophenol	576-24-9	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-	
2,3,4-Trichlorophenol	15950-66-0	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-	
2,3,5-Trichlorophenol	933-78-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Sample ID		Untreated Wastewater		Effluent		Sludge		Factory Performances				Local Wastewater Discharge Requirement %
				Untreated Wastewater	Effluent	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	
				27-02-2025	27-02-2025	-	-	-	-	27-02-2025	-	-	-	-	-	-
				ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	-	-	Sludge Sack	-	-	-	-	-	
				10:40	10:30	-	-	-	-	11:50	-	-	-	-	-	
				16:40	16:30	-	-	-	-	11:55	-	-	-	-	-	
				27-02-2025	27-02-2025	-	-	-	-	27-02-2025	-	-	-	-	-	
2,3,6-Trichlorophenol	933-75-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,4-Dichlorophenol	120-83-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,4,5-Trichlorophenol	95-95-4	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,4,6-Trichlorophenol	88-06-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,5-Dichlorophenol	583-78-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,6-Dichlorophenol	87-65-0	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
3-Chlorophenol	108-43-0	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
3,4-Dichlorophenol	95-77-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
3,4,5-Trichlorophenol	609-19-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
3,5-Dichlorophenol	591-35-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
4-Chlorophenol	106-48-9	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
Pentachlorophenol (PCP)	87-86-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	
N,N-Di-methylformamide (DMFa)																
Dimethyl formamide; N,N-Dimethylformamide (DMFa)	68-12-2	1000	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-
Dyes - Carcinogenic or Equivalent Concern																
Basic Violet 3 with >0.1% of Michler's Ketoneb	548-62-9	500	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-
C.I. Acid Red 26	3761-53-3	500	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-
C.I. Acid Violet 49	1694-09-3	500	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-
C.I. Basic Blue 26 (with Michler's Ketone >0.1%)	2580-56-5	500	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-
C.I. Basic Green 4 (Malachite Green Chloride)^	569-64-2	500	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-
C.I. Basic Green 4 (Malachite Green Oxalate)^	2437-29-8	500	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-
C.I. Basic Green 4 (Malachite Green)	10309-95-2	500	µg/L	n.d.	-	-	-	-	-	-	-	-	-	-	-	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		Sludge		Leachate		Factory Performances				Local Wastewater Discharge Requirement %
				Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Untreated Wastewater	Effluent	Sludge	Leachate	
				Untreated Wastewater	Effluent	-	-	Sludge	-	-	-					
				27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-					
				ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-					
				10:40	10:30	-	-	11:50	-	-	-					
				16:40	16:30	-	-	11:55	-	-	-					
				27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-					
C.I. Basic Red 9	569-61-9	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
C.I. Basic Violet 14	632-99-5	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
C.I. Direct Black 38	1937-37-7	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
C.I. Direct Blue 6	2602-46-2	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
C.I. Direct Red 28	573-58-0	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
C.I. Disperse Blue 1	2475-45-8	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
C.I. Disperse Blue 3	2475-46-9	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Orange 11	82-28-0	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Dyes - Disperse (Allergenic)																
Disperse Blue 102	12222-97-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Blue 106	12223-01-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Blue 124	61951-51-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Blue 26	3860-63-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Blue 35	12222-75-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Blue 35	56524-77-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Blue 7	3179-90-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Brown 1	23355-64-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Orange 1	2581-69-3	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Orange 3	730-40-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Orange 37/59/76	13301-61-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Red 1	2872-52-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Red 11	2872-48-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Red 17	3179-89-3	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Yellow 1	119-15-3	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Yellow 3	2832-40-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Yellow 39	12236-29-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Yellow 49	54824-37-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Disperse Yellow 9	6373-73-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	Sludge	Reporting Limit	Units	Leachate	Factory Performances				Local Wastewater Discharge Requirement %																																																																												
												Untreated Wastewater	Effluent	Sludge	Leachate		Effluent																																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%;">Sample ID</td> <td>Untreated Wastewater</td> <td>Effluent</td> <td>-</td> <td>-</td> <td>Sludge</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="4" rowspan="6" style="text-align: center; vertical-align: middle;">Factory Performances</td> <td rowspan="6" style="text-align: center; vertical-align: middle;">Local Wastewater Discharge Requirement %</td> </tr> <tr> <td>Date of Sampling</td> <td>27-02-2025</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Sampling Location</td> <td>ETP Inlet Drain Line</td> <td>ETP Outlet Drain Line</td> <td>-</td> <td>-</td> <td>Sludge Sack</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Sampling Start Time</td> <td>10:40</td> <td>10:30</td> <td>-</td> <td>-</td> <td>11:50</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Sampling End Time</td> <td>16:40</td> <td>16:30</td> <td>-</td> <td>-</td> <td>11:55</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Date of Sample Received</td> <td>27-02-2025</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> </table>																Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-	-	-	-	-	Factory Performances				Local Wastewater Discharge Requirement %	Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-	Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-	-	-	-	Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-	-	-	-	Sampling End Time	16:40	16:30	-	-	11:55	-	-	-	-	-	-	Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-
Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-	-	-	-	-	Factory Performances				Local Wastewater Discharge Requirement %																																																																												
Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-																																																																																	
Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-	-	-	-																																																																																	
Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-	-	-	-																																																																																	
Sampling End Time	16:40	16:30	-	-	11:55	-	-	-	-	-	-																																																																																	
Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-	-	-																																																																																	
Flame Retardants																																																																																												
Boric acid	10043-35-3, 11113-50-1	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Diboron trioxide	1303-86-2	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Disodium octaborate	12008-41-2	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Disodium tetraborate, anhydrous	1303-96-4, 1330-43-4	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Tetraboron disodium heptaoxide, hydrate	12267-73-1	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Hexabromocyclodecane (HBCDD)	3194-55-6	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
2,2-bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Polybromobiphenyls (PBB)	59536-65-1	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Monobromobiphenyls (MonoBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Monobromodiphenylethers (MonoBDEs)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Dibromobiphenyls (DIBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Dibromopropylether	21850-44-2	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Tribromodiphenylethers (TriBDEs)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Octabromobiphenyls (OctaBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Nonabromobiphenyls (NonaBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Decabromobiphenyl (DecaBB)	13654-09-6	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Tetrabromobisphenol A (TBBPA)	79-94-7	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Bis(2,3-dibromopropyl) phosphate (BDBPP)	5412-25-9	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																												

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		Sludge		Leachate		Factory Performances				Local Wastewater Discharge Requirement %
				Untreated Wastewater	Effluent	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Untreated Wastewater	Effluent	Sludge	Leachate	
				Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-					
				Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-					
				Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-					
				Sampling Start Time	10:40	10:30	-	-	11:50	-	-					
				Sampling End Time	16:40	16:30	-	-	11:55	-	-					
				Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-					
Tris(1-aziridinyl) phosphine oxide) (TEPA)	545-55-1	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tris(2-chloroethyl) phosphate (TCPEP)	115-96-8	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tris(2,3-dibromopropyl)-phosphate (TRIS)	126-72-7	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Glycols / Glycol Ethers																
2-ethoxyethanol	110-80-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-ethoxyethyl acetate	111-15-9	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-methoxyethanol	109-86-4	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-methoxyethylacetate	110-49-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-methoxypropylacetate	70657-70-4	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Bis(2-methoxyethyl)-ether	111-96-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Ethylene glycol dimethylether	110-71-4	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Triethylene glycol dimethylether	112-49-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Halogenated Solvents																
1,2-Dichloroethane	107-06-2	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Methylene chloride	75-09-2	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tetrachloroethylene	127-18-4	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Trichloroethylene	79-01-6	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Organotin Compounds																
Dipropyltin Compounds (DPT)	Multiple including: 867-36-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Mono-, di- and tri-butyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Monobutyltin (MBT)	Multiple including: 1118-46-3, 1461-22-9	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Dibutyltin (DBT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tributyltin (TBT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Mono-, di- and tri-methyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Monomethyltin (MMT)	Multiple including: 993-16-8, 753-73-1, 1066-45-1	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Dimethyltin (DMT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Trimethyltin (TMT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		Sludge		Leachate		Factory Performances				Local Wastewater Discharge Requirement %
				Untreated Wastewater	Effluent	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Untreated Wastewater	Effluent	Sludge	Leachate	
Mono-, di- and tri-octyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Monooctyltin (MOT)	Multiple including: 3091-25-6, 3542-36-7, 2587-76-0	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Dioctyltin (DOT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Trioctyltin (TOT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Mono-, di- and tri-phenyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Monophenyltin (MPhT)	Multiple including: 1124-19-2, 1135-99-5, 639-58-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Diphenyltin (DPhT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Triphenyltin (TPhT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tetraethyltin Compounds (TeBT)	Multiple including: 1461-25-2	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tetraethyltin Compounds (TeET)	Multiple including: 597-64-8	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tetraoctyltin Compounds (TeOT)	Multiple including: 3590-84-9	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tricyclohexyltin (TCyHT)	Multiple including: 3091-32-5	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Tripropyltin Compounds (TPT)	Multiple including: 2279-76-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Other / Miscellaneous Chemicals																
AEAA [2-(2-aminoethylamino) ethanol]	111-41-1	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Bisphenol A	80-05-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Borate, zinc salt	12767-90-7	100	µg/L	See Total Zinc (Zn) & Total Boron (B) Results	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Quinoline	91-22-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Thiourea	62-56-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)																
Perfluorooctane sulfonate (PFOS)**	1763-23-1	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (EtFOSE)	1691-99-2	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (MeFOSE)	24448-09-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Perfluorooctane sulfonamide (PFOSA)	754-91-6	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
 Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		Sludge		Leachate		Factory Performances				Local Wastewater Discharge Requirement %
				Untreated Wastewater	Effluent	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Untreated Wastewater	Effluent	Sludge	Leachate	
Perfluorooctanoic acid (PFOA)***	335-67-1	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Methyl Perfluorooctanoate (Me-PFOA)	376-27-2	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Ethyl Perfluorooctanoate (Et-PFOA)	3108-24-5	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
1H,1H,2H,2H-Perfluorodecylacrylate (8:2 FTA)	27905-45-9	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
8:2 Fluorotelomer methacrylate (8:2 FTMA)	1996-88-9	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Phthalates - including all other esters of ortho-phthalic acid																
1,2-benzenedicarboxylic acid, di-C6-8 branched and liearalkyl esters, C7-rich (DIHP)	71888-89-6, 84777-06-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
1,2-benzenedicarboxylic acid, di-C7-11 branched and liearalkyl esters (DHNU)	68515-42-4, 68515-50-4	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Butyl benzyl phthalate (BBP)	85-68-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-isobutyl phthalate (DIBP)	84-69-5	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-isononyl phthalate (DINP)	28553-12-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-n-hexyl phthalate (DnHP)	84-75-3	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-n-octyl phthalate (DNOP)	117-84-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-n-pentylphthalates	131-18-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di-n-propyl phthalate (DPRP)	131-16-8	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Dibutyl phthalate (DBP)	84-74-2	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Diethyl phthalate (DEP)	84-66-2	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Diisopentylphthalates	605-50-5	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Dinonyl phthalate (DNP)	84-76-4	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Factory Performances										Local Wastewater Discharge Requirement %		
				Untreated Wastewater	Effluent	-	-	Sludge	-	-	-	-	-			
				Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-	-		-	
				Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-	-			
				Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-	-			
				Sampling End Time	16:40	16:30	-	-	11:55	-	-	-	-			
Date of Sample Received				27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	Sludge Φ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate	Effluent
Polycyclic Aromatic Hydrocarbons (PAHs)																
Acenaphthene	83-32-9	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Acenaphthylene	208-96-8	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Anthracene	120-12-7	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Benzo[a]anthracene	56-55-3	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Benzo[a]pyrene	50-32-8	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Benzo[b]fluoranthene	205-99-2	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Benzo[e]pyrene	192-97-2	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Benzo[ghi]perylene	191-24-2	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Benzo[j]fluoranthene	205-82-3	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Benzo[k]fluoranthene	207-08-9	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Chrysene	218-01-9	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Dibenz[a,h]anthracene	53-70-3	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Fluoranthene	206-44-0	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Fluorene	86-73-7	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Indeno[1,2,3-cd]pyrene	193-39-5	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Naphthalene	91-20-3	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Phenanthrene	85-01-8	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Pyrene	129-00-0	1	$\mu\text{g/L}$	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Not Detected	-	-
Restricted Aromatic Amines (Cleavable from Azo-Colourants)																
2-naphthylamine	91-59-8	0.1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-Naphthylammoniumacetate [^]	553-00-4	0.1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2,4-xylidine	95-68-1	0.1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2,4,5-trimethylaniline	137-17-7	0.1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2,4,5-trimethylaniline hydrochloride [^]	21436-97-5	0.1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2,6-xylidine	87-62-7	0.1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
3,3'-dichlorobenzidine	91-94-1	0.1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		Sludge		Leachate		Factory Performances				Local Wastewater Discharge Requirement %
				Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Untreated Wastewater	Effluent	Sludge	Leachate	
3,3-dimethoxybenzidine	119-90-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
3,3-dimethylbenzidine	119-93-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-aminoazobenzene	60-09-3	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-aminodiphenyl	92-67-1	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-chloro-o-toluidine	95-69-2	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-chloro-o-toluidinium chloride ^Δ	3165-93-3	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-chloroaniline	106-47-8	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate ^Δ	39156-41-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-methoxy-m-phenylenediamine	615-05-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4-methyl-m-phenylenediamine	95-80-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4,4-methylene-bis-(2-chloroaniline)	101-14-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4,4-methylenedi-o-toluidine	838-88-0	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4,4-methylenedianiline	101-77-9	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4,4-oxydianiline	101-80-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
4,4-thiodianiline	139-65-1	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
5-nitro-o-toluidine	99-55-8	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
6-methoxy-m-toluidine	120-71-8	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
Benzidine	92-87-5	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
o-aminoazotoluene	97-56-3	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
o-anisidine	90-04-0	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
o-toluidine	95-53-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
UV Absorbers																
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-(2H-benzotriazol-2-yl)-4,6-ditertbutylphenol (UV-328)	25973-55-1	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl)phenol (UV-327)	3864-99-1	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

TEST RESULTS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	Sludge ϕ	Reporting Limit	Units	Leachate	Factory Performances				Local Wastewater Discharge Requirement %																																																																																															
												Untreated Wastewater	Effluent	Sludge	Leachate																																																																																																
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%;">Sample ID</td> <td>Untreated Wastewater</td> <td>Effluent</td> <td>-</td> <td>-</td> <td>Sludge</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="7"></td> </tr> <tr> <td>Date of Sampling</td> <td>27-02-2025</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="7"></td> </tr> <tr> <td>Sampling Location</td> <td>ETP Inlet Drain Line</td> <td>ETP Outlet Drain Line</td> <td>-</td> <td>-</td> <td>Sludge Sack</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="7"></td> </tr> <tr> <td>Sampling Start Time</td> <td>10:40</td> <td>10:30</td> <td>-</td> <td>-</td> <td>11:50</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="7"></td> </tr> <tr> <td>Sampling End Time</td> <td>16:40</td> <td>16:30</td> <td>-</td> <td>-</td> <td>11:55</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="7"></td> </tr> <tr> <td>Date of Sample Received</td> <td>27-02-2025</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>27-02-2025</td> <td>-</td> <td>-</td> <td>-</td> <td colspan="7"></td> </tr> </table>																Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-	-								Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-								Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-								Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-								Sampling End Time	16:40	16:30	-	-	11:55	-	-	-								Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-							
Sample ID	Untreated Wastewater	Effluent	-	-	Sludge	-	-	-																																																																																																							
Date of Sampling	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-																																																																																																							
Sampling Location	ETP Inlet Drain Line	ETP Outlet Drain Line	-	-	Sludge Sack	-	-	-																																																																																																							
Sampling Start Time	10:40	10:30	-	-	11:50	-	-	-																																																																																																							
Sampling End Time	16:40	16:30	-	-	11:55	-	-	-																																																																																																							
Date of Sample Received	27-02-2025	27-02-2025	-	-	27-02-2025	-	-	-																																																																																																							
Volatile Organic Compounds (VOC)																																																																																																															
Benzene	71-43-2	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																															
m-cresol	108-39-4	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																															
o-cresol	95-48-7	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																															
p-cresol	106-44-5	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																															
Toluene	108-88-3	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																															
Xylene	1330-20-7	1	$\mu\text{g/L}$	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	-																																																																																															
Additional Parameters																																																																																																															
Dry Mass (Total Solids)	-	-	-	-	-	-	%	31.5	-	-	-	-	-	Sample and Report Only	-	-																																																																																															

Remarks:

- *"n.d." = Not Detected
- "N/A" = Not Tested / Not Applicable
- "-" = Not Required to be Tested
- *The test result is based on the calculation of selected element(s) and to the worst-case scenario
- *Test data is measured/provided by the client
- **PFOS refer to its salts/derivative including PFOS-K (CAS No.: 2795-39-3), PFOS-Li (CAS No.: 29457-72-5), PFOS-NH₄ (CAS No.: 29081-56-9), PFOS-NH(OH)₂ (CAS No.: 70225-14-8), PFOS-N(C₂H₅)₄ (CAS No.: 56773-42-3) and POSF (CAS No.: 307-35-7)
- ***PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)
- @ = The amine was detected according to ISO 14362-1:2017 with the reducing agent. A similar result was obtained from the procedure carried out without the reducing agent. According to ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from a source other than azo colorants
- # = The amine was detected according to ISO 14362-1:2017 with the reducing agent. Confirmation procedure was carried out without reducing agent, according to ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from azo colorants
- ϕ Sludge results are reported based on dry mass
- %Please refer to the details of the Local Wastewater Discharge Requirement in the Appendix Section
- \S Maximum holding time exceeded
- *Sample received temperature is greater than 8°C and less than 10°C when received from the laboratory
- Δ The analysis was performed by a subcontracted laboratory assessed as competent

TEST PARAMETERS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						LEACHATE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F
Conventional Parameters																		
pH	-	Wastewater: APHA 4500H+B Sludge: EPA SW 9045D	6-9			N/A	N/A	N/A	5-11	5-11	6.5-9	6.5-9	-					
Temp-Difference	-	Wastewater: APHA 2550	Δ+15°C	Δ+10°C	Δ+5°C	-						-						
E. Coli	-	Wastewater: APHA 9221B & APHA 9221G	126MPN/100mL			-						-						
Colour (436nm; 525nm; 620nm)	-	Wastewater: ISO 7887 B	7.5;3m ⁻¹	5;3;2m ⁻¹	2;1;1m ⁻¹	-						-						
Persistent Foam	-	Wastewater: Onsite	No indication of Persistent Foam in receiving water			-						-						
Wastewater Flow Rate	-	Wastewater: Onsite	15m ³ per day			-						-						
Ammonium-N	-	Wastewater: APHA 4500 NH3 F	10mg/L	1mg/L	0.5mg/L	-						-						
AOX	-	Wastewater: ISO 9562	3mg/L	0.5mg/L	0.1mg/L	-						-						
Biochemical Oxygen Demand 5-days Concentration (BOD ₅)	-	Wastewater: APHA 5210 B	30mg/L	15mg/L	8mg/L	-						-						
Chemical Oxygen Demand (COD)	-	Wastewater: APHA 5220 D	150mg/L	80mg/L	40mg/L	-						-						
Dissolved Oxygen (DO)	-	Wastewater: APHA 4500-O-G	≥4mg/L			-						-						
Oil & Grease	-	Wastewater: APHA 5520-B/C	10mg/L	2mg/L	0.5mg/L	-						-						
Total Phenols / Phenol Index	-	Wastewater: APHA 5530-B	0.5mg/L	0.01mg/L	0.001mg/L	-						-						
Total Chlorine	-	Wastewater: APHA 4500-Cl-G	1mg/L			-						-						
Total Dissolved Solids (TDS)	-	Wastewater: APHA 2540-C	Sample and Report Only			-						-						
Total Nitrogen	-	Wastewater: APHA 4500-N B/C	20mg/L	10mg/L	5mg/L	-						-						
Total Phosphorus	-	Wastewater: APHA 4500P-J	3mg/L	0.5mg/L	0.1mg/L	-						-						
Total Suspended Solids (TSS)	-	Wastewater: APHA 2540D	50mg/L	15mg/L	5mg/L	-						-						
Faecal Coliform	-	Sludge: EPA 1681	-			N/A	N/A	N/A	N/A	N/A	<1000 MPN/g	<1000 MPN/g	-					
% Solids	-	Sludge: EPA 160.3	-			Sample and Report Only	-											
Paint Filter Test	-	Sludge: EPA 9095 B	-			N/A	N/A	N/A	Pass	Pass	Pass	Pass	-					

TEST PARAMETERS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE							LEACHATE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Anions																			
Chloride	-	Wastewater: APHA 4500-Cl D	Sample and Report Only			-							-						
Cyanide, Total	-	Wastewater: APHA 4500-CN-E Sludge: EPA 9014	0.2mg/L	0.1mg/L	0.05mg/L	N/A	N/A	N/A	85mg/kg	70mg/kg	70mg/kg	70mg/kg	-						
Sulfate	-	Wastewater: APHA 4500-SO4 E	Sample and Report Only			-							-						
Sulfide	-	Wastewater: APHA 4500-S2-D	0.5mg/L	0.05mg/L	0.01mg/L	-							-						
Sulfite	-	Wastewater: APHA 4500-SO32-C	2mg/L	0.5mg/L	0.2mg/L	-							-						
Metals																			
Total Antimony (Sb)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	N/A	N/A	N/A	N/A	7.8mg/L	0.6mg/L	0.6mg/L	0.6mg/L
Chromium (VI)	-	Wastewater: ISO 18412:2005 Sludge: USEPA 3060a, USEPA 7196 Leachate: N/A	0.05mg/L	0.005mg/L	0.001mg/L	-	-	-	-	-	-	50mg/kg	N/A	N/A	N/A	3.75mg/L	2.5mg/L	2.5mg/L	2.5mg/L
Total Barium (Ba)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	Sample and Report Only			-	-	-	-	-	-	N/A	N/A	N/A	N/A	67.5mg/L	35mg/L	35mg/L	35mg/L
Total Selenium (Se)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	Sample and Report Only			-	-	-	-	-	-	36mg/kg	N/A	N/A	N/A	0.75mg/L	0.5mg/L	0.5mg/L	0.5mg/L
Total Tin (Sn)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	Sample and Report Only			-							-						
Total Arsenic (As)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.05mg/L	0.01mg/L	0.005mg/L	-	-	-	-	-	-	41mg/kg	N/A	N/A	N/A	2.75mg/L	0.5mg/L	0.5mg/L	0.5mg/L
Total Chromium (Cr)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.2mg/L	0.1mg/L	0.05mg/L	-	-	-	-	-	-	1200mg/kg	N/A	N/A	N/A	5mg/L	5mg/L	5mg/L	5mg/L
Total Cobalt (Co)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.05mg/L	0.02mg/L	0.01mg/L	-	-	-	-	-	-	N/A	N/A	N/A	N/A	80mg/L	80mg/L	80mg/L	80mg/L
Total Cadmium (Cd)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	39mg/kg	N/A	N/A	N/A	0.58mg/L	0.15mg/L	0.15mg/L	0.15mg/L
Total Copper (Cu)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	1mg/L	0.5mg/L	0.25mg/L	-	-	-	-	-	-	1500mg/kg	N/A	N/A	N/A	17.5mg/L	10mg/L	10mg/L	10mg/L
Total Lead (Pb)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	400mg/kg	N/A	N/A	N/A	2.75mg/L	0.5mg/L	0.5mg/L	0.5mg/L

TEST PARAMETERS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE							LEACHATE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Total Nickel (Ni)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.2mg/L	0.1mg/L	0.05mg/L	-	-	-	-	-	-	420mg/kg	N/A	N/A	N/A	11.75mg/L	3.5mg/L	3.5mg/L	3.5mg/L
Total Silver (Ag)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.1mg/L	0.05mg/L	0.005mg/L	-	-	-	-	-	-	N/A	N/A	N/A	N/A	5mg/L	5mg/L	5mg/L	5mg/L
Total Zinc (Zn)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	5mg/L	1mg/L	0.5mg/L	-	-	-	-	-	-	2800mg/kg	N/A	N/A	N/A	50mg/L	50mg/L	50mg/L	50mg/L
Total Mercury (Hg)	-	Wastewater: EPA 200.8, EPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	0.01mg/L	0.005mg/L	0.001mg/L	-	-	-	-	-	-	17mg/kg	N/A	N/A	N/A	0.125mg/L	0.05mg/L	0.05mg/L	0.05mg/L
Total Boron (B)	-	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A Sludge: EPA 3050, EPA 6010D, EPA 6020B Leachate: N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs)																			
NP / OP	-	Wastewater: (With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis) Sludge: (With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis)	-	5µg/L	-	0.4mg/kg	-	-	-	-	-	-	-						
NPEO / OPEO	-	Wastewater: (With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis) Sludge: (With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis)	-	5µg/L	-	0.4mg/kg	-	-	-	-	-	-	-						
Antimicrobials and Biocides																			
o-Phenylphenol (+salts)	90-43-7	Wastewater: Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis	-	100µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Triclosan	3380-34-5	Wastewater: Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis	-	100µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Permethrin	Multiple including: 52645-53-1	Wastewater: Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis	-	500µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlorinated Paraffins																			
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	Wastewater: Preparation: EPA 3510 Analysis: ISO18219-2:2021 Method for MCCP with GC-MS(NCI) or LC-MS/MS	-	500µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	85535-84-8	Wastewater: Preparation EPA 3510 Analysis: ISO18219-1:2021, ISO 12010:2019 Methods for SCCP with GC-MS(NCI) or LC-MS/MS	-	25µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlorobenzenes and Chlorotoluenes																			
		Wastewater: (USEPA 8260B, USEPA 8270D, Dichloromethane extraction followed by GC/MS analysis) Sludge: (USEPA 8260B, USEPA 8270D, Dichloromethane extraction followed by GC/MS analysis)	0.2µg/L	-	-	CTs: 0.2mg/kg	-	-	-	-	-	-	-						

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that the information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TEST PARAMETERS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						LEACHATE							
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Chlorophenols		Wastewater: USEPA 8270E, Solvent extraction and derivatization with KOH, acetic anhydride followed by GC/MS analysis		0.5µg/L															
N,N-di-methylformamide (DMFa)	68-12-2	Wastewater: EPA 8015, EPA 3535A, (Solid-phase Extraction followed by GC-MS analysis		1000µg/L															
Dyes - Carcinogenic or Equivalent Concern		Wastewater: Liquid extraction followed by HPLC-MSD-DAD analysis		500µg/L															
Dyes - Disperse (Allergenic)		Wastewater: Liquid extraction followed by HPLC-MSD-DAD analysis		50µg/L															
Flame Retardants		Wastewater: USEPA 527, USEPA 8270E, USEPA 8321B, Solvent extraction followed by GC/MS analysis			Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate, anhydrous, Tetraboron disodium														
Glycols / Glycol Ethers		Wastewater: USEPA 8270E, Solvent extraction followed by GC/MS analysis		50µg/L															
Halogenated Solvents		Wastewater: USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis		1µg/L															
Organotin Compounds		Wastewater: (With reference to ISO 17353 and followed by GC/MS analysis)		0.01µg/L															
Other / Miscellaneous Chemicals																			
AEEA [2-(2-aminoethylamino) ethanol]	111-41-1	Wastewater: Liquid extraction followed by LCMS/LCMS-MS analysis		500µg/L															
Bisphenol A	80-05-7	Wastewater: Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis		10µg/L															
Borate, zinc salt	12767-90-7	Wastewater: Liquid extraction followed by LCMS/LCMS-MS analysis		100µg/L															
Quinoline	91-22-5	Wastewater: Liquid extraction followed by LCMS/LCMS-MS analysis		50µg/L															
Thiourea	62-56-6	Wastewater: USEPA 200.8, USEPA 6010C, USEPA 6020A		50µg/L															

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Bangladesh Limited | 2nd 6th to 10th & 13th Floor, Noor Tower, 110 Bir Uttam C.R Datta Road, Dhaka - 1205, P.O. Box 197, Bangladesh
t: (880-2) 967.85.00 f: (880-2) 967.64.93 e: sgsbd@bangla.net, www.sgs.com
Member of the SGS Group



TEST PARAMETERS

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						LEACHATE							
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Perfluorinated and Polyfluorinated Chemicals (PFCs)		Wastewater: Ionic PFAS: With reference to EPA 537:2020 and followed by LC-MSMS/LCMS analysis. Non-ionic PFAS (FTA/FTOH): Solvent extraction & derivatisation with acetic anhydride followed by GC/MS analysis																	
Phthalates		Wastewater: USEPA 8270E, ISO 18856, Solvent extraction followed by GC/MS analysis		10µg/L															
Polycyclic Aromatic Hydrocarbons (PAHs)		Wastewater: USEPA 8270E, Solvent extraction followed by GC/MS analysis Sludge: USEPA 8270E, Solvent extraction followed by GC/MS analysis		1µg/L		0.2mg/kg													
Restricted Aromatic Amines		Wastewater: With reference to EN 14362-1 & 3 and Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC-DAD analysis		0.1µg/L															
UV Absorbers		Wastewater: Dichloromethane extraction followed by GCMS analysis		100µg/L															
Volatile Organic Compounds (VOC)																			
Benzene	71-43-2	Wastewater: USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis		1µg/L															
m-cresol	108-39-4	Wastewater: USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis		1µg/L															
o-cresol	95-48-7	Wastewater: USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis		1µg/L															
p-cresol	106-44-5	Wastewater: USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis		1µg/L															
Toluene	108-88-3	Wastewater: USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis		1µg/L															
Xylene	1330-20-7	Wastewater: USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis		1µg/L															

SAMPLING PHOTOS

Factory Name: Envoy Textiles Limited
 Factory Address: Jamirdia, Bhaluka, Mymensingh



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Bangladesh Limited | 2nd 6th to 10th & 13th Floor, Noor Tower, 110 Bir Uttam C.R Datta Road, Dhaka - 1205, P.O. Box 197, Bangladesh
 t (880-2) 967.65.00 f (880-2) 967.64.93 e sgsbdc@bangla.net, www.sgs.com
 Member of the SGS Group

SAMPLING PHOTOS

Factory Name: Envoy Textiles Limited
 Factory Address: Jamirdia, Bhaluka, Mymensingh

EFFLUENT
 Date & Time of Measurement: 27-02-2025; 13:30
 GPS Data: N 24.3055782 E 90.3855349

SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW



SLUDGE
 Date & Time of Measurement: 27-02-2025; 11:50
 GPS Data: N 24.3048355 E 90.3847093

SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LOCAL WASTEWATER DISCHARGE REQUIREMENT

LOCAL WASTEWATER DISCHARGE REQUIREMENTS BASED ON The Environment Conservation Rules, 2023
(BANGLADESH LOCAL REGULATION-SCHEDULE-5)

Factory Name: Envoy Textiles Limited

Factory Address: Jamirdia, Bhaluka, Mymensingh

The Environment Conservation Rules, 2023				
SCHEDULE-5				
Parameters	CAS No.	Effluent		
			Value	Unit
pH Value (min.)	-	-	6	-
pH Value (max.)	-	-	9	-
Temperature	-	-	Maximum 5 °C above the temperature of the water body	°C
Biochemical Oxygen Demand (BOD5 at 20 °C)	-	<	30	mg/L
Chemical Oxygen Demand (COD)	-	<	200	mg/L
Total Suspended Solids (TSS)	-	<	100	mg/L
Total Dissolved Solid(TDS)	-	<	2100	mg/L
Sulfide	-	<	2	mg/L
Oil and Grease	-	<	10	mg/L
Cadmium	7440-43-9	<	0.02	mg/L
Lead (Pb)	7439-92-1	<	0.1	mg/L
Nickel (Ni)	7440-02-0	<	1	mg/L
Chromium (Total Cr)	7440-47-3	<	0.5	mg/L
Cobalt (Co)	7440-48-4	<	0.5	mg/L
Phenol Compounds	-	<	1	mg/L

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

ZDHC WASTEWATER SAMPLING FIELD DATA FORM AND REPRESENTATIVE SAMPLE DECLARATION

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh



ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

ZDHC Wastewater Sampling Information:

Factory Name: Envoy Textiles Limited
Factory Address: Jamirdia, Bhaluka, Mymensingh
Sampling Location: Untreated Wastewater Effluent Sludge
GPS Data: 24.3055782; 90.3855349
Sampling Date: 27/02/2025
Sampling Time: 10:30; 11:30; 12:30; 13:30; 14:30; 15:30; 16:30
Sample ID: OP-2959

Sampler Information:

Sampler Name: Md. Faysal Islam
Sampler E-mail: faysal.islam@sgs.com
ZDHC Sampler Accreditation Cert. No.: ZDHC-A-25-E-C001068-R4CE2-5938D

Sampling Method:

Grab 6-hour Composite Others, please specify: _____
 Autosampler Manual

Discharge Method:

Direct Indirect (w/pretreatment) Indirect (w/o pretreatment) Zero Liquid Discharge (ZLD)

ZDHC Wastewater Sampling Field Testing QA/QC

ZDHC Wastewater Sampling Field Testing QA/QC			
Parameter	LCS Known	LCS Measured	Accuracy %
pH	7.0	6.99	100
Total Chlorine			

ZDHC Wastewater Flow Device Dimensions

ZDHC Wastewater Flow Device Dimensions				
Measurement (cm)	Meter	Pipe (O)	Flume (U)	Wier (V)
Diameter	NA	-		
Depth	NA	NA	NA	

ZDHC Wastewater Sample Collection Field Test Measurements

ZDHC Wastewater Sample Collection Field Test Measurements										
Sampling Time (Hours)	Temp (°C)		pH	Visible Colour	Persistent Foam (Yes/No)	Dissolved Oxygen (mg/L)	Total Chlorine (mg/L)	Wastewater Flow Meter (m ³ /hr)	Alternate Measured Flow	
	Wastewater Discharge	Receiving Water							Depth (cm)	Velocity (cm/s)
0	31	NA	8.05	transparent	NO	5.8	ND	76.8		
1	32	"	8.13	"	"	5.4	ND	77.8		
2	32	"	8.08	"	"	5.5	ND	76.8		
3	32	"	8.20	"	"	5.4	ND	61.3		
4	32	"	8.02	"	"	5.5	ND	62.2		
5	31	"	8.11	"	"	5.2	ND	65.1		
6	31	"	7.98	"	"	5.3	ND	64.1		
Average	32	NA	8.1	"	NO	5.4	ND	69.2		

= 1661 m³/day

ZDHC Wastewater Sampling - Facility Confirmation

The wastewater samples have been collected under the facility's normal production scale and wastewater flow rate.
The sampler listed below was on-site and collected the samples.

Factory Name: Envoy Textiles Limited
Factory Representative Name: Md. Rahatul Islam
Factory Representative Signature and Stamp: _____
Sampler Name: Md. Faysal Islam
ZDHC Sampler Accreditation Cert. No.: ZDHC-A-25-E-C001068-R4CE2-5938D
Sampler Signature: _____



ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

ZDHC Wastewater Sampling Information:

Factory Name: Envoy Textiles Limited
 Factory Address: Jangpala, Bhaluka, Mymensingh
 Sampling Location: Untreated Wastewater Effluent Sludge
 GPS Data: 24.3055267; 90.3848233
 Sampling Date: 27/02/2025
 Sampling Time: 10:40; 11:40; 12:40; 13:40; 14:40; 15:40; 16:40
 Sample ID: OP-2959

Sampler Information:

Sampler Name: Md. Faysal Islam
 Sampler E-mail: faysal.islam@sgs.com
 ZDHC Sampler Accreditation Cert. No.: ZDHC-A-25-E-C001068-R4CE2-5938D

Sampling Method:

Grab 6-hour Composite Others, please specify: _____
 Autosampler Manual

Discharge Method:

Direct Indirect (w/pretreatment) Indirect (w/o pretreatment) Zero Liquid Discharge (ZLD)

ZDHC Wastewater Sampling Field Testing QA/QC

ZDHC Wastewater Sampling Field Testing QA/QC			
Parameter	LCS Known	LCS Measured	Accuracy %
pH			
Total Chlorine			

ZDHC Wastewater Flow Device Dimensions

ZDHC Wastewater Flow Device Dimensions				
Measurement (cm)	Meter	Pipe (D)	Flume (U)	Wier (V)
Diameter	NA			
Depth	NA	NA	NA	

ZDHC Wastewater Sample Collection Field Test Measurements

ZDHC Wastewater Sample Collection Field Test Measurements										
Sampling Time (Hours)	Temp (°C)		pH	Visible Colour	Persistent Foam (Yes/No)	Dissolved Oxygen (mg/L)	Total Chlorine (mg/L)	Wastewater Flow Meter (L/min)	Alternate Measured Flow	
	Wastewater Discharge	Receiving Water							Depth (cm)	Velocity (cm/s)
0				Black						
1				V						
2				V						
3				P						
4				P						
5				P						
6				P						
Average				Black						

ZDHC Wastewater Sampling - Facility Confirmation

The wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Factory Name: Envoy Textiles Limited
 Factory Representative Name: Md. Rahatul Islam
 Factory Representative Signature and Stamp: _____
 Sampler Name: Md. Faysal Islam
 ZDHC Sampler Accreditation Cert. No.: ZDHC-A-25-E-C001068-R4CE2-5938D
 Sampler Signature: _____



Handwritten signature of Md. Faysal Islam.

ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

ZDHC Wastewater Sampling Information:

Factory Name: Envoy Textiles Limited
 Factory Address: Jamirida, Bhailuka, Mymensingh
 Sampling Location: Untreated Wastewater Effluent Sludge
 GPS Data: 24.2048355; 90.3847097
 Sampling Date: 27/02/2025
 Sampling Time: 11:50
 Sample ID: OP-2959

Sampler Information:

Sampler Name: Md. Faysal Islam
 Sampler E-mail: faysal.islam@sgs.com
 ZDHC Sampler Accreditation Cert. No.: ZDHC-A-25-E-C001098-R4CE2-5938D

Sampling Method:

Grab 6-hour Composite Others, please specify: _____
 Autosampler Manual

Discharge Method:

Direct Indirect (w/pretreatment) Indirect (w/o pretreatment) Zero Liquid Discharge (ZLD)

ZDHC Wastewater Sampling Field Testing QA/QC

ZDHC Wastewater Sampling Field Testing QA/QC			
Parameter	LCS Known	LCS Measured	Accuracy %
pH			
Total Chlorine			

ZDHC Wastewater Flow Device Dimensions

ZDHC Wastewater Flow Device Dimensions				
Measurement (cm)	Meter	Pipe (O)	Flume (U)	Wier (V)
Diameter	NA			
Depth	NA	NA	NA	

ZDHC Wastewater Sample Collection Field Test Measurements

Sampling Time (Hours)	Temp (°C)		pH	Visible Colour	Persistent Foam (Yes/No)	Dissolved Oxygen (mg/L)	Total Chlorine (mg/L)	Wastewater Flow Meter (L/min)	Alternate Measured Flow	
	Wastewater Discharge	Receiving Water							Depth (cm)	Velocity (cm/s)
0				Grey						
1										
2										
3										
4										
5										
6										
Average				Grey						

ZDHC Wastewater Sampling - Facility Confirmation

The wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Factory Name: Envoy Textiles Limited
 Factory Representative Name: Md. Rahatul Islam
 Factory Representative Signature and Stamp: _____
 Sampler Name: Md. Faysal Islam
 ZDHC Sampler Accreditation Cert. No.: ZDHC-A-25-E-C001098-R4CE2-5938D
 Sampler Signature: _____



(Handwritten signature)

***** END OF REPORT *****