



CENTROCOT
Innovation experience

Centro Tessile Cottoniero e Abbigliamento S.p.A.
Piazza S. Anna, 2 Busto Arsizio (VA)
Tel. 0331 696711 Fax 0331 680056
email info@centrocot.it web www.centrocot.it
C.F. e P.IVA 01724710122



LAB N° 0033 L

Test Report **25TA00007**
of **26/02/2025**

Messrs
E. MIROGLIO EAD
Industrial District - P.O. Box 360
8800 SLIVEN - BG

Tests to verify compliance with ZDHC parameters

Receiving date 20/01/2025
Receipt date 20/01/2025
Starting date of sampling 17/01/2025 **Starting time of sampling** 06.00
End date of sampling 17/01/2025 **End time of sampling** 12.00
Description Raw water
Identification Waste water_indirect discharge with pre-treatment with sludge
Customer E. MIROGLIO EAD
Sampling collected by Kolev Krasimir - ZDHC-A-23-E-C001068-R3366-1E695
Project number O-P-2356
Type of sampling Manual (6 hours)
Sampling location Yambol Plant
Sampling procedure PG 22 rev.3
Time of conservation 4 days
Water flow rate -
Temperature at receivment 5°C

Test began on 21/01/2025 **Test ended on** 18/02/2025

Limit values

ZDHC - Wastewater Guidelines 2.2 2024

Tests

80234 Water and industrial wastewater. MRSL parameters in accordance with Tables 1A-1T ZDHC Wastewater Guidelines Version 2.2 2024



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Alkylphenols <i>EPA3510C 1996 + UNI EN ISO 18857-1:2006 + OEKO-TEX® STD 201 M25</i>	-						
4-Nonylphenol <i>EPA3510C 1996 + UNI EN ISO 18857-1:2006 + OEKO-TEX® STD 201 M25</i>	*	< 1.0	µg/l		5		
4-Nonylphenol (branched) <i>EPA3510C 1996 + UNI EN ISO 18857-1:2006 + OEKO-TEX® STD 201 M25</i>	*	< 1.0	µg/l		5		
Nonylphenol NP <i>EPA3510C 1996 + UNI EN ISO 18857-1:2006 + OEKO-TEX® STD 201 M25</i>	*	< 1.0	µg/l		5		
4-Octylphenol <i>EPA3510C 1996 + UNI EN ISO 18857-1:2006 + OEKO-TEX® STD 201 M25</i>	*	< 1.0	µg/l		5		
Octylphenol <i>EPA3510C 1996 + UNI EN ISO 18857-1:2006 + OEKO-TEX® STD 201 M25</i>	*	< 1.0	µg/l		5		
Alkylphenols Ethoxylates <i>UNI EN ISO 18857-2:2012</i>	-						
NPEO (1-20) <i>EPA3510C 1996 + UNI EN ISO 18857-2:2012 + OEKO-TEX® STD 201 M25</i>	*	< 1.0	µg/l		5		
OPEO (1-20) <i>EPA3510C 1996 + UNI EN ISO 18857-2:2012 + OEKO-TEX® STD 201 M25</i>	*	< 1.0	µg/l		5		
Antimicrobials & Biocides <i>EPA 3510C 1996 + EPA 8270E 2018</i>	-						
Orthophenylphenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 2.5	ug/l		100		
Triclosan <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP-29</i>	*	< 2.5	ug/l		100		
Permethrin (cis and trans) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP6-D</i>	*	< 5	ug/l		500		
Chloroparaffins <i>EPA 3510C 1996 + ISO 18219-1/2:2022</i>	-						
Medium Chain Chlorinated Paraffins (C14-C17) <i>EPA 3510C 1996 + ISO 18219-1/2:2022</i>	*	< 5	µg/l		500		
Short Chain Chlorinated Paraffins <i>EPA 3510C 1996 + ISO 18219-1/2:2022</i>	*	< 5	µg/l		25		
Chlorobenzenes and ChloroToluenes <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	-						
2,3,4-Trichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		
2,3,6-Trichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		
2,3-Dichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		
2,4,5-Trichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		
2,4,6-Trichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		
2,4-Dichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		
2,5-Dichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		
2,6-Dichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l		0.2		



Result	Concentration	Uncertainty	UM	Limits	
				Min	Max
2,3,4,5-Tetrachlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
2,3,4,6-Tetrachlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
2,3,5,6-Tetrachlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
2-Chlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
3,4,5-Trichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
3,4-Dichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
3,5-Dichlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
3-Chlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
4-Chlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
Pentachlorotoluene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,2-dichlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,3-dichlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,4-dichlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,2,3-trichlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,2,4-trichlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,3,5-trichlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,2,3,4-tetrachlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,2,3,5-tetrachlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
1,2,4,5-tetrachlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
Pentachlorobenzenes <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
Hexachlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
Chlorobenzene <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-2</i>	*	< 0.1	µg/l	0.2	
Chlorophenols <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>		-			
2-chlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l	0.5	
3-chlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l	0.5	



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
4-chlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
Sum of Monochlorophenols <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l				
2,3-dichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,4-dichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,5-dichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,6-dichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
3,4-dichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
3,5-dichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
Sum of Dichlorophenols <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l				
2,3,4-trichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,3,5-trichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,3,6-trichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,4,5-trichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,4,6-trichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
3,4,5-trichlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
Sum of Trichlorophenols <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l				
2,3,4,5-tetrachlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,3,4,6-tetrachlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
2,3,5,6-tetrachlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
Sum of Tetrachlorophenols <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l				
Pentachlorophenol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M-7</i>	*	< 0.5	µg/l		0.5		
N,N-di-methylformamide <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M26</i>		-					
Dimethylformamide <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M26</i>	*	5.93	µg/l		1000		
Dyes - Azo (Forming restricted amines) <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>		-					
2-naphthylamine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l		0.1		



Result	Concentration	Uncertainty	UM	Limits	
				Min	Max
2-naphthylammonium acetate <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2,4-xylydine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2,4,5-trimethylaniline <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2,4,5-Trimethylaniline hydrochloride <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2,6-xylydine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
3,3'-dichlorobenzidine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
o-dianisidine (3,3'-dimethoxybenzidine) <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
o-tolidine (3,3'-dimethylbenzidine) <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4-aminoazobenzene <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4-aminobiphenyl <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4-chloro-o-toluidine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4-chloro-o-toluidine chloride <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4-chloroaniline <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2,4-Diaminoanisole sulfate <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2,4-diaminoanisole <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2,4-toluenediamine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
3,3'-dichloro-4,4'-diaminodiphenylmethane <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
3,3'-dimethyl-4,4'-diaminodiphenylmethane <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4,4'-diaminodiphenylmethane <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4,4'-diaminodiphenyl ether <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
4,4'-diaminodiphenyl sulphide <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
2-amino-4-nitrotoluene <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
p-cresidine (2-methoxy-5-methylaniline) <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
benzidine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
o-aminoazotoluene <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	



Result	Concentration	Uncertainty	UM	Limits	
				Min	Max
o-anisidine (2-methoxyaniline) <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
o-toluidine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l	0.1	
Aniline <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l		
p-phenylenediamine <i>EPA 8270E:2018 (Cfr. ISO 14362-1:2017) + OEKO-TEX® STD M-3</i>	*	< 0.1	µg/l		
Dyes - Carcinogenic <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>		-			
Basic Green 4 (malachite green chloride) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Basic Green 4 (malachite green oxalate) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Basic Green 4 (malachite green) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Basic Blue 26 (C.I. 44045) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	ug/l	500	
Basic Red 9 (C.I. 42 500) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Basic Violet 3 (C.I. 42535) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Basic Violet 14 (C.I. 42 510) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Acid Violet 49 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	ug/l	500	
Acid Red 26 (C.I. 16 150) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Direct Black 38 (C.I. 30 235) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Direct Blue 6 (C.I. 22 610) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Direct Red 28 (C.I. 22 120) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Disperse Orange 11 (C.I. 60 700) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Disperse Blue 1 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Disperse Blue 3 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	500	
Dyes - Disperse <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>		-			
Disperse Orange 1 (C.I. 11 080) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	50	
Disperse Orange 3 (C.I. 11 005) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	50	
Disperse Orange 37/59/76 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	50	
Disperse Blue 7 (C.I. 62 500) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l	50	



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Disperse Blue 26 (C.I. 63 305) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Blue 35 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Blue 102 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Blue 106 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Blue 124 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Yellow 1 (C.I. 10 345) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Yellow 3 (C.I. 11 855) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Yellow 9 (C.I. 10 375) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Yellow 39 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Yellow 49 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Brown 1 <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Red 1 (C.I. 11 110) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Red 11 (C.I. 62 015) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Disperse Red 17 (C.I. 11 210) <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	µg/l		50		
Flame retardants <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>		-					
2,2-bis(bromomethyl)-1,3-peopane-diol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Bis(2,3-dibromopropyl)phosphate (BIS) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tetrabromo-bisphenol A (TBBPA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tris(1-chloro-2-propyl) phosphate (TCPP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tris(1-aziridinyl)phosphine oxide (TEPA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tris(1,3-dicloro-2-propil) phosphate (TDCP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tris(2-chloroethyl) phosphate (TCEP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tris(2,3-dibromopropyl)-phosphate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Polybromobiphenyls (PBBs) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Monobromobiphenyls (MonoBB) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Dibromobiphenyls (DiBB) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Octabromobiphenyls (OctaBB) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Nonabromobiphenyls (NonaBB) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Decabromobiphenyl (DecaBB) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Monobromo diphenyl ethers (MonoBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tribromo diphenyl ethers (TriBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Tetrabromo diphenyl ethers (TetraBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Pentabromo diphenyl ether (pentaBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Hexabromo diphenyl ethers (HexaBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Heptabromo diphenyl ethers (HeptaBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Octabromo diphenyl ethers (OctaBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Nonabromobiphenylethers (NonaBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Decabromobiphenylethers (DecaBDE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Hexabromocyclododecane (HBCDD) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Dibromopropylether <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M30</i>	*	< 0.5	µg/l		25		
Glycols <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>		-					
2-methoxyethanol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
2-ethoxyethanol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
2-ethoxyethyl acetate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
2-methoxyethyl acetate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
2-methoxypropyl acetate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
Bis(2-methoxyethyl)-ether <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
Ethylene glycol dimethyl ether <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
Triethylene glycol dimethyl ether <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M31</i>	*	< 50	ug/l		50		
Organic-Tin Compounds <i>UNI EN ISO 17353:2006</i>		-					



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Dipropyltin (DPT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Monobutyltin (MBT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Dibutyltin dichloride (DBTC) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Tributyltin (TBT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Tributyltin oxide (TBTO) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Tetrabutyltin (TeBT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Monomethyltin (MMT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Dimethyltin (DMT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Trimethyltin (TMT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Monooctyltin (MOT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Dioctyltin (DOT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Trioctyltin (TOT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Tetraoctyltin (TeOT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Monophenyltin (MPht) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Diphenyltin (DPht) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Triphenyltin (TPht) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Tricyclohexyltin (TCHT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Tripopyltin (TPT) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Tetraethyltin (TeET) <i>UNI EN ISO 17353:2006</i>	*	< 0.01	µg/l		0.01		
Perfluorinated and Polyfluorinated Chemicals (PFCs) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>		-					
Perfluorooctane sulfonates (PFOS) and related substance <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	0.13	µg/l	N	0.01		
Perfluorooctanoic acid and related substances <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluorooctanoic acid (PFOA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluorononanoic acid (PFNA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluorobutanesulfonic acid (PFBS) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Perfluorooctane sulfonates (PFOS) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
Perfluorohexanesulfonic acid (PFHxS) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
Perfluorohexanoic acid (PFHxA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Heptafluorobutyric acid (PFBA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluoropentanoic acid (PFPeA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluoroheptanoic acid (PFHpA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluorodecanoic acid (PFDA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Henicosafuoroundecanoic acid (PFUdA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluorododecanoic acid (PFDoA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluorotridecanoic acid (PFTrDA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Heptacosafuorotetradecanoic acid (PFTeA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
Perfluoroheptanesulfonic acid (PFHpS) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
Perfluorodecansulfonic acid (PFDS) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
Perfluoro-3,7-dimethyloctanoic acid <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
7HPFHpA <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
4-H-perfluoro undecanoic acid (4HPFUa) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		1		
1H,1H,2H,2H-PFOS <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
1H,1H,2H,2H-Perfluorohexan-1-ol (4:2 FTOH) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 1	µg/l		1		
1H,1H,2H,2H-Perfluorooctan-1-ol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 1	µg/l		1		
1H,1H,2H,2H-Perfluorodecan-1-ol (8:2 FTOH) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 1	µg/l		1		
1H,1H,2H,2H-Perfluorododecan-1-ol <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 1	µg/l		1		
Perfluoro-1-octanesulfonyl fluoride (POSF) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
Perfluorooctanesulfonamide (PFOSA) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
N-Methyl perfluorooctanesulfonamide <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		
N-ethyl perfluorooctanesulfonamide <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l		0.01		



Result	Concentration	Uncertainty	UM	Limits	
				Min	Max
N-methyl-FOSE alcohol (N-Me-FOSE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l	0.01	
N-ethyl-FOSE alcohol (N-Et-FOSE) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 0.01	µg/l	0.01	
1H,1H,2H,2H-perfluorooctyl acrylate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 1	µg/l	1	
1H,1H,2H,2H-perfluorodecyl acrylate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 1	µg/l	1	
1H,1H,2H,2H-perfluorododecyl acrylate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M22</i>	*	< 1	µg/l	1	
Phthalate <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>		-			
Di-cyclohexyl phtalate (DCHP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Diethyl phtalate (DEP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-iso-octyl phtalate (DIOP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Dinonyl phtalate (DNP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-n-propyl phtalate (DPRP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Dibutylphtalate (DBP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-(2-ethylhexyl)-phtalate (DEHP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Butylbenzylphtalate (BBP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-iso-nonylphtalate (DINP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-iso-decylphtalate (DIDP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-n-octylphtalate (DNOP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-iso-butylphtalate (DIBP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	1	µg/l	10	
Bis-(2-methoxyethyl)-phtalate (DMEP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-iso-heptylphtalate (DIHP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-C7-11-branched alkylphtalates (DHNUP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-n-hexylphtalate (DnHP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-n-pentylphtalate (DnPP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Di-iso-pentylphtalate (DIPP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	
Dipentylphtalate (DPP) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 M18</i>	*	< 1	µg/l	10	



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Polycyclic aromatic hydrocarbons <i>APAT CNR IRSA 5080 Man.29 2003</i>	*	-					
1-methylpyrene <i>APAT CNR IRSA 5080 Man.29 2003</i>	*	< 0.01	µg/l			1	
Acenaphthene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Acenaphthylene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Anthracene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Benzo[a]anthracene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Benzo[a]pyrene (BaP) <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Benzo[b]fluoranthene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Benzo[e]pyrene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Benzo[g,h,i]perylene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Benzo[j]fluoranthene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Benzo[k]Fluoranthene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Chrysene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Dibenzo[a,h]anthracene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Phenanthrene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Fluoranthene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Fluorene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Indeno[1,2,3-cd]pyrene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Naphthalene <i>APAT CNR IRSA 5080 Man.29 2003</i>		0.10	µg/l			1	
Pyrene <i>APAT CNR IRSA 5080 Man.29 2003</i>		< 0.01	µg/l			1	
Volatile Organic Compounds <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	-					
Benzene <i>ISO 11423-1:1997</i>	*	< 1	µg/l			1	
m-Cresol <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	1	µg/l			1	
o-Cresol <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	< 1	µg/l			1	
p-Cresol <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	1	µg/l			1	



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Xylene <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	< 1	µg/l		1		
Toluene <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	< 1	µg/l		1		
Halogenated Solvent <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>		-					
Dichloromethane <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	< 1	µg/l		1		
1,2-dichloroethane <i>ISO 11423-1:1997</i>	*	< 1	µg/l		1		
Trichloroethylene <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	< 1	µg/l		1		
Tetrachloroethylene <i>EPA 3510C 1996 + EPA 8260D 2018 + OEKO-TEX® STD 201 M31</i>	*	< 1	µg/l		1		
UV absorbers <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP-18</i>		-					
UV 320 <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP-18</i>	*	< 1	ug/l		100		
UV 327 <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP-18</i>	*	< 1	ug/l		100		
UV 328 <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP-18</i>	*	< 1	ug/l		100		
UV 350 <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP-18</i>	*	< 1	ug/l		100		
Other/Miscellaneous Chemicals <i>EPA 3510C 1996 + EPA 8270E 2018</i>		-					
AEEA <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP37</i>	*	< 20	ug/l		500		
thiourea <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP36</i>	*	< 5	ug/l		50		
2,2-bis(4-hydroxyphenyl)propane (Bisphenol A) <i>EPA 3510C 1996 + EPA 8270E 2018 + OEKO-TEX® STD 201 MEP-18</i>	*	< 0.5	ug/l		10		
Quinoline <i>EPA 3510C 1996 + EPA 8321B 2007 + OEKO-TEX® STD M-4</i>	*	< 1	ug/l		50		

(*): no accredited by Accredia



CENTROCOT
Innovation experience



LAB N° 0033 L

Notes

Other substances detected:

- Toluene 0.98 ug/l
- Dichloromethane 0.21 ug/l
- Tetrachloroethylene 0.51 ug/l

Other VOCs detected:

- Chloroform 0.20 ug/l
- Styrene 0.34 ug/l
- Naphthalene 0.13 ug/l

The tests indicated by the symbol "*" do not fall within the ACCREDIA accreditation scope of the laboratory. If carried out by the laboratory, the sampling is conducted with a method not falling within the scope of accreditation ACCREDIA of the Laboratory.

The analytical results are not corrected by the laboratory for the recovery factor.

The measurement uncertainty indicated corresponds to the expanded uncertainty with coverage factor $k = 2$ at a level of probability $p = 95\%$.

When preceded by the symbol "<", the result refers to the lower limit of quantification of the method.

The recoveries guaranteed by the laboratory for tests that require extraction from the matrix and / or reduction in volume of the extracts are between 80% and 120%.

If present, opinions and observations do not fall within the ACCREDIA accreditation.

If the sample is not taken by technicians of Centro Tessile Cottoniero e abbigliamento S.p.A., the identification data inserted in the test report are provided by the customer under his own responsibility and the results can be found at sample as received.

Tests marked with the symbol "N" exceed the "Foundational limits" for ZDHC protocol Simple acceptance - Associated risk level: see ILAC G8:09/2019

Issue date

26/02/2025

**Area Manager - Chemical and Biological
Safety Analysis Laboratories**
dott.ssa Letizia Bregola

End of Test Report **25TA00007**



CENTROCOT
Innovation experience

Centro Tessile Cottoniero e Abbigliamento S.p.A.
Piazza S. Anna, 2 Busto Arsizio (VA)
Tel. 0331 696711 Fax 0331 680056
email info@centrocot.it web www.centrocot.it
C.F. e P.IVA 01724710122



LAB N° 0033 L

Test Report **25TA00008**
of **26/02/2025**

Messrs
E. MIROGLIO EAD
Industrial District - P.O. Box 360
8800 SLIVEN - BG

Tests to verify compliance with ZDHC parameters

Receiving date 20/01/2025
Receipt date 20/01/2025
Starting date of sampling 17/01/2025 **Starting time of sampling** 06.00
End date of sampling 17/01/2025 **End time of sampling** 12.00
Description Output water
Identification Waste water_indirect discharge with pre-treatment with sludge
Customer E. MIROGLIO EAD
Sampling collected by Kolev Krasimir - ZDHC-A-23-E-C001068-R3366-1E695
Project number O-P-2356
Type of sampling Manual (6 hours)
Sampling location Yambol Plant
Sampling procedure PG 22 rev.3
Time of conservation 4 days
Water flow rate -
Temperature at receivment 5°C

Test began on 21/01/2025 **Test ended on** 10/02/2025

Limit values

ZDHC - Wastewater Guidelines 2.2 2024

Tests

80233 Water and industrial wastewater. Conventional parameters, anions and metals in accordance with Tables 2-3
ZDHC Wastewater Guidelines Version 2.2 2024



Result	Concentration	Uncertainty	UM	Limits	
				Min	Max
Metals <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	-				
Antimony <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	0.0061		mg/l	0.1	
Silver <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	* < 0.0025		mg/l	0.1	
Arsenic <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	< 0.0025		mg/l	0.05	
Cadmium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	< 0.0025		mg/l	0.1	
Cobalt <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	< 0.0025		mg/l	0.05	
Chromium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	0.06		mg/l	0.2	
Mercury <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	< 0.0005		mg/l	0.01	
Nikel <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	* < 0.0025		mg/l	0.2	
Lead <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	< 0.0025		mg/l	0.1	
Copper <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	0.0051		mg/l	1	
Zinc <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	0.10		mg/l	5	
Barium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	* 0.0151		mg/l		
Selenium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	* 0.0033		mg/l		
Boron <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	* 0.14		mg/l	N	0.1
Tin <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	* < 0.0025		mg/l		
Chromium VI <i>UNI EN ISO 18412:2006</i>	* < 0.05		mg/l		0.05
Total Suspended Solids <i>UNI EN 872:2005</i>	15.2		mg/l		

(*): no accredited by Accredia



CENTROCOT
Innovation experience



LAB N° 0033 L

Notes

The tests indicated by the symbol "***" do not fall within the ACCREDIA accreditation scope of the laboratory. If carried out by the laboratory, the sampling is conducted with a method not falling within the scope of accreditation ACCREDIA of the Laboratory.

The analytical results are not corrected by the laboratory for the recovery factor.

The measurement uncertainty indicated corresponds to the expanded uncertainty with coverage factor $k = 2$ at a level of probability $p = 95\%$.

When preceded by the symbol "<", the result refers to the lower limit of quantification of the method.

The recoveries guaranteed by the laboratory for tests that require extraction from the matrix and / or reduction in volume of the extracts are between 80% and 120%.

If present, opinions and observations do not fall within the ACCREDIA accreditation.

If the sample is not taken by technicians of Centro Tessile Cottoniero e abbigliamento S.p.A., the identification data inserted in the test report are provided by the customer under his own responsibility and the results can be found at sample as received.

Tests marked with the symbol "N" exceed the "Foundational limits" for ZDHC protocol
Simple acceptance - Associated risk level: see ILAC G8:09/2019

Issue date

26/02/2025

**Area Manager - Chemical and Biological
Safety Analysis Laboratories**
dott.ssa Letizia Bregola

End of Test Report **25TA00008**



CENTROCOT
Innovation experience

Centro Tessile Cottoniero e Abbigliamento S.p.A.
Piazza S. Anna, 2 Busto Arsizio (VA)
Tel. 0331 696711 Fax 0331 680056
email info@centrocot.it web www.centrocot.it
C.F. e P.IVA 01724710122



LAB N° 0033 L

Test Report

25TA00009

of **26/02/2025**

Messrs
E. MIROGLIO EAD
Industrial District - P.O. Box 360
8800 SLIVEN - BG

Tests to verify compliance with ZDHC parameters

Receiving date 20/01/2025
Receipt date 20/01/2025
Starting date of sampling 17/01/2025 **Starting time of sampling** 06.00
End date of sampling 17/01/2025 **End time of sampling** 12.00
Description Sludge
Identification Sludge_indirect discharge with pre-treatment with sludge
Customer E. MIROGLIO EAD
Sampling collected by Kolev Krasimir - ZDHC-A-23-E-C001068-R3366-1E695
Project number O-P-2356
Type of sampling Manual (6 hours)
Sampling location Yambol Plant
Sampling procedure PG 22 rev.3
Time of conservation 4 days
Water flow rate NA
Type of sludge Solid
Test began on 21/01/2025 **Test ended on** 17/02/2025

Limit values

ZDHC - Wastewater Guidelines 2.2-2024 Tabelle 4A-4C

Tests

80235 Sludges. Specific parameters for sewage sludge in accordance with Tables 4A-4D ZDHC Wastewater Guidelines Version 2.2 2024



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Coliform <i>KIT Standard (Cfr. ISO 9308-3)</i>	*	260.3	MPN/g		1000		
Cyanide <i>ISO 11262:2011 + US EPA 9014</i>	*	< 1	mg/kg s.s.		70		
Paint Filter Test <i>US EPA 9095B</i>	*	PASS					
pH <i>EPA SW 9045D</i>	*	6.6	Unità pH	6.5	9		
Total solid residue <i>US EPA 160.3</i>	*	19	%				
Antimony <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		3.1	mg/kg s.s.		5		
Silver <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>	*	< 0.5	mg/kg s.s.		50		
Arsenic <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		0.95	mg/kg s.s.		5		
Barium <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>	*	24.8	mg/kg s.s.		200		
Cadmium <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		0.75	mg/kg s.s.		1		
Cobalt <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		17.0	mg/kg s.s.		400		
Chromium <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		2598	mg/kg s.s.	N	50		
Mercury <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		0.10	mg/kg s.s.		1		
Nickel <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>	*	15.9	mg/kg s.s.		20		
Lead <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		3.9	mg/kg s.s.		5		
Copper <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		337	mg/kg s.s.	N	50		
Selenium <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>	*	2.1	mg/kg s.s.		5		
Zinc <i>UNI EN 13657:2004 + UNI EN ISO 17294-2:2016</i>		4144	mg/kg s.s.	N	400		
Hexavalent Chromium <i>CNR IRSA 16 Q.64 Vol.3 1986</i>		< 2	mg/kg s.s.		20		
Polycyclic Aromatic Hydrocarbons <i>EPA 3545A 2007 + EPA 8270E 2018</i>		-					
Acenaphthene <i>EPA 3545A 2007 + EPA 8270E 2018</i>		< 0.01	mg/kg s.s.		0.2		
Acenaphthylene <i>EPA 3545A 2007 + EPA 8270E 2018</i>		< 0.01	mg/kg s.s.		0.2		
Anthracene <i>EPA 3545A 2007 + EPA 8270E 2018</i>		< 0.01	mg/kg s.s.		0.2		
Benzo[a]anthracene <i>EPA 3545A 2007 + EPA 8270E 2018</i>		< 0.01	mg/kg s.s.		0.2		
Dibenzo[a,h]anthracene <i>EPA 3545A 2007 + EPA 8270E 2018</i>		< 0.01	mg/kg s.s.		0.2		



Result	Concentration	Uncertainty	UM	Limits	
				Min	Max
Benzo[a]pyrene (BaP) <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Benzo[b]fluoranthene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Benzo[e]pyrene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	* < 0.01		mg/kg s.s.	0.2	
Benzo[g,h,i]perylene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Benzo[j]fluoranthene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Benzo[k]Fluoranthene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Chrysene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Phenanthrene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Fluorene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Indeno[1,2,3-cd]pyrene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
1-methylpyrene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Naphthalene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	< 0.01		mg/kg s.s.	0.2	
Pyrene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	0.03		mg/kg s.s.	0.2	
Fluoranthene <i>EPA 3545A 2007 + EPA 8270E 2018</i>	0.05		mg/kg s.s.	0.2	
Alkylphenols & Alkylphenols ethoxylated <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	-				
4-Nonylphenol <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
4-Nonylphenol (branched) <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
4-Nonylphenol (branched) <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
4-octylphenol <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
Nonylphenol <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
NPEO (1-20) <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
Octylphenol <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
OPEO (1-20) <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M25</i>	* < 0.4		mg/kg s.s.	0.4	
Chlorinated benzenes and toluenes <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	* -				
2,4,6-Trichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	* < 0.2		mg/kg s.s.	0.2	



Result	Concentration	Uncertainty	UM	Limits	
				Min	Max
2-Chlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
3,4,5-Trichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
3-Chlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
4-Chlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,3-Dichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,4-Dichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,5-dichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,6-Dichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
3,4-Dichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
3,5-Dichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,3,4-Trichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,3,6-Trichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,4,5-Trichlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,3,4,5-Tetrachlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,3,5,6-Tetrachlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
2,3,4,6-Tetrachlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
Pentachlorotoluene <i>EPA 3550C 2007 + EPA 8270E 2018 + OEKO-TEX® STD 201 M2</i>	*	< 0.2	mg/kg s.s.	0.2	
Leachate <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	-			
Silver <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	< 0.0025	mg/l		
Arsenic <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	0.023	mg/l		
Barium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	0.0301	mg/l		
Antimony <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	0.0241	mg/l		
Cadmium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	< 0.0025	mg/l		
Chromium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>		3.98	mg/l		
Cobalt <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	0.0464	mg/l		



Result	Concentration	Uncertainty	UM	Limits			
				Min	Max	Min	Max
Nikel <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	0.0278	mg/l				
Mercury <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	< 0.0005	mg/l				
Lead <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	0.005	mg/l				
Copper <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>		0.10	mg/l				
Selenium <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	0.0164	mg/l				
Zinc <i>UNI EN ISO 15587-2:2002 + UNI EN ISO 17294-2:2016</i>	*	1.1	mg/l				

(*): no accredited by Accredia



CENTROCOT
Innovation experience



LAB N° 0033 L

Notes

The tests indicated by the symbol "***" do not fall within the ACCREDIA accreditation scope of the laboratory. If carried out by the laboratory, the sampling is conducted with a method not falling within the scope of accreditation ACCREDIA of the Laboratory.

The analytical results are not corrected by the laboratory for the recovery factor.

The measurement uncertainty indicated corresponds to the expanded uncertainty with coverage factor $k = 2$ at a level of probability $p = 95\%$.

When preceded by the symbol "<", the result refers to the lower limit of quantification of the method.

The recoveries guaranteed by the laboratory for tests that require extraction from the matrix and / or reduction in volume of the extracts are between 80% and 120%.

If present, opinions and observations do not fall within the ACCREDIA accreditation.

If the sample is not taken by technicians of Centro Tessile Cottoniero e abbigliamento S.p.A., the identification data inserted in the test report are provided by the customer under his own responsibility and the results can be found at sample as received.

Tests marked with the symbol "N" exceed the "Foundational limits" for ZDHC protocol

Simple acceptance - Associated risk level: see ILAC G8:09/2019

Issue date

26/02/2025

**Area Manager - Chemical and Biological
Safety Analysis Laboratories**
dott.ssa Letizia Bregola

End of Test Report **25TA00009**