

Date of sampling	24/03/2025
Reporting date	29/03/2025

Audit ID	22244	Audit firm	SGS Shanghai
Company name	HIGH FASHION SILK (ZHEJIANG) CO., LTD.		
Contact person	Kairong Yao		
Type of tax – tax ID no	91330600736005605K		
Address	Nanyan High-Tech Development Zone, Xinchang County, Shaoxing City, Zhejiang Province		
Region state province	Zhejiang		
Town city / village	Shaoxing		
Zip / Post code	312500		

<b>Type of wastewater discharge</b>	
Type of wastewater discharge	Indirect Discharge w/ Pre-treatment (w/ Sludge)
Description of the discharge	Discharge to Centralized Wastewater Treatment Plant: Shengzhou Shouchuang Sewage Treatment Co., Ltd. Address: Yankeng Village, Xianyan Town, Shengzhou City, Zhejiang Province
[If direct discharge] Temperature of receiving water body:	Not applicable

<b>Type of sludge disposal pathway</b>	
Type of sludge disposal pathway	Pathway A

<b>Type of treatment*</b>	
PRELIMINARY	<input type="checkbox"/> Screening/Sieving/Grit remover (< 6 mm) <input type="checkbox"/> Screening/Sieving/Grit remover (≥ 6 mm) <input checked="" type="checkbox"/> Homogenization tank <input checked="" type="checkbox"/> pH Correction <input type="checkbox"/> Other (please specify):
PRIMARY	<input checked="" type="checkbox"/> Coagulation/Flocculation <input checked="" type="checkbox"/> Dissolved air flotation (DAF) <input checked="" type="checkbox"/> Sedimentation tanks or Settler/Clarifier <input type="checkbox"/> Other (please specify):
SECONDARY/BIOLOGICAL	<input checked="" type="checkbox"/> Activated sludge process. Aerobic reactor <input type="checkbox"/> Biological Biofilm reactor (MBBR, SAF, RBC..) <input type="checkbox"/> Sequencing batch reactor (SBR) <input type="checkbox"/> Other (please specify):



SGS-CSTC (Shanghai) Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

TERTIARY	<input type="checkbox"/> Absorption with activated carbon <input type="checkbox"/> High rate filtration <input type="checkbox"/> Techniques (ozone, Fenton reaction, photo catalytic degradation...) <input type="checkbox"/> Other (please specify):
----------	--

\*The information has been provided by the factory.

Sampler accreditation certification number (ZDHC):	C74D106818116
Sampling affiliate	SGS Shanghai

Sample description			
	Simple	Composite	Comments
(1) Untreated wastewater	Light pink, grab sample at 12:30	-	pH: 6.3 Temperature: 28.5 °C
(2) Effluent	-	Near colorless, composite sample at 9:10, 10:10, 11:10, 12:10, 13:10, 14:10, 15:10	pH: 7.0 Temperature: 23.6 °C
(3) Sludge	Khaki, grab sample at 14:30	-	-
(4) Leachate	NO	-	-



SGS-CSTC Shanghai Technical Services Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

Internal description – Final Test Report	
Testing laboratory	SGS Shanghai
Internal codification number (report number)	SL52505285767701TX
Reference sample number (sample ID)	-
Received on	25/03/2025
Analysis carried out from	25/03/2024 to 29/03/2025
Arrival temperature at lab	6.7 °C
Comments	1. Samples received within 24 hours.

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd



Linda Wang (Authorized Signatory)



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.  
 Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

Summary of test results				
Test items	Untreated wastewater	Effluent	Sludge	Leachate
Conventional Parameters and Anions	-	Please refer to the information in TEST RESULTS	-	-
Heavy Metals	-	Fulfill aspirational limit	-	-
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	ND	-	Sample and report only	-
Antimicrobials and Biocides	ND	-	-	-
Chlorinated Parafins	ND	-	-	-
Chlorobenzenes & Chlorotoluenes	ND	-	Sample and report only	-
Chlorophenols	ND	-	-	-
N,N-di-methylformamide (DMFa)	ND	-	-	-
Dyes – Carcinogenic or Equivalent Concern	ND	-	-	-
Dyes – Disperse (Allergenic)	ND	-	-	-
Flame Retardants	ND	-	-	-
Glycols / Glycol Ethers	ND	-	-	-
Halogenated Solvents	ND	-	-	-
Organotin Compounds	ND	-	-	-
Other / Miscellaneous Chemicals	ND	-	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)	ND	-	-	-
Phthalates – including all other esters of ortho-phthalic acid	ND	-	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)	ND	-	Sample and report only	-
Restricted Aromatic Amines (Cleavable from Azo-colourants)	ND	-	-	-
UV Absorbers	ND	-	-	-
Volatile Organic Compounds (VOC)	ND	-	-	-

Sludge disposal pathway	
Comply sludge disposal pathway	NA

**Remark (indicated in each parameter)**

- ND = Not detected (< ZDHC requirements)
- D = Detected (≥ ZDHC requirements)
- NA = Not applicable
- = Not required to be tested



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd. Inspection & Testing Services  
Softline Laboratory

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Test results

Wastewater

1. Conventional Parameters and Anions

Test Items	Test method	Limit			Reporting Limit	Result	Unit
		Foundational	Progressive	Aspirational		Effluent	
Wastewater Flowrate	-	-			NA	300 *	m <sup>3</sup> /day

Remark

NA = Not applicable

- = Not required to be tested

\*= Test data is provided by the client



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

**2. Heavy Metals**

Cr (VI): GB/T 7467-1987

Hg: HJ 694-2014

Others: US EPA 200.8:1994

Test items	CAS no.	Limit			Reporting Limit	Result	Unit
		Foundational	Progressive	Aspirational		Effluent	
Arsenic (As)	-	Textile and Leather: 0.05	Textile and Leather: 0.01	Textile and Leather: 0.005	0.005	ND	mg/L
Cadmium (Cd)	-	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.01	0.01	ND	mg/L
Mercury (Hg)	-	Textile and Leather: 0.01	Textile and Leather: 0.005	Textile and Leather: 0.001	0.001	ND	mg/L
Lead (Pb)	-	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.01	0.01	ND	mg/L
Chromium VI (Cr VI)	-	Textile: 0.05 Leather: 0.15	Textile: 0.005 Leather: 0.05	Textile: 0.001 Leather: 0.02	0.001	ND	mg/L

**3. Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs): including all isomers**

NP/OP: With reference to ISO 18857-2:2009

NPEO / OPEO: With reference to ISO 18857-2:2009 or ASTM D7742-17

Test items	CAS no.	Reporting limit	Result	Unit
			Untreated Wastewater	
Nonylphenol ethoxylates (NPEO)	Multiple including: 9016-45-9 / 26027-38-3 / 37205-87-1 / 68412-54-4 / 127087-87-0	Textiles and Leather: 5	ND	µg/L
Nonylphenol (NP), mixed isomers	Multiple including: 104-40-5 / 11066-49-2 / 25154-52-3 / 84852-15-3	Textiles and Leather: 5	ND	µg/L
Octylphenol ethoxylates (OPEO)	Multiple including: 9002-93-1 / 9036-19-5 / 68987-90-6	Textiles and Leather: 5	ND	µg/L
Octylphenol (OP), mixed isomers	Multiple including: 140-66-9 / 1806-26-4 / 27193-28-8	Textiles and Leather: 5	ND	µg/L



**4. Antimicrobials and Biocides**

o-Phenylphenol (+salts): With reference to BS EN 12673:1999

Triclosan, Permethrin: With reference to US EPA 3510C:1996 & 8270E:2018

Test items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
o-Phenylphenol (+salts)	90-43-7	Textiles: 100 Leather: Sample and Report Only	ND	µg/L
Triclosan	3380-34-5	Textiles and Leather: 100	ND	µg/L
Permethrin	Multiple including: 52645-53-1	Textiles and Leather: 500	ND	µg/L

**5. Chlorinated Paraffins**

With reference to ISO 12010:2019

Test items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	Textiles and Leather: 500	ND	µg/L
Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	85535-84-8	Textiles and Leather: 25	ND	µg/L



6. Chlorobenzenes & Chlorotoluenes

3-Chlorotoluene, 4-Chlorotoluene: With reference to US EPA 8260D: 2018

Others: With reference to US EPA 3510C:1996 & 8270E:2018

Test item	CAS no.	Reporting limit	Result	Unit
			Untreated Wastewater	
1,2-Dichlorobenzene	95-50-1	Textiles and Leather: 0.2	ND	µg/L
Monochlorobenzene	108-90-7	Textiles and Leather: 0.2	ND	µg/L
1,3-Dichlorobenzene	541-73-1	Textiles and Leather: 0.2	ND	µg/L
1,4-Dichlorobenzene	106-46-7	Textiles and Leather: 0.2	ND	µg/L
1,2,3-Trichlorobenzene	87-61-6	Textiles and Leather: 0.2	ND	µg/L
1,2,4-Trichlorobenzene	120-82-1	Textiles and Leather: 0.2	ND	µg/L
1,3,5-Trichlorobenzene	108-70-3	Textiles and Leather: 0.2	ND	µg/L
1,2,3,4-Tetrachlorobenzene	634-66-2	Textiles and Leather: 0.2	ND	µg/L
1,2,3,5-Tetrachlorobenzene	634-90-2	Textiles and Leather: 0.2	ND	µg/L
1,2,4,5-Tetrachlorobenzene	95-94-3	Textiles and Leather: 0.2	ND	µg/L
Pentachlorobenzene	608-93-5	Textiles and Leather: 0.2	ND	µg/L
Hexachlorobenzene	118-74-1	Textiles and Leather: 0.2	ND	µg/L
2-Chlorotoluene	95-49-8	Textiles and Leather: 0.2	ND	µg/L
3-Chlorotoluene	108-41-8	Textiles and Leather: 0.2	ND	µg/L
4-Chlorotoluene	106-43-4	Textiles and Leather: 0.2	ND	µg/L
2,3-Dichlorotoluene	32768-54-0	Textiles and Leather: 0.2	ND	µg/L
2,4-Dichlorotoluene	95-73-8	Textiles and Leather: 0.2	ND	µg/L
2,5-Dichlorotoluene	19398-61-9	Textiles and Leather: 0.2	ND	µg/L
2,6-Dichlorotoluene	118-69-4	Textiles and Leather: 0.2	ND	µg/L
3,4-Dichlorotoluene	95-75-0	Textiles and Leather: 0.2	ND	µg/L
3,5-Dichlorotoluene	25186-47-4	Textiles and Leather: 0.2	ND	µg/L
2,3,4-Trichlorotoluene	7359-72-0	Textiles and Leather: 0.2	ND	µg/L
2,3,6-Trichlorotoluene	2077-46-5	Textiles and Leather: 0.2	ND	µg/L
2,4,5-Trichlorotoluene	6639-30-1	Textiles and Leather: 0.2	ND	µg/L
2,4,6-Trichlorotoluene	23749-65-7	Textiles and Leather: 0.2	ND	µg/L
3,4,5-Trichlorotoluene	21472-86-6	Textiles and Leather: 0.2	ND	µg/L
2,3,4,5-Tetrachlorotoluene	1006-32-2	Textiles and Leather: 0.2	ND	µg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Shanghai Technical Services (Shanghai) Co., Ltd.  
Softline Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

2,3,4,6-Tetrachlorotoluene	875-40-1	Textiles and Leather: 0.2	ND	µg/L
2,3,5,6-Tetrachlorotoluene	1006-31-1	Textiles and Leather: 0.2	ND	µg/L
Pentachlorotoluene	877-11-2	Textiles and Leather: 0.2	ND	µg/L

**7. Chlorophenols**

With reference to BS EN 12673:1999

Test items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
2-Chlorophenol	95-57-8	Textiles and Leather: 0.5	ND	µg/L
2,3-Dichlorophenol	576-24-9	Textiles and Leather: 0.5	ND	µg/L
2,3,4-Trichlorophenol	15950-66-0	Textiles and Leather: 0.5	ND	µg/L
2,3,5-Trichlorophenol	933-78-8	Textiles and Leather: 0.5	ND	µg/L
2,3,6-Trichlorophenol	933-75-5	Textiles and Leather: 0.5	ND	µg/L
2,4-Dichlorophenol	120-83-2	Textiles and Leather: 0.5	ND	µg/L
2,4,5-Trichlorophenol	95-95-4	Textiles and Leather: 0.5	ND	µg/L
2,4,6-Trichlorophenol	88-06-2	Textiles and Leather: 0.5	ND	µg/L
2,5-Dichlorophenol	583-78-8	Textiles and Leather: 0.5	ND	µg/L
2,6-Dichlorophenol	87-65-0	Textiles and Leather: 0.5	ND	µg/L
3-Chlorophenol	108-43-0	Textiles and Leather: 0.5	ND	µg/L
3,4-Dichlorophenol	95-77-2	Textiles and Leather: 0.5	ND	µg/L
3,4,5-Trichlorophenol	609-19-8	Textiles and Leather: 0.5	ND	µg/L
3,5-Dichlorophenol	591-35-5	Textiles and Leather: 0.5	ND	µg/L
4-Chlorophenol	106-48-9	Textiles and Leather: 0.5	ND	µg/L
Pentachlorophenol PCP	87-86-5	Textiles and Leather: 0.5	ND	µg/L
2,3,5,6-Tetrachlorophenol	935-95-5	Textiles and Leather: 0.5	ND	µg/L
2,3,4,6-Tetrachlorophenol	58-90-2	Textiles and Leather: 0.5	ND	µg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	Textiles and Leather: 0.5	ND	µg/L



SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
 Inspection & Testing Services  
 Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

**8. N,N-di-methylformamide (DMFa)**

With reference to US EPA 8015C:2007

Test item	CAS no.	Reporting Limit	Result	
			Untreated wastewater	Unit
N,N-di-methylformamide (DMFa)	68-12-2	Textiles: 1000 Leather: Sample and Report Only	ND	µg/L

**9. Dyes - Carcinogenic or Equivalent Concern**

With reference to inhouse method followed by LC-MS/MS

Test items	CAS no.	Reporting Limit	Result	
			Untreated wastewater	Unit
Basic violet 3 with >0.1% of Michler’s Ketone	548-62-9	Textiles and Leather: 500	ND	µg/L
C.I. Acid Red 26	3761-53-3	Textiles and Leather: 500	ND	µg/L
C.I. Acid Violet 49	1694-09-3	Textiles and Leather: 500	ND	µg/L
C.I. Basic Blue 26 (with Michler’s Ketone > 0.1%)	2580-56-5	Textiles and Leather: 500	ND	µg/L
C.I. Basic Green 4 (Malachite Green Chloride)^	569-64-2	Textiles and Leather: 500	ND	µg/L
C.I. Basic Green 4 (Malachite Green Oxalate)^	2437-29-8	Textiles and Leather: 500	ND	µg/L
C.I. Basic Green 4 (Malachite Green)	10309-95-2	Textiles and Leather: 500	ND	µg/L
C.I. Basic Red 9	569-61-9	Textiles and Leather: 500	ND	µg/L
C.I. Basic Violet 14	632-99-5	Textiles and Leather: 500	ND	µg/L
C.I. Direct Black 38	1937-37-7	Textiles and Leather: 500	ND	µg/L
C.I. Direct Blue 6	2602-46-2	Textiles and Leather: 500	ND	µg/L
C.I. Direct Red 28	573-58-0	Textiles and Leather: 500	ND	µg/L
C.I. Disperse Blue 1	2475-45-8	Textiles and Leather: 500	ND	µg/L
C.I. Disperse Blue 3	2475-46-9	Textiles and Leather: 500	ND	µg/L
Disperse Orange 11	82-28-0	Textiles and Leather: 500	ND	µg/L

\*Reported concentration refers to the dye part only



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Softline Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

10. Dyes - Disperse (Allergenic)

With reference to inhouse method followed by LC-MS/MS

Test Items	CAS no.	Reporting Limit	Result	
			Untreated wastewater	Unit
Disperse Blue 102	12222-97-8	Textiles: 50	ND	µg/L
Disperse Blue 106	12223-01-7	Textiles: 50	ND	µg/L
Disperse Blue 124	61951-51-7	Textiles: 50	ND	µg/L
Disperse Blue 26	3860-63-7	Textiles: 50	ND	µg/L
Disperse Blue 35	12222-75-2	Textiles: 50	ND	µg/L
Disperse Blue 35	56524-77-7	Textiles: 50	ND	µg/L
Disperse Blue 7	3179-90-6	Textiles: 50	ND	µg/L
Disperse Brown 1	23355-64-8	Textiles: 50	ND	µg/L
Disperse Orange 1	2581-69-3	Textiles: 50	ND	µg/L
Disperse Orange 3	730-40-5	Textiles: 50	ND	µg/L
Disperse Orange 37/59/76	13301-61-6	Textiles: 50	ND	µg/L
Disperse Red 1	2872-52-8	Textiles: 50	ND	µg/L
Disperse Red 11	2872-48-2	Textiles: 50	ND	µg/L
Disperse Red 17	3179-89-3	Textiles: 50	ND	µg/L
Disperse Yellow 1	119-15-3	Textiles: 50	ND	µg/L
Disperse Yellow 3	2832-40-8	Textiles: 50	ND	µg/L
Disperse Yellow 39	12236-29-2	Textiles: 50	ND	µg/L
Disperse Yellow 49	54824-37-2	Textiles: 50	ND	µg/L
Disperse Yellow 9	6373-73-5	Textiles: 50	ND	µg/L



SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

11. Flame Retardants

Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate anhydrous, Tetraboron disodium heptaoxide, hydrate: With reference to US EPA 200.8:1994

BBMP, BIS, TRIS: With reference to inhouse method followed by LC-MS/MS

Others: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result	
			Untreated wastewater	Unit
Boric acid	10043-35-3 / 11113-50-1	Textiles and Leather: 500*	ND (ND)**	µg/L
Diboron trioxide	1303-86-2	Textiles and Leather: 500*	ND (ND)**	µg/L
Disodium octaborate	12008-41-2	Textiles and Leather: 500*	ND (ND)**	µg/L
Disodium tetraborate, anhydrous	1303-96-4 / 1330-43-4	Textiles and Leather: 500*	ND (ND)**	µg/L
Tetraboron disodium heptaoxide, hydrate	12267-73-1	Textiles and Leather: 500*	ND (ND)**	µg/L
Hexabromocyclodecane (HBCDD)	3194-55-6	Textiles and Leather: 25	ND	µg/L
2,2-bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	Textiles and Leather: 25	ND	µg/L
Polybromobiphenyls (PBB)	59536-65-1	Textiles and Leather: 25	ND	µg/L
Monobromobiphenyls (MonoBB)	Multiple	Textiles and Leather: 25	ND	µg/L
Monobromodiphenylethers (MonoBDEs)	Multiple	Textiles and Leather: 25	ND	µg/L
Dibromobiphenyls (DiBB)	Multiple	Textiles and Leather: 25	ND	µg/L
Dibromopropylether	21850-44-2	Textiles and Leather: 25	ND	µg/L
Tribromodiphenylethers (TriBDEs)	Multiple	Textiles and Leather: 25	ND	µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	Textiles and Leather: 25	ND	µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	Textiles and Leather: 25	ND	µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	Textiles and Leather: 25	ND	µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	Textiles and Leather: 25	ND	µg/L
Octabromobiphenyls (OctaBB)	Multiple	Textiles and Leather: 25	ND	µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	Textiles and Leather: 25	ND	µg/L
Nonabromobiphenyls (NonaBB)	Multiple	Textiles and Leather: 25	ND	µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	Textiles and Leather: 25	ND	µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	Textiles and Leather: 25	ND	µg/L
Decabromodiphenyl ether (DecaBDE)	1163-19-5	Textiles and Leather: 25	ND	µg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
 Inspection & Testing Services  
 Softline Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
 t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Tetrabromobisphenol A (TBBPA)	79-94-7	Textiles and Leather: 25	ND	µg/L
Bis(2,3-dibromopropyl) phosphate (BDBPP)	5412-25-9	Textiles and Leather: 25	ND	µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	Textiles and Leather: 25	ND	µg/L
Tris(1-aziridinyl) phosphine oxide) (TEPA)	545-55-1	Textiles and Leather: 25	ND	µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	Textiles and Leather: 25	ND	µg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	Textiles and Leather: 25	ND	µg/L
Tris(2,3,-dibromopropyl)-phosphate (TRIS)	126-72-7	Textiles and Leather: 25	ND	µg/L

\* Limit refers to elemental boron, not the salt.

\*\*Result in term of elemental boron (Result in term of the corresponding boron salt)



SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

**12. Glycols/Glycol Ethers**

2-Ethoxyethanol, 2-Methoxyethanol, Ethylene glycol dimethyl ether, Triethylene glycol dimethyl ether: With reference to US EPA 8015C:2007  
 Others: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
2-ethoxyethanol	110-80-5	Textiles and Leather: 50	ND	µg/L
2-ethoxyethyl acetate	111-15-9	Textiles and Leather: 50	ND	µg/L
2-methoxyethanol	109-86-4	Textiles and Leather: 50	ND	µg/L
2-methoxyethylacetate	110-49-6	Textiles and Leather: 50	ND	µg/L
2-methoxypropylacetate	70657-70-4	Textiles and Leather: 50	ND	µg/L
Bis(2-methoxyethyl)-ether	111-96-6	Textiles and Leather: 50	ND	µg/L
Ethylene glycol dimethylether	110-71-4	Textiles and Leather: 50	ND	µg/L
Triethylene glycol dimethyl ether	112-49-2	Textiles and Leather: 50	ND	µg/L

**13. Halogenated solvents**

With reference to US EPA 8260D: 2018

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
1,2-Dichloroethane	107-06-2	Textiles and Leather: 1	ND	µg/L
Methylene chloride	75-09-2	Textiles and Leather: 1	ND	µg/L
Trichloroethene	79-01-6	Textiles and Leather: 1	ND	µg/L
Tetrachloroethene	127-18-4	Textiles and Leather: 1	ND	µg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Shanghai Technical Services (Shanghai) Co., Ltd.  
 Softline Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
 t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**14. Organotin compounds**

With reference to DIN EN ISO17353:2005 (E)

Test item	CAS no.	Reporting limit	Result	Unit
			Untreated Wastewater	
Dipropyltin Compounds (DPT)	Multiple including: 867-36-7	Textiles and Leather: 0.01	ND	µg/L
Mono-, di- and tri-butyltin derivatives	Multiple including: 1118-46-3, 1461-22-9	Textiles and Leather: 0.01	ND	µg/L
Monobutyltin (MBT)		Textiles and Leather: 0.01	ND	µg/L
Dibutyltin (DBT)		Textiles and Leather: 0.01	ND	µg/L
Tributyltin (TBT)		Textiles and Leather: 0.01	ND	µg/L
Mono-, di- and tri-methyltin derivatives	Multiple including: 993-16-8, 753-73-1, 1066-45-1	Textiles and Leather: 0.01	ND	µg/L
Monomethyltin (MMT)		Textiles and Leather: 0.01	ND	µg/L
Dimethyltin (DMT)		Textiles and Leather: 0.01	ND	µg/L
Trimethyltin (TMT)		Textiles and Leather: 0.01	ND	µg/L
Mono-, di- and tri-octyltin derivatives	Multiple including: 3091-25-6, 3542-36-7, 2587-76-0	Textiles and Leather: 0.01	ND	µg/L
Monooctyltin (MOT)		Textiles and Leather: 0.01	ND	µg/L
Diocetyl tin (DOT)		Textiles and Leather: 0.01	ND	µg/L
Triocetyl tin (TOT)		Textiles and Leather: 0.01	ND	µg/L
Mono-, di- and tri-phenyltin derivatives	Multiple including: 1124-19-2, 1135-99-5, 639-58-7	Textiles and Leather: 0.01	ND	µg/L
Monophenyltin (MPHT)		Textiles and Leather: 0.01	ND	µg/L
Diphenyltin (DPHT)		Textiles and Leather: 0.01	ND	µg/L
Triphenyltin (TPHT)		Textiles and Leather: 0.01	ND	µg/L
Tetrabutyltin Compounds (TeBT)	Multiple including: 1461-25-2	Textiles and Leather: 0.01	ND	µg/L
Tetraethyltin Compounds (TeET)	Multiple including: 597-64-8	Textiles and Leather: 0.01	ND	µg/L
Tetraoctyltin Compounds (TeOT)	Multiple including: 3590-84-9	Textiles and Leather: 0.01	ND	µg/L
Tricyclohexyltin (TCyHT)	Multiple including: 3091-32-5	Textiles and Leather: 0.01	ND	µg/L
Tripropyltin Compounds (TPT)	Multiple including: 2279-76-7	Textiles and Leather: 0.01	ND	µg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**15. Other/Miscellaneous Chemicals**

AEEA, Thiourea: With reference to inhouse method followed by LC-MS/MS

Bisphenol A: With reference to ISO 18857-2:2009

Quinoline: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Borate, zinc salt: US EPA 200.8:1994

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
AEEA [2-(2-aminoethylamino) ethanol]	111-41-1	Textiles and Leather: 500	ND	µg/L
Bisphenol A	80-05-7	Textiles and Leather: 10	ND	µg/L
Borate, zinc salt	12767-90-7	Textiles and Leather: 100*	B: ND (ND)** Zn: ND (ND)**	µg/L
Quinoline	91-22-5	Textiles and Leather: 50	ND	µg/L
Thiourea	62-56-6	Textiles and Leather: 50	ND	µg/L

\* Limit refers to boron and zinc individually, not the salt.

\*\* Result in term of elemental boron / zinc (Result in term of the corresponding boron / zinc salt)



SGS-CSTC Shanghai Technical Services Co., Ltd.  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

16. Perfluorinated and Polyfluorinated Chemicals (PFCs)

PFCs: With reference to US EPA 537.1:2020 & inhouse method

FTOH: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
Perfluorooctane sulfonate (PFOS)*	Multiple including: 1763-23-1	Textiles and Leather: 0.01	ND	µg/L
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	Textiles and Leather: 0.01	ND	µg/L
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	Textiles and Leather: 0.01	ND	µg/L
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (EtFOSE)	1691-99-2	Textiles and Leather: 0.01	ND	µg/L
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (MeFOSE)	24448-09-7	Textiles and Leather: 0.01	ND	µg/L
Perfluorooctane sulfonamide (PFOSA)	754-91-6	Textiles and Leather: 0.01	ND	µg/L
Perfluorooctanoic acid (PFOA)**	Multiple including: 335-67-1	Textiles and Leather: 1	ND	µg/L
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	Textiles and Leather: 1	ND	µg/L
Methyl Perfluorooctanoate (Me-PFOA)	376-27-2	Textiles and Leather: 1	ND	µg/L
Ethyl Perfluorooctanoate (Et-PFOA)	3108-24-5	Textiles and Leather: 1	ND	µg/L
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	Textiles and Leather: 1	ND	µg/L
1H,1H,2H,2H-Perfluorodecylacrylate (8:2 FTA)	27905-45-9	Textiles and Leather: 1	ND	µg/L
8:2 Fluorotelomer methacrylate (8:2 FTMA)	1996-88-9	Textiles and Leather: 1	ND	µg/L

\* PFOS refer to its salts/derivative including PFOS-K (CAS No.: 2795-39-3), PFOS-Li (CAS No.: 29457-72-5), PFOS-NH<sub>4</sub> (CAS No.: 29081-56-9), PFOS-NH(OH)<sub>2</sub> (CAS No.: 70225-14-8), PFOS-N(C<sub>2</sub>H<sub>5</sub>)<sub>4</sub> (CAS No.: 56773-42-3) and POSF (CAS No.: 307-35-7)

\*\* PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**17. Phthalates – including all other esters of ortho-phthalic acid**

With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
1,2-benzenedicarboxylic acid, di-C6-8 branched and linear alkyl esters, C7-rich (DIHP)	71888-89-6 / 84777-06-0	Textiles and Leather: 10	ND	µg/L
1,2-benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNUP)	68515-42-4 / 68515-50-4	Textiles and Leather: 10	ND	µg/L
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	Textiles and Leather: 10	ND	µg/L
Butyl benzyl phthalate (BBP)	85-68-7	Textiles and Leather: 10	ND	µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	Textiles and Leather: 10	ND	µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	Textiles and Leather: 10	ND	µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	Textiles and Leather: 10	ND	µg/L
Di-isobutyl phthalate (DIBP)	84-69-5	Textiles and Leather: 10	ND	µg/L
Di-isononyl phthalate (DINP)	28553-12-0	Textiles and Leather: 10	ND	µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	Textiles and Leather: 10	ND	µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	Textiles and Leather: 10	ND	µg/L
Di-n-pentylphthalates	131-18-0	Textiles and Leather: 10	ND	µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	Textiles and Leather: 10	ND	µg/L
Di(ethylhexyl) phthalate (DEHP)	117-81-7	Textiles and Leather: 10	ND	µg/L
Dibutyl phthalate (DBP)	84-74-2	Textiles and Leather: 10	ND	µg/L
Diethyl phthalate (DEP)	84-66-2	Textiles and Leather: 10	ND	µg/L
Diisopentylphthalates	605-50-5	Textiles and Leather: 10	ND	µg/L
Dinonyl phthalate (DNP)	84-76-4	Textiles and Leather: 10	ND	µg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Softline Laboratory

3<sup>rd</sup> Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**18. Polycyclic aromatic hydrocarbons (PAHs)**

With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
Acenaphthene	83-32-9	Textiles and Leather: 1	ND	µg/L
Acenaphthylene	208-96-8	Textiles and Leather: 1	ND	µg/L
Anthracene	120-12-7	Textiles and Leather: 1	ND	µg/L
Benzo(a)anthracene	56-55-3	Textiles and Leather: 1	ND	µg/L
Benzo(a)pyrene	50-32-8	Textiles and Leather: 1	ND	µg/L
Benzo(b)fluoranthene	205-99-2	Textiles and Leather: 1	ND	µg/L
Benzo(e)pyrene	192-97-2	Textiles and Leather: 1	ND	µg/L
Benzo(ghi)perylene	191-24-2	Textiles and Leather: 1	ND	µg/L
Benzo(j)fluoranthene	205-82-3	Textiles and Leather: 1	ND	µg/L
Benzo(k)fluoranthene	207-08-09	Textiles and Leather: 1	ND	µg/L
Chrysene	218-01-9	Textiles and Leather: 1	ND	µg/L
Dibenz(a,h)anthracene	53-70-3	Textiles and Leather: 1	ND	µg/L
Fluoranthene	206-44-0	Textiles and Leather: 1	ND	µg/L
Fluorene	86-73-7	Textiles and Leather: 1	ND	µg/L
Indeno (1,2,3-cd)pyrene	193-39-5	Textiles and Leather: 1	ND	µg/L
Naphthalene	91-20-3	Textiles and Leather: 1	ND	µg/L
Phenanthrene	85-01-8	Textiles and Leather: 1	ND	µg/L
Pyrene	129-00-0	Textiles and Leather: 1	ND	µg/L



SGS-CSTC Shanghai Technical Services Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

19. Restricted Aromatic Amines (Cleavable from Azo-colourants)

With reference to EN ISO 14362-1:2017, EN ISO 14362-3:2017 (if needed), US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
2-naphthylamine	91-59-8	Textiles and Leather: 0.1	ND	µg/L
2-naphthylammoniumacetate^	553-00-4	Textiles and Leather: 0.1	ND	µg/L
2,4-xylidine	95-68-1	Textiles and Leather: 0.1	ND	µg/L
2,4,5-trimethylaniline	137-17-7	Textiles and Leather: 0.1	ND	µg/L
2,4,5-trimethylaniline hydrochloride^	21436-97-5	Textiles and Leather: 0.1	ND	µg/L
2,6-xylidine	87-62-7	Textiles and Leather: 0.1	ND	µg/L
3,3'-dichlorobenzidine	91-94-1	Textiles and Leather: 0.1	ND	µg/L
3,3-dimethoxybenzidine	119-90-4	Textiles and Leather: 0.1	ND	µg/L
3,3-dimethylbenzidine	119-93-7	Textiles and Leather: 0.1	ND	µg/L
4-aminoazobenzene	60-09-3	Textiles and Leather: 0.1	ND	µg/L
4-aminodiphenyl	92-67-1	Textiles and Leather: 0.1	ND	µg/L
4-chloro-o-toluidine	95-69-2	Textiles and Leather: 0.1	ND	µg/L
4-chloro-o-toluidinium chloride^	3165-93-3	Textiles and Leather: 0.1	ND	µg/L
4-chloroaniline	106-47-8	Textiles and Leather: 0.1	ND	µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate^	39156-41-7	Textiles and Leather: 0.1	ND	µg/L
4-methoxy-m-phenylenediamine	615-05-4	Textiles and Leather: 0.1	ND	µg/L
4-methyl-m-phenylenediamine	95-80-7	Textiles and Leather: 0.1	ND	µg/L
4,4-methylene-bis-(2-chloro-aniline)	101-14-4	Textiles and Leather: 0.1	ND	µg/L
4,4-methylenedi-o-toluidine	838-88-0	Textiles and Leather: 0.1	ND	µg/L
4,4-methylenedianiline	101-77-9	Textiles and Leather: 0.1	ND	µg/L
4,4-oxydianiline	101-80-4	Textiles and Leather: 0.1	ND	µg/L
4,4-thiodianiline	139-65-1	Textiles and Leather: 0.1	ND	µg/L
5-nitro-o-toluidine	99-55-8	Textiles and Leather: 0.1	ND	µg/L
6-methoxy-m-toluidine	120-71-8	Textiles and Leather: 0.1	ND	µg/L
Benzidine	92-87-5	Textiles and Leather: 0.1	ND	µg/L
o-aminoazotoluene	97-56-3	Textiles and Leather: 0.1	ND	µg/L
o-anisidine	90-04-0	Textiles and Leather: 0.1	ND	µg/L
o-toluidine	95-53-4	Textiles and Leather: 0.1	ND	µg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**20. UV Absorbers**

With reference to inhouse method followed by LC-MS/MS

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	Textiles and Leather: 100	ND	µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	Textiles and Leather: 100	ND	µg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	Textiles and Leather: 100	ND	µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	Textiles and Leather: 100	ND	µg/L

**21. Volatile organic compounds (VOCs)**

Benzene, Xylene, Toluene: With reference to US EPA 8260D: 2018

m-cresol / o-cresol / p-cresol: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result	Unit
			Untreated wastewater	
Benzene	71-43-2	Textiles and Leather: 1	ND	µg/L
m-cresol	108-39-4	Textiles and Leather: 1	ND	µg/L
o-cresol	95-48-7	Textiles and Leather: 1	ND	µg/L
p-cresol	106-44-5	Textiles and Leather: 1	ND	µg/L
Toluene	108-88-3	Textiles and Leather: 1	ND	µg/L
Xylene	1330-20-7	Textiles and Leather: 1	ND	µg/L

**Remark**

- 1 µg/L = 0.001 ppm
- ND = Not detected (< Reporting limit)
- NA = Not applicable
- NC = Not conducted
- = Not required to be tested



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Inspection & Testing Services  
Softline Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**SLUDGE**

**22. Sludge Parameters - Step 1 - Conventional**

% Solids:

Test item	CAS no.	Limit							Reporting limit	Result	Unit
		Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G		Sludge	
% Solids	-	Sample and Report Only	-	20.7	%						

**23. Sludge Parameters - Step 1 - MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers**

NP/OP: With reference to inhouse method followed by GC-MS

NP/PEO: With reference to inhouse method followed by GC-MS & LC-MS/MS

Test Items	CAS no.	Limit – Dry weight							Reporting Limit	Result	Unit
		Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G		Sludge	
Nonylphenol ethoxylates (NPEO)	Multiple including: 9016-45-9 / 26027-38-3 / 37205-87-1 / 68412-54-4 / 127087-87-0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	Textiles and Leather: 0.4	10.5	mg/kg
Nonylphenol (NP), mixed isomers	Multiple including: 104-40-5 / 11066-49-2 / 25154-52-3 / 84852-15-3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	Textiles and Leather: 0.4	ND	mg/kg
Octylphenol ethoxylates (OPEO)	Multiple including: 9002-93-1 / 9036-19-5 / 68987-90-6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	Textiles and Leather: 0.4	ND	mg/kg
Octylphenol (OP), mixed isomers	Multiple including: 140-66-9 / 1806-26-4 / 27193-28-8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	Textiles and Leather: 0.4	ND	mg/kg



24. Sludge Parameters - Step 1 - MRSL – Polycyclic Aromatic Hydrocarbons (PAHs)

With reference to US EPA 3570 & US EPA 8270E:2018

Test Items	CAS no.	Limit – Dry weight							Reporting Limit (Textile)	Result	Unit
		Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G		Sludge	
Acenaphthene	83-32-9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Acenaphthylene	208-96-8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Anthracene	120-12-7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Benzo(a)anthracene	56-55-3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Benzo(a)pyrene	50-32-8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Benzo(b)fluoranthene	205-99-2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Benzo(e)pyrene	192-97-2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Benzo(ghi)perylene	191-24-2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Benzo(j)fluoranthene	205-82-3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Benzo(k)fluoranthene	207-08-09	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Chrysene	218-01-9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Dibenz(a,h)anthracene	53-70-3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Fluoranthene	206-44-0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Fluorene	86-73-7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Indeno (1,2,3-cd)pyrene	193-39-5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Naphthalene	91-20-3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Phenanthrene	85-01-8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Pyrene	129-00-0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

25. Sludge Parameters - Step 1 - MRSL – Chlorotoluenes

With reference to US EPA 3570 & US EPA 8270E:2018

Test Items	CAS no.	Limit – Dry weight							Reporting Limit (Textile and Leather)	Result	Unit
		Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G		Sludge	
2-Chlorotoluene	95-49-8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
3-Chlorotoluene	108-41-8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
4-Chlorotoluene	106-43-4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,3-Dichlorotoluene	32768-54-0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,4-Dichlorotoluene	95-73-8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,5-Dichlorotoluene	19398-61-9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,6-Dichlorotoluene	118-69-4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
3,4-Dichlorotoluene	95-75-0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
3,5-Dichlorotoluene	25186-47-4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,3,4-Trichlorotoluene	7359-72-0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,3,6-Trichlorotoluene	2077-46-5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,4,5-Trichlorotoluene	6639-30-1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,4,6-Trichlorotoluene	23749-65-7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
3,4,5-Trichlorotoluene	21472-86-6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,3,4,5-Tetrachlorotoluene	1006-32-2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
2,3,5,6-Tetrachlorotoluene	1006-31-1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg
Pentachlorotoluene	877-11-2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Textiles and Leather: 0.2	ND	mg/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Softline Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763  
t (86-21) 61402666 f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Remark

ND = Not detected (< Reporting limit)  
NA = Not applicable  
NC = Not conducted  
- = Not required to be tested



SGS-CSTC (Shanghai) Co., Ltd.  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

Annex A: Sampling photos & Sampling locations

UNTREATED WASTEWATER
Date & Time of Measurement: 24/03/2025 ; 13:05 GPS Data: 29°31'35" N, 120°50'01" E
SAMPLING LOCATION, CLOSE-UP VIEW

SAMPLING LOCATION, FAR VIEW


EFFLUENT
Date & Time of Measurement: 24/03/2025 ; 09:25 GPS Data: 29°31'28" N, 120°50'04" E
SAMPLING LOCATION, CLOSE-UP VIEW

SAMPLING LOCATION, FAR VIEW




**SLUDGE**

Date & Time of Measurement: 24/03/2025 ; 14:45

GPS Data: 29°31'29" N, 120°50'03" E

**SAMPLING LOCATION, CLOSE-UP VIEW**



**SAMPLING LOCATION, FAR VIEW**



SGS-CSTC (Shanghai) Technical Services Co., Ltd.  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com

## Annex B: ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

ZDHC W-01-08-016-19

**SGS**

**ZDHC 废水采样现场数据表和代表性样品声明**  
**ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration**

**ZDHC 废水采样信息 ZDHC Wastewater Sampling Information**

工厂名称 Factory Name: 达利丝绸(浙江)有限公司

工厂地址 Factory Address: 浙江省新昌县南乡街道技术开发区

采样日期 Sampling Date: 2025.3.24

采样类型 Sampling Type

<input type="checkbox"/> Incoming Water	<input checked="" type="checkbox"/> Untreated Wastewater	<input checked="" type="checkbox"/> Effluent	<input checked="" type="checkbox"/> Sludge
---	--	--	--

样品ID Sample ID:

<u>SL25-0057-2</u>	<u>SL25-0057-1</u>	<u>SL25-0057-3</u>
--------------------	--------------------	--------------------

采样地点 Sampling Location: 原废水地下调节池 排放废水外排沟渠处 污泥堆放处

GPS 数据 GPS Data:

<u>29°31'35"N 120°50'16"E</u>	<u>29°31'28"N 120°50'46"E</u>	<u>29°31'29"N 120°50'35"E</u>
-------------------------------	-------------------------------	-------------------------------

采样时间 Sampling Time:

<u>12:30-13:00</u>	<u>9:10-11:20</u>	<u>14:30-14:40</u>
--------------------	-------------------	--------------------

**采样员信息 Sampler Information**

采样员姓名 Sampler Name: 施昊宇

采样员邮箱 Sampler E-mail: Shi.HaoYu.SGS@SGS.COM

ZDHC 授权证书号 ZDHC Sampler Accreditation Cert. No.: CT4D106818116

**采样方法 Sampling Method**

Incoming Water  Grab  6-hour Composite  Others, please specify \_\_\_\_\_  
 Autosampler  Manual

Untreated Wastewater  Grab  6-hour Composite  Others, please specify \_\_\_\_\_  
 Autosampler  Manual

Effluent  Grab  6-hour Composite  Others, please specify \_\_\_\_\_  
 Autosampler  Manual

Sludge  Grab  6-hour Composite  Others, please specify \_\_\_\_\_  
 Autosampler  Manual

**排放方式 Discharge Method**

Direct  Indirect (w/pretreatment)  Indirect (w/o pretreatment)  Zero Liquid Discharge (ZLD)

**ZDHC 废水采样现场测试 QA/QC ZDHC Wastewater Sampling Field Testing QA/QC**

Parameter *	LCS Known	LCS Measured	Accuracy %
pH	<u>7.02</u>	<u>7.0</u>	<u>99.7</u>
Total Chlorine	<u>NA</u>	<u>NA</u>	<u>NA</u>

**ZDHC 废水流量尺寸 ZDHC Wastewater Flow Device Dimensions**

Measurement (cm)	Meter	Pipe (D)	Flume (U)	Wier (V)
Diameter	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
Depth	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>

**ZDHC 废水采样现场测试记录 (见废水/土壤采样记录)**  
**ZDHC Wastewater Sample Collection Field Test Measurements (See wastewater/soil sampling records)**

**ZDHC 废水采样 - 工厂确认 ZDHC Wastewater Sampling - Facility Confirmation**

废水样是在工厂正常生产和废水流量下采集的 The wastewater sample(s) is/are collected under the facility's normal production scale and wastewater flow rate  
废水样是在工厂正常生产和废水流量下采集的 The wastewater sample(s) is/are collected under the facility's normal production scale and wastewater flow rate

工厂名称 Factory Name: 达利丝绸(浙江)有限公司

工厂代表姓名 Factory Representative Name: 施昊宇

工厂代表姓名和盖章 Factory Representative Signature and Stamp: 施昊宇

采样员姓名 Sampler Name: 施昊宇

采样员签名 Sampler Signature: 施昊宇

日期 Date: 2025.3.24

日期 Date: 2025.3.24

Effective date: 2023.12.22



UNTREATED WASTEWATER



水质采样记录

SHSL-R-WI-CS-016-02

Water Sampling Records

任务单号 Task Number: SL525-0057 采样日期 Sampling Date: 2025, 3, 24 委托单位 Client: LIX TRADING SA.  
 天气状况 Weather Conditions: 晴 水体类型 Type of Water: 原废水 受检单位 Factory: 达利丝绸(浙江)有限公司  
 其他仪器设备 (名称、编号) Other instruments and equipment (name, number): PH计 Jx-771  
 参考采样规范 Reference Sampling Specification:  ZDHC-SAP  Others:

样品编号 Sample Number	采样位置 Sampling Location	采样时间 Sampling Time (Hours)	温度 Temp (°C)		pH	溶解氧 Dissolved Oxygen (mg/L)	总氯 Total Chlorine (mg/L)	废水流量 Wastewater Flow Meter (L/min)	交替测量流量 Alternate Measured Flow		采样体积 Sample Volume (mL)	容器材质 Container Material	保存方式 Storage Method	可见颜色 Visible Colour	持久性泡沫 Persistent Foam (Yes/No)
			废水排放 Wastewater Discharge	接收水体 Receiving Water					深度 Depth (cm)	速度 Velocity (cm/s)					
SL525-0057.2	原废水池	0 12:30-13:00	28.5		6.3						5990	PPG	1,2,3,4	淡粉色	No
	下均质池	1													
		2													
		3	以下空白										以下空白		
		4													
		5													
		6													
均值 Average															

备注: 容器材质: P代表PE瓶, G代表玻璃瓶; VOA vial代表棕色玻璃瓶; ST.Steel代表不锈钢; G-TLC 代表带有特氟龙内衬的棕色玻璃瓶; P(A) 代表酸洗过的塑料瓶; G(A) = Glass (Acid Washed)酸洗过的玻璃瓶。  
 Container material: P for PE bottles, G for glass bottles, VOA vial for brown glass bottles, ST.Steel for stainless steel, G-TLC for brown glass bottles with Teflon lining lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles.  
 水质表观: 水体颜色、气味、有无漂浮物等。 Apparent water quality: water color, smell, presence or absence of floating objects, etc.  
 周边环境: 有无排污口, 是否死水区、回水区, 有无居民区、工业区, 有无居民区、工业区和农药化肥使用区等。  
 Surrounding environment: whether there is a sewage outlet, whether there is a stagnant water area, a backwater area, whether there is a residential area, an industrial area, whether there is a residential area, an industrial area and a pesticide and fertilizer use area, etc.  
 保存方式 Storage method: 1.标签完好 Unbroken label 2.冷藏 Refrigeration 3.避光 Protect from light 4.减振措施 Vibration reduction 5.其他 Others:

照片拍摄时间 Time of Photo: 13:05 2025.3.24  
 其他现场信息: Additional on-site information

采样员 Sampler: 杨景宇

客户确认 Client Confirmation: [Signature]

Effective date: 2023.12.26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

EFFLUENT



水质采样记录

SHSL-R-WI-CS-016-02

Water Sampling Records

任务单号 Task Number: SL525-0057 采样日期 Sampling Date: 2025.3.24 委托单位 Client: LTX TRADING SA  
 天气状况 Weather Conditions: 晴 水体类型 Type of Water: 排放废水 受检单位 Factory: 过刺丝绸(浙江)有限公司  
 其他仪器设备 (名称、编号) Other instruments and equipment (name, number): PH计 TX-711  
 参考采样规范 Reference Sampling Specification:  ZDHC-SAP  Others:

样品编号 Sample Number	采样位置 Sampling Location	采样时间 Sampling Time (Hours)	温度 Temp (°C)		pH	溶解氧 Dissolved Oxygen (mg/L)	总氯 Total Chlorine (mg/L)	废水量 Wastewater Flow Meter (L/min)	交替测量流量 Alternate Measured Flow		采样体积 Sample Volume (mL)	容器材质 Container Material	保存方式 Storage Method	可见颜色 Visible Colour	持久性泡沫 Persistent Foam (Yes/No)
			废水排放 Wastewater Discharge	接收水体 Receiving Water					深度 Depth (cm)	速度 Velocity (cm/s)					
SL525	排放废水	0 9:00-9:20	22.5		7.0			1.5吨			330	P+G	1.2.3.4	接近无色透明	No
0057-1	外排沟渠内	1 10:10-10:20	23.7		7.0			产生排						接近无色透明	No
		2 11:10-11:20	22.9		7.1			放废水						接近无色透明	No
		3 12:10-12:20	23.7		7.0			流量为						接近无色透明	No
		4 13:10-13:20	24.0		7.0			30吨			以下空白			接近无色透明	No
		5 14:10-14:20	24.2		7.0									接近无色透明	No
		6 15:10-15:20	24.5		7.0									接近无色透明	No
均值 Average			23.6		7.0										

备注: 容器材质: P代表PE瓶, G代表玻璃瓶, VOA vial代表棕色玻璃瓶, ST.Steel代表不锈钢, G-TLC 代表盖子带有特氟龙内衬的棕色玻璃瓶; P(A) 代表酸洗过的塑料瓶; G(A) = Glass for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles.  
 水质外观: 水体颜色、气味、有无漂浮物等。 Apparent water quality: water color, smell, presence or absence of floating objects, etc.  
 周边环境: 有无排污口, 是否死水区、回水区, 有无居民区、工业区, 有无居民区、工业区和农药化肥使用区等。  
 Surrounding environment: whether there is a sewage outlet, whether there is a stagnant water area, a backwater area, whether there is a residential area, an industrial area, whether there is a residential area, an industrial area and a pesticide and fertilizer use area, etc.  
 保存方式 Storage method: 1.标签完好 Unbroken label 2.冷藏 Refrigeration 3.避光 Protect from light 4.减振措施 Vibration reduction 5.其他 Others:  
 照片拍摄时间 Time of Photo: 9:25 2025.3.24  
 其他现场信息: 曝气池无异常, 有在高浓度为 3-5cm 的膜, 的池且流向四周消散

采样员 Sampler: 施晨宇

客户确认 Client Confirmation: 张云

Effective date: 2023.12.26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



**Annex C: Limit according to FACTORY DISCHARGE LICENCE BASED ON GB 4287-2012 Discharge standards**

1、废水污染物排放许可限值

(1) 主要排放口

排放口编号	排放口名称	污染物种类	许可排放浓度限值 (mg/L)
DW001	废水排放口	苯胺类	1.0mg/L
DW001	废水排放口	氨氮 (NH3-N)	20mg/L
DW001	废水排放口	五日生化需氧量	50mg/L
DW001	废水排放口	流量	/
DW001	废水排放口	悬浮物	100mg/L
DW001	废水排放口	总氮 (以N计)	30mg/L
DW001	废水排放口	二氧化氯	0.5mg/L
DW001	废水排放口	pH值	6-9
DW001	废水排放口	总磷 (以P计)	1.5mg/L
DW001	废水排放口	硫化物	0.5mg/L
DW001	废水排放口	化学需氧量	200mg/L
DW001	废水排放口	色度	80

\*\*\*\*END OF REPORT\*\*\*\*



SGS-CSTC Shanghai Technical Services Co., Ltd.  
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666  
t (86-21) 61402666

f (86-21) 64958763  
f (86-21) 64958763

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)