



LAB REPORT

Report Number	(6625)086-0453
Date of sampling	27/03/2025
Reporting Date	10/04/2025

Audit ID	23352	Audit firm	Bureau Veritas – SHANGHAI
Company name	Shaoxing Jinsen Printing & Dyeing Co., Ltd.		
Contact person	Xie Tian		
Type of tax - tax ID no	91330621609663728J		
Address	Beijiu Road, Binhai Industrial Zone, Keqiao District, Shaoxing City, Zhejiang Province, China		
Region state province	Zhejiang Province		
Town city / village	Shaoxing City		
Zip/Post code	312030		

Type of wastewater discharge			
Type of waste discharge	Indirect Discharge with Pre-treatment		
Description of the discharge	Shaoxing Keqiao Riverside Treatment Co., Ltd.		
Ambient temperature of receiving water body (direct discharge only)	Not Applicable		
Type of treatment			
PRELIMINARY	PRIMARY	SECONDARY / BIOLOGICAL	TERTIARY
<input checked="" type="checkbox"/> Screening/Sieving/Grit remover	<input checked="" type="checkbox"/> Coagulation/Flocculation	<input checked="" type="checkbox"/> Activated sludge process/Aerobic reactor	<input type="checkbox"/> Absorption with activated carbon
<input checked="" type="checkbox"/> Homogenization tank	<input checked="" type="checkbox"/> Dissolved air flotation (DAF)	<input type="checkbox"/> Biological Biofilm reactor (MBBR, SAF, RBC...)	<input type="checkbox"/> High rate filtration
<input checked="" type="checkbox"/> pH correction	<input checked="" type="checkbox"/> Sedimentation tanks or Settler/Clarifier	<input type="checkbox"/> Sequencing batch reactor (SBR)	<input type="checkbox"/> Techniques (ozonation, Fenton reaction, photo catalytic degradation...)
<input type="checkbox"/> Other	<input type="checkbox"/> Other	<input type="checkbox"/> Other	<input type="checkbox"/> Other

Bureau Veritas Consumer Products Services, Inc. (Shanghai)
 No. 168, GuangHua Road, Zhuangqiao Town, Minhang, Shanghai, China.
 Post Code:201108
 Tel: 86-21-24081888; Fax: 86-21-64890042

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Sampler accreditation certification number (ZDHC):		C74D106818121	
Sample description			
	Simple	Composite	Comments
(1) Wastewater before treatment	YES, light brown liquid, simple sample at 14:25	NO	/
(2) Wastewater after treatment	YES, light yellow liquid, simple sample at 14:40	NO	/
(3) Sludge	NO	YES, brown solid, composite sample at 14:00	/

Local Legal Data	
Local Legal Standard name [a]	Emission Standards for Water Pollutants in Textile Dyeing and Finishing Industry GB 4287-2012
Parameters (ZDHC WWG V2.2, Table 2 & 3) exceeded local regulation:	Not Applicable
Discharge permit provided	YES
Discharge flow data	>15m ³ /Day

Internal description – Final Test Report	
Internal codification number	(6625)086-0453
Reference sample number	Sample 1 For Before treatment; Sample 2 For After treatment; Sample 3 For Sludge
Received on	28/03/2025
Analysis carried out from	27/03/2025 to 10/04/2025
Arrival Temperature at Lab	2.95 °C
Comments	Samples received within maximum holding time.
Reporting date	10/04/2025
Date and time of the beginning of sampling	27/03/2025, 13:25
Date and time of the end of sampling	27/03/2025, 15:15
Sample holding time exceeded	NO



Report Number

(6625)086-0453

If there are questions or concerns on this report, please contact the following persons:

General enquiry and invoicing

Mr. Henry Chen

Henry.Chen@bureauveritas.com, (021) 24081953

Technical enquiry-Chemical

Mr. Steven Han

Steven-Z.han@bureauveritas.com, (021) 24081838

This report shown the test result of the auxiliary chemical and/or raw material samples, which collected during particular factory audit. The results of this report shall not be used for any regulatory compliance purposes. The sampling is agreed with client.

BUREAU VERITAS

CONSUMER PRODUCTS SERVICES DIVISION (SHANGHAI)

必维申美商品检测（上海）有限公司

Laboratory Test Location 实验室检测地址:

No.368, Guangzhong Road, Zhuanqiao Town, Minhang, Shanghai.

上海市闵行区光中路368号

No.168, Guanghua Road, Zhuanqiao Town, Minhang, Shanghai.

上海市闵行区光华路168号

Reviewed by:

Approved by:

Amy Feng

Aten Wu

Technical Support



Report Number

(6625)086-0453

Summary of test results				
Test items	Sample 1 (Before treatment)	Sample 2 (After treatment)	Sample 3 (Sludge)	Sample 4 (Leachate)
Alkylphenols (APs) & Alkylphenol ethoxylates (APEOs)	ND	NA	ND	NA
Anti-Microbials & Biocides	ND	NA	NA	NA
Chlorinated Paraffins	ND	NA	NA	NA
Chlorobenzenes & Chlorotoluenes	ND	NA	ND	NA
Chlorophenols	ND	NA	NA	NA
N,N-di-methylformamide (DMFa)	ND	NA	NA	NA
Dyes – Carcinogenic or Equivalent Concern	ND	NA	NA	NA
Dyes – Disperse (Allergenic)	ND	NA	NA	NA
Dyes – Navy Blue Colourant	NA	NA	NA	NA
Flame retardants	ND	NA	NA	NA
Glycols	ND	NA	NA	NA
Halogenated Solvents	ND	NA	NA	NA
Organotin compounds	ND	NA	NA	NA
Other / Miscellaneous Chemicals	ND	NA	NA	NA
Perfluorinated and Polyfluorinated Chemicals (PFCs)	ND	NA	NA	NA
Phthalates	ND	NA	NA	NA
Polycyclic Aromatic Hydrocarbons (PAHs)	ND	NA	ND	NA
Restricted Aromatic Amines (Cleavable from Azo-colourants)	ND	NA	NA	NA
UV Absorbers	ND	NA	NA	NA
Volatile Organic Compounds (VOCs)	ND	NA	NA	NA
Heavy metals	NA	Fulfill aspirational limit	D	See test result
Global effluent parameters ZDHC	NA	NA	See test result	NA

Remark (Indicated in each parameter)

- | | | | | | |
|-----|---|--|-----|---|-------------------------------|
| ND | = | Not detected (below reporting limit) | NA | = | Not applicable |
| D | = | Detected (equal or above reporting limit) | - | = | Did not perform |
| * | = | See remark | (f) | = | Parameter tested in field |
| @ | = | Maximum holding time exceeded,
Red flag in the ZDHC Gateway – Wastewater Module.
Probable error in results due to the holding time. | (T) | = | Handling temperature exceeded |
| # | = | Non accredited parameter | | | |
| (S) | = | Analysis was subcontracted for testing | | | |
| [a] | = | The local legal standard name and legal standard number is referenced to discharge permit (or contractual agree by CETP) that provided by company. | | | |

Test results

1. Alkylphenols (APs) & Alkylphenol Ethoxylates (APEOs)

NP/OP: ASTM D7065-17; OPEO/NPEO (n>2): ASTM D7742-17, LC-MS

Alkylphenols (APs) & Alkylphenol ethoxylates (APEOs)	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Nonylphenoethoxylates (NPEOs)	Multiple including 9016-45-9/ 26027-38-3/ 37205-87-1/ 68412-54-4/ 127087-87-0	5	5	ND	µg/L
Nonylphenol (NP)	Multiple including 104-40-5/ 11066-49-2/ 25154-52-3/ 84852-15-3	5	5	ND	µg/L
Octylphenoethoxylates (OPEOs)	Multiple including 9002-93-1/ 9036-19-5/ 68987-90-6	5	5	ND	µg/L
Octylphenol (OP)	Multiple including 140-66-9/ 1806-26-4/ 27193-28-8	5	5	ND	µg/L

2. Anti-Microbials & Biocides

USEPA3510C:1996; USEPA 8270E:2018, GC-MS; USEPA 8321B:2007, LC-MS

Anti-Microbials & Biocides	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
o-Phenylphenol (+salts)	90-43-7	100	Sample and report only	ND	µg/L
Triclosan	3380-34-5	100	100	ND	µg/L
Permethrin	Multiple including 52645-53-1	500	500	ND	µg/L

3. Chlorinated Paraffins

USEPA 3510C:1996; ISO 18219-2:2021, GC-MS

Chlorinated Paraffins	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Medium-chain chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	500	500	ND	µg/L
Short-chain chlorinated paraffins (SCCPs) (C10'-C13)	85535-84-8	25	25	ND	µg/L



Report Number

(6625)086-0453

4. Chlorobenzenes & Chlorotoluenes

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

Chlorobenzenes & Chlorotoluenes	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
1,2-dichlorobenzene	95-50-1	0.2	0.2	ND	µg/L
Other isomers of mono-, di-, tri-, tetra-, penta-, and hexa- chlorobenzene and mono-, di-, tri-, tetra-, and penta-chlorotoluene	Multiple including 108-90-7/ 541-73-1/ 106-46-7/ 87-61-6/ 120-82-1/ 108-70-3/ 634-66-2/ 634-90-2/ 95-94-3/ 608-93-5/ 118-74-1/ 95-49-8/ 108-41-8/ 106-43-4/ 32768-54-0/ 95-73-8/ 19398-61-9/ 118-69-4/ 95-75-0/ 25186-47-4/ 7359-72-0/ 2077-46-5/ 6639-30-1/ 23749-65-7/ 21472-86-6/ 1006-32-2/ 875-40-1/ 1006-31-1/ 877-11-2	0.2	0.2	ND	µg/L

5. Chlorophenols

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

Chlorophenols	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
2-Chlorophenol	95-57-8	0.5	0.5	ND	µg/L
2,3-Dichlorophenol	576-24-9	0.5	0.5	ND	µg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	0.5	ND	µg/L
2,3,5-Trichlorophenol	933-78-8	0.5	0.5	ND	µg/L
2,3,6-Trichlorophenol	933-75-5	0.5	0.5	ND	µg/L
2,4-dichlorophenol	120-83-2	0.5	0.5	ND	µg/L
2,4,5-Trichlorophenol	95-95-4	0.5	0.5	ND	µg/L
2,4,6-Trichlorophenol	88-06-2	0.5	0.5	ND	µg/L
2,5-Dichlorophenol	583-78-8	0.5	0.5	ND	µg/L
2,6-Dichlorophenol	87-65-0	0.5	0.5	ND	µg/L
3-Chlorophenol	108-43-0	0.5	0.5	ND	µg/L
3,4-Dichlorophenol	95-77-2	0.5	0.5	ND	µg/L
3,4,5-Trichlorophenol	609-19-8	0.5	0.5	ND	µg/L
3,5-Dichlorophenol	591-35-5	0.5	0.5	ND	µg/L
4-Chlorophenol	106-48-9	0.5	0.5	ND	µg/L
Pentachlorophenol (PCP)	87-86-5	0.5	0.5	ND	µg/L
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	0.5	ND	µg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	0.5	ND	µg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	0.5	ND	µg/L



Report Number

(6625)086-0453

6. N,N-di-methylformamide (DMFa)

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

DMFa	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Dimethyl formamide; N,N-dimethylformamide (DMFa)	68-12-2	1000	Sample and report	ND	µg/L

7. Dyes – Carcinogenic or Equivalent Concern

USEPA 8321B:2007, LC-MS

Carcinogenic dyes	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Basic violet 3 with >0.1% of Michler's Ketone	548-62-9	500	500	ND	µg/L
C.I. Acid Red 26	3761-53-3	500	500	ND	µg/L
C.I. Acid Violet 49	1694-09-3	500	500	ND	µg/L
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	500	ND	µg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	500	ND	µg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	500	ND	µg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	500	ND	µg/L
C.I. Basic Red 9	569-61-9	500	500	ND	µg/L
C.I. Basic Violet 14	632-99-5	500	500	ND	µg/L
C.I. Direct Black 38	1937-37-7	500	500	ND	µg/L
C.I. Direct Blue 6	2602-46-2	500	500	ND	µg/L
C.I. Direct Red 28	573-58-0	500	500	ND	µg/L
C.I. Disperse Blue 1	2475-45-8	500	500	ND	µg/L
C.I. Disperse Blue 3	2475-46-9	500	500	ND	µg/L
C.I. Disperse Orange 11	82-28-0	500	500	ND	µg/L

8. Dyes – Disperse (Allergenic)

USEPA 8321B:2007, LC-MS

Disperse dyes	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Disperse Blue 102	12222-97-8	50	NA	ND	µg/L
Disperse Blue 106	12223-01-7	50	NA	ND	µg/L
Disperse Blue 124	61951-51-7	50	NA	ND	µg/L
Disperse Blue 26	3860-63-7	50	NA	ND	µg/L
Disperse Blue 35	12222-75-2	50	NA	ND	µg/L



Report Number

(6625)086-0453

Disperse Blue 35	56524-77-7	50	NA	ND	µg/L
Disperse Blue 7	3179-90-6	50	NA	ND	µg/L
Disperse Brown 1	23355-64-8	50	NA	ND	µg/L
Disperse Orange 1	2581-69-3	50	NA	ND	µg/L
Disperse Orange 3	730-40-5	50	NA	ND	µg/L
Disperse Orange 37/59/76	13301-61-6	50	NA	ND	µg/L
Disperse Red 1	2872-52-8	50	NA	ND	µg/L
Disperse Red 11	2872-48-2	50	NA	ND	µg/L
Disperse Red 17	3179-89-3	50	NA	ND	µg/L
Disperse Yellow 1	119-15-3	50	NA	ND	µg/L
Disperse Yellow 3	2832-40-8	50	NA	ND	µg/L
Disperse Yellow 39	12236-29-2	50	NA	ND	µg/L
Disperse Yellow 49	54824-37-2	50	NA	ND	µg/L
Disperse Yellow 9	6373-73-5	50	NA	ND	µg/L

9. Dyes – Navy Blue Colourant

USEPA 8321B:2007, LC-MS

Dyes – Navy Blue Colourant	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	NA	NA	NA	µg/L
Component 2: C46H-30CrN10O20S2 3Na	Not allocated	NA	NA	NA	µg/L

10. Flame retardants

USEPA3510C:1996; USEPA 8270E:2018, GC-MS; USEPA 8321B:2007, LC-MS; USEPA 3015A:2007; US EPA 6020B:2014, ICP-MS

Flame retardants	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Boric acid	10043-35-3/ 11113-50-1	500	500	ND	µg/L
Diboron trioxide	1303-86-2	500	500	ND	µg/L
Disodium octaborate	12008-41-2	500	500	ND	µg/L
Disodium tetraborate anhydrous	1303-96-4/ 1330-43-4	500	500	ND	µg/L
Tetraboron disodium heptaoxide, hydrate	12267-73-1	500	500	ND	µg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	25	25	ND	µg/L
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	25	ND	µg/L
Polybromobiphenyls (PBBs)	59536-65-1	25	25	ND	µg/L
Monobromobiphenyls (MonoBB)	Multiple	25	25	ND	µg/L
Monobromodiphenylethers (MonoBDEs)	Multiple	25	25	ND	µg/L
Dibromobiphenyls (DiBB)	Multiple	25	25	ND	µg/L
Dibromopropylether	21850-44-2	25	25	ND	µg/L



Report Number

(6625)086-0453

Tribromodiphenylethers (TriBDEs)	Multiple	25	25	ND	µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	25	ND	µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	25	ND	µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	25	ND	µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	25	ND	µg/L
Octabromobiphenyls (OctaBB)	Multiple	25	25	ND	µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	25	ND	µg/L
Nonabromobiphenyls (NonaBB)	Multiple	25	25	ND	µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	25	ND	µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	25	25	ND	µg/L
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	25	ND	µg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	25	25	ND	µg/L
Bis(2,3-dibromopropyl) phosphate (BDBPP)	5412-25-9	25	25	ND	µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	25	ND	µg/L
Tris(1-aziridinyl) phosphine oxide (TEPA)	545-55-1	25	25	ND	µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	25	ND	µg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	25	ND	µg/L
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	25	25	ND	µg/L

11. Glycols

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

Glycols	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
2-ethoxyethanol	110-80-5	50	50	ND	µg/L
2-ethoxyethyl acetate	111-15-9	50	50	ND	µg/L
2-methoxyethanol	109-86-4	50	50	ND	µg/L
2-methoxyethylacetate	110-49-6	50	50	ND	µg/L
2-methoxypropylacetate	70657-70-4	50	50	ND	µg/L
Bis(2-methoxyethyl)-ether	111-96-6	50	50	ND	µg/L
Ethylene glycol dimethyl ether	110-71-4	50	50	ND	µg/L
Triethylene glycol dimethyl ether	112-49-2	50	50	ND	µg/L



12. Halogenated Solvents

USEPA 5030B:1996; EPA 8260D:2018, GC-MS

Chlorinated solvents	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
1,2-Dichloroethane	107-06-2	1	1	ND	µg/L
Methylene chloride	75-09-2	1	1	ND	µg/L
Trichloroethene	79-01-6	1	1	ND	µg/L
Tetrachloroethene	127-18-4	1	1	ND	µg/L

13. Organotin compounds

ISO 17353:2004 ,GC-MS

Organotin compounds	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Dipropyltin compounds (DPT)	Multiple including 867-36-7	0.01	0.01	ND	µg/L
Mono-, di-and tri-butyltin derivatives	Multiple including 1118-46-3/ 1461-22-9	0.01	0.01	ND	µg/L
Mono-, di-and tri-methyltin derivatives	Multiple including 993-16-8/ 753-73-1/ 1066-45-1	0.01	0.01	ND	µg/L
Mono-, di-and tri-octyltin derivatives	Multiple including 3091-25-6/ 3542-36-7/ 2587-76-0	0.01	0.01	ND	µg/L
Mono-, di-and tri-phenyltin derivatives	Multiple including 1124-19-2/ 1135-99-5/ 639-58-7	0.01	0.01	ND	µg/L
Tetraethyltin compounds (TeET)	Multiple including 597-64-8	0.01	0.01	ND	µg/L
Tetraoctyltin compounds (TeOT)	Multiple including 3590-84-9	0.01	0.01	ND	µg/L
Tricyclohexyltin (TCyHT)	Multiple including 3091-32-5	0.01	0.01	ND	µg/L
Tripropyltin compounds (TPT)	Multiple including 2279-76-7	0.01	0.01	ND	µg/L

14. Other /Miscellaneous Chemicals

USEPA 8321B:2007, LC-MS; USEPA 3015A:2007; US EPA 6020B:2014, ICP-MS

Other /Miscellaneous Chemicals	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	500	500	ND	µg/L
Bisphenol A	80-05-7	10	10	ND	µg/L
Borate – borate, zinc salt	12767-90-7	100	100	ND	µg/L
Zinc salt – borate, zinc salt		100	100	ND	µg/L
Quinoline	91-22-5	50	50	ND	µg/L
Silica (particles of respirable size)	14464-46-1	NA	NA	NA	µg/L
Thiourea	62-56-6	50	50	ND	µg/L



Report Number

(6625)086-0453

15. Perfluorinated chemicals (PFCs)

USEPA 8321B: 2007, LC-MSMS

Perfluorinated chemicals (PFCs)	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Perfluorooctane sulfonate (PFOS) and related substances	Multiple including 1763-23-1	0.01	0.01	ND	µg/L
Perfluorooctanoic acid (PFOA) and related substances	Multiple including 335-67-1	1	1	ND	µg/L

16. Phthalates – Including all other esters of ortho-phthalic acid

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

Phthalates	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
1,2-benzenedicarboxylic acid, di-C6-11-branched alkyl esters, C7-rich (DIHP)	71888-89-6/ 84777-06-0	10	10	ND	µg/L
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUUP)	68515-42-4/ 68515-50-4	10	10	ND	µg/L
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	10	ND	µg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	10	ND	µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	10	ND	µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	10	ND	µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	10	ND	µg/L
Di-iso-butyl phthalate (DIBP)	84-69-5	10	10	ND	µg/L
Di-iso-nonyl phthalate (DINP)	28553-12-0	10	10	ND	µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	10	ND	µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	10	ND	µg/L
Di-n-pentylphthalates	131-18-0	10	10	ND	µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	10	ND	µg/L
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	10	10	ND	µg/L
Dibutyl phthalate (DBP)	84-74-2	10	10	ND	µg/L
Diethyl phthalate (DEP)	84-66-2	10	10	ND	µg/L
Diisopentylphthalates	605-50-5	10	10	ND	µg/L
Dinonyl phthalate (DNP)	84-76-4	10	10	ND	µg/L

17. Polycyclic aromatic hydrocarbons (PAHs)

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

PAHs	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Acenaphthene	83-32-9	1	1	ND	µg/L
Acenaphthylene	208-96-8	1	1	ND	µg/L
Anthracene	120-12-7	1	1	ND	µg/L
Benzo(a)anthracene	56-55-3	1	1	ND	µg/L
Benzo(a)pyrene (BaP)	50-32-8	1	1	ND	µg/L
Benzo(b)fluoranthene	205-99-2	1	1	ND	µg/L
Benzo(e)pyrene	192-97-2	1	1	ND	µg/L
Benzo(ghi)perylene	191-24-2	1	1	ND	µg/L
Benzo(j)fluoranthene	205-82-3	1	1	ND	µg/L
Benzo(k)fluoranthene	207-08-09	1	1	ND	µg/L
Chrysene	218-01-9	1	1	ND	µg/L
Dibenz(a,h)anthracene	53-70-3	1	1	ND	µg/L
Fluoranthene	206-44-0	1	1	ND	µg/L
Fluorene	86-73-7	1	1	ND	µg/L
Indeno (1,2,3-cd)pyrene	193-39-5	1	1	ND	µg/L
Naphthalene	91-20-3	1	1	ND	µg/L
Phenanthrene	85-01-8	1	1	ND	µg/L
Pyrene	129-00-0	1	1	ND	µg/L

18. Restricted Aromatic Amines (Cleavable from Azo-colourants)

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

Azo Dyes	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
2-Naphthylamine	91-59-8	0.1	0.1	ND	µg/L
2-Naphthylammoniumacetate	553-00-4	0.1	0.1	ND	µg/L
2,4-Xylidine	95-68-1	0.1	0.1	ND	µg/L
2,4,5-Trimethylaniline	137-17-7	0.1	0.1	ND	µg/L
2,4,5-trimethylaniline hydrochloride	21436-97-5	0.1	0.1	ND	µg/L
2,6-Xylidine	87-62-7	0.1	0.1	ND	µg/L
3,3'-Dichlorobenzidine	91-94-1	0.1	0.1	ND	µg/L
3,3-Dimethoxybenzidine	119-90-4	0.1	0.1	ND	µg/L
3,3-Dimethylbenzidine	119-93-7	0.1	0.1	ND	µg/L
4-Aminoazobenzene	60-09-3	0.1	0.1	ND	µg/L
4-Aminobiphenyl	92-67-1	0.1	0.1	ND	µg/L

4-Chloro-o-toluidine	95-69-2	0.1	0.1	ND	µg/L
4-chloro-o-toluidinium chloride	3165-93-3	0.1	0.1	ND	µg/L
4-Chloroaniline	106-47-8	0.1	0.1	ND	µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisoole sulphate	39156-41-7	0.1	0.1	ND	µg/L
4-methoxy-m-phenylenediamine	615-05-4	0.1	0.1	ND	µg/L
4-Methyl-m-phenylenediamine	95-80-7	0.1	0.1	ND	µg/L
4,4-Methylene-bis-(2-chloro-aniline)	101-14-4	0.1	0.1	ND	µg/L
4,4-methylenedi-o-toluidine	838-88-0	0.1	0.1	ND	µg/L
4,4-methylenedianiline	101-77-9	0.1	0.1	ND	µg/L
4,4-Oxydianiline	101-80-4	0.1	0.1	ND	µg/L
4,4-Thiodianiline	139-65-1	0.1	0.1	ND	µg/L
5-Nitro-o-toluidine	99-55-8	0.1	0.1	ND	µg/L
6-methoxy-m-toluidine	120-71-8	0.1	0.1	ND	µg/L
Benzidine	92-87-5	0.1	0.1	ND	µg/L
o-Aminoazotoluene	97-56-3	0.1	0.1	ND	µg/L
o-Anisidine	90-04-0	0.1	0.1	ND	µg/L
o-Toluidine	95-53-4	0.1	0.1	ND	µg/L

19. UV Absorbers

USEPA3510C:1996; USEPA 8270E:2018, GC-MS

UV Absorbers	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	100	100	ND	µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	100	ND	µg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	100	ND	µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	100	ND	µg/L



Report Number

(6625)086-0453

20. Volatile organic compounds (VOCs)

USEPA 5030B:1996; EPA 8260D:2018; USEPA3510C:1996; USEPA 8270E:2018, GC-MS

VOCs	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 1 (Before treatment)	Unit
Benzene	71-43-2	1	1	ND	µg/L
m-cresol	108-39-4	1	1	ND	µg/L
o-cresol	95-48-7	1	1	ND	µg/L
p-cresol	106-44-5	1	1	ND	µg/L
Toluene	108-88-3	1	1	ND	µg/L
Xylene	1330-20-7	1	1	ND	µg/L

21. Heavy metals

US EPA 3015A:2007; US EPA 6020B:2014, ICP-MS; GB/T 7467-1987, UV

Heavy metals	CAS no.	TEXTILES Limit			LEATHER Limit			Reporting limit & LOQ	Result Sample 2 (After treatment)	Unit
		F	P	A	F	P	A			
Antimony (Sb)	Various	0.1	0.05	0.01	0.1	0.05	0.01	0.01	NA	mg/L
Chromium VI (Cr VI)	Various	0.05	0.005	0.001	0.15	0.05	0.02	0.001	ND	mg/L
Barium (Ba)	Various	Sample and report only			Sample and report only			1	NA	mg/L
Selenium (Se)	Various	Sample and report only			Sample and report only			1	NA	mg/L
Tin (Sn)	Various	Sample and report only			Sample and report only			1	NA	mg/L
Arsenic (As)	Various	0.05	0.01	0.005	0.05	0.01	0.005	0.005	ND	mg/L
Total Chromium (Cr)	Various	0.2	0.1	0.05	1.5	0.8	0.3	0.05	NA	mg/L
Cobalt (Co)	Various	0.05	0.02	0.01	0.05	0.02	0.01	0.01	NA	mg/L
Cadmium (Cd)	Various	0.1	0.05	0.01	0.1	0.05	0.01	0.01	ND	mg/L
Copper (Cu)	Various	1	0.5	0.25	1	0.5	0.25	0.25	NA	mg/L
Lead (Pb)	Various	0.1	0.05	0.01	0.1	0.05	0.01	0.01	ND	mg/L
Nickel (Ni)	Various	0.2	0.1	0.05	0.2	0.1	0.05	0.05	NA	mg/L
Silver (Ag)	Various	0.1	0.05	0.005	0.1	0.05	0.005	0.005	NA	mg/L
Zinc (Zn)	Various	5.0	1.0	0.5	5	1	0.5	0.5	NA	mg/L
Mercury (Hg)	Various	0.01	0.005	0.001	0.01	0.005	0.001	0.001	ND	mg/L

22. Global effluent parameters

Parameters	Test Method	TEXTILES Limit			LEATHER Limit			Reporting limit & LOQ	Result	
		F	P	A	F	P	A		Sample 2 (After Treatment)	Unit
pH	HJ 1147-2020	6-9			6-9			NA	NA	pH
Temperature difference	GB/T 13195-1991	Δ+15	Δ+10	Δ+5	Δ+15	Δ+10	Δ+5	NA	NA	°C
E. coli	SM 9221B, SM 9221F	126			126			126	NA	MPN/100ml
Colour (436nm; 525nm; 620nm)	ISO 7887-B:2011	7;5;3	5;3;2	2;1;1	7;5;3	5;3;2	2;1;1	1;1;1	NA	m ⁻¹
Foam	Visual estimation	Not visible			Not visible			NA	NA	/
Wastewater Flowrate	-	15m ³ per day			15m ³ per day			NA	NA	m ³ /day
Ammonium-N	HJ 535-2009	10	1	0.5	10	1	0.5	0.5	NA	mg/L
AOX	HJ/T 83-2001	3	0.5	0.1	3	0.5	0.1	0.1	NA	mg/L
BOD ₅	HJ 505-2009	30	15	8	50	30	20	8	NA	mg/L
COD	HJ 828-2017	150	80	40	250	150	100	40	NA	mg/L
DO	HJ 506-2009	≥4			≥4			NA	NA	mg/L
Oil and grease	HJ 637-2018	10	2	0.5	20	10	5	0.5	NA	mg/L
Phenol	HJ 503-2009	0.5	0.01	0.001	0.5	0.3	0.1	0.001	NA	mg/L
Total Chlorine	HJ 586-2010	1			1			0.1	NA	mg/L
TDS	GB/T 5750.4-2006	Sample and report only			Sample and report only			5	NA	mg/L
Total-N	HJ 636-2012	20	10	5	35	20	10	5	NA	mg/L
Total-P	GB/T 11893-1989	3	0.5	0.1	3	1	0.5	0.1	NA	mg/L
TSS	GB/T 11901-1989	50	15	5	70	50	20	15	NA	mg/L
Chloride	HJ 84-2016	Sample and report only			Sample and report only			1	NA	mg/L
Cyanide, total	HJ 484-2009	0.2	0.1	0.05	0.2	0.1	0.05	0.05	NA	mg/L
Sulphate	HJ 84-2016	Sample and report only			Sample and report only			1	NA	mg/L
Sulphide	HJ 1226-2021	0.5	0.05	0.01	1	0.5	0.2	0.01	NA	mg/L
Sulphite	HJ 84-2016	2	0.5	0.2	2	0.5	0.2	0.2	NA	mg/L



Report Number

(6625)086-0453

23. Sludge Parameters – Step 1 – MRSL –APs and APEOs: including all isomers (Sludge Disposal Pathway = E)

USEPA 3550C:2007; ASTM D7065-17; ASTM D7742-17, LC-MS

Sludge Parameters – APs and APEOs	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 3 (Sludge)	Unit
Nonylphenoethoxylates (NPEOs)	Multiple including 9016-45-9/ 26027-38-3/ 37205-87-1/ 68412-54-4/ 127087-87-0	0.4	0.4	ND	mg/kg
Nonylphenol (NP)	Multiple including 104-40-5/ 11066-49-2/ 25154-52-3/ 84852-15-3	0.4	0.4	ND	mg/kg
Octylphenoethoxylates (OPEOs)	Multiple including 9002-93-1/ 9036-19-5/ 68987-90-6	0.4	0.4	ND	mg/kg
Octylphenol (OP)	Multiple including 140-66-9/ 1806-26-4/ 27193-28-8	0.4	0.4	ND	mg/kg

24. Sludge Parameters – Step 1 – MRSL – Polycyclic Aromatic Hydrocarbons (PAHs)

USEPA 3550C:2007; USEPA 8270E:2018, GC-MS

PAHs	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 3 (Sludge)	Unit
Acenaphthene	83-32-9	0.2	0.2	ND	mg/kg
Acenaphthylene	208-96-8	0.2	0.2	ND	mg/kg
Anthracene	120-12-7	0.2	0.2	ND	mg/kg
Benzo(a)anthracene	56-55-3	0.2	0.2	ND	mg/kg
Benzo(a)pyrene (BaP)	50-32-8	0.2	0.2	ND	mg/kg
Benzo(b)fluoranthene	205-99-2	0.2	0.2	ND	mg/kg
Benzo(e)pyrene	192-97-2	0.2	0.2	ND	mg/kg
Benzo(ghi)perylene	191-24-2	0.2	0.2	ND	mg/kg
Benzo(j)fluoranthene	205-82-3	0.2	0.2	ND	mg/kg
Benzo(k)fluoranthene	207-08-09	0.2	0.2	ND	mg/kg
Chrysene	218-01-9	0.2	0.2	ND	mg/kg
Dibenz(a,h)anthracene	53-70-3	0.2	0.2	ND	mg/kg
Fluoranthene	206-44-0	0.2	0.2	ND	mg/kg
Fluorene	86-73-7	0.2	0.2	ND	mg/kg
Indeno (1,2,3-cd)pyrene	193-39-5	0.2	0.2	ND	mg/kg
Naphthalene	91-20-3	0.2	0.2	ND	mg/kg
Phenanthrene	85-01-8	0.2	0.2	ND	mg/kg
Pyrene	129-00-0	0.2	0.2	ND	mg/kg



Report Number

(6625)086-0453

25. Sludge Parameters – Step 1 – MRSL – Chlorotoluenes

USEPA 3550C:2007; USEPA 8270E:2018, GC-MS

Chlorotoluenes	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 3 (Sludge)	Unit
Other isomers of mono-, di-, tri-, tetra-, and penta- chlorotoluene	Multiple including 95-49-8/ 108-41-8/ 106-43-4/ 32768-54-0/ 95-73-8/ 19398-61-9/ 118-69-4/ 95-75-0/ 25186-47-4/ 7359-72-0/ 2077-46-5/ 6639-30-1/ 23749-65-7/ 1006-32-2/ 875-40-1/ 877-11-2	0.2	0.2	ND	µg/L

26. Sludge Parameters – Step 1 – Metals

USEPA 3051A:2007; US EPA 6020B:2014, ICP-MS; US EPA 7196A:1992, UV

Sludge Parameters - Metals	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Threshold Values	Result Sample 3 (Sludge)	Unit
Antimony	-	5	NA	12	349.8	mg/kg
Arsenic	-	5	2	10	ND	mg/kg
Barium	-	200	NA	700	ND	mg/kg
Cadmium	-	1	2	3	ND	mg/kg
Cobalt	-	400	NA	1600	ND	mg/kg
Copper	-	50	NA	200	133.1	mg/kg
Lead	-	5	2	10	6.7	mg/kg
Nickel	-	20	NA	70	25.5	mg/kg
Selenium	-	5	NA	10	ND	mg/kg
Silver	-	50	NA	100	ND	mg/kg
Zinc	-	400	NA	1000	ND	mg/kg
Total Chromium	-	50	NA	100	59.6	mg/kg
Chromium (VI)	-	20	2	50	ND	mg/kg
Mercury	-	1	0.2	1	ND	mg/kg

27. Sludge Parameters – Step 1 – Conventional Parameters & Anions

HJ 962-2018; EPA 1681:2006; HJ 613-2011; EPA 9095B:2004; HJ 745-2015

Sludge Parameters – Conventional & Anions	CAS no.	Reporting limit & LOQ TEXTILE	Reporting limit & LOQ LEATHER	Result Sample 3 (Sludge)	Unit
pH	-	5-11	-	4.34	pH
Fecal Coliform	-	-	-	NA	MPN/g
% Solids	-	Sample and report	-	38.4	%
Paint Filter Test	-	PASS	-	PASS	-
Cyanide	-	70	-	ND	mg/kg



28. Sludge Parameters – Step 2 – Metals

HJ/T 300-2007; US EPA 3015A:2007; US EPA 6020B:2014, ICP-MS; US EPA 7196A:1992, UV

Sludge Parameters – Step 2 - Metals	CAS no.	LOQ	Reporting limit	Result Sample 4 (Leachate)	Unit
Antimony	-	0.1	0.6	1.208	mg/L
Arsenic	-	-	-	NA	mg/L
Barium	-	-	-	NA	mg/L
Cadmium	-	-	-	NA	mg/L
Cobalt	-	-	-	NA	mg/L
Copper	-	-	-	NA	mg/L
Lead	-	-	-	NA	mg/L
Nickel	-	-	-	NA	mg/L
Selenium	-	-	-	NA	mg/L
Silver	-	-	-	NA	mg/L
Zinc	-	-	-	NA	mg/L
Total Chromium	-	-	-	NA	mg/L
Chromium (VI)	-	-	-	NA	mg/L
Mercury	-	-	-	NA	mg/L

Remark

- | | |
|--|-------------------------------------|
| ND = Not detected (below reporting limit) | NA = Not applicable |
| D = Detected (equal or above reporting limit) | - = Did not perform |
| * = See remark | (f) = Parameter tested in field |
| @ = Maximum holding time exceeded,
Red flag in the ZDHC Gateway – Wastewater Module.
Probable error in results due to the holding time. | (T) = Handling temperature exceeded |
| # = Non accredited parameter | F = Foundational level |
| (S) = Analysis was subcontracted for testing - xxxxx | P = Progressive level |
| [a] = The local legal standard name and legal standard number is referenced to discharge permit (or contractual agree by CETP) that provided by company. | A = Aspirational level |

Annex A: Sampling photos & Sampling locations

Sample 1 – Sampling Point
27/03/2025, 14:25



Sample 1 – Photo of Sample
27/03/2025, 14:25



Annex A: Sampling photos & Sampling locations (continue)

Sample 2 – Sampling Point
27/03/2025, 14:40



Sample 2 – Photo of Sample
27/03/2025, 14:40



Sample 2 – Photo of persistent foam
27/03/2025, 14:40



Annex A: Sampling photos & Sampling locations (continue)

Sample 3 – Sampling Point
27/03/2025, 14:00



Sample 3 – Photo of Sample
27/03/2025, 14:00





BUREAU VERITAS

Report Number

(6625)086-0453

Annex B: On-site Field Data Record Sheet

<p>ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration</p>	CPSPD-AN-00613-DATA 07
	Issue Date:
	Version No.: 1
Business Line: Analytical	

Attach the completed field data form in the test report.

Facility Information	
Date of Sampling: 采样日期	2025.3.27
Sample Number / Test Report Number (ZDHC Composite Sample Code)-报告号	66250860453
Facility Name: 工厂名称	绍兴锦泰印染有限公司
Facility Address: 工厂地址	滨海工业园区三期区块(北九路)
Facility Type (tick all applicable): 工厂类型	<input type="checkbox"/> Dyeing and Finishing 染整 <input type="checkbox"/> Fabric Mill 面料厂 <input type="checkbox"/> Laundry, Washing and Finishing 洗衣、水洗、整理 <input type="checkbox"/> Natural Leather processing 天然皮革加工 <input checked="" type="checkbox"/> Printing 印花 <input type="checkbox"/> Synthetic Leather processing 合成革加工 <input type="checkbox"/> Other (please specify) 其他 (请注明)
Discharge Type (tick applicable): 排放类型	<input type="checkbox"/> Direct discharge 直接排放 <input type="checkbox"/> with pre-treatment 有限处理 <input checked="" type="checkbox"/> Indirect discharge 间接排放 <input type="checkbox"/> without pre-treatment 没有预处理 <input type="checkbox"/> Zero liquid discharge (ZLD) 零液体排放 <input type="checkbox"/> with own ETP 拥有自己的污水处理厂 Other Notes: 另注
Discharge Description: 排放说明	<input type="checkbox"/> Discharge to environment (e.g. river/河, stream/溪流, sea etc/海洋) <input type="checkbox"/> Other (please specify) 其他 (请注明) <input checked="" type="checkbox"/> Sewage treatment plant 污水处理厂
Discharge Volume: 排放量	<input checked="" type="checkbox"/> < 15m ³ per day < 15m ³ <input type="checkbox"/> < 15m ³ per day > 15m ³

Sample Type and Details 样品类型和详细信息	
Sample Type	Sample Details
<input type="checkbox"/> Incoming Water 进水	
<input type="checkbox"/> Untreated WW 未处理	<input checked="" type="checkbox"/> with equalisation tank (EQT) present 存在均质池 (EQT) Hydraulic Retention Time (HRT) (Hours) 水力停留时间 (HRT) (小时) > 12h = volume of tank (m ³) / flow rate (m ³ /h) if HRT > 12 h, grab sampling from EQT is allowed.
<input type="checkbox"/> Effluent 排放物	<input type="checkbox"/> Direct 直接排放 <input checked="" type="checkbox"/> Indirect 间接排放 Enter sampling time(s) in page 2 and take field test measurements. 在第2页中输入采样时间, 并进行现场测试测量。 <input type="checkbox"/> Facility has WWTP 工厂拥有污水处理厂 <input checked="" type="checkbox"/> with equalisation tank (EQT) present 存在均质池 (EQT) <input type="checkbox"/> Plant is in operating condition 工厂处于运行状态 <input type="checkbox"/> Hydraulic Retention Time (HRT) (Hours) 水力停留时间 (HRT) (小时) > 12h = volume of tank (m ³) / flow rate (m ³ /h) 罐体容积 (m ³) / 流速 (m ³ /h) if HRT > 12 h, grab sampling from EQT is allowed. 如果 HRT > 12 h, 则允许从EQT中抓取取样。
<input type="checkbox"/> Sludge 污泥	Disposal Pathway 处置途径 (The pathway must be defined by the facility, if the facility cannot provide information, pathway "F" shall be assumed.) <input checked="" type="checkbox"/> A > 1000°C 场外焚烧 <input type="checkbox"/> B 有重大控制措施的填埋 <input type="checkbox"/> C 建筑材料加工温度 > 1000°C <input checked="" type="checkbox"/> D 有限制控制的填埋 <input type="checkbox"/> E 其他建筑材料加工 < 1000°C <input type="checkbox"/> F 无控制措施的填埋 <input type="checkbox"/> G 土地施用 <input type="checkbox"/> Incineration/ Building products Landfill with no control Land application Sludge flux (weight/time) if applicable: 污泥流量 (重量/时间) (如适用)

ZDHC Wastewater Sampling - Facility Confirmation ZDHC废水取样-设施确认	
The wastewater samples have been collected under the facilities' normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples. Sampling protocol for wastewater and sludge samples are in accordance with ZDHC SAP including appendix E. 废水样本是在工厂的正常生产规模和废水流速下采集的。下面列出的采样器在现场采集了样本。废水和污泥样品的取样方案符合ZDHC SAP, 包括附录E。 In no circumstances shall samples be taken during times when the production process is not running or the wastewater is diluted, for example due to heavy rainfall. 在任何情况下, 当生产过程未运行或废水被稀释时, 例如由于强降雨, 都不要取样。	
Facility Confirmation	Sampler Information
Facility Name: 工厂名	Sampler's Name/ Email: 采样员姓名/电子邮件
Facility Representative Name: 工厂负责人	Sampler's ZDHC Accredited No.: 采样员的ZDHC证书编号
Facility Representative Signature and Stamp: 工厂代表签名及盖章	Sampler's Signature: 采样员签名
Date: 日期	Date: 日期



BUREAU VERITAS

Report Number

(6625)086-0453

Annex B: On-site Field Data Record Sheet (continue)

	ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration ZDHC废水取样现场数据表和 代表性样品声明	CPSD-AN-00613-DATA-07 Issue Date: _____ Version No.: 1 Business Line: Analytical
--	--	---

ZDHC Wastewater Flow Device Dimensions ZDHC废水流量设备参数									
Measurement (cm) 测量 (cm)	Meter-仪器	Pipe (O) 管道	Flume (U) 槽渠	Wier (V) 堰					
Diameter 直径	--	--							
Depth 深度	--	--							
ZDHC Wastewater Sampling Field Testing QA/QC ZDHC废水取样现场测试QA/QC									
Parameter 参数	Lab Control Sample (LCS) Known 实验室控制样品	Lab Control Sample (LCS) Measured 实验室控制样品 (LCS) 测量	Accuracy (%) 准确度						
pH									
Total Chlorine 总氯									
ZDHC Wastewater Sample Collection Field Test Measurements ZDHC废水样未收参现场测试测量									
Incoming Sample Point 进水采样点	<input type="radio"/> Composite Sample 混合采样 <input type="radio"/> Grab Sample 瞬时采样		Start Time 开始时间	Stop Time 停止时间					
Sampling Locations 采样位置	GPS coordinates: GPS坐标		Lat.: N / S	Long.: E / W					
Sampling Mode 采样方式	<input type="radio"/> Manual 手动 <input type="radio"/> Autosampler 自动采样器 - Sampling Device Description/ Owner: 采样设备描述								
Sampling Time (Hours) 采样时间 (小时)	0	1	2	3	4	5	6	Average 平均的	
Recording time of discrete sample 记录离散样本的时间									
Colour (visual estimation): 颜色 (视觉估计)									
Untreated Sample Point 未处理的采样点	<input type="radio"/> Composite Sample 混合采样 <input checked="" type="radio"/> Grab Sample 瞬时采样		Start Time 开始时间	Stop Time 停止时间					
Sampling Locations 采样位置	GPS coordinates: GPS坐标		Lat.: N / S	Long.: E / W					
Sampling Mode 采样方式	<input checked="" type="radio"/> Manual 手动 <input type="radio"/> Autosampler 自动采样器 - Sampling Device Description/ Owner: 采样设备描述								
Sampling Time (Hours) 采样时间 (小时)	0	1	2	3	4	5	6	Average	
Recording time of discrete sample 记录离散样本的时间	14:25								
Colour (visual estimation): 颜色 (视觉估计)	浅棕								
Effluent Sample Point 排放废水采样点	<input type="radio"/> Composite Sample 混合采样 <input checked="" type="radio"/> Grab Sample 瞬时采样		Start Time 开始时间	Stop Time 停止时间					
Sampling Locations 采样位置	GPS coordinates: GPS坐标		Lat.: N / S	Long.: E / W					
Sampling Mode 采样方式	<input checked="" type="radio"/> Manual 手动 <input type="radio"/> Autosampler 自动采样器 - Sampling Device Description/ Owner: 采样设备描述								
Sampling Time (Hours) 采样时间 (小时)	0	1	2	3	4	5	6	Average	
Recording time of discrete sample 记录离散样本的时间	14:40								
Temperature (°C): WW Discharge 排放废水温度	23.1								
Receiving Water 接收水系统									
pH:	7.0								
Dissolved Oxygen (mg/L): 溶解氧	5.60								
Total Chlorine (mg/L): 总氯	0.01								
Persistent Foam (Yes/No): 持久泡沫	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Wastewater Flow Meter (L/min): 流速	2291 L/min								
Alternate Measured Flow 替代测量流量	Depth (cm) 深度 (厘米)								
Velocity (cm/sec) 流速 (厘米/秒)									
Colour (visual estimation): 颜色 (视觉估计)	浅黄								
Volume collected (L): 收集的体积 (L)	0.75L								
Total volume collected (L): 收集的总体积 (L)	0.75L	Collect 3.33-litres each hour for a total minimum volume of 20-litres per hour (收集3.33L, 以确保总收集量至少为20L)							
Sludge Sample Point 污泥采样点	<input type="radio"/> Composite Sample 混合采样 <input type="radio"/> Grab Sample 瞬时采样		Start Time 开始时间	Stop Time 停止时间					
Sampling Locations 采样位置	GPS coordinates: GPS坐标		Lat.: N / S	Long.: E / W					
Sampling Mode 采样方式	<input checked="" type="radio"/> Manual 手动 <input type="radio"/> Autosampler 自动采样器 - Sampling Device Description/ Owner: 采样设备描述								
Sampling Time (Hours) 采样时间 (小时)	0	1	2	3	4	5	6	Average	
Recording time of discrete sample 记录离散样本的时间	14:00								
Colour (visual estimation): 颜色 (视觉估计)	浅棕色								
Comments/ Other Observations 其他备注									
污泥无渣滤液									



Annex C: Limit according to regulation / Contract limit with centralized ETP (if proceed)

当前位置: 水污染物排放信息审核

1、废水污染物排放许可限值

(1) 主要排放口

排放口编号	排放口名称	污染物种类	许可排放浓度限值 (mg/L)
DW001	废水总排放口	氨氮 (NH3-N)	20mg/L
DW001	废水总排放口	流量	/
DW001	废水总排放口	二氧化氯	0.5mg/L
DW001	废水总排放口	苯胺类	1.0mg/L
DW001	废水总排放口	五日生化需氧量	150mg/L
DW001	废水总排放口	悬浮物	100mg/L
DW001	废水总排放口	总镉	0.1mg/L
DW001	废水总排放口	色度	80
DW001	废水总排放口	总氮 (以N计)	30mg/L
DW001	废水总排放口	总磷 (以P计)	1.5mg/L
DW001	废水总排放口	化学需氧量	500mg/L
DW001	废水总排放口	硫化物	0.5mg/L
DW001	废水总排放口	pH值	6-9
DW001	废水总排放口	可吸附有机卤化物	12mg/L
主要排放口合计			CODcr
			氨氮
			总氮 (以N计)
