

SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Report Date: 30/09/2025

Factory's name:	Auro Textiles (A Unit of Vardhman Textile)
Factory's address:	Sai Road, Baddi, Himachal Pradesh (India) Pin -173205
Audit ID:	N/A
Type of wastewater discharge:	Indirect discharge
On-site Wastewater treatment plant:	With wastewater treatment plant
Average total industrial wastewater generated:	≥ 15m ³ /day
Date and time of the beginning of sampling:	26/09/2025, 11:00 AM
Date and time of the end of sampling:	26/09/2025, 05:10 PM
Date received sample:	26/09/2025
Testing period:	From 27/09/2025 to 30/09/2025
Arrival temperature at laboratory:	5.6 °C
Sample type:	
Sample / Incoming water	N/A
Sample / Untreated wastewater -1 (Cat-1)	Black, Composite sample at 11:00, 12:00, 01:00, 02:00, 03:00, 04:00, 05:00 Sampling location: Latitude 30.94, Longitude 76.81
Sample / Untreated wastewater -2 (Cat-4)	Grey, Composite sample at 11:10, 12:10, 01:10, 02:10, 03:10, 04:10, 05:10 Sampling location: Latitude 30.94, Longitude 76.81
Sample / Sludge	Red, Grab sample at 03:00 PM Sampling location: Latitude 30.94, Longitude 76.81
Sampling laboratory:	Intertek India Pvt Ltd (Gurgaon)
Testing laboratory:	Intertek India Pvt Ltd (Gurgaon)
ZDHC sampler accreditation certification number:	ZDHC-A-22-E-C001068-R23A3-487DE
Local legal standard name ^[a] :	H.P State Pollution Control Board
Local legal standard no. ^[a] :	02AA547419
Parameters (ZDHC WWSG V2.2, Table 2-3) exceeded local regulation:	No exceeded
Discharge permit provided:	Yes

Tests conducted:

As requested by a brand program, for details refer to attached page(s).



**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number: DELC25011171

Summary of test results:

Wastewater / MRSL – Test items	Testing period	Untreated Wastewater -1	Untreated Wastewater -2
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	27/09/2025 to 30/09/2025	ND	ND
Anti-Microbials & Biocides	27/09/2025 to 30/09/2025	ND	ND
Chlorinated Parafins	27/09/2025 to 30/09/2025	ND	ND
Chlorobenzenes and Chlorotoluenes	27/09/2025 to 30/09/2025	ND	ND
Chlorophenols	27/09/2025 to 30/09/2025	ND	ND
Dimethyl Formamide (DMFa)	27/09/2025 to 30/09/2025	ND	ND
Dyes – Carcinogenic or Equivalent Concern	27/09/2025 to 30/09/2025	ND	ND
Dyes – Disperse (Allergenic)	27/09/2025 to 30/09/2025	ND	ND
Flame Retardants	27/09/2025 to 30/09/2025	ND	ND
Glycols / Glycol Ethers	27/09/2025 to 30/09/2025	ND	ND
Halogenated solvents	27/09/2025 to 30/09/2025	ND	ND
Organotin compounds	27/09/2025 to 30/09/2025	ND	ND
Other/Miscellaneous Chemicals (^)	27/09/2025 to 30/09/2025	ND	ND
Perfluorinated & Polyfluorinated chemicals (PFCs)	27/09/2025 to 30/09/2025	ND	ND
Phthalates (Ortho-phthalates)	27/09/2025 to 30/09/2025	ND	ND
Polycyclic aromatic hydrocarbons (PAHs)	27/09/2025 to 30/09/2025	ND	ND
Restricted Aromatic Amines (Cleavable from Azo- colourants)	27/09/2025 to 30/09/2025	ND	ND
UV Absorbers	27/09/2025 to 30/09/2025	ND	ND
Volatile Organic Compounds (VOC)	27/09/2025 to 30/09/2025	ND	ND

For and on behalf of
Intertek Testing Services [Analytical – Gurgaon] Limited



RAVINDRA SINGH
Laboratory Manager – Analytical



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Wastewater / Heavy metals - Test items	Testing period	Untreated wastewater-1 (Cat-1)		
		Foundational	Progressive	Aspirational
Antimony	N/A			N/A
Chromium (VI)	27/09/2025 to 30/09/2025			Meet
Barium	N/A	N/A		
Selenium	N/A	N/A		
Tin	N/A	N/A		
Arsenic	27/09/2025 to 30/09/2025			Meet
Chromium (total)	N/A			N/A
Cobalt	N/A			N/A
Cadmium	27/09/2025 to 30/09/2025			Meet
Copper	N/A			N/A
Lead	27/09/2025 to 30/09/2025			Meet
Nickel	N/A			N/A
Silver	N/A			N/A
Zinc	N/A			N/A
Mercury	27/09/2025 to 30/09/2025			Meet

Wastewater / Conventional parameters - Test items	Testing period	Discharged wastewater		
		Foundational	Progressive	Aspirational
pH ^[f]	N/A	N/A		
Temperature difference ^[f]	N/A			N/A
E.coli	N/A	N/A		
Colour	N/A			N/A
Persistent foam ^[f]	N/A	N/A		
Wastewater flowrate ^[f]	N/A	N/A		
Ammonium-Nitrogen	N/A			N/A
AOX	N/A			N/A
Biochemical Oxygen Demand (BOD ₅)	N/A			N/A
Chemical Oxygen Demand (COD)	N/A			N/A
Dissolved Oxygen (DO) ^[f]	N/A			N/A
Oil & Grease	N/A			N/A
Total Phenols / Phenol Index	N/A			N/A
Total Chlorine ^[f]	N/A			N/A
Total Dissolved Solids (TDS)	N/A	N/A		
Total Nitrogen	N/A			N/A
Total Phosphorus	N/A			N/A
Total Suspended Solids (TSS)	N/A			N/A



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Wastewater / Anions - Test items	Testing period	Discharged wastewater		
		Foundational	Progressive	Aspirational
Chloride	N/A	N/A		
Cyanide, total	N/A			N/A
Sulphate	N/A	N/A		
Sulphide	N/A			N/A
Sulphite	N/A			N/A

Sludge – Disposal Pathways
B

Sludge / MRSL - Test items	Testing period	Sludge
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	27/09/2025 to 30/09/2025	ND
Polycyclic Aromatic Hydrocarbons (PAHs)	27/09/2025 to 30/09/2025	ND
Chlorotoluenes	27/09/2025 to 30/09/2025	ND

Sludge / Heavy metals - Test items	Testing period	Sludge (Total)	Sludge (Leachate)
Antimony	N/A	N/A	N/A
Arsenic	N/A	N/A	N/A
Barium	N/A	N/A	N/A
Cadmium	N/A	N/A	N/A
Cobalt	N/A	N/A	N/A
Copper	N/A	N/A	N/A
Lead	N/A	N/A	N/A
Nickel	N/A	N/A	N/A
Selenium	N/A	N/A	N/A
Silver	N/A	N/A	N/A
Zinc	N/A	N/A	N/A
Chromium (total)	N/A	N/A	N/A
Chromium VI	N/A	N/A	N/A
Mercury	N/A	N/A	N/A



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Sludge / Conventional parameters - Test items	Testing period	Sludge
pH	N/A	N/A
Faecal coliform	N/A	N/A
% Solids	27/09/2025 to 30/09/2025	Report only, refer data
Paint filter test	N/A	N/A

Sludge / Anion - Test items	Testing period	Sludge
Cyanide	N/A	N/A

Remark:
ND = Not detected (less than ZDHC reporting limit for MRSL parameters) / Not detected (less than lab reporting limit for other parameters)
D = Detected
N/A = Not applicable (Out of scope according to ZDHC WWSG v2.2)
NT = Not tested (Did not test according to applicant's request)
^(S) = The samples were subcontracted to Intertek [Food Lab] for testing.
^(T) = If sample temperature is greater than 8°C and less than 10°C when received from the laboratory.
^(TT) = If sample temperature is exceeded 10°C when received from the laboratory.
@ = Maximum holding time exceeded.
(^)= Borate, zinc salt would report ND when total boron or total zinc less than 100 µg/L.
^[f] = On-site test by sampler.
^[a] = The local legal standard name and legal standard no. is referenced to discharge permit (or contractual agree by CETP) that provided by applicant.
This report shows the test results of the environmental samples of the above factory which were collected on a specific date and time. The results of this report shall not be used for any regulatory compliance purposes.



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Sample / Wastewater

1. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

NP/OP: Modified from ASTM D7065-17, ISO 18857-2 (LC-MS-MS ANALYSIS)

OPEO/NPEO (n>2): Modified from ASTM D7065-17, ISO 18857-2 (LC-MS-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Nonylphenol ethoxylates (NPEO)	Multiple Including 9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	5	ND	ND	µg/L
Nonylphenol (NP), mixed isomers	Multiple Including 104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5	ND	ND	µg/L
Octylphenol ethoxylates (OPEO)	Multiple Including 9002-93-1; 9036-19-5; 68987-90-6	5	ND	ND	µg/L
Octylphenol (OP), mixed isomers	Multiple Including 140-66-9; 1806-26-4; 27193-28-8	5	ND	ND	µg/L

2. Anti- Microbials & Biocides

OPP, Triclosan: Modified from USEPA 8270E, Extraction & derivatization with KOH, acetic anhydride (GC-MS ANALYSIS)

Permethrin: Modified from USEPA 8270E, (GC-MS ANALYSIS)



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
o-Phenylphenol (+salts)	90-43-7	100	ND	ND	µg/L
Triclosan	3380-34-5	100	ND	ND	µg/L
Permethrin	Multiple including 52645-53-1	500	ND	ND	µg/L

3. Chlorinated Paraffins

For MCCP: Modified from ISO18219-2:2021 (GC-MS-NCI ANALYSIS)

For SCCP: Modified from ISO 18219-1:2021 (GC-MS-NCI ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Medium-chain Chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	500	ND	ND	µg/L
Short-chain Chlorinated paraffin (SCCPs)(C10 – C13)	85535-84-8	25	ND	ND	µg/L

4. Chlorobenzenes and Chlorotoluenes

Modified from US EPA 8270D & US EPA 8270, (GC-MS ANALYSIS) .

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
1,2-Dichlorobenzene	95-50-1	0.2	ND	ND	µg/L
Other isomers of mono-, di-, tri-, tetra-, penta- and hexa-Chlorobenzene and mono-, di-, tri-, tetra- and penta- chlorotoluene	Multiple including 108-90-7; 541-73-1; 106-46-7; 87-61-6;	0.2	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

	120-82-1; 108-70-3; 634-66-2; 634-90-2; 95-94-3; 608-93-5; 118-74-1; 95-49-8; 108-41-8; 106-43-4; 32768-54-0; 95-73-8; 19398-61-9; 118-69-4; 95-75-0; 25186-47-4; 7359-72-0; 2077-46-5; 6639-30-1; 23749-65-7; 21472-86-6; 1006-32-2; 875-40-1; 1006-31-1; 877-11-2				
--	---	--	--	--	--

5. Chlorophenols

Modified from USEPA 8270E extraction & derivatization with KOH, acetic anhydride (GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
2-Chlorophenol	95-57-8	0.5	ND	ND	µg/L
2,3-Dichlorophenol	576-24-9	0.5	ND	ND	µg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	ND	µg/L
2,3,5-Trichlorophenol	933-78-8	0.5	ND	ND	µg/L
2,3,6-Trichlorophenol	933-75-5	0.5	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

2,4-Dichlorophenol	120-83-2	0.5	ND	ND	µg/L
2,4,5-Trichlorophenol	95-95-4	0.5	ND	ND	µg/L
2,4,6-Trichlorophenol	88-06-2	0.5	ND	ND	µg/L
2,5-Dichlorophenol	583-78-8	0.5	ND	ND	µg/L
2,6-Dichlorophenol	87-65-0	0.5	ND	ND	µg/L
3-Chlorophenol	108-43-0	0.5	ND	ND	µg/L
3,4-Dichlorophenol	95-77-2	0.5	ND	ND	µg/L
3,4,5-Trichlorophenol	609-19-8	0.5	ND	ND	µg/L
3,5- Dichlorophenol	591-35-5	0.5	ND	ND	µg/L
4-Chlorophenol	106-48-9	0.5	ND	ND	µg/L
Pentachlorophenol (PCP)	87-86-5	0.5	ND	ND	µg/L
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	ND	µg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	ND	ND	µg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	ND	µg/L

6. Dimethyl Formamide (DMFa)

Modified from EPA 8270E (GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Dimethyl formamide; N,N-dimethylformamide (DMFa)	68-12-2	1000	ND	ND	µg/L

7. Dyes – Carcinogenic or Equivalent Concern

Modified to Liquid extraction, (LC-MS-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Basic violet 3 with >0.1% of Michler’s Ketone	548-62-9	500	ND	ND	µg/L
C.I. Acid Red 26	3761-53-3	500	ND	ND	µg/L
C.I. Acid Violet 49	1694-09-3	500	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	ND	µg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	ND	µg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	ND	µg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	ND	µg/L
C.I. Basic Red 9	569-61-9	500	ND	ND	µg/L
C.I. Basic Violet 14	632-99-5	500	ND	ND	µg/L
C.I. Direct Black 38	1937-37-7	500	ND	ND	µg/L
C.I. Direct Blue 6	2602-46-2	500	ND	ND	µg/L
C.I. Direct Red 28	573-58-0	500	ND	ND	µg/L
C.I. Disperse Blue 1	2475-45-8	500	ND	ND	µg/L
C.I. Disperse Blue 3	2475-46-9	500	ND	ND	µg/L
Disperse Orange 11	82-28-0	500	ND	ND	µg/L

8. Dyes – Disperse (Allergenic)

Modified to Liquid extraction, (LC-MS-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Disperse Blue 102	12222-97-8	50	ND	ND	µg/L
Disperse Blue 106	12223-01-7	50	ND	ND	µg/L
Disperse Blue 124	61951-51-7	50	ND	ND	µg/L
Disperse Blue 26	3860-63-7	50	ND	ND	µg/L
Disperse Blue 35	12222-75-2 56524-77-7	50	ND	ND	µg/L
Disperse Blue 7	3179-90-6	50	ND	ND	µg/L
Disperse Brown 1	23355-64-8	50	ND	ND	µg/L
Disperse Orange 1	2581-69-3	50	ND	ND	µg/L
Disperse Orange 3	730-40-5	50	ND	ND	µg/L
Disperse Orange 37/59/76	13301-61-6	50	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Disperse Red 1	2872-52-8	50	ND	ND	µg/L
Disperse Red 11	2872-48-2	50	ND	ND	µg/L
Disperse Red 17	3179-89-3	50	ND	ND	µg/L
Disperse Yellow 1	119-15-3	50	ND	ND	µg/L
Disperse Yellow 3	2832-40-8	50	ND	ND	µg/L
Disperse Yellow 39	12236-29-2	50	ND	ND	µg/L
Disperse Yellow 49	54824-37-2	50	ND	ND	µg/L
Disperse Yellow 9	6373-73-5	50	ND	ND	µg/L

9. Flame retardants

Other flame retardant substances: Modified from USEPA 8270E, Dichloromethane extraction GC-MS & LC-MS-MS ANALYSIS)

Borate salt: Determined as total Boron via ICP-OES ANALYSIS

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Boric acid **	10043-35-3; 11113-50-1	500 in Boron	ND	ND	µg/L
Diboron trioxide **	1303-86-2	500 in Boron	ND	ND	µg/L
Disodium octaborate **	12008-41-2	500 in Boron	ND	ND	µg/L
Disodium tetraborate anhydrous **	1303-96-4; 1330-43-4	500 in Boron	ND	ND	µg/L
Tetraboron disodium heptaoxide, hydrate **	12267-73-1	500 in Boron	ND	ND	µg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	25	ND	ND	µg/L
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	ND	ND	µg/L
Polybromobiphenyls (PBBs)	59536-65-1	25	ND	ND	µg/L
Monobromobiphenyls (MonoBB)	Multiple	25	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Monobromodiphenylethers (MonoBDEs)	Multiple	25	ND	ND	µg/L
Dibromobiphenyls (DiBB)	Multiple	25	ND	ND	µg/L
Dibromopropylether	21850-44-2	25	ND	ND	µg/L
Tribromodiphenylethers (TriBDEs)	Multiple	25	ND	ND	µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	ND	ND	µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	ND	ND	µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	ND	ND	µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	ND	ND	µg/L
Octabromobiphenyls (OctaBB)	Multiple	25	ND	ND	µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	ND	ND	µg/L
Nonabromobiphenyls (NonaBB)	Multiple	25	ND	ND	µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	ND	ND	µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	25	ND	ND	µg/L
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	ND	ND	µg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	25	ND	ND	µg/L
Bis(2,3-dibromopropyl) phosphate (BDBPP)	5412-25-9	25	ND	ND	µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	ND	ND	µg/L
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	25	ND	ND	µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	ND	ND	µg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	ND	ND	µg/L
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	25	ND	ND	µg/L

** Report total boron directly, no conversion from Boron salt.



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

10. Glycols / Glycol Ethers

Modified from USEPA 8270E (GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
2-ethoxyethanol	110-80-5	50	ND	ND	µg/L
2-ethoxyethyl acetate	111-15-9	50	ND	ND	µg/L
2-methoxyethanol	109-86-4	50	ND	ND	µg/L
2-methoxyethylacetate	110-49-6	50	ND	ND	µg/L
2-methoxypropylacetate	70657-70-4	50	ND	ND	µg/L
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	ND	µg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND	ND	µg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND	ND	µg/L

11. Halogenated solvents

Modified from USEPA 8260 (Headspace GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
1,2-Dichloroethane	107-06-2	1	ND	ND	µg/L
Methylene chloride	75-09-2	1	ND	ND	µg/L
Tetrachloroethylene	127-18-4	1	ND	ND	µg/L
Trichloroethylene	79-01-6	1	ND	ND	µg/L

12. Organotin compounds

Modified from ISO 17353 Derivatization with NaB (C2H5) (GC-MS ANALYSIS)



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Dipropyltin compounds (DPT)	Multiple including 867-36-7	0.01	ND	ND	µg/L
Mono-, di- and tri-butyltin derivatives	Multiple including 1118-46-3; 1461-22-9	0.01	ND	ND	µg/L
Mono, di-, and tri-methyltin derivatives	Multiple including 993-16-8; 753-73-1; 1066-45-1	0.01	ND	ND	µg/L
Mono, di-, and tri-octyltin derivatives	Multiple including 3091-25-6; 3542-36-7; 2587-76-0	0.01	ND	ND	µg/L
Mono, di-, and tri-phenyltin derivatives	Multiple including 1124-19-2; 1135-99-5; 639-58-7	0.01	ND	ND	µg/L
Tetrabutyltin compounds (TeBT)	Multiple including 1461-25-2	0.01	ND	ND	µg/L
Tetraethyltin Compounds (TeET)	Multiple including 597-64-8	0.01	ND	ND	µg/L
Tetraoctyltin compounds (TeOT)	Multiple including 3590-84-9	0.01	ND	ND	µg/L
Tricyclohexyltin (TCyHT)	Multiple including 3091-32-5	0.01	ND	ND	µg/L
Tripropyltin Compounds (TPT)	Multiple including 2279-76-7	0.01	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

13. Other/Miscellaneous Chemicals

Others: Modified to Liquid extraction, (LC-MS-MS ANALYSIS)

Borate salt: Determined as total Boron via ICP-OES ANALYSIS

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	500	ND	ND	µg/L
Bisphenol A	80-05-7	10	ND	ND	µg/L
Borate, zinc salt ^^	12767-90-7	100 in Boron & 100 in Zinc	Boron: ND	Boron: ND	µg/L
			Zinc: ND	Zinc: ND	
Quinoline	91-22-5	50	ND	ND	µg/L
Thiourea	62-56-6	50	ND	ND	µg/L

^^ = Report total boron & total zinc individually, and no conversion from boron / zinc salt.

14. Perfluorinated & polyfluorinated chemicals (PFCs)

PFCs: Modified from EPA 8270, LC-MS-MS ANALYSIS

FTOH: Modified from EPA 8270, LC-MS-MS ANALYSIS

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Perfluorooctane sulfonate (PFOS) and related substances	Multiple including 1763-23-1	0.01	ND	ND	µg/L
Perfluorooctanoic acid (PFOA) and related Substances	Multiple including 335-67-1	1	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

15. Phthalates – including all other esters of ortho-phthalic acid

Modified from USEPA 8270E, Dichloromethane extraction (GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
1,2-benzenedicarboxylic acid, di-C6-8- branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	ND	ND	µg/L
1,2-benzenedicarboxylic acid, di-C7-11- branched and linear alkyl esters (DHNUP)	68515-42-4	10	ND	ND	µg/L
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	ND	ND	µg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	ND	µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	ND	µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND	ND	µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	ND	µg/L
Di-isobutyl phthalate (DIBP)	84-69-5	10	ND	ND	µg/L
Di-isononyl phthalate (DINP)	28553-12-0	10	ND	ND	µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	ND	µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	ND	µg/L
Di-n-pentylphthalates	131-18-0	10	ND	ND	µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	ND	µg/L
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	ND	ND	µg/L
Dibutyl phthalate (DBP)	84-74-2	10	ND	ND	µg/L
Diethyl phthalate (DEP)	84-66-2	10	ND	ND	µg/L
Diisopentylphthalates	605-50-5	10	ND	ND	µg/L
Dinonyl phthalate (DNP)	84-76-4	10	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

16. Polycyclic aromatic hydrocarbons (PAHs)

Modified from USEPA 8270E Solvent extraction (GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Acenaphthene	83-32-9	1	ND	ND	µg/L
Acenaphthylene	208-96-8	1	ND	ND	µg/L
Anthracene	120-12-7	1	ND	ND	µg/L
Benzo[a]anthracene	56-55-3	1	ND	ND	µg/L
Benzo[a]pyrene (BaP)	50-32-8	1	ND	ND	µg/L
Benzo[b]fluoranthene	205-99-2	1	ND	ND	µg/L
Benzo[e]pyrene	192-97-2	1	ND	ND	µg/L
Benzo[ghi]perylene	191-24-2	1	ND	ND	µg/L
Benzo[j]fluoranthene	205-82-3	1	ND	ND	µg/L
Benzo[k]fluoranthene	207-08-9	1	ND	ND	µg/L
Chrysene	218-01-9	1	ND	ND	µg/L
Dibenz[a,h]anthracene	53-70-3	1	ND	ND	µg/L
Fluoranthene	206-44-0	1	ND	ND	µg/L
Fluorene	86-73-7	1	ND	ND	µg/L
Indeno[1,2,3-cd]pyrene	193-39-5	1	ND	ND	µg/L
Naphthalene	91-20-3	1	ND	ND	µg/L
Phenanthrene	85-01-8	1	ND	ND	µg/L
Pyrene	129-00-0	1	ND	ND	µg/L

17. Restricted Aromatic Amines (Cleavable from Azo-colourants)

Modified from ISO 14362-1 and ISO14362-3,Reduction step with sodium dithionite, solvent extraction(GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
2-Naphthylamine	91-59-8	0.1	ND	ND	µg/L
2-Naphthylammoniumacetate	553-00-4	0.1	ND	ND	µg/L
2,4-Xylidine	95-68-1	0.1	ND	ND	µg/L
2,4,5-Trimethylaniline	137-17-7	0.1	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

2,4,5-Trimethylaniline hydrochloride	21436-97-5	0.1	ND	ND	µg/L
2,6-Xylidine	87-62-7	0.1	ND	ND	µg/L
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	ND	µg/L
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	ND	µg/L
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	ND	µg/L
4-Aminoazobenzene	60-09-3	0.1	ND	ND	µg/L
4-Aminodiphenyl	92-67-1	0.1	ND	ND	µg/L
4-Chloro-o-toluidine	95-69-2	0.1	ND	ND	µg/L
4-Chloro-o-toluidinium chloride	3165-93-3	0.1	ND	ND	µg/L
4-Chloroaniline	106-47-8	0.1	ND	ND	µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoaniso sulphate	39156-41-7	0.1	ND	ND	µg/L
4-methoxy-m-phenylenediamine	615-05-4	0.1	ND	ND	µg/L
4-methyl-m-phenylenediamine	95-80-7	0.1	ND	ND	µg/L
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1	ND	ND	µg/L
4,4'-methylenedi-o-toluidine	838-88-0	0.1	ND	ND	µg/L
4,4'-methylenedianiline	101-77-9	0.1	ND	ND	µg/L
4,4'-Oxydianiline	101-80-4	0.1	ND	ND	µg/L
4,4'-Thiodianiline	139-65-1	0.1	ND	ND	µg/L
5-Nitro-o-toluidine	99-55-8	0.1	ND	ND	µg/L
6-methoxy-m-toluidine	120-71-8	0.1	ND	ND	µg/L
Benzidine	92-87-5	0.1	ND	ND	µg/L
o-Aminoazotoluene	97-56-3	0.1	ND	ND	µg/L
o-Anisidine	90-04-0	0.1	ND	ND	µg/L
o-Toluidine	95-53-4	0.1	ND	ND	µg/L

18. UV Absorbers

Modified from USEPA 8270, Dichloromethane extraction (GC-MS ANALYSIS)



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	100	ND	ND	µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	ND	ND	µg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	ND	ND	µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	ND	ND	µg/L

19. Volatile organic compounds (VOCs)

Modified from USEPA 8260D Headspace GC-MS-ANALYSIS

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater -1	Untreated wastewater -2	Unit
Benzene	71-43-2	1	ND	ND	µg/L
m-cresol	108-39-4	1	ND	ND	µg/L
o-cresol	95-48-7	1	ND	ND	µg/L
p-cresol	106-44-5	1	ND	ND	µg/L
Toluene	108-88-3	1	ND	ND	µg/L
Xylene	1330-20-7	1	ND	ND	µg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

20. Heavy metals

Modified from USEPA 6010C & USEPA 6020A, ISO 18412 EPA (ICP-MS ANALYSIS)

Chemical substances	Limit			Legal * Requirement	Lab reporting limit (mg/L)	Untreated wastewater -1 (Cat-1)	Unit
	Foundational	Progressive	Aspirational				
Antimony	0.1 mg/L	0.05 mg/L	0.01 mg/L	-	0.01	N/A	mg/L
Chromium (VI)	0.05 mg/L	0.005 mg/L	0.001 mg/L	-	0.001	ND	mg/L
Barium	Sample and report only			-	0.01	N/A	mg/L
Selenium	Sample and report only			-	0.01	N/A	mg/L
Tin	Sample and report only			--	0.01	N/A	mg/L
Arsenic	0.05 mg/L	0.01 mg/L	0.005 mg/L		0.005	ND	mg/L
Chromium (total)	0.2 mg/L	0.1 mg/L	0.05 mg/L	-	0.05	N/A	mg/L
Cobalt	0.05 mg/L	0.02 mg/L	0.01 mg/L	-	0.01	N/A	mg/L
Cadmium	0.1 mg/L	0.05 mg/L	0.01 mg/L	-	0.01	ND	mg/L
Copper	1 mg/L	0.5 mg/L	0.25 mg/L	-	0.25	N/A	mg/L
Lead	0.1 mg/L	0.05 mg/L	0.01 mg/L	-	0.01	ND	mg/L
Nickel	0.2 mg/L	0.1 mg/L	0.05 mg/L	-	0.05	N/A	mg/L
Silver	0.1 mg/L	0.05 mg/L	0.005 mg/L	-	0.005	N/A	mg/L
Zinc	5.0 mg/L	1.0 mg/L	0.5 mg/L	-	0.5	N/A	mg/L
Mercury	0.01 mg/L	0.005 mg/L	0.001 mg/L	-	0.001	ND	mg/L

* Regulation/Standard information for discharged wastewater as well as the limitation value (or contractual limit value agreed by CETP) for the required parameters (mandatory).



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

21. Conventional parameters

Parameters	Test method	Limit			Legal * Requirement	Lab reporting limit	Discharged wastewater	Unit
		Foundatio nal	Progress ive	Aspiratio nal				
pH	IS 3025 (Part 11) Electrometric method only	6-9			-	N/A	N/A	[f]
Temperature difference	IS 3025 (Part 9) Electrometric method only	△+15 °C	△+10 °C	△+5 °C	-	N/A	N/A	[f] °C
E.coli	SM 9221B presumptive, confirm positive with SM9221 F or G	126 MPN/100-ml			-	1.8	N/A	MPN/100-ml
Colour (436 nm ; 525 nm ; 620nm)	ISO 7887-B	7;5;3 [m-1]	5;3;2 [m-1]	2;1;1 [m-1]	-	N/A	N/A	[m-1]
Persistent Foam	Visual	No indication of Persistent foam in receiving water			-	N/A	N/A	[f]
Wastewater Flowrate	/	15m ³ /day			-	N/A	N/A	[f] m ³ /day
Ammonium-Nitrogen	IS 3025 (Part 34)	10 mg/L	1 mg/L	0.5 mg/L	-	0.5	N/A	mg/L
AOX	ISO 9562	3 mg/L	0.5 mg/L	0.1 mg/L	-	0.06	N/A	mg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Biochemical Oxygen Demand (BOD ₅)	IS 3035 (Part 44)	30 mg/L	15 mg/L	8 mg/L	-	3.0	N/A	mg/L
Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	150 mg/L	80 mg/L	40 mg/L	-	4.0	N/A	mg/L
Dissolved Oxygen (DO)	EPA 360.1 (Electro metric method only)	≥ 4 mg/L			-	N/A	N/A	^[f] mg/L
Oil and grease	IS 3025 (Part 39)	10 mg/L	2 mg/L	0.5 mg/L	-	0.5	N/A	mg/L
Total Phenols / Phenol Index	IS 3025 (Part 43)	0.5 mg/L	0.01 mg/L	0.001 mg/L	-	0.0005	N/A	mg/L
Total Chlorine	EPA 330.5 (Electro metric method only)	1 mg/L			-	0.2	N/A	^[f] mg/L
Total Dissolved Solids (TDS)	IS 3025 (Part 16)	Sample and report only			-	1.0	N/A	mg/L
Total-Nitrogen	IS 3025 (Part 34)	20 mg/L	10 mg/L	5 mg/L	-	0.5	N/A	mg/L
Total-Phosphorus	IS 3025 (Part 31) / IS 3025 (Part 65)	3 mg/L	0.5 mg/L	0.1 mg/L	-	0.02	N/A	mg/L
Total Suspended Solids (TSS)	IS3025 (Part 17)	50 mg/L	15 mg/L	5 mg/L	-	1.0	N/A	mg/L
Chloride	IS 3025 (Part 32)	Sample and report only			-	1.0	N/A	mg/L
Cyanide, total	APHA 4500-CN	0.2 mg/L	0.1 mg/L	0.05 mg/L	-	0.02	N/A	mg/L
Sulphate	IS 3025 (Part 24)	Sample and report only			-	1.0	N/A	mg/L
Sulphide	IS 3025 (Part 29)	0.5 mg/L	0.05 mg/L	0.01 mg/L	-	0.02	N/A	mg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Sulphite	SM 4500- SO32-C /	2 mg/L	0.5 mg/L	0.2 mg/L	-	0.2	N/A	mg/L
----------	-------------------------	--------	----------	----------	---	-----	-----	------

Sample / Sludge

Sludge flux (weight/time) and / or flow data volume/time: _____ N/A

1. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

Modified from ASTM D7065-17, ISO 18857-2 (LC-MS-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	0.4	ND	mg/kg
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	0.4	ND	mg/kg
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	0.4	ND	mg/kg
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	0.4	ND	mg/kg

2. Polycyclic aromatic hydrocarbons (PAHs)

Modified from USEPA 8270E Solvent extraction (GC-MS ANALYSIS)



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Acenaphthene	83-32-9	0.2	ND	mg/kg
Acenaphthylene	208-96-8	0.2	ND	mg/kg
Anthracene	120-12-7	0.2	ND	mg/kg
Benzo[a]anthracene	56-55-3	0.2	ND	mg/kg
Benzo[a]pyrene (BaP)	50-32-8	0.2	ND	mg/kg
Benzo[b]fluoranthene	205-99-2	0.2	ND	mg/kg
Benzo[e]pyrene	192-97-2	0.2	ND	mg/kg
Benzo[ghi]perylene	191-24-2	0.2	ND	mg/kg
Benzo[j]fluoranthene	205-82-3	0.2	ND	mg/kg
Benzo[k]fluoranthene	207-08-9	0.2	ND	mg/kg
Chrysene	218-01-9	0.2	ND	mg/kg
Dibenz[a,h]anthracene	53-70-3	0.2	ND	mg/kg
Fluoranthene	206-44-0	0.2	ND	mg/kg
Fluorene	86-73-7	0.2	ND	mg/kg
Indeno[1,2,3-cd]pyrene	193-39-5	0.2	ND	mg/kg
Naphthalene	91-20-3	0.2	ND	mg/kg
Phenanthrene	85-01-8	0.2	ND	mg/kg
Pyrene	129-00-0	0.2	ND	mg/kg

3. Chlorotoluenes

Modified from US EPA 8270D & US EPA 8270, (GC-MS ANALYSIS)

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Other isomers of mono-, di-, tri-, tetra- and penta- chlorotoluene	Multiple	0.2	ND	mg/kg

4. Heavy metals

Other heavy metals: Modified from EPA 3050 (ICP-MS ANALYSIS)

Chromium VI: Modified from USEPA 3060a (LC-ICP-MS ANALYSIS)

Mercury: Modified from EPA 7471 b EPA 3051a (ICP-ANALYSIS)



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Chemical substances	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Antimony	5	N/A	mg/kg
Arsenic	5	N/A	mg/kg
Barium	200	N/A	mg/kg
Cadmium	1	N/A	mg/kg
Cobalt	400	N/A	mg/kg
Copper	50	N/A	mg/kg
Lead	5	N/A	mg/kg
Nickel	20	N/A	mg/kg
Selenium	5	N/A	mg/kg
Silver	50	N/A	mg/kg
Zinc	400	N/A	mg/kg
Total Chromium	50	N/A	mg/kg
Chromium (VI)	20	N/A	mg/kg
Mercury	1	N/A	mg/kg

5. Conventional parameters

Chemical substances	Test method	Lab reporting limit (Dry weight)	Sludge (Dry weight)	Unit
pH	USEPA SW 9045D	N/A	N/A	N/A
Fecal Coliform	USEPA 1681	1.8	N/A	MPN/g
% Solids	USEPA 160.3	N/A	84.04	%
Paint Filter Test ^	USEPA 9095B	N/A	N/A	N/A

^ - Report "Pass" when Paint Filter Test does not contain free liquid; Report "Fail" when Paint Filter Test does contain free liquid.

6. Anions

Modified from USEPA 9013, USEPA 9014, USEPA 9213, HJ745 with Colorimetry analysis.



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Chemical substances	Lab reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Cyanide	20	N/A	mg/kg

7. Leachate heavy metals

Other heavy metals: Modified from EPA 3050 (ICP-MS ANALYSIS)

Chromium VI: Modified from USEPA 3060a (LC-ICP-MS ANALYSIS)

Mercury: Modified from EPA 7471 b EPA 3051a (ICP-ANALYSIS)

Chemical substances	Lab reporting limit (mg/L)	Sludge	Unit
Arsenic	0.5	N/A	mg/L
Cadmium	0.15	N/A	mg/L
Total Chromium	5	N/A	mg/L
Lead	0.5	N/A	mg/L
Antimony	0.6	N/A	mg/L
Barium	35	N/A	mg/L
Cobalt	80	N/A	mg/L
Copper	10	N/A	mg/L
Nickel	3.5	N/A	mg/L
Selenium	0.5	N/A	mg/L
Silver	5	N/A	mg/L
Zinc	50	N/A	mg/L
Chromium (VI)	2.5	N/A	mg/L
Mercury	0.05	N/A	mg/L



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Appendix 1: reference to ZDHC WWSG v2.2 Table 4B

Parameters	Total metals and anions threshold values (mg/kg)	Disposal pathways						
		A and B (Leachate result in mg/L)	C (Leachate result in mg/L)	D (Leachate result in mg/L)	E (Leachate result in mg/L)	F (Leachate result in mg/L)	G (Leachate result in mg/L)	G (Maximum total metals limit in mg/kg)
Antimony	12	Not applicable	Not applicable	7.8	0.6	0.6	0.6	Not applicable
Arsenic	10			2.75	0.5	0.5	0.5	41
Barium	700			67.5	35	35	35	500
Cadmium	3			0.58	0.15	0.15	0.15	39
Cobalt	1600			80	80	80	80	Not applicable
Copper	200			17.5	10	10	10	1500
Lead	10			2.75	0.5	0.5	0.5	400
Nickel	70			11.75	3.5	3.5	3.5	420
Selenium	10			0.75	0.5	0.5	0.5	36
Silver	100			5	5	5	5	Not applicable
Zinc	1000			50	50	50	50	2800
Total Chromium	100			5	5	5	5	1200
Chromium VI	50			3.75	2.5	2.5	2.5	50
Mercury	1			1.25	0.5	0.5	0.5	17



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Appendix 2: reference to ZDHC WWSG v2.2 Table 4C

Parameters	Disposal pathways					
	A and B	C	D	E	F	G
pH	Not applicable	Not applicable	5 – 11 s.u.	5 – 11 s.u.	6.5 – 9 s.u.	6.5 – 9 s.u.
Fecal Coliform (MPN/g)	Not applicable	Not applicable	Not applicable	Not applicable	< 1000 (MPN/g)	< 1000 (MPN/g)
% Solids	Sample and report only					
Paint Filter Test	Not applicable	Not applicable	Pass Paint filter test			
Cyanide	Not applicable	Not applicable	85 mg/kg	70 mg/kg	70 mg/kg	70 mg/kg



SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: DELC25011171

Photo of sampling points:


Untreated wastewater -1 (Cat-1)



Untreated wastewater -2 (Cat-4)



Sludge



SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: DELC25011171

Photo of samples:

Untreated wastewater -1 (Cat-1)



Untreated wastewater -2 (Cat-4)



Sludge



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

Attachment – sampling protocol for wastewater & sludge:

intertek ZDHC Monitoring

Total Quality. Assured.

Sampling Protocol for Wastewater and Sludge acc. ZDHC SAP 2.1* incl. Apdx. E

Facility Name: Auro Textiles

Address and Contact: AURO, TEXTILE (A-UNIT), OF VARSHMAN TEXTILE SAI, ROAD, BADDI, HIMACHAL PRADESH (INDIA) PIN-173205

Facility type: (tick all applicable) Dyeing and Finishing Fabric Mill Laundry, Washing and Finishing Natural Leather processing Printing Synthetic Leather processing

Date of sampling: 26-09-25

Sample General ID (if applicable): direct discharge indirect discharge Zero Liquid Discharge (ZLD) with pre-treatment without treatment with own ETP discharge to: CEFR

Discharge description: Indirect discharge with Pre treatment

Weather conditions: on sampling day: 26/09/25-FRIDAY, SUNNY on day before: SUNNY

* Changes from ZDHC Wastewater Guidelines V2.2 (September 2024) are implemented.

Sample Type and Details (see also page 2)

Discharged direct or indirect

Wastewater: Enter sampling times in Sample Details (page 2), and measure field parameters. Facility has WWTP Plant is in operating condition with Equalisation Tank (EQT) present: Hydraulic Retention Time (HRT): < 12 h (= Volume of tank [m³] / Flow rate [m³/h]) If HRT > 12h, grab sampling from EQT is allowed.

Pre-treated WW without sludge Untreated WW with Equalisation Tank (EQT) present: HRT: 12 h (= Volume of tank [m³] / Flow rate [m³/h]) If HRT > 12h, grab sampling from EQT is allowed. Incoming Water MMMC

Sludge with below disposal pathway ^①: A > 1000 °C on-site or off-site incineration B Landfill with significant control C Building products processed >1000 °C D Landfill with limited control E Off-site Incineration & Building products processed <1000 °C F Landfill with no control measures G Land application for specific purpose in approved areas

age of sludge: _____ days / weeks

Sludge volume generated: _____ m³/h or L/sec or other unit (specify): _____ per facility info measured estimated

Process Chemical liquid solid (powder/granulate/pieces) from running process from warehouse/storage

Times of sampling (if applicable)	Untreated:	1 11:00	2 12:00	3 1:00	4 2:00	5 3:00	6 4:00	7 5:00	or Grab (HRT>12h):
	Discharged WW (indirect) ^② :	1 11:10	2 12:10	3 1:10	4 2:10	5 3:10	6 4:10	7 5:10	or Grab ^③ (HRT>12h):
	Incoming ^③ :	1	2	3	4	5	6	7	or Grab ^③ (HRT>12h):
	Sludge (liquid):	1 3:00	2 -	3 -	4 -	5 -	6 -	7 -	Solid sludge: <u>3:00 PM</u>

^② for direct discharge, see page 2

^③ take grab sample for tap water, river water, and industrial treated river water without EQT; recycled water from EQT <12h must be composite.

Picture ID (or Date & Time / Interval): 26/09/2025

GPS coordinates of sampling points:

Incoming W.:	Lat.: ON OS	<u>30.9449</u>	Long.: OE OW	<u>76.8186</u>
Untreated WW:	Lat.: ON OS	<u>30.9449</u>	Long.: OE OW	<u>76.8213</u>
Discharged WW:	Lat.: ON OS		Long.: OE OW	
Sludge:	Lat.: ON OS	<u>30.9453</u>	Long.: OE OW	<u>76.8185</u>



SOFTLINES WASTEWATER TESTING TEST REPORT (TEXTILES)

Number: DELC25011171

intertek ZDHC Monitoring

Total Quality. Assured.

Sample Details ② Field parameters usually are only required for direct discharge. If client requests also for indirect discharge, use below fields.

Composite Sample Grab Sample (only allowed from EQT of Discharged WW with HRT>12h) (enter data in column for Averaged Readings and in field at right) Volume of aliquot(s): _____ mL

Time ④ of discrete Discharged WW sample	1	2	3	4	5	6	7	Averaged Readings or Grab Sample readings:
pH:	7.85	7.30	7.50	7.50	7.60	7.50	7.50	7.48
Temp. WW discharge of receiving water	24 °C	24 °C	25 °C	24 °C	24 °C	25 °C	25 °C	24.1 °C
Flow rate:	L/s	m ³ /d avg.						
Dissolved Oxygen:	6.8 mg/L	6.8 mg/L						
Total Chlorine:	0 mg/L	0 mg/L						
Persistent foam:	<input type="radio"/> yes <input checked="" type="radio"/> no							

④ time when discrete sample for composite was taken. Use comment field if number of samples is greater than seven, or if above fields are otherwise not sufficient.
Note: 1.0 m³/h = 0.27 L/s; 1.0 L/s = 86.4 m³/d; 1 m³/h = 0.042 m³/d; multiply the flow rate in m³/h by the daily operation time of the ETP to get flow rate in m³/d;

Sampling procedure: automated sampling with beaker/bowl other:

Wastewater Flow Data (Discharged WW)

System: Flow meter (in facility) Pipe (O) Flume (U) Wier (V)

Diameter [cm] _____

Water Depth [cm] _____

Flow Speed [cm/sec] _____

General Field Parameters and Sensory Data (enter as far as applicable)

Type	T ambient air [°C]	Odour	Col	Foaming	Floating matter
Incoming				<input type="radio"/> yes <input checked="" type="radio"/> no	<input type="radio"/> yes <input checked="" type="radio"/> no
Untreated				<input type="radio"/> yes <input checked="" type="radio"/> no	<input type="radio"/> yes <input checked="" type="radio"/> no
Discharged WW			Black creaky Res	<input type="radio"/> yes <input checked="" type="radio"/> no	<input type="radio"/> yes <input checked="" type="radio"/> no
Sludge					

Field Testing QA/QC

Parameter	Lab Control Sample target value	Lab Control Sample measured value	Accuracy [%]
pH	7.0	7.1	101.4
Total Chlorine	188	200	106.5

Other observations:

Additional notes (e.g., alternatively measured flow and readings, abbreviations used, etc):



**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number: DELC25011171

intertek ZDHC Monitoring
Total Quality. Assured.

ZDHC Wastewater Sampling - Facility Confirmation
The Wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Sampling person (name & email address): BHEEM SINGH, bheem.bhargava@smcl.com Facility Name: Auro Textile (A unit of Vasdhanta textile)

Sampler's ZDHC accreditation no.: (ZDHC A-22-E-C00/068
-R 23A3-4870E Facility's Representative name: Ms. Sumit Arora

Sampler's Signature: [Signature] Facility's Representative Signature and Stamp: [Signature and Stamp]

(Circular stamp: Auro Textiles, A Unit of Vasdhanta Textiles Ltd.)



SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)

Number: DELC25011171

End of report

This report is made solely on the basis of instructions and/or information and materials supplied by you (the Client), It is not intended to be a recommendation for any specific course of action. Intertek shall not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as that which is expressly contained in the terms and conditions governing the provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent, truthful and careful basis and we do not accept any liability to you for any direct or in-direct loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

