

TEST REPORT
Revised Report
CLIENT DETAILS

Client Name: Jain Cord industries Pvt Ltd.
Client Contact: Ankush Jain
Telephone: 9899629610
E-mail: ankushjain@jaincord.com
Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

LABORATORY DETAILS

SGS Affiliate: SGS India Pvt Ltd., Chennai
SGS Contact: Balla Suresh Kumar
Telephone: +91 9840830472
E-mail: balla.sureshkumar@sgs.com
Address: 28 B/1(SP), 28B/2 (SP), Second Main Road, Ambattur Ind. Est., Ambattur, Chennai-58.

FACTORY DETAILS

Factory Name: Jain Cord industries Pvt Ltd.
Factory Contact: Ankush Jain
Telephone: 9899629610
E-mail: ankushjain@jaincord.com
Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401
Types of Mills: (4) Fabric Dyeing, Finishing, Printing
On-Site ETP: Yes
Discharge Destination: To the Environment
Name of Municipal/Centralized ETP: N/A
Address of Municipal/Centralized ETP: N/A

SAMPLE AND TESTING DETAILS

Sample No: CHN25-0008807-0001
Sampling Country: SGS India Pvt Ltd., Chennai
ZDHC Approved Sampler & Cert. No.: Swatantra Kumar (C74D106819512)
Sampling Date: 30-04-2025
Sample Received Date: 02-05-2025
Test Performing Period: 03-05-2025 - 20-05-2025
Sample Received Temperature: 8.1 °C
No. of Samples: Water (2); Sludge (1)
Sample Descriptions:
 1) Untreated Wastewater (6-hour Composite)
 2) Effluent (6-hour Composite)
 3) Sludge (Grab)
Sample Volume 8L each water sample; 2kg sludge sample in total
Testing Institute: SGS India Pvt Ltd., Chennai
Discharge Method: Direct Discharge

OVERALL RESULTS

	Untreated Wastewater	Effluent	Sludge	Leachate
Conventional Parameters / Anions / Metals:	-	Fulfill Foundational Limit	-	-
MRSL Parameters:	Not Detected	-	Not Detected	-

REMARKS

1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.
3. Sample received temperature is greater than 8°C and less than 10°C when received from the laboratory
4. Above conclusion was based on ZDHC waste water Guideline, Version 2.2

Per pro SGS India Private Ltd


S. Prasad
Manager- Supply Chain Management
Email your Test Report Related Enquiries at Feedback.SLT@sgs.com

Test report revised to correct sludge disposal pathway details.
Report No. CHNSL250020847, dated 20 May 2025, has been cancelled and superseded by Report No. CHNSL250020847R-1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

RESULT SUMMARY

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

TEST ITEMS	Untreated Wastewater	Effluent	Sludge	Leachate
Conventional Parameters	-	Please refer to the information in TEST RESULTS	Please refer to the information in TEST RESULTS	-
Anions	-	O	N/A	-
Metals	-	O	Please refer to the information in TEST RESULTS	N/A
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs)	O	-	Sample and Report Only	-
Antimicrobials and Biocides	O	-	-	-
Chlorinated Paraffins	O	-	-	-
Chlorobenzenes and Chlorotoluenes	O	-	Sample and Report Only	-
Chlorophenols	O	-	-	-
N,N-di-methylformamide (DMFa)	O	-	-	-
Dyes - Carcinogenic or Equivalent Concern	O	-	-	-
Dyes - Disperse (Allergenic)	O	-	-	-
Flame Retardants	O	-	-	-
Glycols / Glycol Ethers	O	-	-	-
Halogenated Solvents	O	-	-	-
Organotin Compounds	O	-	-	-
Other / Miscellaneous Chemicals	O	-	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)	O	-	-	-
Phthalates	O	-	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)	O	-	Sample and Report Only	-
Restricted Aromatic Amines	O	-	-	-
UV Absorbers	O	-	-	-
Volatile Organic Compounds (VOC)	O	-	-	-

Note:

X - Detected

O - Not Detected

N/A - Not Tested / Not Applicable

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

Items	CAS No.	Reporting Limit	Units	Sample ID		Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Factory Performances				
				8807-0001 (A)	8807-0001 (B)							Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Sludge
Sample Colour Description	-	-	-	Dark Blue	Lt. Yellow	-	-	Brown	-	-	-	-	-	-	-	-
Wastewater Flow Rate*	-	-	m ³ /day	-	1811	-	-	-	-	-	-	-	-	-	-	-
Sludge Disposal Pathway	-	-	-	-	-	-	-	Pathway B	-	-	-	-	-	-	-	-
Conventional Parameters																
pH	-	-	-	-	7.0	-	-	N/A	-	-	-	-	Fulfill Aspirational Limit	N/A	-	-
Temp-Difference	-	-	°C	-	0.0	-	-	-	-	-	-	-	-	-	-	-
Temp-Discharge Pipe	-	-	°C	-	35.3	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Temp-Receiving Water	-	-	°C	-	40.4	-	-	-	-	-	-	-	-	-	-	-
E. Coli	-	126	MPN / 100mL	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Colour (436nm)	-	2	m ⁻¹	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Colour (525nm)	-	1	m ⁻¹	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Colour (620nm)	-	1	m ⁻¹	-	n.d.	-	-	-	-	-	-	-	-	-	-	-
Persistent Foam	-	Absent / Present	-	-	Absent	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Ammonium-N	-	0.5	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
AOX	-	0.1	mg/L	-	0.3	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Biochemical Oxygen Demand 5-days Concentration (BOD ₅)	-	8	mg/L	-	27	-	-	-	-	-	-	-	Progressive Limit	-	-	-
Chemical Oxygen Demand (COD)	-	40	mg/L	-	140	-	-	-	-	-	-	-	Fulfill Foundational Limit	-	-	-
Dissolved Oxygen (DO)	-	4	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Oil & Grease	-	0.5	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Total Phenols / Phenol Index	-	0.001	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Total Chlorine	-	1	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-	-
Total Dissolved Solids (TDS)	-	50	mg/L	-	2124	-	-	-	-	-	-	-	Sample and Report Only	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

Items	CAS No.	Reporting Limit	Units	8807-0001 (A)		8807-0001 (B)		8807-0001 (C)		8807-0001 (D)		8807-0001 (E)		8807-0001 (F)		8807-0001 (G)	
				Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent
				Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	-	-	-	-	-
				Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-	-	-	-	-	-
				Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-	-	-	-	-	-
				Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-	-	-	-	-	-
				Sampling End Time	17:00	17:00	-	-	14:10	-	-	-	-	-	-	-	-
				Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-	-	-	-	-	-
Factory Performances																	
				Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate		
Total Nitrogen	-	5	mg/L	-	10	-	-	-	-	-	-	-	Fulfill Progressive Limit	-	-		
Total Phosphorus	-	0.1	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-		
Total Suspended Solids (TSS)	-	5	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-		
Faecal Coliform	-	-	-	-	-	1000	MPN/g	N/A	-	-	-	-	-	N/A	-		
Paint Filter Test	-	-	-	-	-	Pass	-	N/A	-	-	-	-	-	N/A	-		
Anions																	
Chloride	-	1	mg/L	-	744	-	-	-	-	-	-	-	Sample and Report Only	-	-		
Cyanide, Total	-	0.05	mg/L	-	n.d.	20	mg/kg	N/A	-	-	-	-	Fulfill Aspirational Limit	N/A	-		
Sulfate	-	5	mg/L	-	221	-	-	-	-	-	-	-	Sample and Report Only	-	-		
Sulfide	-	0.01	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-		
Sulfite	-	0.2	mg/L	-	n.d.	-	-	-	-	-	-	-	Fulfill Aspirational Limit	-	-		
Metals																	
Total Antimony (Sb)	-	0.01	mg/L	-	n.d.	5	mg/kg	N/A	0.01	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A		
Chromium (VI)	-	0.001	mg/L	-	n.d.	20	mg/kg	N/A	0.001	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A		
Total Barium (Ba)	-	35	mg/L	-	n.d.	200	mg/kg	N/A	35	mg/L	N/A	-	Sample and Report Only	N/A	N/A		
Total Selenium (Se)	-	0.5	mg/L	-	n.d.	5	mg/kg	N/A	0.5	mg/L	N/A	-	Sample and Report Only	N/A	N/A		
Total Tin (Sn)	-	0.1	mg/L	-	n.d.	-	-	-	-	-	-	-	Sample and Report Only	-	-		
Total Arsenic (As)	-	0.005	mg/L	-	n.d.	5	mg/kg	N/A	0.005	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A		
Total Chromium (Cr)	-	0.05	mg/L	-	n.d.	50	mg/kg	N/A	0.05	mg/L	n.d.	-	Fulfill Aspirational Limit	N/A	N/A		
Total Cobalt (Co)	-	0.01	mg/L	-	n.d.	400	mg/kg	N/A	0.01	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A		

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances					
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Total Cadmium (Cd)	-	0.01	mg/L	-	n.d.	1	mg/kg	N/A	0.01	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A
Total Copper (Cu)	-	0.25	mg/L	-	n.d.	50	mg/kg	N/A	0.25	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A
Total Lead (Pb)	-	0.01	mg/L	-	n.d.	5	mg/kg	N/A	0.01	mg/L	n.d.	-	Fulfill Aspirational Limit	N/A	N/A
Total Nickel (Ni)	-	0.05	mg/L	-	n.d.	20	mg/kg	N/A	0.05	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A
Total Silver (Ag)	-	0.005	mg/L	-	n.d.	50	mg/kg	N/A	0.005	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A
Total Zinc (Zn)	-	0.1	mg/L	n.d.	n.d.	400	mg/kg	N/A	0.1	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A
Total Mercury (Hg)	-	0.001	mg/L	-	n.d.	1	mg/kg	N/A	0.001	mg/L	N/A	-	Fulfill Aspirational Limit	N/A	N/A
Total Boron (B)	-	0.1	mg/L	0.4	-	-	-	-	-	-	-	-	-	-	-
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers															
Nonylphenol ethoxylates (NPEO)	Multiple including: 9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	5	µg/L	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Nonylphenol (NP), mixed isomers	Multiple including: 104-40-5, 11066-49-2, 25154-52-3, 84852-15-3	5	µg/L	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Octylphenol ethoxylates (OPEO)	Multiple including: 9002-93-1, 9036-19-5, 68987-90-6	5	µg/L	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Octylphenol (OP), mixed isomers	Multiple including: 140-66-9, 1806-26-4, 27193-28-8	5	µg/L	n.d.	-	0.4	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Antimicrobials and Biocides															
o-Phenylphenol (+salts)	90-43-7	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Triclosan	3380-34-5	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Permethrin	Multiple including: 52645-53-1	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Chlorinated Paraffins															
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	85535-84-8	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances				
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Chlorobenzenes and Chlorotoluenes															
1,2-Dichlorobenzene	95-50-1	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Monochlorobenzene	108-90-7	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,3-Dichlorobenzene	541-73-1	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,4-Dichlorobenzene	106-46-7	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,2,3-Trichlorobenzene	87-61-6	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,2,4-Trichlorobenzene	120-82-1	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,3,5-Trichlorobenzene	108-70-3	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Pentachlorobenzene	608-93-5	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Hexachlorobenzene	118-74-1	0.2	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-Chlorotoluene	95-49-8	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
3-Chlorotoluene	108-41-8	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
4-Chlorotoluene	106-43-4	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
2,3-Dichlorotoluene	32768-54-0	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
2,4-Dichlorotoluene	95-73-8	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
2,5-Dichlorotoluene	19398-61-9	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
2,6-Dichlorotoluene	118-69-4	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
3,4-Dichlorotoluene	95-75-0	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

Items	CAS No.	Reporting Limit	Units	8807-0001 (A)		8807-0001 (B)		8807-0001 (C)		8807-0001 (D)		8807-0001 (E)		8807-0001 (F)		Factory Performances
				Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	
				30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	30-04-2025	
				Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-	-	-	-	-	
				11:00	11:00	-	-	14:00	-	-	-	-	-	-	-	
				17:00	17:00	-	-	14:10	-	-	-	-	-	-	-	
				02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-	-	-	-	-	
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate	
3,5-Dichlorotoluene	25186-47-4	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
2,3,4-Trichlorotoluene	7359-72-0	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
2,3,6-Trichlorotoluene	2077-46-5	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
2,4,5-Trichlorotoluene	6639-30-1	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
2,4,6-Trichlorotoluene	23749-65-7	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
3,4,5-Trichlorotoluene	21472-86-6	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
2,3,4,5-Tetrachlorotoluene	1006-32-2	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
2,3,5,6-Tetrachlorotoluene	1006-31-1	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
Pentachlorotoluene	877-11-2	0.2	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-	
Chlorophenols																
2-Chlorophenol	95-57-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,3-Dichlorophenol	576-24-9	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,3,4-Trichlorophenol	15950-66-0	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,3,5-Trichlorophenol	933-78-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,3,6-Trichlorophenol	933-75-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,4-Dichlorophenol	120-83-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,4,5-Trichlorophenol	95-95-4	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,4,6-Trichlorophenol	88-06-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,5-Dichlorophenol	583-78-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
2,6-Dichlorophenol	87-65-0	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	
3-Chlorophenol	108-43-0	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-	

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances				
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
3,4-Dichlorophenol	95-77-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
3,4,5-Trichlorophenol	609-19-8	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
3,5-Dichlorophenol	591-35-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-Chlorophenol	106-48-9	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Pentachlorophenol (PCP)	87-86-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
N,N-Di-methylformamide (DMFa)															
Dimethyl formamide; N,N-Dimethylformamide (DMFa)	68-12-2	1000	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dyes - Carcinogenic or Equivalent Concern															
Basic Violet 3 with >0.1% of Michler's Ketoneb	548-62-9	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Acid Red 26	3761-53-3	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Acid Violet 49	1694-09-3	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Basic Blue 26 (with Michler's Ketone >0.1%)	2580-56-5	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Basic Green 4 (Malachite Green Chloride)^	569-64-2	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Basic Green 4 (Malachite Green Oxalate)^	2437-29-8	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Basic Green 4 (Malachite Green)	10309-95-2	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Basic Red 9	569-61-9	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Basic Violet 14	632-99-5	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Direct Black 38	1937-37-7	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Direct Blue 6	2602-46-2	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances				
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
C.I. Direct Red 28	573-58-0	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Disperse Blue 1	2475-45-8	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
C.I. Disperse Blue 3	2475-46-9	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Orange 11	82-28-0	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dyes - Disperse (Allergenic)															
Disperse Blue 102	12222-97-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Blue 106	12223-01-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Blue 124	61951-51-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Blue 26	3860-63-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Blue 35	12222-75-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Blue 35	56524-77-7	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Blue 7	3179-90-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Brown 1	23355-64-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Orange 1	2581-69-3	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Orange 3	730-40-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Orange 37/59/76	13301-61-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Red 1	2872-52-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Red 11	2872-48-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Red 17	3179-89-3	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Yellow 1	119-15-3	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Yellow 3	2832-40-8	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances				
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Disperse Yellow 39	12236-29-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Yellow 49	54824-37-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Disperse Yellow 9	6373-73-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Flame Retardants															
Boric acid	10043-35-3, 11113-50-1	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-
Diboron trioxide	1303-86-2	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-
Disodium octaborate	12008-41-2	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-
Disodium tetraborate, anhydrous	1303-96-4, 1330-43-4	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-
Tetraboron disodium heptaoxide, hydrate	12267-73-1	500	µg/L	See Total Boron (B) Result	-	-	-	-	-	-	-	Not Detected	-	-	-
Hexabromocyclodecane (HBCDD)	3194-55-6	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,2-bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Polybromobiphenyls (PBB)	59536-65-1	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Monobromobiphenyls (MonoBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Monobromodiphenylethers (MonoBDEs)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dibromobiphenyls (DiBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dibromopropylether	21850-44-2	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tribromodiphenylethers (TriBDEs)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Octabromobiphenyls (OctaBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		SludgeΦ		Leachate		Factory Performances			
				Untreated Wastewater	Effluent	Reporting Limit	Units	Reporting Limit	Units	Reporting Limit	Units	Untreated Wastewater	Effluent	Sludge	Leachate
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Nonabromobiphenyls (NonaBB)	Multiple	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Decabromobiphenyl (DecaBB)	13654-09-6	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tetrabromobisphenol A (TBBPA)	79-94-7	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Bis(2,3-dibromopropyl) phosphate (BDBPP)	5412-25-9	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tris(1-aziridinyl) phosphine oxide (TEPA)	545-55-1	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tris(2,3,-dibromopropyl)-phosphate (TRIS)	126-72-7	25	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Glycols / Glycol Ethers															
2-ethoxyethanol	110-80-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-ethoxyethyl acetate	111-15-9	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-methoxyethanol	109-86-4	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-methoxyethylacetate	110-49-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-methoxypropylacetate	70657-70-4	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Bis(2-methoxyethyl)-ether	111-96-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Ethylene glycol dimethylether	110-71-4	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Triethylene glycol dimethylether	112-49-2	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances				
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Halogenated Solvents															
1,2-Dichloroethane	107-06-2	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Methylene chloride	75-09-2	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tetrachloroethylene	127-18-4	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Trichloroethylene	79-01-6	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Organotin Compounds															
Dipropyltin Compounds (DPT)	Multiple including: 867-36-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Mono-, di- and tri-butyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Monobutyltin (MBT)	Multiple including: 1118-46-3, 1461-22-9	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dibutyltin (DBT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tributyltin (TBT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Mono-, di- and tri-methyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Monomethyltin (MMT)	Multiple including: 993-16-8, 753-73-1, 1066-45-1	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dimethyltin (DMT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Trimethyltin (TMT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Mono-, di- and tri-octyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Monooctyltin (MOT)	Multiple including: 3091-25-6, 3542-36-7, 2587-76-0	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Diocetyl tin (DOT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Triocetyl tin (TOT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances					
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Mono-, di- and tri-phenyltin derivatives		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Monophenyltin (MPHT)	Multiple including: 1124-19-2, 1135-99-5, 639-58-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Diphenyltin (DPHT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Triphenyltin (TPHT)		0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tetrabutyltin Compounds (TeBT)	Multiple including: 1461-25-2	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tetraethyltin Compounds (TeET)	Multiple including: 597-64-8	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tetraoctyltin Compounds (TeOT)	Multiple including: 3590-84-9	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tricyclohexyltin (TCyHT)	Multiple including: 3091-32-5	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Tripropyltin Compounds (TPT)	Multiple including: 2279-76-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Other / Miscellaneous Chemicals															
AEAA [2-(2-aminoethylamino) ethanol]	111-41-1	500	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Bisphenol A	80-05-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Borate, zinc salt	12767-90-7	100	µg/L	See Total Zinc (Zn) & Total Boron (B) Results	-	-	-	-	-	-	-	Not Detected	-	-	-
Quinoline	91-22-5	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Thiourea	62-56-6	50	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)															
Perfluorooctane sulfonate (PFOS)**	1763-23-1	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (EtFOSE)	1691-99-2	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

Items	CAS No.	Reporting Limit	Units	Untreated Wastewater		Effluent		SludgeΦ		Leachate		Factory Performances			
				Untreated Wastewater	Effluent	Reporting Limit	Units	Reporting Limit	Units	Untreated Wastewater	Effluent	Sludge	Leachate		
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (MeFOSE)	24448-09-7	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Perfluorooctane sulfonamide (PFOSA)	754-91-6	0.01	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Perfluorooctanoic acid (PFOA)***	335-67-1	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Methyl Perfluorooctanoate (Me-PFOA)	376-27-2	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Ethyl Perfluorooctanoate (Et-PFOA)	3108-24-5	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1H,1H,2H,2H-Perfluorodecylacrylate (8:2 FTA)	27905-45-9	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
8:2 Fluorotelomer methacrylate (8:2 FTMA)	1996-88-9	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Phthalates - including all other esters of ortho-phthalic acid															
1,2-benzenedicarboxylic acid, di-C6-8 branched and linear alkyl esters, C7-rich (DIHP)	71888-89-6, 84777-06-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
1,2-benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNUP)	68515-42-4, 68515-50-4	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Butyl benzyl phthalate (BBP)	85-68-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-isobutyl phthalate (DIBP)	84-69-5	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-isononyl phthalate (DINP)	28553-12-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-n-hexyl phthalate (DnHP)	84-75-3	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-n-octyl phthalate (DNOP)	117-84-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances				
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Di-n-pentylphthalates	131-18-0	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di-n-propyl phthalate (DPRP)	131-16-8	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dibutyl phthalate (DBP)	84-74-2	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Diethyl phthalate (DEP)	84-66-2	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Diisopentylphthalates	605-50-5	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Dinonyl phthalate (DNP)	84-76-4	10	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)															
Acenaphthene	83-32-9	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Acenaphthylene	208-96-8	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Anthracene	120-12-7	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Benzo[a]anthracene	56-55-3	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Benzo[a]pyrene	50-32-8	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Benzo[b]fluoranthene	205-99-2	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Benzo[e]pyrene	192-97-2	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Benzo[ghi]perylene	191-24-2	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Benzo[j]fluoranthene	205-82-3	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Benzo[k]fluoranthene	207-08-9	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Chrysene	218-01-9	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

		Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances				
		Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-					
		Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-					
		Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-					
		Sampling End Time	17:00	17:00	-	-	14:10	-	-	-					
		Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-					
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Dibenz[a,h]anthracene	53-70-3	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Fluoranthene	206-44-0	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Fluorene	86-73-7	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Indeno[1,2,3-cd]pyrene	193-39-5	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Naphthalene	91-20-3	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Phenanthrene	85-01-8	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Pyrene	129-00-0	1	µg/L	n.d.	-	0.2	mg/kg	n.d.	-	-	-	Not Detected	-	Sample and Report Only	-
Restricted Aromatic Amines (Cleavable from Azo-Colourants)															
2-naphthylamine	91-59-8	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-Naphthylammoniumacetate^	553-00-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,4-xylidine	95-68-1	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,4,5-trimethylaniline	137-17-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,4,5-trimethylaniline hydrochloride^	21436-97-5	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,6-xylidine	87-62-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
3,3'-dichlorobenzidine	91-94-1	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
3,3-dimethoxybenzidine	119-90-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
3,3-dimethylbenzidine	119-93-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-aminoazobenzene	60-09-3	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-aminodiphenyl	92-67-1	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-chloro-o-toluidine	95-69-2	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-chloro-o-toluidinium chloride^	3165-93-3	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

Items	CAS No.	Reporting Limit	Units	8807-0001 (A)		8807-0001 (B)		8807-0001 (C)		Factory Performances					
				Untreated Wastewater	Effluent	Untreated Wastewater	Effluent	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
				8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-				
				Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-			
				Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-			
				Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-			
				Sampling End Time	17:00	17:00	-	-	14:10	-	-	-			
				Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-			
4-chloroaniline	106-47-8	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate^	39156-41-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-methoxy-m-phenylenediamine	615-05-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4-methyl-m-phenylenediamine	95-80-7	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4,4-methylene-bis-(2-chloro-aniline)	101-14-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4,4-methylenedi-o-toluidine	838-88-0	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4,4-methylenedianiline	101-77-9	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4,4-oxydianiline	101-80-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
4,4-thiodianiline	139-65-1	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
5-nitro-o-toluidine	99-55-8	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
6-methoxy-m-toluidine	120-71-8	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Benzidine	92-87-5	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
o-aminoazotoluene	97-56-3	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
o-anisidine	90-04-0	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
o-toluidine	95-53-4	0.1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
UV Absorbers															
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl)phenol (UV-327)	3864-99-1	100	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ULR-TC617625000021503F

TEST RESULTS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

Sample ID	8807-0001 (A)	8807-0001 (B)	-	-	8807-0001 (C)	-	-	-	Factory Performances						
Date of Sampling	30-04-2025	30-04-2025	-	-	30-04-2025	-	-	-							
Sampling Location	Untreated Wastewater - Pipeline	Treated Wastewater - Pipeline	-	-	Sludge - Filter Press	-	-	-							
Sampling Start Time	11:00	11:00	-	-	14:00	-	-	-							
Sampling End Time	17:00	17:00	-	-	14:10	-	-	-							
Date of Sample Received	02-05-2025	02-05-2025	-	-	02-05-2025	-	-	-							
Items	CAS No.	Reporting Limit	Units	Untreated Wastewater	Effluent	Reporting Limit	Units	SludgeΦ	Reporting Limit	Units	Leachate	Untreated Wastewater	Effluent	Sludge	Leachate
Volatile Organic Compounds (VOC)															
Benzene	71-43-2	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
m-cresol	108-39-4	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
o-cresol	95-48-7	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
p-cresol	106-44-5	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Toluene	108-88-3	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Xylene	1330-20-7	1	µg/L	n.d.	-	-	-	-	-	-	-	Not Detected	-	-	-
Additional Parameters															
Dry Mass (Total Solids)	-	-	-	-	-	-	%	56.1	-	-	-	-	-	Sample and Report Only	-

Remarks:

*"n.d." = Not Detected

**"N/A" = Not Tested / Not Applicable

*** = Not Required to be Tested

^The test result is based on the calculation of selected element(s) and to the worst-case scenario

*Test data is measured/provided by the client

**PFOS refer to its salts/derivative including PFOS-K (CAS No.: 2795-39-3), PFOS-Li (CAS No.: 29457-72-5), PFOS-NH₄ (CAS No.: 29081-56-9), PFOS-NH(OH)₂ (CAS No.: 70225-14-8), PFOS-N(C₂H₅)₂ (CAS No.: 56773-42-3) and POSF (CAS No.: 307-35-7)

***PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)

@ = The amine was detected according to ISO 14362-1:2017 with the reducing agent. A similar result was obtained from the procedure carried out without the reducing agent. According to ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from a source other than azo colorants

= The amine was detected according to ISO 14362-1:2017 with the reducing agent. Confirmation procedure was carried out without reducing agent, according to ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from azo colorants

ΦSludge results are reported based on dry mass

%Please refer to the details of the Local Wastewater Discharge Requirement in the Appendix Section

§Maximum holding time exceeded

¶Sample received temperature is greater than 8°C and less than 10°C when received from the laboratory

ΔThe analysis was performed by a subcontracted laboratory assessed as competent

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

TEST PARAMETERS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Conventional Parameters												
pH	-	Wastewater: SM 4500 H+ Sludge: USEPA 9045 D	6-9			N/A	N/A	N/A	5-11	5-11	6.5-9	6.5-9
Temp-Difference	-	SM 2550	Δ+15°C	Δ+10°C	Δ+5°C	-						
E. Coli	-	SM 9221 B fermentation with LTB for presumptive followed by SM 9221 F (fluorogenic substrate)	126MPN/100mL			-						
Colour (436nm; 525nm; 620nm)	-	ISO 7887 B	7;5;3m ⁻¹	5;3;2m ⁻¹	2;1;1m ⁻¹	-						
Persistent Foam	-	-	No indication of Persistent Foam in receiving water			-						
Wastewater Flow Rate	-	-	15m ³ per day			-						
Ammonium-N	-	ISO 7150	10mg/L	1mg/L	0.5mg/L	-						
AOX	-	ISO 9562	3mg/L	0.5mg/L	0.1mg/L	-						
Biochemical Oxygen Demand 5-days Concentration (BOD ₅)	-	SM 5210 B	30mg/L	15mg/L	8mg/L	-						
Chemical Oxygen Demand (COD)	-	SM 5220 D	150mg/L	80mg/L	40mg/L	-						
Dissolved Oxygen (DO)	-	SM 4500 - O	≥4mg/L			-						
Oil & Grease	-	IS 3025 part 39	10mg/L	2mg/L	0.5mg/L	-						
Total Phenols / Phenol Index	-	SM 5530 B/C	0.5mg/L	0.01mg/L	0.001mg/L	-						
Total Chlorine	-	SM 4500 - Cl-G	1mg/L			-						
Total Dissolved Solids (TDS)	-	SM 2540 C	Sample and Report Only			-						
Total Nitrogen	-	IS 3025 part 34	20mg/L	10mg/L	5mg/L	-						
Total Phosphorus	-	ISO 6878	3mg/L	0.5mg/L	0.1mg/L	-						
Total Suspended Solids (TSS)	-	SM 2540 D	50mg/L	15mg/L	5mg/L	-						
Faecal Coliform	-	USEPA 1681/ APHA 23rd Edition Chapter 9221E	-			N/A	N/A	N/A	N/A	N/A	<1000 MPN/g	<1000 MPN/g
% Solids	-	USEPA 160.3	-			Sample and Report Only						
Paint Filter Test	-	USEPA 9095 B	-			N/A	N/A	N/A	Pass	Pass	Pass	Pass
Anions												
Chloride	-	SM 4500 Cl-D	Sample and Report Only			-						
Cyanide, Total	-	Wastewater: SM 4500 CN Sludge: Preparation: USEPA 9013 Analysis: USEPA 9213/9014	0.2mg/L	0.1mg/L	0.05mg/L	N/A	N/A	N/A	85mg/kg	70mg/kg	70mg/kg	70mg/kg
Sulfate	-	SM 4500 SO ₄ ²⁻ E	Sample and Report Only			-						
Sulfide	-	SM 4500 S ²⁻ D	0.5mg/L	0.05mg/L	0.01mg/L	-						
Sulfite	-	ISO 10304 -3	2mg/L	0.5mg/L	0.2mg/L	-						

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

TEST PARAMETERS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Metals												
Total Antimony (Sb)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	N/A
Chromium (VI)	-	Wastewater/Sludge: ISO 18412 Preparation: USEPA 3060 A Analysis: USEPA 7196 - Analysis using UV-VIS Spectrophotometer Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 18412 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	0.05mg/L	0.005mg/L	0.001mg/L	-	-	-	-	-	-	50mg/kg
Total Barium (Ba)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	Sample and Report Only			-	-	-	-	-	-	N/A
Total Selenium (Se)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	Sample and Report Only			-	-	-	-	-	-	36mg/kg
Total Tin (Sn)	-	USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis (SO-IN-C&P-TE-051)	Sample and Report Only			-						
Total Arsenic (As)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	0.05mg/L	0.01mg/L	0.005mg/L	-	-	-	-	-	-	41mg/kg
Total Chromium (Cr)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	0.2mg/L	0.1mg/L	0.05mg/L	-	-	-	-	-	-	1200mg/kg

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

TEST PARAMETERS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Total Cobalt (Co)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TF-163)	0.05mg/L	0.02mg/L	0.01mg/L	-	-	-	-	-	-	N/A
Total Cadmium (Cd)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TF-163)	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	39mg/kg
Total Copper (Cu)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TF-163)	1mg/L	0.5mg/L	0.25mg/L	-	-	-	-	-	-	1500mg/kg
Total Lead (Pb)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TF-163)	0.1mg/L	0.05mg/L	0.01mg/L	-	-	-	-	-	-	400mg/kg
Total Nickel (Ni)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TF-163)	0.2mg/L	0.1mg/L	0.05mg/L	-	-	-	-	-	-	420mg/kg
Total Silver (Ag)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TF-163)	0.1mg/L	0.05mg/L	0.005mg/L	-	-	-	-	-	-	N/A

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

TEST PARAMETERS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE							
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	
Total Zinc (Zn)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050 Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	5mg/L	1mg/L	0.5mg/L	-	-	-	-	-	-	-	2800mg/kg
Total Mercury (Hg)	-	Wastewater: USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis Sludge: Preparation: USEPA 3050/USEPA 3051A Analysis: USEPA 6020 B - acid/peroxide digestion followed by ICP/ICP-MS analysis Leachate: Leachate Extraction: USEPA 1311 Analysis: US EPA 6020B/ISO 11885 (SO-IN-C&P-TE-051) & (SO-IN-C&P-TE-163)	0.01mg/L	0.005mg/L	0.001mg/L	-	-	-	-	-	-	-	17mg/kg
Total Boron (B)	-	USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis (SO-IN-C&P-TE-051)	-			-							
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs)													
NP / OP	-	Wastewater: With reference to ISO 18857-2 (Modified dichloromethane extraction) (GC-MS or LC-MS(-MS)) Sludge: Preparation: With reference to USEPA 3550 - Ultrasonic Analysis: With reference to ISO 18857-2 (GC-MS or LC-MS(-MS)) (SO-IN-C&P-TE-052)	5µg/L			Sample and Report Only	Sample and Report Only	Sample and Report Only	0.4mg/kg	0.4mg/kg	0.4mg/kg	0.4mg/kg	0.4mg/kg
NPEO / OPEO	-	Wastewater: With reference to ISO 18857-2 (Modified dichloromethane extraction) (LC-MS(-MS)) Sludge: Preparation: With reference to USEPA 3550 - Ultrasonic Analysis: With reference to ISO 18254-1, ISO 18857-2 (LC-MS(-MS)) (SO-IN-C&P-TE-052)	5µg/L			Sample and Report Only	Sample and Report Only	Sample and Report Only	0.4mg/kg	0.4mg/kg	0.4mg/kg	0.4mg/kg	0.4mg/kg
Antimicrobials and Biocides													
o-Phenylphenol (+salts)	90-43-7	With reference to USEPA 8270 E. Determination by LC-MS(-MS) (SO-IN-C&P-TE-147)	100µg/L			-							
Triclosan	3380-34-5	With reference to USEPA 8270 E. Determination by LC-MS(-MS) (SO-IN-C&P-TE-147)	100µg/L			-							
Permethrin	Multiple including: 52645-53-1	With reference to ISO 14154:2005. Determination by LC-MS(-MS) or GC-MS (SO-IN-C&P-TE-147)	500µg/L			-							

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

TEST PARAMETERS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE								
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G		
Chlorinated Paraffins														
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	Preparation: With reference to USEPA 3510 Analysis: With reference to ISO 18219-2:2021 with GC-MS(NCI) (SO-IN-C&P-TE-065)		500µg/L					-					
Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	85535-84-8	Preparation: With reference to USEPA 3510 Analysis: With reference to ISO 18219-1:2021 with GC-MS(NCI) (SO-IN-C&P-TE-065)		25µg/L					-					
Chlorobenzenes and Chlorotoluenes		Wastewater: With reference to USEPA 8260 D, Dichloromethane extraction followed by GC-MS Sludge: Preparation: USEPA 3550 - Ultrasonic Clean-up: With reference to USEPA 3650B Analysis: With reference to USEPA 8270 E (SO-IN-C&P-TE-053)		0.2µg/L		CTs: Sample and Report Only	CTs: Sample and Report Only	CTs: Sample and Report Only	CTs: 0.2mg/kg	CTs: 0.2mg/kg	CTs: 0.2mg/kg	CTs: 0.2mg/kg		
Chlorophenols		With reference to USEPA 8270 E, Solvent extraction, derivatization with KOH, acetic anhydride followed by GC-MS (SO-IN-C&P-TE-054)		0.5µg/L					-					
N,N-di-methylformamide (DMFa)	68-12-2	With reference to USEPA 8270 E (SO-IN-C&P-TE-146)		1000µg/L					-					
Dyes - Carcinogenic or Equivalent Concern		Liquid extraction with reference to DIN 54231: 2022; followed by LC-MS analysis (SO-IN-C&P-TE-056)		500µg/L					-					
Dyes - Disperse (Allergenic)		Liquid extraction with reference to DIN 54231: 2022; followed by LC-MS analysis (SO-IN-C&P-TE-056)		50µg/L					-					
Flame Retardants		Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate anhydrous, Tetraboron disodium heptaoxide, hydrate: With reference to USEPA 200.8 - Acid digestion followed by ICP/ ICP-MS analysis Others: With reference to USEPA 8270 E, ISO 22032 - Dichloromethane extraction followed by GC-MS or LC-MS(-MS) (SO-IN-C&P-TE-057)		Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate, anhydrous, Tetraboron disodium heptaoxide, hydrate: 500µg/L Others: 25µg/L					-					
Glycols / Glycol Ethers		With reference to USEPA 8270 E followed by GC-MS (SO-IN-C&P-TE-058)		50µg/L					-					
Halogenated Solvents		With reference to USEPA 8260 D, followed by GC-MS (SO-IN-C&P-TE-059)		1µg/L					-					
Organotin Compounds		TeET: With reference to ISO 17353 Others: With reference to ISO 17353 - Derivatization with NaB(C ₂ H ₅) ₄ followed by GC-MS (SO-IN-C&P-TE-060)		0.01µg/L					-					

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

TEST PARAMETERS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE						
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G
Other / Miscellaneous Chemicals												
AEEA [2-(2-aminoethylamino) ethanol]	111-41-1	With reference to Liquid extraction followed by LC-MS/MS (SO-IN-C&P-TE-148A & SO-IN-C&P-TE-148B)		500µg/L								
Bisphenol A	80-05-7	With reference to Liquid extraction followed by LC-MS/MS (SO-IN-C&P-TE-148A & SO-IN-C&P-TE-148B)		10µg/L								
Borate, zinc salt	12767-90-7	With reference to Liquid extraction followed by LC-MS/MS (SO-IN-C&P-TE-148A & SO-IN-C&P-TE-148B)		100µg/L								
Quinoline	91-22-5	With reference to Liquid extraction followed by LC-MS/MS (SO-IN-C&P-TE-148A & SO-IN-C&P-TE-148B)		50µg/L								
Thiourea	62-56-6	USEPA 200.8, acid digestion followed by ICP/ ICP-MS analysis (SO-IN-C&P-TE-148A & SO-IN-C&P-TE-148B)		50µg/L								
Perfluorinated and Polyfluorinated Chemicals (PFCs)												
		PFCs/ FTOH Solvent extraction with reference to EPA 537/ EPA 8270E / BSEN 12673 followed by LC-MS/MS and GC-MS/MS analysis. (SO-IN-C&P-TE-061)		PFOS and related substances: 0.01µg/L PFOA and related substances: 1µg/L								
Phthalates												
		Solvent extraction with reference to USEPA 8270E / ISO 18856 followed by GC-MS analysis. (SO-IN-C&P-TE-062)		10µg/L								
Polycyclic Aromatic Hydrocarbons (PAHs)												
		Wastewater: With reference to USEPA 8270 E - Solvent extraction followed by GC-MS Sludge: Preparation: With reference to USEPA 3550 - Ultrasonic Clean-up: With reference to USEPA 3650 Analysis: With reference to USEPA 8270 E (SO-IN-C&P-TE-063)		1µg/L	Sample and Report Only	Sample and Report Only	Sample and Report Only	0.2mg/kg	0.2mg/kg	0.2mg/kg	0.2mg/kg	
Restricted Aromatic Amines												
		With reference to ISO 14362-1, USEPA 8270 E - Reduction step with sodium dithionite, solvent extraction followed by GC-MS or LC-MS/MS (SO-IN-C&P-TE-055)		0.1µg/L								

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

TEST PARAMETERS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

ITEMS	CAS No.	METHODS	WASTEWATER			SLUDGE							
			Foundational	Progressive	Aspirational	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	
UV Absorbers		With reference to USEPA 8270 E - Dichloromethane extraction followed by GC-MS (SO-IN-C&P-TE-149)		100µg/L									
Volatile Organic Compounds (VOC)													
Benzene	71-43-2	With reference to ISO 11423-1 - Headspace followed by GC-MS (SO-IN-C&P-TE-064)		1µg/L									
m-cresol	108-39-4	With reference to ISO 11423-1 - Headspace followed by GC-MS (SO-IN-C&P-TE-064)		1µg/L									
o-cresol	95-48-7	With reference to ISO 11423-1 - Headspace followed by GC-MS (SO-IN-C&P-TE-064)		1µg/L									
p-cresol	106-44-5	With reference to ISO 11423-1 - Headspace followed by GC-MS (SO-IN-C&P-TE-064)		1µg/L									
Toluene	108-88-3	With reference to ISO 11423-1 - Headspace followed by GC-MS (SO-IN-C&P-TE-064)		1µg/L									
Xylene	1330-20-7	With reference to ISO 11423-1 - Headspace followed by GC-MS (SO-IN-C&P-TE-064)		1µg/L									


This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

PIPING PLAN

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401



Effluent (B)

Sludge (C)

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

SAMPLING PHOTOS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

UNTREATED WASTEWATER
Date & Time of Measurement: 30-04-2025 - 11:00 - 17:00 GPS Data: 27.762975 N, 77.488136 E
SAMPLING LOCATION, CLOSE-UP VIEW


EFFLUENT
Date & Time of Measurement: 30-04-2025 - 11:00 - 17:00 GPS Data: 27.762859 N, 77.488371 E
SAMPLING LOCATION, CLOSE-UP VIEW


SAMPLING LOCATION, FAR VIEW


SAMPLING LOCATION, FAR VIEW


This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

SAMPLING PHOTOS

Factory Name: Jain Cord industries Pvt Ltd.

Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401

SLUDGE	
Date & Time of Measurement:	30-04-2025 - 14:00
GPS Data:	27.762775 N, 77.488005 E
SAMPLING LOCATION, CLOSE-UP VIEW	
	

SAMPLING LOCATION, FAR VIEW


This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and [Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

LOCAL WASTEWATER DISCHARGE REQUIREMENT

e.g. QCVN 13-MT 2015 BTNMT - National Technical Regulations on the Effluent of Textile Industry

Factory Name: Jain Cord industries Pvt Ltd.
 Factory Address: Village- Dautana Chandrauri Road Tehsil Chhata Mathura, 281401

GENERAL STANDARDS FOR DISCHARGE OF ENVIRONMENTAL POLLUTANTS PART -A: EFFLUENTS
 INDIA

The Environment (Protection) Rules, 1986				
SCHEDULE- VI (Inland surface water)				
Paramters	CAS No.	Effluent		
			Value	Unit
Cadmium (Cd)	7440-43-9	≤	2000	µg/L
Lead (Pb)	7439-92-1	≤	100	µg/L
Mercury (Hg)	7439-97-6	≤	10	µg/L
Nickel (Ni)	7440-02-0	≤	3000	µg/L
Hexavalent Chromium (Cr-VI)	18540-29-9	≤	100	µg/L
Arsenic (As)	7440-38-2	≤	200	µg/L
Chromium (Total Cr)	7440-47-3	≤	2000	µg/L
Copper (Cu)	7440-50-8	≤	3000	µg/L
Zinc (Zn)	7440-66-6	≤	5000	µg/L
Manganese (Mn)	7439-96-5	≤	2000	µg/L
BOD (5-day)	-	≤	30	mg/L
COD	-	≤	250	mg/L
TSS	-	≤	100	mg/L
Total Phenolics	-	≤	1	mg/L
Cyanide	-	≤	0.2	mg/L
Sulfide	-	≤	2	mg/L
pH Value (min.)	-	-	5.5	-
pH Value (max.)	-	-	9.0	-

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer

ZDHC WASTEWATER SAMPLING FIELD DATA FORM AND REPRESENTATIVE SAMPLE DECLARATION

Factory Name: Jain Cord industries Pvt Ltd.
 Factory Address: Village- Dautana Chandauri Road Tehsil Chhata Mathura, 281401



ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

ZDHC Wastewater Sampling Information:

Factory Name: Jain Cord industries Pvt Ltd.
 Factory Address: Dautana Chandauri Road Tehsil Chhata Mathura, 281401
 Sampling Location: Unfiltered Wastewater Effluent Sludge
 GPS Data: Lat 27-76-29.75° Long 77-49-81.36°
 Sampling Date: 30/04/2025
 Sampling Time: 11.00 am to 5.00 pm
 Sample ID:

Sampler Information:

Sampler Name: Swatantra Kumar
 Sampler E-mail: swatantra.kumar@sgs.com
 ZDHC Sampler Accreditation Cert. No.: C74D106819512

Sampling Method:

Grab 4-hour Composite Others, please specify: _____
 Autosampler Manual

Discharge Method:

Direct Indirect (w/pretreatment) Indirect (w/o pretreatment) Zero Liquid Discharge (ZLD)

ZDHC Wastewater Sampling Field Testing QA/QC

ZDHC Wastewater Sampling Field Testing QA/QC				
Parameter	LCS Known	LCS Measured	Accuracy %	
pH				
Total Chlorine				

ZDHC Wastewater Flow Device Dimensions

ZDHC Wastewater Flow Device Dimensions				
Measurement (cm)	Meter	Pipe (O)	Flume (U)	Wier (V)
Diameter	NA			
Depth	NA	NA	NA	

ZDHC Wastewater Sample Collection Field Test Measurements

ZDHC Wastewater Sample Collection Field Test Measurements										
Sampling Time (Hours)	Temp (°C)		pH	Visible Colour	Persistent Foam (Yes/No)	Dissolved Oxygen (mg/L)	Total Chlorine (mg/L)	Wastewater Flow Meter (L/min)	Alternate Measured Flow	
	Wastewater Discharge	Receiving Water							Depth (cm)	Velocity (cm/s)
0	42.2	28.4	8.4	DK-Blue						
1	42.3	28.5	8.5	DK-Blue						
2	42.3	28.4	8.4	DK-Blue						
3	42.2	28.4	8.4	DK-Blue						
4	42.3	28.5	8.5	DK-Blue						
5	42.2	28.3	8.3	DK-Blue						
6	42.3	28.4	8.4	DK-Blue						
Average	42.2	28.4	8.4	DK-Blue						

ZDHC Wastewater Sampling - Facility Confirmation

The wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Factory Name: Jain Cord industries Pvt Ltd. Sampler Name: Swatantra Kumar
 Factory Representative Name: Ajay Kumar ZDHC Sampler Accreditation Cert. No.: C74D106819512
 Factory Representative Signature and Stamp: *[Signature]* *[Stamp: Jain Cord Industries Pvt. Ltd.]* Sampler Signature: *[Signature]*
 Date: 30/4/25

Issue 1 / Dec 2023
 RSTS-WW-D-005

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer.



ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

ZDHC Wastewater Sampling Information:

Factory Name: Jain Cord Industries Pvt Ltd.
 Factory Address: Deutana Chandrasei Road Tehsil Chhota Mathura, 201401
 Sampling Location: Untreated Wastewater Effluent Sludge
 GPS Data: Lat 29-7628.59 Long 77-4100.321
 Sampling Date: 20/04/2025
 Sampling Time: 11:00 am to 5:00 pm
 Sample ID:

Sampler Information:

Sampler Name: Swatantra Kumar
 Sampler E-mail: swatantra.kumar@sgs.com
 ZDHC Sampler Accreditation Cert. No.: C74D100819512

Sampling Method:

Grab 5-hour Composite Others, please specify: _____
 Autosampler Manual

Discharge Method:

Direct Indirect (w/pretreatment) Indirect (w/o pretreatment) Zero Liquid Discharge (ZLD)

ZDHC Wastewater Sampling Field Testing QA/QC

Parameter	LCS Known	LCS Measured	Accuracy %
pH			
Total Chlorine			

ZDHC Wastewater Flow Device Dimensions

Measurement (cm)	Meter	Pipe (D)	Flume (L)	Vier (V)
Diameter	NA			
Depth	NA	NA	NA	

ZDHC Wastewater Sample Collection Field Test Measurements

Sampling Time (Hours)	Temp (°C)		pH	Visible Colour	Persistent Foam (Yes/No)	Dissolved Oxygen (mg/L)	Total Chlorine (mg/L)	Wastewater Flow Meter (L/min)	Alternate Measured Flow	
	Wastewater Discharge	Receiving Water							Depth (cm)	Velocity (cm/s)
0	33.3	40.4	7.06	LT-Yellow	NO	2.2	0.13	26.33		
1	35.4	40.3	7.02	LT-Yellow	NO	2.2	0.13	26.33		
2	35.3	40.4	7.05	LT-Yellow	NO	2.3	0.13	26.34		
3	35.3	40.3	7.07	LT-Yellow	NO	2.2	0.12	26.34		
4	35.2	40.4	7.02	LT-Yellow	NO	2.3	0.13	26.34		
5	35.4	40.4	7.03	LT-Yellow	NO	2.2	0.13	26.34		
6	35.3	40.3	7.04	LT-Yellow	NO	2.2	0.12	26.34		
Average	35.3	40.4	7.03	LT-Yellow	NO	2.2	0.13	26.34		

ZDHC Wastewater Sampling - Facility Confirmation

The wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Factory Name: Jain Cord Industries Pvt Ltd. Sampler Name: Swatantra Kumar
 Factory Representative Name: Ajay Kumar ZDHC Sampler Accreditation Cert. No.: C74D100819512
 Factory Representative Signature and Stamp: *[Signature]* Sampler Signature: *[Signature]*
 Date: 30/4/25

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer



ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

ZDHC Wastewater Sampling Information:

Factory Name: Jain Cord Industries Pvt Ltd.
Factory Address: Dautana Chandauri Road Tehsil Chhata Mathura, 201401
Sampling Location: Untreated Wastewater Effluent Sewage
GPS Data: Lat 27.762775° Long 77.481005°
Sampling Date: 30-04-2025
Sampling Time: 2:00 PM
Sample ID:

Sampler Information:

Sampler Name: Swatantra Kumar
Sampler E-mail: swatantra.kumar@sgs.com
ZDHC Sampler Accreditation Cert. No.: C74D106819512

Sampling Method:

Grab 6-hour Composite Others, please specify: _____
 Autosampler Manual

Discharge Method:

Direct Indirect (w/pretreatment) Indirect (w/o pretreatment) Zero Liquid Discharge (ZLD)

ZDHC Wastewater Sampling Field Testing QA/QC

ZDHC Wastewater Sampling Field Testing QA/QC			
Parameter	LCS Known	LCS Measured	Accuracy %
pH			
Total Chlorine			

ZDHC Wastewater Flow Device Dimensions

ZDHC Wastewater Flow Device Dimensions				
Measurement (cm)	Meter	Pipe (D)	Fume (U)	Wier (V)
Diameter	NA			
Depth	NA	NA	NA	

ZDHC Wastewater Sample Collection Field Test Measurements

ZDHC Wastewater Sample Collection Field Test Measurements										
Sampling Time (Hours)	Temp (°C)		pH	Visible Colour	Persistent Foam (Yes/No)	Dissolved Oxygen (mg/L)	Total Chlorine (mg/L)	Wastewater Flow Meter (L/min)	Alternate Measured Flow	
	Wastewater Discharge	Receiving Water							Depth (cm)	Velocity (cm/s)
0										
1				Brown						
2										
3										
4										
5										
6										
Average										

ZDHC Wastewater Sampling - Facility Confirmation

The wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Factory Name: Jain Cord Industries Pvt Ltd. **Sampler Name:** Swatantra Kumar
Factory Representative Name: Ajay Kumar **ZDHC Sampler Accreditation Cert. No.:** C74D106819512
Factory Representative Signature and Stamp: *[Signature]* **Sampler Signature:** *[Signature]*
[Stamp: M/s Jain Cord Industries Pvt. Ltd. Authorized Signatory] *[Date: 30/4/25]*

Issue 1 / Dec 2023
RST5-WW-D-005

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company. No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer.

