

## TEST REPORT

### CLIENT DETAILS

**Client Name:** Changzhou Oriental EastDye Textile Co., Ltd.  
**Client Contact:** Chunchao Jiang  
**Telephone:** 15705108709  
**Email:** [wsx@eastdye.com](mailto:wsx@eastdye.com)  
**Address:** No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

### LABORATORY DETAILS

**SGS Affiliate:** SGS-CSTC Ltd.  
**SGS Contact:** Lily Li  
**Telephone:** +86(021) 61072854  
**Email:** [Lily-Li@sgs.com](mailto:Lily-Li@sgs.com)  
**Address:** The 4th Building, No.889, Yishan Road, Xuhui District, Shanghai, China

### FACTORY DETAILS

**Factory Name:** Changzhou Oriental EastDye Textile Co., Ltd.  
**Factory Contact:** Chunchao Jiang  
**Telephone:** 15705108709  
**Email:** [wsx@eastdye.com](mailto:wsx@eastdye.com)  
**Address:** No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu  
**Types of Mills:** (2) Yarn Dyeing, Bleaching  
**On-Site ETP:** Yes  
**Discharge Destination:** To Centralized Waste Water Treatment Plant  
**Name of Municipal/Centralized ETP:** Changzhou Longcheng Sewage Treatment Co., Ltd.  
**Address of Municipal/Centralized ETP:** No.8, Ziyang Road, Tianning District, Changzhou City, Jiangsu Province

### SAMPLE AND TESTING DETAILS

**Sampling Country:** SGS China SL  
**ZDHC Sampler's Certification No.:** 8F146507053  
**Sampling Date:** 14-09-2021  
**Sample Received Date:** 15-09-2021  
**Test Performing Period:** 15-09-2021 - 28-09-2021  
**No. of Samples:** Water (3)  
**Sample Descriptions:**  
 1) Incoming Water (Grab)  
 2) Raw Waste Water (6-hour Composite)  
 3) Discharged Waste Water (6-hour Composite)  
**Sample Volume:**  
 1) Incoming Water 8L  
 2) Raw Waste Water 8L  
 3) Discharged Waste Water 20L  
**Testing Institute:** SGS China SH Lab  
**Discharge Method:** Indirect Discharge

### OVERALL RESULTS

|  | Incoming Water | Raw Waste Water            | Discharged Waste Water                          |
|--|----------------|----------------------------|---|
| <b>Conventional Parameters / Anion / Metals:</b> | Not Tested     | Fulfill Aspirational Limit | Please refer to the information in TEST RESULTS |
| <b>MRS� Parameters:</b>                          | Not Tested     | Not Detected               | Not Detected                                    |

### REMARKS

1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.
3. For indirect discharge, factory performance against ZDHC requirements for conventional parameters, anions and metals for discharged waste water should be compared with the discharged license of the factory.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd Testing Center



**Linda Wang**  
Chemical Manager

**RESULT SUMMARY**

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| TEST ITEMS   | Incoming Water | Raw Waste Water | Discharged Waste Water                          |
|--|----------------|-----------------|---|
| Conventional Parameters                                | -              | -               | Please refer to the information in TEST RESULTS |
| Anions   | -              | -               | X   |
| Metals   | N/A            | O               | O   |
| Alkylphenols (APs) and Alkylphenol Ethoxylates (APEOs) | N/A            | O               | O   |
| Chlorobenzenes and Chlorotoluenes                      | N/A            | O               | O   |
| Chlorophenols  | N/A            | O               | O   |
| Dyes - Azo (Forming Restricted Amines)                 | N/A            | O               | O   |
| Dyes - Carcinogenic or Equivalent Concern              | N/A            | O               | O   |
| Dyes - Disperse (Sensitising)                          | N/A            | O               | O   |
| Flame retardants                                       | N/A            | O               | O   |
| Glycols  | N/A            | O               | O   |
| Halogenated solvents                                   | N/A            | O               | O   |
| Organotin Compounds                                    | N/A            | O               | O   |
| Perfluorinated / Polyfluorinated Chemicals (PFCs)      | N/A            | O               | O   |
| Ortho-Phthalates                                       | N/A            | O               | O   |
| Polycyclic Aromatic Hydrocarbons (PAHs)                | N/A            | O               | O   |
| Volatile Organic Compounds (VOCs)                      | N/A            | O               | O   |

Note:

X - Detected

O - Not Detected

N/A - Not Tested



TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| Sample ID   |  | 52115308865801-01 | 52115308865801-03               | 52115308865801-02             | Factory Performances<br>(Refer to Remarks in cover page) |                        |                |                           | Local Wastewater Discharge Requirement** |                        |
|---|--|-------------------|---------------------------------|-------------------------------|--|------------------------|----------------|---------------------------|--|------------------------|
| Date of Sampling  |  | 14-09-2021        | 14-09-2021                      | 14-09-2021                    |  |                        |                |                           |  |                        |
| Sampling Location   |  | Inlet pipe        | Raw waste water collection tank | Discharged waste water outlet |  |                        |                |                           |  |                        |
| Sampling Start Time   |  | 9:45              | 10:20                           | 10:00                         |  |                        |                |                           |  |                        |
| Sampling End Time   |  | 9:55              | 16:30                           | 16:10                         |  |                        |                |                           |  |                        |
| Date of Sample Received   |  | 15-09-2021        | 15-09-2021                      | 15-09-2021                    |  |                        |                |                           |  |                        |
| Items   | CAS No.  | Reporting Limit   | Units                           | Incoming Water                | Raw Waste Water  | Discharged Waste Water | Incoming Water | Raw Waste Water           | Discharged Waste Water                   | Discharged Waste Water |
| Total Chromium (Cr)   | 7440-47-3  | 0.05              | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Cobalt (Co)   | 7440-48-4  | 0.01              | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Copper (Cu)   | 7440-50-8  | 0.25              | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Nickel (Ni)   | 7440-02-0  | 0.05              | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Silver (Ag)   | 7440-22-4  | 0.005             | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Zinc (Zn)   | 7440-66-6  | 0.5               | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Arsenic (As)  | 7440-38-2  | 0.005             | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Cadmium (Cd)  | 7440-43-9  | 0.01              | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Chromium-Hexavalent (Cr-VI)                                     | 7440-47-3, 18540-29-9  | 0.001             | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Lead (Pb)   | 7439-92-1  | 0.01              | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| Total Mercury (Hg)  | 7439-97-6  | 0.001             | mg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Fulfil Aspirational Limit | Not Applicable                           | N/A                    |
| <b>Alkylphenols (APs) &amp; Alkylphenol Ethoxylates (APEOs)</b> |  |                   |                                 |                               |  |                        |                |                           |  |                        |
| Nonylphenol (NP), mixed isomers                                 | Multiple, including 104-40-5, 11066-49-2, 25154-52-3, 84652-15-3, 90461-04-2, 1173019-62-9 | 5                 | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| Octylphenol (OP), mixed isomers                                 | Multiple, including 140-66-9, 1806-26-4, 27193-28-8  | 5                 | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| Octylphenol ethoxylates (OPEO)                                  | Multiple, including 9002-93-1, 9036-19-5, 68987-90-6                                       | 5                 | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| Nonylphenol ethoxylates (NPEO)                                  | Multiple, including 9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0             | 5                 | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| <b>Chlorobenzenes &amp; Chlorotoluenes</b>                      |  |                   |                                 |                               |  |                        |                |                           |  |                        |
| Monochlorobenzenes  | 108-90-7   | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,2-Dichlorobenzene   | 95-50-1  | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,3-Dichlorobenzene   | 541-73-1   | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,4-Dichlorobenzene   | 106-46-7   | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,2,3-Trichlorobenzene  | 87-61-6  | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,2,4-Trichlorobenzene  | 120-82-1   | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,3,5-Trichlorobenzene  | 108-70-3   | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,2,3,4-Tetrachlorobenzene                                      | 634-66-2   | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |
| 1,2,3,5-Tetrachlorobenzene                                      | 634-90-2   | 0.2               | µg/L                            | N/A                           | n.d.   | n.d.                   | N/A            | Not Detected              | Not Detected                             | -                      |

TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| Items                      | CAS No.    | Reporting Limit | Units | Sample ID           |                   |                        | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        | Local Wastewater Discharge Requirement** |            |                                 |                               |
|----------------------------|------------|-----------------|-------|---------------------|-------------------|------------------------|--|-----------------|------------------------|--|------------|---------------------------------|-------------------------------|
|                            |            |                 |       | 52115308865801-01   | 52115308865801-03 | 52115308865801-02      |  |                 |                        |  |            |                                 |                               |
|                            |            |                 |       | Date of Sampling    |                   |                        |  |                 |                        |  | 14-09-2021 | 14-09-2021                      | 14-09-2021                    |
|                            |            |                 |       | Sampling Location   |                   |                        |  |                 |                        |  | Inlet pipe | Raw waste water collection tank | Discharged waste water outlet |
|                            |            |                 |       | Sampling Start Time |                   |                        |  |                 |                        |  | 9:45       | 10:20                           | 10:00                         |
|                            |            |                 |       | Sampling End Time   |                   |                        |  |                 |                        |  | 9:55       | 16:30                           | 16:10                         |
| Date of Sample Received    |            |                 |       | 15-09-2021          | 15-09-2021        | 15-09-2021             |  |                 |                        |  |            |                                 |                               |
|                            |            |                 |       | Incoming Water      | Raw Waste Water   | Discharged Waste Water | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water                   |            |                                 |                               |
| 1,2,4,5-Tetrachlorobenzene | 95-94-3    | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Pentachlorobenzene         | 608-93-5   | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Hexachlorobenzene          | 118-74-1   | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Chlorotoluene            | 95-49-8    | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 3-Chlorotoluene            | 108-41-8   | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 4-Chlorotoluene            | 106-43-4   | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,3-Dichlorotoluene        | 32768-54-0 | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,4-Dichlorotoluene        | 95-73-8    | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,5-Dichlorotoluene        | 19398-61-9 | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,6-Dichlorotoluene        | 118-69-4   | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 3,4-Dichlorotoluene        | 95-75-0    | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 3,5-Dichlorotoluene        | 25186-47-4 | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,3,4-Trichlorotoluene     | 7359-72-0  | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,3,6-Trichlorotoluene     | 2077-46-5  | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,4,5-Trichlorotoluene     | 6639-30-1  | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,4,6-Trichlorotoluene     | 23749-65-7 | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 3,4,5-Trichlorotoluene     | 21472-86-6 | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,3,4,5-Tetrachlorotoluene | 76057-12-0 | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,3,5,6-Tetrachlorotoluene | 29733-70-8 | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,3,4,6-Tetrachlorotoluene | 875-40-1   | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Pentachlorotoluene         | 877-11-2   | 0.2             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| <b>Chlorophenols</b>       |            |                 |       |                     |                   |                        |  |                 |                        |  |            |                                 |                               |
| 2-Chlorophenol             | 95-57-8    | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 3-Chlorophenol             | 108-43-0   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 4-Chlorophenol             | 106-48-9   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,3-Dichlorophenol         | 576-24-9   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |

TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| Items   | CAS No.    | Reporting Limit | Units | Sample ID           |                   |                        | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        |                        | Local Wastewater Discharge Requirement** |            |                                 |                               |
|---|------------|-----------------|-------|---------------------|-------------------|------------------------|--|-----------------|------------------------|------------------------|--|------------|---------------------------------|-------------------------------|
|   |            |                 |       | 52115308865801-01   | 52115308865801-03 | 52115308865801-02      |  |                 |                        |                        |  |            |                                 |                               |
|   |            |                 |       | Date of Sampling    |                   |                        |  |                 |                        |                        |  | 14-09-2021 | 14-09-2021                      | 14-09-2021                    |
|   |            |                 |       | Sampling Location   |                   |                        |  |                 |                        |                        |  | Inlet pipe | Raw waste water collection tank | Discharged waste water outlet |
|   |            |                 |       | Sampling Start Time |                   |                        |  |                 |                        |                        |  | 9:45       | 10:20                           | 10:00                         |
|   |            |                 |       | Sampling End Time   |                   |                        |  |                 |                        |                        |  | 9:55       | 16:30                           | 16:10                         |
| Date of Sample Received                       |            |                 |       | 15-09-2021          | 15-09-2021        | 15-09-2021             |  |                 |                        |                        |  |            |                                 |                               |
|   |            |                 |       | Incoming Water      | Raw Waste Water   | Discharged Waste Water | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water |  |            |                                 |                               |
| 2,4-Dichlorophenol                            | 120-83-2   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,5-Dichlorophenol                            | 583-78-8   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,6-Dichlorophenol                            | 87-65-0    | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 3,4-Dichlorophenol                            | 95-77-2    | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 3,5-Dichlorophenol                            | 591-35-5   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,3,4-Trichlorophenol                         | 15950-66-0 | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,3,5-Trichlorophenol                         | 933-78-8   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,3,6-Trichlorophenol                         | 933-75-5   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,4,5-Trichlorophenol                         | 95-95-4    | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,4,6-Trichlorophenol                         | 88-06-2    | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 3,4,5-Trichlorophenol                         | 609-19-8   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,3,4,5-Tetrachlorophenol                     | 4901-51-3  | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,3,4,6-Tetrachlorophenol                     | 58-90-2    | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,3,5,6-Tetrachlorophenol                     | 935-95-5   | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Pentachlorophenol                             | 87-86-5    | 0.5             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| <b>Dyes - Azo (Forming Restricted Amines)</b> |            |                 |       |                     |                   |                        |  |                 |                        |                        |  |            |                                 |                               |
| 4,4'-Methylene-Bis(2-Chloroaniline)           | 101-14-4   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 4,4'-Diaminodiphenylmethane                   | 101-77-9   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 4,4'-Oxydianiline                             | 101-80-4   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| p-Chloroaniline                               | 106-47-8   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 3,3'-Dimethoxybenzidine                       | 119-90-4   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 3,3'-Dimethylbenzidine                        | 119-93-7   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| p-Cresidine                                   | 120-71-8   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 2,4,5-Trimethylaniline                        | 137-17-7   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 4,4'-Thiodianiline                            | 139-65-1   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| p-Aminoazobenzene                             | 60-09-3    | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |

TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| Items   | CAS No.   | Reporting Limit | Units | Sample ID           |                   |                        | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        | Local Wastewater Discharge Requirement** |            |                                 |                               |
|---|-----------|-----------------|-------|---------------------|-------------------|------------------------|--|-----------------|------------------------|--|------------|---------------------------------|-------------------------------|
|   |           |                 |       | 52115308865801-01   | 52115308865801-03 | 52115308865801-02      |  |                 |                        |  |            |                                 |                               |
|   |           |                 |       | Date of Sampling    |                   |                        |  |                 |                        |  | 14-09-2021 | 14-09-2021                      | 14-09-2021                    |
|   |           |                 |       | Sampling Location   |                   |                        |  |                 |                        |  | Inlet pipe | Raw waste water collection tank | Discharged waste water outlet |
|   |           |                 |       | Sampling Start Time |                   |                        |  |                 |                        |  | 9:45       | 10:20                           | 10:00                         |
|   |           |                 |       | Sampling End Time   |                   |                        |  |                 |                        |  | 9:55       | 16:30                           | 16:10                         |
| Date of Sample Received                               |           |                 |       | 15-09-2021          | 15-09-2021        | 15-09-2021             |  |                 |                        |  |            |                                 |                               |
|   |           |                 |       | Incoming Water      | Raw Waste Water   | Discharged Waste Water | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water                   |            |                                 |                               |
| 2,4-Diaminoanisole                                    | 615-05-4  | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 3,3'-Dimethyl-4,4'-diaminodiphenylmethane             | 838-88-0  | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,6-Xylidine  | 87-62-7   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| o-Anisidine   | 90-04-0   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Naphthylamine                                       | 91-59-8   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 3,3'-Dichlorobenzidine                                | 91-94-1   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 4-Aminodiphenyl                                       | 92-67-1   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Benzidine   | 92-87-5   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| o-Toluidine   | 95-53-4   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,4-Xylidine  | 95-68-1   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 4-Chloro-o-Toluidine                                  | 95-69-2   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,4-Toluylenediamine                                  | 95-80-7   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| o-Aminoazotoluene                                     | 97-56-3   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Amino-4-Nitrotoluene                                | 99-55-8   | 0.1             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| <b>Dyes - Carcinogenic or Equivalent Concern</b>      |           |                 |       |                     |                   |                        |  |                 |                        |  |            |                                 |                               |
| Direct Black 38                                       | 1937-37-7 | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Direct Blue 6   | 2602-46-2 | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Acid Red 26   | 3761-53-3 | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Basic Red 9   | 569-61-9  | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Direct Red 28   | 573-58-0  | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Basic Violet 14                                       | 632-99-5  | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Disperse Blue 1                                       | 2475-45-8 | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Disperse Blue 3                                       | 2475-46-9 | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Basic Blue 26   | 2580-56-5 | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Basic Green 4 (malachite green chloride) <sup>^</sup> | 569-64-2  | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Basic Green 4 (malachite green oxalate) <sup>^</sup>  | 2437-29-8 | 500             | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |

TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

|  | Sample ID               |                 |       | 52115308865801-01 | 52115308865801-03               | 52115308865801-02             | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        | Local Wastewater Discharge Requirement** |
|--|-------------------------|-----------------|-------|-------------------|---------------------------------|-------------------------------|--|-----------------|------------------------|--|
|  | Date of Sampling        |                 |       | 14-09-2021        | 14-09-2021                      | 14-09-2021                    |  |                 |                        |  |
|  | Sampling Location       |                 |       | Inlet pipe        | Raw waste water collection tank | Discharged waste water outlet |  |                 |                        |  |
|  | Sampling Start Time     |                 |       | 9:45              | 10:20                           | 10:00                         |  |                 |                        |  |
|  | Sampling End Time       |                 |       | 9:55              | 16:30                           | 16:10                         |  |                 |                        |  |
|  | Date of Sample Received |                 |       | 15-09-2021        | 15-09-2021                      | 15-09-2021                    |  |                 |                        |  |
| Items                                    | CAS No.                 | Reporting Limit | Units | Incoming Water    | Raw Waste Water                 | Discharged Waste Water        | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water                   |
| Basic Green 4 (malachite green)          | 10309-95-2              | 500             | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Orange 11                       | 82-28-0                 | 500             | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| <b>Dyes - Disperse (Sensitising)</b>     |                         |                 |       |                   |                                 |                               |  |                 |                        |  |
| Disperse Yellow 1                        | 119-15-3                | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Blue 102                        | 12222-97-8              | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Blue 106                        | 12223-01-7              | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Yellow 39                       | 12236-29-2              | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Orange 37/59/76                 | 13301-61-6              | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Brown 1                         | 23355-64-8              | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Orange 1                        | 2581-69-3               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Yellow 3                        | 2832-40-8               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Red 11                          | 2872-48-2               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Red 1                           | 2872-52-8               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Red 17                          | 3179-89-3               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Blue 7                          | 3179-90-6               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Blue 26                         | 3860-63-7               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Yellow 49                       | 54824-37-2              | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Blue 35                         | 12222-75-2, 56524-77-7  | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Blue 124                        | 61951-51-7              | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Yellow 9                        | 6373-73-5               | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Disperse Orange 3                        | 730-40-5                | 50              | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| <b>Flame Retardants</b>                  |                         |                 |       |                   |                                 |                               |  |                 |                        |  |
| Tris(2-chloroethyl) phosphate (TCEP)     | 115-96-8                | 5               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Decabromodiphenyl ethers (DecaBDE)       | 1163-19-5               | 5               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Tris(2,3-dibromopropyl) phosphate (TRIS) | 126-72-7                | 5               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Pentabromodiphenyl ethers (PentaBDE)     | 32534-81-9              | 5               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |



TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| Items  | CAS No.  | Reporting Limit | Units | Sample ID           |                   |                        | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        | Local Wastewater Discharge Requirement** |            |                                 |                               |
|--|--|-----------------|-------|---------------------|-------------------|------------------------|--|-----------------|------------------------|--|------------|---------------------------------|-------------------------------|
|  |  |                 |       | 52115308865801-01   | 52115308865801-03 | 52115308865801-02      |  |                 |                        |  |            |                                 |                               |
|  |  |                 |       | Date of Sampling    |                   |                        |  |                 |                        |  | 14-09-2021 | 14-09-2021                      | 14-09-2021                    |
|  |  |                 |       | Sampling Location   |                   |                        |  |                 |                        |  | Inlet pipe | Raw waste water collection tank | Discharged waste water outlet |
|  |  |                 |       | Sampling Start Time |                   |                        |  |                 |                        |  | 9:45       | 10:20                           | 10:00                         |
|  |  |                 |       | Sampling End Time   |                   |                        |  |                 |                        |  | 9:55       | 16:30                           | 16:10                         |
| Date of Sample Received  |  |                 |       | 15-09-2021          | 15-09-2021        | 15-09-2021             |  |                 |                        |  |            |                                 |                               |
|  |  |                 |       | Incoming Water      | Raw Waste Water   | Discharged Waste Water | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water                   |            |                                 |                               |
| Octabromodiphenyl ethers (OctaBDE)   | 32536-52-0   | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Bis(2,3-dibromopropyl)phosphate (BIS)                                      | 5412-25-9  | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Tris(1-aziridinyl)phosphine oxide (TEPA)                                   | 545-55-1   | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Polybrominated biphenyls (PBBs)  | 59536-65-1   | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Tetrabromobisphenol A (TBBPA)  | 79-94-7  | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Hexabromocyclododecane (HBCDD)   | 134237-50-6, 134237-51-7, 134237-52-8, 25637-99-4, 3194-65-6 | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)                                | 3296-90-0  | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Tris(1,3-dichloro-2-propyl)phosphate (TDCPP)                               | 13674-87-8   | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Short Chain Chlorinated Paraffins (SCCP), C <sub>10</sub> -C <sub>13</sub> | 85535-84-8   | 5               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| <b>Glycols</b>   |  |                 |       |                     |                   |                        |  |                 |                        |  |            |                                 |                               |
| Bis(2-methoxyethyl)-ether  | 111-96-6   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Ethoxyethanol  | 110-80-5   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Ethoxyethyl acetate  | 111-15-9   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Ethylene glycol dimethyl ether   | 110-71-4   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Methoxyethanol   | 109-86-4   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Methoxyethylacetate  | 110-49-6   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 2-Methoxypropylacetate   | 70657-70-4   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Triethylene glycol dimethyl ether  | 112-49-2   | 50              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| <b>Halogenated Solvents</b>  |  |                 |       |                     |                   |                        |  |                 |                        |  |            |                                 |                               |
| 1,2-Dichloroethane   | 107-06-2   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Methylene chloride   | 75-09-2  | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Trichloroethene  | 79-01-6  | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Tetrachloroethene  | 127-18-4   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| <b>Organotin Compounds</b>   |  |                 |       |                     |                   |                        |  |                 |                        |  |            |                                 |                               |
| Mono-, di- and tri-methyltin derivatives                                   | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Monomethyltin (MMT)  | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Dimethyltin (DMT)  | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |

TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| Items  | CAS No.  | Reporting Limit | Units | Sample ID           |                   |                        | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        | Local Wastewater Discharge Requirement** |            |                                 |                               |
|--|--|-----------------|-------|---------------------|-------------------|------------------------|--|-----------------|------------------------|--|------------|---------------------------------|-------------------------------|
|  |  |                 |       | 52115308865801-01   | 52115308865801-03 | 52115308865801-02      |  |                 |                        |  |            |                                 |                               |
|  |  |                 |       | Date of Sampling    |                   |                        |  |                 |                        |  | 14-09-2021 | 14-09-2021                      | 14-09-2021                    |
|  |  |                 |       | Sampling Location   |                   |                        |  |                 |                        |  | Inlet pipe | Raw waste water collection tank | Discharged waste water outlet |
|  |  |                 |       | Sampling Start Time |                   |                        |  |                 |                        |  | 9:45       | 10:20                           | 10:00                         |
|  |  |                 |       | Sampling End Time   |                   |                        |  |                 |                        |  | 9:55       | 16:30                           | 16:10                         |
| Date of Sample Received                                  |  |                 |       | 15-09-2021          | 15-09-2021        | 15-09-2021             |  |                 |                        |  |            |                                 |                               |
|  |  |                 |       | Incoming Water      | Raw Waste Water   | Discharged Waste Water | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water                   |            |                                 |                               |
| Trimethyltin (TMT)                                       | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Mono-, di- and tri-butyltin derivatives                  | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Monobutyltin (MBT)                                       | 1118-46-3,<br>78763-54-9                           | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Dibutyltin (DBT)   | 1002-53-5  | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Tributyltin (TBT)  | 56573-85-4   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Mono-, di- and tri-phenyltin derivatives                 | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Monophenyltin (MPhT)                                     | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Diphenyltin (DPhT)                                       | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Triphenyltin (TPhT)                                      | 892-20-6,<br>668-34-8                              | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Mono-, di- and tri-octyltin derivatives                  | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Monooctyltin (MOT)                                       | 15231-57-9   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Diocetyl tin (DOT)                                       | 94410-05-6,<br>12531-44-4                          | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Trioctyltin (TOT)  | Multiple   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| <b>Perfluorinated / Polyfluorinated Chemicals (PFCs)</b> |  |                 |       |                     |                   |                        |  |                 |                        |  |            |                                 |                               |
| PFOS   | 1763-23-1  | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| PFOA   | 335-67-1   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| PFBS   | 375-73-5, 59933-66-3,<br>29420-49-3,<br>29420-43-3 | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| PFHxA  | 307-24-4   | 0.01            | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 8:2 FTOH   | 678-39-7   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| 6:2 FTOH   | 647-42-7   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| <b>Ortho-Phthalates</b>                                  |  |                 |       |                     |                   |                        |  |                 |                        |  |            |                                 |                               |
| Di(2-Ethyl Hexyl) Phthalate (DEHP)                       | 117-81-7   | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Bis(2-methoxyethyl)phthalate (DMEP)                      | 117-82-8   | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Di-N-Octyl Phthalate (DNOP)                              | 117-84-0   | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Di-Iso-Decyl Phthalate (DIDP)                            | 26761-40-0,<br>68515-49-1                          | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |
| Di-Iso-Nonyl Phthalate (DINP)                            | 28553-12-0,<br>68515-48-0                          | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -  |            |                                 |                               |

TEST RESULTS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| Items   | CAS No.    | Reporting Limit | Units | Sample ID           |                   |                        | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        |                        | Local Wastewater Discharge Requirement** |            |                                 |                               |
|---|------------|-----------------|-------|---------------------|-------------------|------------------------|--|-----------------|------------------------|------------------------|--|------------|---------------------------------|-------------------------------|
|   |            |                 |       | 52115308865801-01   | 52115308865801-03 | 52115308865801-02      |  |                 |                        |                        |  |            |                                 |                               |
|   |            |                 |       | Date of Sampling    |                   |                        |  |                 |                        |                        |  | 14-09-2021 | 14-09-2021                      | 14-09-2021                    |
|   |            |                 |       | Sampling Location   |                   |                        |  |                 |                        |                        |  | Inlet pipe | Raw waste water collection tank | Discharged waste water outlet |
|   |            |                 |       | Sampling Start Time |                   |                        |  |                 |                        |                        |  | 9:45       | 10:20                           | 10:00                         |
|   |            |                 |       | Sampling End Time   |                   |                        |  |                 |                        |                        |  | 9:55       | 16:30                           | 16:10                         |
| Date of Sample Received   |            |                 |       | 15-09-2021          | 15-09-2021        | 15-09-2021             |  |                 |                        |                        |  |            |                                 |                               |
|   |            |                 |       | Incoming Water      | Raw Waste Water   | Discharged Waste Water | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water |  |            |                                 |                               |
| Di-N-Hexyl Phthalate (DNHP)   | 84-75-3    | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Dibutyl Phthalate (DBP)   | 84-74-2    | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Benzyl Butyl Phthalate (BBP)  | 85-68-7    | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Dinonyl phthalate (DNP)   | 84-76-4    | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Diethyl Phthalate (DEP)   | 84-66-2    | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Di-N-Propyl Phthalate (DPRP)  | 131-16-8   | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Di-Iso-Butyl Phthalate (DIBP)   | 84-69-5    | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Dicyclohexyl Phthalate (DCHP)   | 84-61-7    | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Di-Iso-Octyl Phthalate (DIOP)   | 27554-26-3 | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 1,2-Benzenedicarboxylic acid, Di-C7-11 Branched and Linear Alkyl Esters (DHNUF) | 68515-42-4 | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| 1,2-Benzenedicarboxylic acid, Di-C6-8 Branched Alkyl Esters, C7-rich (DIHP)     | 71888-89-6 | 10              | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| <b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>                                  |            |                 |       |                     |                   |                        |  |                 |                        |                        |  |            |                                 |                               |
| Bezo[a]pyrene   | 50-32-8    | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Anthracene  | 120-12-7   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Pyrene  | 129-00-0   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Benzo[ghi]perylene  | 191-24-2   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Benzo[e]pyrene  | 192-97-2   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Indeno[1,2,3-cd]pyrene  | 193-39-5   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Benzo[j]fluoranthene  | 205-82-3   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Benzo[b]fluoranthene  | 205-99-2   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Fluoranthene  | 206-44-0   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Benzo[k]fluoranthene  | 207-08-9   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Acenaphthylene  | 208-96-8   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Chrysene  | 218-01-9   | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Dibenz[a,h]anthracene   | 53-70-3    | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |
| Benzo[a]anthracene  | 56-55-3    | 1               | µg/L  | N/A                 | n.d.              | n.d.                   | N/A  | Not Detected    | Not Detected           | -                      |  |            |                                 |                               |

**TEST RESULTS**

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

|  | Sample ID               |                 |       | 52115308865801-01 | 52115308865801-03               | 52115308865801-02             | Factory Performances<br>(Refer to Remarks in cover page) |                 |                        | Local Wastewater Discharge Requirement** |
|--|-------------------------|-----------------|-------|-------------------|---------------------------------|-------------------------------|--|-----------------|------------------------|--|
|  | Date of Sampling        |                 |       | 14-09-2021        | 14-09-2021                      | 14-09-2021                    |  |                 |                        |  |
|  | Sampling Location       |                 |       | Inlet pipe        | Raw waste water collection tank | Discharged waste water outlet |  |                 |                        |  |
|  | Sampling Start Time     |                 |       | 9:45              | 10:20                           | 10:00                         |  |                 |                        |  |
|  | Sampling End Time       |                 |       | 9:55              | 16:30                           | 16:10                         |  |                 |                        |  |
|  | Date of Sample Received |                 |       | 15-09-2021        | 15-09-2021                      | 15-09-2021                    |  |                 |                        |  |
| Items                                    | CAS No.                 | Reporting Limit | Units | Incoming Water    | Raw Waste Water                 | Discharged Waste Water        | Incoming Water   | Raw Waste Water | Discharged Waste Water | Discharged Waste Water                   |
| Acenaphthene                             | 83-32-9                 | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Phenanthrene                             | 85-01-8                 | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Fluorene                                 | 86-73-7                 | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Naphthalene                              | 91-20-3                 | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| <b>Volatile Organic Compounds (VOCs)</b> |                         |                 |       |                   |                                 |                               |  |                 |                        |  |
| Benzene                                  | 71-43-2                 | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| Xylene                                   | 1330-20-7               | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| o-cresol                                 | 95-48-7                 | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| p-cresol                                 | 106-44-5                | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |
| m-cresol                                 | 108-39-4                | 1               | µg/L  | N/A               | n.d.                            | n.d.                          | N/A  | Not Detected    | Not Detected           | -  |

**Remarks:**

\*n.d.\* = Not Detected

\*N/A\* = Not Tested

\*- = Not Required to be Test

^The test result is based on the calculation of selected element(s) and to the worst-case scenario

\*Data collection only for polyester production

\*\*Please refer to the details of the Local Wastewater Discharge Requirement in the Appendix Section

\*\*\*Test data is measured by the client

ΔDue to inaccessible of the location of Receiving Water, the measurement of Temp-Receiving Water cannot be determined

1) LOR values have been adjusted accordingly due to matrix interference

\*\*\*\*\*

TEST PARAMETERS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| ITEMS  | CAS No.               | METHODS  | ZDHC REQUIREMENTS  |                   |                    | Units            |
|--|-----------------------|--|--------------------|-------------------|--------------------|------------------|
|  |                       |  | Foundational Limit | Progressive Limit | Aspirational Limit |                  |
| <b>Conventional Parameters</b>                       |                       |  |                    |                   |                    |                  |
| Temperature  | -                     | USEPA 170.1, APHA 2550, GB/T 13195, DIN 38404-4 or IS 3025 (Part 9)  | Δ15 or max. 35     | Δ10 or max. 30    | Δ5 or max. 25      | °C               |
| Total Suspended Solids (TSS)                         | -                     | USEPA 160.2, APHA 2540-D, ISO 11923, GB/T 11901 or IS 3025 (Part 17)   | 50                 | 15                | 5                  | mg/L             |
| Chemical Oxygen Demand (COD)                         | -                     | USEPA 410.4, APHA 5220-D, ISO 6060, ISO 15705, HJ 828 or IS 3025 (Part 58)   | 150                | 80                | 40                 | mg/L             |
| Total Nitrogen                                       | -                     | USEPA 351.2, APHA 4500-N-B or C, APHA 4500-P-J, ISO 5663, ISO 11905, ISO 29441, HJ 636, GB 11891 or IS 3025 (Part 34)  | 20                 | 10                | 5                  | mg/L             |
| pH Value   | -                     | USEPA 150.1, APHA 4500-H+, ISO 10523, GB/T 6920, HJ 1147-2020 or IS 3025 (Part 11)   | 6-9                | 6-9               | 6-9                | -                |
| Colour (436nm; 525nm; 620nm)                         | -                     | ISO 7887-B   | 7; 5; 3            | 5; 3; 2           | 2; 1; 1            | m <sup>-1</sup>  |
| Colour   | -                     | GB 11903-1989  | -                  | -                 | -                  | -                |
| 5-Days Biochemical Oxygen Demand (BOD <sub>5</sub> ) | -                     | USEPA 405.1, APHA 5210-B, ISO 5815-1, EN 1899-1, HJ 505 or IS 3035 (Part 44)   | 30                 | 15                | 5                  | mg/L             |
| Ammonium-N   | -                     | USEPA 350.1, USEPA 350.3, APHA 4500 NH <sub>3</sub> -N-D, E, F, G or H, ISO 7150, ISO 11732, HJ 535, HJ 536 or IS 3025 (Part 34)   | 10                 | 1                 | 0.5                | mg/L             |
| Total Phosphorus                                     | -                     | USEPA 200.7, USEPA 200.8, USEPA 365.4, USEPA 6010C, USEPA 6020A, APHA 4500-P-J, ISO 6878, ISO 11885, ISO 17294, GB/T 11893, IS 3025 (Part 31) or IS 3025 (Part 65)   | 3                  | 0.5               | 0.1                | mg/L             |
| AOX  | -                     | USEPA 1650, ISO 9562, EN ISO 9563 or HJ/T 83-2001  | 5                  | 1                 | 0.1                | mg/L             |
| Oil and Grease                                       | -                     | USEPA 1664, APHA 5520-B or C, ISO 9377-1, HJ 637 or IS 3025 (Part 39)  | 10                 | 2                 | 0.5                | mg/L             |
| Phenol   | -                     | APHA 5530-B or C, ISO 6439, ISO 14402, HJ 503 or IS 3025 (Part 43)   | 0.5                | 0.01              | 0.001              | mg/L             |
| Coliform   | -                     | USEPA 9132, ISO 9308-1, EN ISO 9308-1 or GB/T 5750.12  | 400                | 100               | 25                 | Bacteria / 100ml |
| Persistent Foam                                      | -                     | -  | Not visible        | Not visible       | Not visible        | -                |
| <b>Anions</b>  |                       |  |                    |                   |                    |                  |
| Cyanide  | -                     | Waste water:<br>USEPA 335.2, APHA 4500-CN, ISO 6703-1, 2, 3, ISO 14403-1, 2 or HJ 484  | 0.2                | 0.1               | 0.05               | mg/L             |
| Sulfide  | -                     | APHA 4500-S <sub>2</sub> -D, E, G or I, ISO 10530, GB/T 16489 or IS 3025 (Part 29)   | 0.5                | 0.05              | 0.01               | mg/L             |
| Sulfite  | -                     | USEPA 377.1, ISO 10304-3 or EN ISO 10304-3   | 2                  | 0.5               | 0.2                | mg/L             |
| <b>Metals</b>  |                       |  |                    |                   |                    |                  |
| Total Antimony (Sb)                                  | 7440-36-0             |  | 0.1                | 0.05              | 0.01               | mg/L             |
| Total Chromium (Cr)                                  | 7440-47-3             |  | 0.2                | 0.1               | 0.05               | mg/L             |
| Total Cobalt (Co)                                    | 7440-48-4             | Waste water:   | 0.05               | 0.02              | 0.01               | mg/L             |
| Total Copper (Cu)                                    | 7440-50-8             | With reference to USEPA 200.7, USEPA 200.8, USEPA 245.1, USEPA 245.2, USEPA 1631 E, USEPA 6010C, USEPA 6020A, ISO 11885, ISO 12846, ISO 17294, ISO 17852, ISO 18412, GB 7466, GB 7467, GB 7472, GB 7475, GB 11907, HJ 597, HJ 694, HJ 700, IS 3025 (Part 2), IS 3025 (Part 41), IS 3025 (Part 42), IS 3025 (Part 47), IS 3025 (Part 48), IS 3025 (Part 49), IS 3025 (Part 52), IS 3025 (Part 54), IS 3025 (Part 65) or acid digestion followed by ICP or ICP/MS analysis | 1                  | 0.5               | 0.25               | mg/L             |
| Total Nickel (Ni)                                    | 7440-02-0             |  | 0.2                | 0.1               | 0.05               | mg/L             |
| Total Silver (Ag)                                    | 7440-22-4             |  | 0.1                | 0.05              | 0.005              | mg/L             |
| Total Zinc (Zn)                                      | 7440-66-6             |  | 5.0                | 1.0               | 0.5                | mg/L             |
| Total Arsenic (As)                                   | 7440-38-2             |  | 0.05               | 0.01              | 0.005              | mg/L             |
| Total Cadmium (Cd)                                   | 7440-43-9             |  | 0.1                | 0.05              | 0.01               | mg/L             |
| Hexavalent Chromium (Cr-VI)                          | 7440-47-3, 18540-29-9 | Waste water:<br>With reference to USEPA 218.6, ISO 18412, GB 7467, IS 3025 (Part 52) or solvent extraction and derivatisation followed by UV/VIS analysis  | 0.05               | 0.005             | 0.001              | mg/L             |

TEST PARAMETERS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| ITEMS   | CAS No.   | METHODS  | ZDHC REQUIREMENTS  |                   |                    | Units |
|---|-----------|--|--------------------|-------------------|--------------------|-------|
|   |           |  | Foundational Limit | Progressive Limit | Aspirational Limit |       |
| Total Lead (Pb)   | 7439-92-1 | Waste water:<br>With reference to USEPA 200.7, USEPA 200.8, USEPA 245.1, USEPA 245.2, USEPA 1631 E, USEPA 6010C, USEPA 6020A, ISO 11885, ISO 12846, ISO 17294, ISO 17852, ISO 18412, GB 7466, GB 7467, GB 7472, GB 7475, GB 11907, HJ 597, HJ 694, HJ 700, IS 3025 (Part 2), IS 3025 (Part 41), IS 3025 (Part 42), IS 3025 (Part 47), IS 3025 (Part 48), IS 3025 (Part 49), IS 3025 (Part 52), IS 3025 (Part 54), IS 3025 (Part 65) or acid digestion followed by ICP or ICP/MS analysis | 0.1                | 0.05              | 0.01               | mg/L  |
| Total Mercury (Hg)  | 7439-97-6 | Waste water:<br>With reference to ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS(-MS) analysis   | 0.01               | 0.005             | 0.001              | mg/L  |
| <b>Alkylphenols (APs) and Alkylphenol Ethoxylates (APEOs)</b> |           |  |                    |                   |                    |       |
| NP / OP   |           | Waste water:<br>With reference to ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS(-MS) analysis   |                    | -                 |                    |       |
| NPEO / OPEO   |           | Waste water:<br>With reference to ISO 18254-1, ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS analysis   |                    | -                 |                    |       |
| <b>Chlorobenzenes &amp; Chlorotoluenes</b>                    |           |  |                    |                   |                    |       |
|   |           | Waste water:<br>With reference to USEPA 8260B, USEPA 8270D or solvent extraction followed by GC/MS analysis  |                    | -                 |                    |       |
| <b>Chlorophenols</b>  |           |  |                    |                   |                    |       |
|   |           | Waste water:<br>With reference to USEPA 8270D, ISO 14154 or solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis  |                    | -                 |                    |       |
| <b>Dyes - Azo (Forming Restricted Amines)</b>                 |           |  |                    |                   |                    |       |
|   |           | Waste water:<br>With reference to EN 14362-1, EN 14362-3 or solvent extraction with sodium dithionite reduction followed by GC/MS or LC/MS analysis  |                    | -                 |                    |       |
| <b>Dyes - Carcinogenic or Equivalent Concern</b>              |           |  |                    |                   |                    |       |
|   |           | Waste water:<br>Solvent extraction followed by LC/MS analysis  |                    | -                 |                    |       |
| <b>Dyes - Disperse (Sensitising)</b>                          |           |  |                    |                   |                    |       |
|   |           | Waste water:<br>Solvent extraction followed by LC/MS analysis  |                    | -                 |                    |       |
| <b>Flame Retardants</b>                                       |           |  |                    |                   |                    |       |
|   |           | Waste water:<br>With reference to USEPA 527, USEPA 8270, USEPA 8321B, ISO 22032 or solvent extraction followed by GC/MS or LC/MS analysis  |                    | -                 |                    |       |
| <b>Glycols</b>  |           |  |                    |                   |                    |       |
|   |           | Waste water:<br>With reference to USEPA 8270 or solvent extraction followed by GC/MS or LC/MS analysis   |                    | -                 |                    |       |

**TEST PARAMETERS**

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

| ITEMS  | CAS No. | METHODS   | ZDHC REQUIREMENTS  |                   |                    | Units |
|--|---------|---|--------------------|-------------------|--------------------|-------|
|  |         |   | Foundational Limit | Progressive Limit | Aspirational Limit |       |
| <b>Halogenated Solvents</b>                              |         | Waste water:<br>With reference to USEPA 8260B, Headspace, Purge-and-Trap or solvent extraction followed by GC/MS analysis             |                    | -                 |                    |       |
| <b>Organotin Compounds</b>                               |         | Waste water:<br>With reference to ISO 17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis         |                    | -                 |                    |       |
| <b>Perfluorinated / Polyfluorinated Chemicals (PFCs)</b> |         |   |                    |                   |                    |       |
| FTOHs (Non-ionic)  |         | Waste water:<br>With reference to DIN 38407-42 or CEN/TS 15968 and derivatisation with acetic anhydride followed by GC/MS analysis    |                    | -                 |                    |       |
| Others (Ionic)   |         | Waste water:<br>With reference to DIN 38407-42 or CEN/TS 15968 followed by LC/MS or LC/MS(-MS) analysis                               |                    |                   |                    |       |
| <b>Ortho-Phthalates</b>                                  |         | Waste water:<br>With reference to USEPA 8270D, ISO 18856 or solvent extraction followed by GC/MS analysis                             |                    | -                 |                    |       |
| <b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>           |         | Waste water:<br>With reference to USEPA 8270, DIN 38407-39 or solvent extraction followed by GC/MS analysis                           |                    | -                 |                    |       |
| <b>Volatile Organic Compounds (VOCs)</b>                 |         | Waste water:<br>With reference to USEPA 8260, ISO 11423-1, Headspace, Purge-and-Trap or solvent extraction followed by GC/MS analysis |                    | -                 |                    |       |

\*\*\*\*\*

### PIPING PLAN

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu



Remark:

- 1. Incoming Water
- 2. Raw Waste Water
- 3. Discharged Waste Water



\*\*\*\*\*



### SAMPLING PHOTOS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.





Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu



### SAMPLING PHOTOS

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu



\*\*\*\*\*

LOCAL WASTEWATER DISCHARGE REQUIREMENTS BASED ON FACTORY DISCHARGE LICENCE

Factory Name: Changzhou Oriental EastDye Textile Co., Ltd.

Factory Address: No.68, North Qingyang Road, Tianning District, Changzhou, Jiangsu

1、废水污染物排放许可限值

(1) 主要排放口

| 排放口编号 | 排放口名称 | 污染物种类                   | 许可排放浓度限值 (mg/L) |
|-------|-------|-------------------------|-----------------|
| DW003 | 污水排放口 | 总磷 (以P计)                | 1.5mg/L         |
| DW003 | 污水排放口 | 总氮 (以N计)                | 30mg/L          |
| DW003 | 污水排放口 | 色度                      | 80              |
| DW003 | 污水排放口 | 五日生化需氧量                 | 150mg/L         |
| DW003 | 污水排放口 | 化学需氧量                   | 500mg/L         |
| DW003 | 污水排放口 | 氨氮 (NH <sub>3</sub> -N) | 20mg/L          |
| DW003 | 污水排放口 | pH值                     | 6-9             |
| DW003 | 污水排放口 | 硫化物                     | 0.5mg/L         |
| DW003 | 污水排放口 | 苯胺类                     | 1.0mg/L         |
| DW003 | 污水排放口 | 悬浮物                     | 100mg/L         |

\*\*\*\*\* END OF REPORT \*\*\*\*\*