

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Date	14 Apr, 2021
Date of sampling	06 Apr, 2021

Audit ID	94646	Audit firm	INTERTEK - CHINA NORTH
Company name	ZHEJIANG YINGFENG TECHNOLOGY CO.,LTD		
Contact person	YIFENG WANG		
Type of tax - tax ID no	913306216784286764		
Address	4888, XINGBIN ROAD,BINHAI INDUSTRIALZONE,KEQIAO DISTRICT		
Region state province	ZHEJIANG		
Town city / village	SHAOXING CITY,		
Zip/Post code			

Type of wastewater discharge	
Type of waste discharge	Comments
Direct discharge	
Indirect discharge	The water is discharged into the sewage system for further treatment on External ETP

Sample description			
Sample description	Simple	Comp	Comments
(1) Wastewater before treatment –Fourteen hazardous chemicals	Blue, grab sample at 09:05		Sample 1 PH: 10.9 Temperature: 43.8°C
(2) Wastewater after treatment – Global effluent parameter & Heavy Metal	Yellow, grab sample at 08:40		Sample 2 PH: 8.3 Temperature: 23.6°C

Internal description			
Internal codification number			
Reference sample number	SHAT06856588		
Date of sampling	06 Apr, 2021	Received on	06 Apr, 2021 PM
Analysis carried out from	06 Apr, 2021 PM to 14 Apr, 2021		
Date of delivery	14 Apr, 2021		

Prepared And Checked By:
For Intertek Testing Services Ltd.,Shanghai



Jane Wu
General Manager of Softlines

Intertek Testing Services Ltd., Shanghai

2/F, Building No.4, Shanghai Comalong Technology Service Park,
889 Yishan Road, Shanghai 200233, China
上海天祥质量技术服务有限公司

中国上海宜山路 889 号上海齐来科技服务园区 4 号楼 2 楼 邮编:200233
Tel: +86 21 5339 5999 Fax: +86 21 5426 2030 E-mail: textile.shanghai@intertek.com Website: Intertek.com
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Summary of test results		
Test items	Sample 1 (Before Treatment)	Sample 2 (After Treatment)
Global effluent parameters ZDHC (AT)	N/A	D
Heavy metals	N/A	D
Alkylphenols (APs) & Alkylphenol ethoxylates (APEOs)	D	N/A
Chlorobenzenes & Chlorotoluenes	ND	N/A
Chlorophenols	D	N/A
Azo dyes	D	N/A
Carcinogenic dyes	ND	N/A
Disperse dyes	ND	N/A
Brominated flame retardants	ND	N/A
Chlorinated flame retardants	ND	N/A
Short chain chlorinated paraffins (SCCPs) (C10-C13)	ND	N/A
Glycols	ND	N/A
Chlorinated solvents	D	N/A
Organotin compounds	ND	N/A
Phthalates	D	N/A
Perfluorinated chemicals (PFCs)	ND	N/A
Polycyclic aromatic hydrocarbons (PAHs)	ND	N/A
VOCs	ND	N/A

Note: ND = Not detected
D = Detected
= No comment
AT= After treatment

N/A = Not applicable
- = Did not perform
* = See remark

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai



Jane Wu
General Manager of Softlines

Intertek Testing Services Ltd., Shanghai

2/F, Building No.4, Shanghai Comalong Technology Service Park,
889 Yishan Road, Shanghai 200233, China
上海天祥质量技术服务有限公司

中国上海宜山路 889 号上海齐来科技服务园区 4 号楼 2 楼 邮编:200233
Tel: +86 21 5339 5999 Fax: +86 21 5426 2030 E-mail: textile.shanghai@intertek.com Website: Intertek.com
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

Test Results

1 Global effluent parameters:

Parameters	Test method	Limit			Result Sample 2 (After treatment)
		Foundational	Progressive	Aspirational	
Temperature	GB/T 13195-1991 / EPA 170.1	35°C	30°C	25°C	23.6 °C
TSS	GB/T 11901-1989 / EPA 160.2	50 mg/L	15 mg/L	5 mg/L	14 mg/L
COD	HJ 828-2017 / ISO 6060	150 mg/L	80 mg/L	40 mg/L	92 mg/L
Total-N	HJ 636-2012 / ISO 5663	20 mg/L	10 mg/L	5 mg/L	7.03 mg/L
pH	GB/T 6920-1986 / EPA 150.1	6-9			8.3
Colour [m-1]	ISO 7887-B	7;5;3	5;3;2	2;1;1	10.8; 6.4; 3.0
BOD ₅	HJ 505-2009 / APHA 5210	30 mg/L	15 mg/L	5 mg/L	7.1 mg/L
Ammonium-N	HJ 535-2009 / ISO 11732	10 mg/L	1 mg/L	0.5 mg/L	0.174 mg/L
Total-P	GB/T 11893-1989 / ISO 11885	3 mg/L	0.5 mg/L	0.1 mg/L	0.07 mg/L
AOX	HJ/T 83-2001 / ISO 9562	5 mg/L	1 mg/L	0.1 mg/L	<0.0125 mg/L
Oil and grease	HJ 637-2018 / ISO 9377-2	10 mg/L	2 mg/L	0.5 mg/L	<0.24 mg/L
Phenol	HJ 503-2009 / ISO 14402	0.5 mg/L	0.01 mg/L	0.001 mg/L	0.0110 mg/L
Coliform	GB/T 5750.12-2006 / ISO 9308-1	400	100	25	<1 [CFU/100 ml]
Foam	/	Not visible			Not visible
Cyanide	HJ484-2009 / ISO 6703 / ISO 14403	0.2 mg/L	0.1 mg/L	0.05 mg/L	<0.020 mg/L
Sulfide	GB/T 16489-1996 / APHA 4500-S2-D	0.5 mg/L	0.05 mg/L	0.01 mg/L	0.010 mg/L
Sulfite	HJ 84-2016 / USEPA 377.1 SM 4500 SO3	2 mg/L	0.5 mg/L	0.2 mg/L	<0.184 mg/L
Conductivity	EPA 120.1	N/A	N/A	N/A	4.68x10 ³ μS/cm

Remark : N/A = Not applicable

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

2 Heavy metals:

With reference to ISO 11885, ISO 18412, ISO 12846, ISO 17852, US EPA 200.7, US EPA 200.8, US EPA 6010c, US EPA 6020a, US EPA 218.6 and by Inductively Coupled Argon Plasma-Mass Spectrometry (ICP-MS) analysis.

Heavy metals	CAS no.	Limit			Result Sample 2 (After treatment) (mg/L)	Detection Limit (mg/L)
		Foundational (mg/L)	Progressive (mg/L)	Aspirational (mg/L)		
Total Arsenic (As)	Various	0.05	0.01	0.005	0.001	0.001
Total Cadmium (Cd)	Various	0.1	0.05	0.01	ND	0.0001
Total Mercury (Hg)	Various	0.01	0.005	0.001	ND	0.00005
Total Lead (Pb)	Various	0.1	0.05	0.01	ND	0.001
Total Antimony (Sb)	Various	0.1	0.05	0.01	0.032	0.001
Total Cobalt (Co)	Various	0.05	0.02	0.01	0.006	0.001
Total Nickel (Ni)	Various	0.2	0.1	0.05	0.009	0.001
Total Silver (Ag)	Various	0.1	0.05	0.005	0.004	0.001
Total Copper (Cu)	Various	1.0	0.5	0.25	0.005	0.001
Total Zinc (Zn)	Various	5.0	1.0	0.5	0.047	0.001
Total Chromium (Cr)	Various	0.2	0.1	0.05	0.029	0.001
Total Manganese (Mn)	Various	N/A	N/A	N/A	0.140	0.001
Chromium VI (Cr VI)	Various	0.05	0.005	0.001	ND	0.001

Remark : ND=Not Detected
N/A=Not Applicable

3 Alkylphenols (APs) & AlkylphenolEthoxylates (APEOs):

With reference to ISO 18857-2/ASTM D7065, ISO 18254-1/2, and by Gas Chromatography-Mass Spectrometry (GC-MS) and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Alkylphenols (APs) & Alkylphenolethoxylates (APEOs)	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Octylphenol (OP)	Various	X		ppm	0.005
Nonylphenol (NP)	Various	X		ppm	0.005
Octylphenolethoxylates (OPEOs)	Various	X		ppm	0.005
Nonylphenolethoxylates (NPEOs)	Various		0.041	ppm	0.005

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

4 Chlorobenzenes & Chlorotoluenes:

With reference to US EPA 8260B, US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chlorobenzenes & Chlorotoluenes	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Chlorobenzene	108-90-7	X		ppm	0.0002
1,2-Dichlorobenzene	95-50-1	X		ppm	0.0002
1,3-Dichlorobenzene	541-73-1	X		ppm	0.0002
1,4-Dichlorobenzene	106-46-7	X		ppm	0.0002
1,2,3-Trichlorobenzene	87-61-6	X		ppm	0.0002
1,2,4-Trichlorobenzene	120-82-1	X		ppm	0.0002
1,3,5-Trichlorobenzene	108-70-3	X		ppm	0.0002
1,2,3,4-Tetrachlorobenzene	634-66-2	X		ppm	0.0002
1,2,3,5-Tetrachlorobenzene	634-90-2	X		ppm	0.0002
1,2,4,5-Tetrachlorobenzene	95-94-3	X		ppm	0.0002
Pentachlorobenzene	608-93-5	X		ppm	0.0002
Hexachlorobenzene	118-74-1	X		ppm	0.0002
2-Chlorotoluene	95-49-8	X		ppm	0.0002
3-Chlorotoluene	108-41-8	X		ppm	0.0002
4-Chlorotoluene	106-43-4	X		ppm	0.0002
2,3-Dichlorotoluene	32768-54-0	X		ppm	0.0002
3,4-Dichlorotoluene	95-75-0	X		ppm	0.0002
2,4-Dichlorotoluene	95-73-8	X		ppm	0.0002
2,5-Dichlorotoluene	19398-61-9	X		ppm	0.0002
2,6-Dichlorotoluene	118-69-4	X		ppm	0.0002
3,5-Dichlorotoluene	25186-47-4	X		ppm	0.0002
2,3,4-Trichlorotoluene	7359-72-0	X		ppm	0.0002
2,3,6-Trichlorotoluene	2077-46-5	X		ppm	0.0002
3,4,5-Trichlorotoluene	21472-86-6	X		ppm	0.0002
2,4,5-Trichlorotoluene	6639-30-1	X		ppm	0.0002
2,4,6-Trichlorotoluene	23749-65-7	X		ppm	0.0002
2,3,4,5-Tetrachlorotoluene	76057-12-0	X		ppm	0.0002
2,3,5,6-Tetrachlorotoluene	29733-70-8	X		ppm	0.0002
2,3,4,6-Tetrachlorotoluene	875-40-1	X		ppm	0.0002
Pentachlorotoluene	877-11-2	X		ppm	0.0002

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

5 Chlorophenols:

With reference to EPA 8270D and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chlorophenols	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
2-Chlorophenol	95-57-8	X		ppm	0.0005
3-Chlorophenol	108-43-0	X		ppm	0.0005
4-Chlorophenol	106-48-9	X		ppm	0.0005
2,3-Dichlorophenol	576-24-9	X		ppm	0.0005
2,4-Dichlorophenol	120-83-2	X		ppm	0.0005
2,5-Dichlorophenol	583-78-8	X		ppm	0.0005
2,6-Dichlorophenol	87-65-0	X		ppm	0.0005
3,5- Dichlorophenol	591-35-5	X		ppm	0.0005
3,4-Dichlorophenol	95-77-2	X		ppm	0.0005
2,4,6-Trichlorophenol	88-06-2	X		ppm	0.0005
2,3,5-Trichlorophenol	933-78-8	X		ppm	0.0005
2,3,6-Trichlorophenol	933-75-5	X		ppm	0.0005
2,4,5-Trichlorophenol	95-95-4	X		ppm	0.0005
3,4,5-Trichlorophenol	609-19-8	X		ppm	0.0005
2,3,4-Trichlorophenol	15950-66-0	X		ppm	0.0005
2,3,4,5-Tetrachlorophenol	4901-51-3	X		ppm	0.0005
2,3,4,6-Tetrachlorophenol	58-90-2		0.0010	ppm	0.0005
2,3,5,6-Tetrachlorophenol	935-95-5	X		ppm	0.0005
Pentachlorophenol (PCP)	87-86-5		0.0008	ppm	0.0005

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

6 Azo dyes:

With reference to EN 14362-1/3, and by Gas Chromatographic - Mass Spectrometric (GC-MS) or and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Azo Dyes	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	X		ppm	0.0001
4,4'-Diaminodiphenylmethane	101-77-9	X		ppm	0.0001
4,4'-Oxydianiline	101-80-4	X		ppm	0.0001
4-Chloroaniline	106-47-8		0.0056	ppm	0.0001
3,3'-Dimethoxybenzidine	119-90-4	X		ppm	0.0001
3,3'-Dimethylbenzidine	119-93-7	X		ppm	0.0001
p-Cresidine	120-71-8	X		ppm	0.0001
2,4,5-Trimethylaniline	137-17-7	X		ppm	0.0001
4,4'-Thiodianiline	139-65-1	X		ppm	0.0001
4-Aminoazobenzene	60-09-3	X		ppm	0.0001
2,4-Diaminoanisole	615-05-4	X		ppm	0.0001
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	X		ppm	0.0001
2,6-Xylidine	87-62-7	X		ppm	0.0001
o-Anisidine	90-04-0	X		ppm	0.0001
2-Naphthylamine	91-59-8	X		ppm	0.0001
3,3'-Dichlorobenzidine	91-94-1	X		ppm	0.0001
4-Aminobiphenyl	92-67-1	X		ppm	0.0001
Benzidine	92-87-5	X		ppm	0.0001
o-Toluidine	95-53-4	X		ppm	0.0001
2,4-Xylidine	95-68-1	X		ppm	0.0001
4-Chloro-o-toluidine	95-69-2	X		ppm	0.0001
2,4-Diaminotoluene	95-80-7	X		ppm	0.0001
o-Aminoazotoluene	97-56-3	X		ppm	0.0001
5-Nitro-o-toluidine	99-55-8	X		ppm	0.0001
Aniline	62-53-3		0.0050	ppm	0.0001

Remark : Test Result For p-Aminoazobenzene (CAS no.: 60-09-3) Is Confirmed Based On EN 14362-3 method When Aniline And/Or 1,4-phenylenediamine Was Found.

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

7 Carcinogenic dyes:

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Carcinogenic dyes	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
C.I. Direct Black 38	1937-37-7	X		ppm	0.5
C.I. Direct Blue 6	2602-46-2	X		ppm	0.5
C.I. Acid Red 26	3761-53-3	X		ppm	0.5
C.I. Basic Red 9	569-61-9	X		ppm	0.5
C.I. Direct Red 28	573-58-0	X		ppm	0.5
C.I. Basic Violet 14	632-99-5	X		ppm	0.5
C.I. Disperse Blue 1	2475-45-8	X		ppm	0.5
C.I. Disperse Blue 3	2475-46-9	X		ppm	0.5
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	X		ppm	0.5
C.I. Basic Green 4 (malachite green chloride)	569-64-2	X		ppm	0.5
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	X		ppm	0.5
C.I. Basic Green 4 (malachite green)	10309-95-2	X		ppm	0.5
Disperse Orange 11	82-28-0	X		ppm	0.5

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

8 Disperse dyes:

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Disperse dyes	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Disperse Yellow 1	119-15-3	X		ppm	0.05
Disperse Blue 102	12222-97-8	X		ppm	0.05
Disperse Blue 106	12223-01-7	X		ppm	0.05
Disperse Yellow 39	12236-29-2	X		ppm	0.05
Disperse Orange 37/59/76	13301-61-6	X		ppm	0.05
Disperse Brown 1	23355-64-8	X		ppm	0.05
Disperse Orange 1	2581-69-3	X		ppm	0.05
Disperse Yellow 3	2832-40-8	X		ppm	0.05
Disperse Red 11	2872-48-2	X		ppm	0.05
Disperse Red 1	2872-52-8	X		ppm	0.05
Disperse Red 17	3179-89-3	X		ppm	0.05
Disperse Blue 7	3179-90-6	X		ppm	0.05
Disperse Blue 26	3860-63-7	X		ppm	0.05
Disperse Yellow 49	54824-37-2	X		ppm	0.05
Disperse Blue 35	12222-75-2	X		ppm	0.05
Disperse Blue 124	61951-51-7	X		ppm	0.05
Disperse Yellow 9	6373-73-5	X		ppm	0.05
Disperse Orange 3	730-40-5	X		ppm	0.05
Disperse Blue 35	56524-77-7	X		ppm	0.05

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

9 Brominated flame retardants:

With reference to US EPA 8270, ISO 22032, US EPA 527, EPA 8321B, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Brominated flame retardants	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Decabromodiphenyl ether (DecaBDE)	1163-19-5	X		ppm	0.00005
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	X		ppm	0.00005
Octabromodiphenyl ether (OctaBDE)	32536-52-0	X		ppm	0.00005
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	X		ppm	0.00005
Polybromobiphenyls (PBBs)	Various	X		ppm	0.00005
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	X		ppm	0.00005
Polybromodiphenyl ethers (PBDEs)	Various	X		ppm	0.00005
Tetrabromobisphenol A (TBBPA)	79-94-7	X		ppm	0.00005
Bis(2,3-dibromopropyl) phosphate	5412-25-9	X		ppm	0.00005
Hexabromocyclododecane (HBCDD)	3194-55-6	X		ppm	0.00005
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	X		ppm	0.00005

10 Chlorinated flame retardants:

With reference to US EPA 8270, ISO 22032, US EPA 527, EPA 8321B, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Chlorinated flame retardants	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	X		ppm	0.00005
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	X		ppm	0.00005

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

11 Short chain chlorinated paraffins (SCCPs) (C10 – C13):

With reference to US EPA 8270, ISO 22032, US EPA 527, EPA 8321B, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Short chain chlorinated paraffins (SCCPs) (C10 – C13)	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Short chain chlorinated paraffins (SCCPs)	85535-84-8	X		ppm	0.0004

12 Glycols:

With reference to US EPA 8270 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Glycols	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Bis(2-methoxyethyl)-ether	111-96-6	X		ppm	0.05
2-ethoxyethanol	110-80-5	X		ppm	0.05
2-ethoxyethyl acetate	111-15-9	X		ppm	0.05
Ethylene glycol dimethyl ether	110-71-4	X		ppm	0.05
2-methoxyethanol	109-86-4	X		ppm	0.05
2-methoxyethylacetate	110-49-6	X		ppm	0.05
2-methoxypropylacetate	70657-70-4	X		ppm	0.05
Triethylene glycol dimethyl ether	112-49-2	X		ppm	0.05

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

13 Chlorinated solvents:

With reference to US EPA 8260B, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.

Chlorinated solvents	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
1,2-Dichloroethane	107-06-2	X		ppm	0.001
Methylene chloride	75-09-2	X		ppm	0.001
Trichloroethene	79-01-6		0.013	ppm	0.001
Tetrachloroethene	127-18-4	X		ppm	0.001
1,1-Dichloroethylene	75-35-4	X		ppm	0.001
cis-1,2-Dichloroethylene	156-59-2	X		ppm	0.001
trans-1,2-Dichloroethylene	156-60-5	X		ppm	0.001
Chloroform	67-66-3	X		ppm	0.001
1,1,1-Trichloroethane	71-55-6	X		ppm	0.001
Carbon tetrachloride	56-23-5	X		ppm	0.001
1,1,2-Trichloroethane	79-00-5	X		ppm	0.001
1,1,1,2-Tetrachloroethane	630-20-6	X		ppm	0.001

14 Organotin compounds:

With reference to ISO 17353, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Organotin compounds	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Mono-, di-and tri-octyltin derivatives	Various	X		ppm	0.00001
Dibutyltin (DBT)	Various	X		ppm	0.00001
Tricyclohexyltin (TCyHT)	Various	X		ppm	0.00001
Tripopyltin (TPT)	Various	X		ppm	0.00001
Mono-, di-and tri-methyltin derivatives	Various	X		ppm	0.00001
Mono-, di-and tri-butyltin derivatives	Various	X		ppm	0.00001
Mono-, di-and tri-phenyltin derivatives	Various	X		ppm	0.00001

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

15 Phthalates:

With reference to US EPA 8270, DIN 38407-39 and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Phthalates	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Di-2-ethylhexyl phthalate (DEHP)	117-81-7		0.004	ppm	0.001
Dimethoxyethyl phthalate (DMEP)	117-82-8	X		ppm	0.001
Di-n-octyl phthalate (DNOP)	117-84-0	X		ppm	0.001
Di-iso-decyl phthalate (DIDP)	26761-40-0/ 68515-49-1	X		ppm	0.001
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	X		ppm	0.001
Di-n-hexyl phthalate (DnHP)	84-75-3	X		ppm	0.001
Dibutyl phthalate (DBP)	84-74-2	X		ppm	0.001
Butyl benzyl phthalate (BBP)	85-68-7	X		ppm	0.001
Dinonyl phthalate (DNP)	84-76-4	X		ppm	0.001
Diethyl phthalate (DEP)	84-66-2	X		ppm	0.001
Di-n-propyl phthalate (DPRP)	131-16-8	X		ppm	0.001
Di-iso-butyl phthalate (DIBP)	84-69-5	X		ppm	0.001
Di-cyclohexyl phthalate (DCHP)	84-61-7	X		ppm	0.001
Di-iso-octyl phthalate (DIOP)	27554-26-3	X		ppm	0.001
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	X		ppm	0.001
1,2-benzenedicarboxylic acid, di-C6-11-branched alkyl esters, C7-rich (DIHP)	71888-89-6	X		ppm	0.001
Dimethyl phthalate (DMP)	131-11-3	X		ppm	0.001

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

16 Perfluorinated chemicals (PFCs):

With reference to DIN 38407-42 (modified), and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Perfluorinated chemicals (PFCs)	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Perfluoro-octane-sulfonic acid (PFOS)	432-50-7 1763-23-1 56773-72-3	X		ppm	0.00001
Perfluoro-hexane-sulfonic acid (PFHxS)	3871-99-6 355-46-41	X		ppm	0.00001
Perfluoro-octanoic acid (PFOA)	335-67-1	X		ppm	0.00001
Perfluoro-butane-sulfonic acid (PFBS)	29420-43-3 29420-49-3 375-73-5	X		ppm	0.00001
Perfluoro-hexanoic acid (PFHxA)	307-24-4	X		ppm	0.00001
Perfluoro-heptane-sulfonate (PFHpS)	60270-55-5 375-92-8	X		ppm	0.00001
Perfluoro-decane-sulfonic acid (PFDS)	126105-34-8 335-77-3	X		ppm	0.00001
Perfluoro-octane-sulfon-amide (PFOSA)	754-91-6	X		ppm	0.00001
Perfluoro-butanoic acid (PFBA)	375-22-4	X		ppm	0.00001
Perfluoro-pentanoic acid (PFPeA)	2706-90-3	X		ppm	0.00001
Perfluoro-heptanoic acid (PFHpA)	375-85-9	X		ppm	0.00001
Perfluoro-nonanoic acid (PFNA)	375-95-1	X		ppm	0.00001
Perfluoro-undecanoic acid (PFUdA)	4234-23-5 2058-94-8	X		ppm	0.00001
Perfluoro-dodecanoic acid (PFDoA)	307-55-1	X		ppm	0.00001
Perfluoro-tridecanoic acid (PFTrDA)	72629-94-8	X		ppm	0.00001
Perfluoro-tetradecanoic acid (PFTeDA)	376-06-7	X		ppm	0.00001
Perfluoro-3-7-dimethyl octane carboxylate (PF-3,7-DMOA)	172155-07-6	X		ppm	0.00001
7H-Dodecafluoro heptane carboxylate (HPFHpA)	1546-95-8	X		ppm	0.00001

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

Perfluorinated chemicals (PFCs)	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
2H,2H,-Perfluorodecanoic acid (H2PFDA)	-	X		ppm	0.00001
2H,2H,3H,3H-Perfluoro-undecanoic acid (4HPFUnA)	34598-33-9	X		ppm	0.00001
1H,1H,2H,2H-Perfluorooctyl acrylate (6:2 FTA)	17527-29-6	X		ppm	0.00001
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9	X		ppm	0.00001
1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA)	17741-60-5	X		ppm	0.00001
1H,1H,2H,2H-Perfluorohexanol (4:2 FTOH)	2043-47-2	X		ppm	0.00001
1H,1H,2H,2H-Perfluorooctanol (6:2 FTOH)	647-42-7	X		ppm	0.001
1H,1H,2H,2H-Perfluorodecanol (8:2 FTOH)	678-39-7	X		ppm	0.001
1H,1H,2H,2H-Perfluorododecanol (10:2 FTOH)	865-86-1	X		ppm	0.00001
N-Methyl-perfluoro-octane-sulfon-amido-ethanol (N-Me-FOSE alcohol)	24448-09-7	X		ppm	0.00001
N-Ethyl-Perfluoro-octane-sulfon-amido-ethanol (N-Et-FOSE alcohol)	1691-99-2	X		ppm	0.00001
N-Methyl-perfluoro-octane-sulfon-amide (N-Me-FOSA)	31506-32-8	X		ppm	0.00001
N-Ethyl-perfluoro-octane-sulfon-amide (N-Et-FOSA)	4151-50-2	X		ppm	0.00001
Perfluoro-decanoic acid (PFDA)	335-76-2	X		ppm	0.00001

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)

17 Polycyclic aromatic hydrocarbons (PAHs):

With reference to US EPA 8270, DIN 38407-39 and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Polycyclic aromatic hydrocarbons (PAHs)	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Benzo(a)pyrene (BaP)	50-32-8	X		ppm	0.0001
Anthracene	120-12-7	X		ppm	0.0001
Pyrene	129-00-0	X		ppm	0.0001
Benzo(ghi)perylene	191-24-2	X		ppm	0.0001
Benzo(e)pyrene	192-97-2	X		ppm	0.0001
Indeno (1,2,3-cd)pyrene	193-39-5	X		ppm	0.0001
Benzo(j)fluoranthene	205-82-3	X		ppm	0.0001
Benzo(b)fluoranthene	205-99-2	X		ppm	0.0001
Fluoranthene	206-44-0	X		ppm	0.0001
Benzo(k)fluoranthene	207-08-09	X		ppm	0.0001
Acenaphthylene	208-96-8	X		ppm	0.0001
Chrysene	218-01-9	X		ppm	0.0001
Dibenz(a,h)anthracene	53-70-3	X		ppm	0.0001
Benzo(a)anthracene	56-55-3	X		ppm	0.0001
Acenaphthene	83-32-9	X		ppm	0.0001
Phenanthrene	85-01-8	X		ppm	0.0001
Fluorene	86-73-7	X		ppm	0.0001
Naphthalene	91-20-3	X		ppm	0.0001

18 Volatile organic compounds (VOCs):

With reference to ISO 11423-1, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.

With reference to US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Volatile organic compounds (VOCs)	CAS no.	Result Sample 1 (Before treatment)		Unit	Reporting limit
		No detection	Detected value		
Benzene	71-43-2	X		ppm	0.001
Xylene	1330-20-7	X		ppm	0.001
o-cresol	95-48-7	X		ppm	0.001
p-cresol	106-44-5	X		ppm	0.001
m-cresol	108-39-4	X		ppm	0.001

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)



Factory Entrance



Photo of ETP



Photo of Before Treatment Area



Photo of After Treatment Area

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT06856588

Tests Conducted (As Requested By The Applicant)



Photo of Sampling Point (Before Treatment)



Photo of Sampling Point (After Treatment)



Photo of Sample (Before Treatment)



Photo of Sample (After Treatment)

End of Report

Remark: This statement of conformity is only based on the actual measured test result by the laboratory, without taking the influence of uncertainty into account.

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.