



# TEST REPORT



**Technical Report**  
Date Received

**(8721)251-0043**  
September 08, 2021

September 27, 2021  
Page 1 of 19

Factory Company Name: SHAHI EXPORTS PVT LTD UNIT-9  
Factory Address: 171, 7<sup>th</sup> Main road industrial suburb BBMP ward #11, Peenya 2<sup>nd</sup> stage, Bangalore-560102, Karnataka.  
Project No.: /  
Client Reference No.: /  
Sampling Method: I001) Raw Wastewater – 6 hours - Time – weighted Composite  
I002) Sludge – Grab  
Sample Pick Up Date: September 07, 2021  
Wastewater Discharge to: Others  
On-Site Effluent Treatment Plant (ETP): Yes  
Discharge Type: Zero Liquid Discharge  
Off-site ETP name (if applicable): N/A  
Off-site ETP address (if applicable): N/A  
Local Regulation: / Ordinance / AW-301906  
requirements related to wastewater discharged are followed:  
Permit Validation Date: 30/09/2021  
Parameters Exceeded Local Regulation: N/A  
Legal compliance: N/A  
Conventional Parameters: Aspirational  
Overall Category:  
Test Period: September 08, 2021 - September 27, 2021

Sample Description:

I001) Light Blue color liquid – Raw Wastewater  
I002) Light Brown color Solid – Sludge

Parameters exceeded maximum holding time: N/A

Sampler Number: 8F146509871

**Certificate No. TC-6092 (Pls Refer the website [www.nabl-india.org](http://www.nabl-india.org) to view the scope of accreditation)**

Bureau Veritas Consumer Products Services (I) Pvt. Ltd.  
AKR Tech Park, Ground floor,  
C Block, Survey no 112,  
BANGALORE  
Tel: 0091-80-40701600 Fax: 0091-80-40701655

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

ULR-TC609221000047602P



Technical Report:

**(8721)251-0043**

**September 27, 2021**

Page 2 of 19

**REMARK**

If there are questions or concerns on this report, please contact the following persons:

General enquiry and invoicing

Sunesh.nair@in.bureauveritas.com  
080-40701621

Technical enquiry-Chemical

Sudalaimuthu.vs@in.bureauveritas.com  
080-40701639

This report shown the test result of the auxiliary chemical and/or raw material samples, which collected during particular factory audit. The results of this report shall not be used for any regulatory compliance purposes.

\* The sampling is agreed with client.

**BUREAU VERITAS CONSUMER PRODUCTS SERVICES (INDIA) PVT. LTD.  
AUTHORIZED SIGNATORIES**

**APPROVED BY :**

**P.Sugumar**

**Lab Manager - Analytical Services**

PREPARED BY:

SJ/MK

(8721)251-0043

Technical Report:

**(8721)251-0043**
**September 27, 2021**

Page 3 of 19

**Executive Summary**

<b>1A) Conventional Parameters</b>	<b>I001</b>	<b>I002</b>
Temperature	NR	NR
TSS		
COD		
Total-N		
pH Value		
Color [m <sup>-1</sup> ] (436nm; 525nm; 620nm)		
BOD <sub>5</sub>		
Ammonium-N		
Total-P		
AOX		
Oil and Grease		
Phenol		
Coliform		
Persistent Foam		
ANIONS - Cyanide		□
ANIONS - Sulfide		NR
ANIONS - Sulfite		
<b>1B) Conventional Parameters – METALS</b>	□	□

Note / Key :

- □ – Meet Foundational Limit / Meet discharge license criteria / Meet Reporting Limit
- ■ – Exceeding Foundational Limit / Exceeding discharge license criteria / Exceeding Reporting Limit
- NR – Not Requested / Not required

<b>ZDHC MRSL Substances</b>	<b>I001</b>	<b>I002</b>
2A) APs and APEOs	o	o
2B) Chlorobenzenes and Chlorotoluenes	o	o
2C) Chlorophenols	o	o
2D) Azo Dyes	o	o
2E) Carcinogenic Dyes	o	o
2F) Disperse Dyes	o	o
2G) Flame Retardants	o	o
2H) Glycols	o	o
2I) Halogenated Solvents	o	o
2J) Organotin Compounds	o	o
2K) Perfluorinated and Polyfluorinated Chemicals	o	o
2L) Phthalates	o	o
2M) Poly Aromatic Hydrocarbons	o	o
2N) Volatile Organic Compounds	o	o

Note / Key :

- ● – Detected
- o – Not Detected
- NR – Not Requested
- N/A – Not Applicable

## **Objective**

The environment samples were tested for below parameters.

1B) Conventional Parameters – METALS  
2A) APs and APEOs  
2B) Chlorobenzenes and Chlorotoluenes  
2C) Chlorophenols  
2D) Azo Dyes  
2E) Carcinogenic Dyes  
2F) Disperse Dyes  
2G) Flame Retardants  
2H) Glycols  
2I) Halogenated Solvents  
2J) Organotin Compounds  
2K) Perfluorinated and Polyfluorinated Chemicals  
2L) Phthalates  
2M) Poly Aromatic Hydrocarbons  
2N) Volatile Organic Compounds  
Table 3 Sludge parameter

## **Sampling Plan**

Basically, two environment samples were sampled per factory, including 1) Raw wastewater and 2) Sludge. Total number of sample collected will be depended on the actual factory facilities and manufacturing processes.

Method of sampling used is time-weighted composite grab samples (agreed with client.). Composite sampling shall be performed for no less than six hours, with no more than one hour between discrete samples. Each discrete sample shall be of equal volume. Wastewater and freshwater samples should, as much as possible, be collected simultaneously, during the time that PU is in normal operation. The sampling shall aim to analyse the snapshot of water quality characteristics of the operating PU. Under no circumstance shall samples be taken during times when the production process is not running or the wastewater is diluted due to heavy rainfall, etc.

### **Remark :**

- Sampling procedure is with reference to below standards:
  - 1) South Australia EPA Guidelines (June 2007), Regulatory Monitoring and Testing Water and Wastewater Sampling.
  - 2) Australia EPA (Victoria) Guideline (June 2009), Sampling and Analysis of Waters, Wastewaters, Soils and Wastes.
  - 3) ISO 5667-3:2003, Water Quality - Sampling - Part 3: Guidance on the Preservation and Handling of Water Samples.
  - 4) ASTM D3976-92 (Reapproved 2010), Standard Practice for Preparation of Sediment Samples for Chemical Analysis.
- Field data records are attached in Appendix C.



Technical Report:

(8721)251-0043

September 27, 2021

Page 5 of 19

## Test Result

### ANIONS - Cyanide

**Test Method** : Reference to ISO 6703-1,2, ISO 14403-1,2, US EPA 335.2, APHA 4500-CN, HJ 484

Tested Item(s)	Result	Unit	Conclusion
I002	ND	mg/kg	DATA

Note:

mg/kg = milligram per kilogram

### Dry mass (total solids)

**Test Method** : Reference to US EPA 160.3 /209A

Tested Item(s)	Result	Unit	Conclusion
I002	30.0	%	DATA

% = % by mass

Technical Report:

**(8721)251-0043**
**September 27, 2021**

Page 6 of 19

**1B) Conventional Parameters – METALS**

<b>Heavy Metals</b>	<b>I001 (mg/L)</b>	<b>I002 (mg/kg)</b>
Antimony( Sb ) <i>Foundational Limit: 0.1 mg/L;</i> <i>Progressive Limit: 0.05 mg/L;</i> <i>Aspirational Limit: 0.01 mg/L</i>	0.002 (Aspirational)	NR
Chromium( Cr ), total <i>Foundational Limit: 0.2 mg/L;</i> <i>Progressive Limit: 0.1 mg/L;</i> <i>Aspirational Limit: 0.05 mg/L</i>	ND (Aspirational)	NR
Cobalt( Co ) <i>Foundational Limit: 0.05 mg/L;</i> <i>Progressive Limit: 0.02 mg/L;</i> <i>Aspirational Limit: 0.01 mg/L</i>	0.006 (Aspirational)	NR
Copper( Cu ) <i>Foundational Limit: 1 mg/L;</i> <i>Progressive Limit: 0.5 mg/L;</i> <i>Aspirational Limit: 0.25 mg/L</i>	ND (Aspirational)	NR
Nickel( Ni ) <i>Foundational Limit: 0.2 mg/L;</i> <i>Progressive Limit: 0.1 mg/L;</i> <i>Aspirational Limit: 0.05 mg/L</i>	0.008 (Aspirational)	NR
Silver( Ag ) <i>Foundational Limit: 0.1 mg/L;</i> <i>Progressive Limit: 0.05 mg/L;</i> <i>Aspirational Limit: 0.005 mg/L</i>	ND (Aspirational)	NR
Zinc( Zn ) <i>Foundational Limit: 5 mg/L;</i> <i>Progressive Limit: 1 mg/L;</i> <i>Aspirational Limit: 0.5 mg/L</i>	0.093 (Aspirational)	NR
Arsenic( As ) <i>Foundational Limit: 0.05 mg/L;</i> <i>Progressive Limit: 0.01 mg/L;</i> <i>Aspirational Limit: 0.005 mg/L</i>	ND (Aspirational)	ND
Cadmium( Cd ) <i>Foundational Limit: 0.1 mg/L;</i> <i>Progressive Limit: 0.05 mg/L;</i> <i>Aspirational Limit: 0.01 mg/L</i>	ND (Aspirational)	ND
Chromium VI( CrVI ) <i>Foundational Limit: 0.05 mg/L;</i> <i>Progressive Limit: 0.005 mg/L;</i> <i>Aspirational Limit: 0.001 mg/L</i>	ND (Aspirational)	ND
Lead( Pb ) <i>Foundational Limit: 0.1 mg/L;</i> <i>Progressive Limit: 0.05 mg/L;</i> <i>Aspirational Limit: 0.01 mg/L</i>	ND (Aspirational)	ND
Mercury( Hg ) <i>Foundational Limit: 0.01 mg/L;</i> <i>Progressive Limit: 0.005 mg/L;</i> <i>Aspirational Limit : 0.001 mg/L</i>	ND (Aspirational)	ND



Technical Report:

**(8721)251-0043**

**September 27, 2021**

Page 7 of 19

Others Priority Chemical Groups

	<b>I001 (<math>\mu\text{g/L}</math>)</b>	<b>I002 (<math>\text{mg/kg}</math>)</b>
2A) APs and APEOs	ND	ND
2B) Chlorobenzenes and Chlorotoluenes	ND	ND
2C) Chlorophenols	ND	ND
2D) Azo Dyes	ND	ND
2E) Carcinogenic Dyes	ND	ND
2F) Disperse Dyes	ND	ND
2G) Flame Retardants	ND	ND
2H) Glycols	ND	ND
2I) Halogenated Solvents	ND	ND
2J) Organotin Compounds	ND	ND
2K) Perfluorinated and Polyfluorinated Chemicals	ND	ND
2L) Phthalates	ND	ND
2M) Poly Aromatic Hydrocarbons	ND	ND
2N) Volatile Organic Compounds	ND	ND

Remark :

- Test method, reporting limit and list of chemical are summarized in tables of Appendix B.
- ND = Not detected (Please refer to reporting limit shown in Appendix B.).
- All results are in ppb as unit.
- ppm = part(s) per million; ppb = part(s) per billion; mg/kg = milligram per kilogram

Technical Report:

**(8721)251-0043**

**September 27, 2021**

Page 8 of 19

### **APPENDIX A - Photo of the Sample/ Sampling Location**

I001) Sampling Point  
13°01'28.0"N 77°31'40.6"E



I001) Sampling Point Surrounding Environment  
13°01'28.0"N 77°31'40.6"E



I001) All sampled bottles with label



I001) pH Value



I001) Sample for Phthalate Testing



I001) Packaging





Technical Report:

(8721)251-0043

September 27, 2021

Page 9 of 19

I002) Sampling Point  
13°01'28.2"N 77°31'40.7"E



I002) Sampling Point Surrounding Environment  
13°01'28.2"N 77°31'40.7"E



I002) All sampled bottles with label



I002) Sample for Phthalate Testing



I002) Packaging



Technical Report:

**(8721)251-0043**
**September 27, 2021**

Page 10 of 19

## APPENDIX B

Group	Substance (Testing parameter)	CAS No.	Report Limit		Name of the testing method
			Wastewater (ug/L)/(ppb)	Sludge (mg/kg)/(ppm)	
2A. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	Nonylphenol NP, mixed isomers	Various (incl. 104-40-5, 11066-49-2, 25154-52-3, 84852-15-3)	5	0.4	NP/OP: ISO 18857-2 (modified dichloromethane extraction) or ASTM D7065 (GC/MS or LC/MS(-MS))
	Octylphenol OP, mixed isomers	Various (incl. 140-66-9, 1806-26-4, 27193-28-8)	5	0.4	
	Octylphenol ethoxylates (OPEO)	Various (incl. 9002-93-1, 9036-19-5, 68987-90-6)	5	0.4	OPEO/NPEO: ISO18857-2 or ASTM D7065(LC/MS; GC/MS or LC/MSMS for n=1,2) APEO 1-18
	Nonylphenol ethoxylates (NPEO)	Various (inc. 9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0)	5	0.4	
2B. Chlorobenzenes and Chlorotoluenes	Monochlorobenzene	108-90-7	0.2	0.2	USEPA 8260B,8270D. Dichloromethane extraction followed by GC/MS
	1,2-Dichlorobenzene	95-50-1	0.2	0.2	
	1,3-Dichlorobenzene	541-73-1	0.2	0.2	
	1,4-Dichlorobenzene	106-46-7	0.2	0.2	
	1,2,3-Trichlorobenzene	87-61-6	0.2	0.2	
	1,2,4-Trichlorobenzene	120-82-1	0.2	0.2	
	1,3,5-Trichlorobenzene	108-70-3	0.2	0.2	
	1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	0.2	
	1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	0.2	
	1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	0.2	
	Pentachlorobenzene	608-93-5	0.2	0.2	
	Hexachlorobenzene	118-74-1	0.2	0.2	
	2-Chlorotoluene	95-49-8	0.2	0.2	
	3-Chlorotoluene	108-41-8	0.2	0.2	
	4-Chlorotoluene	106-43-4	0.2	0.2	
	2,3-Dichlorotoluene	32768-54-0	0.2	0.2	
	2,4-Dichlorotoluene	95-73-8	0.2	0.2	
	2,5-Dichlorotoluene	19398-61-9	0.2	0.2	
	2,6-Dichlorotoluene	118-69-4	0.2	0.2	
	3,4-Dichlorotoluene	95-75-0	0.2	0.2	
	3,5-Dichlorotoluene	25186-47-4	0.2	0.2	
	2,3,4-Trichlorotoluene	7359-72-0	0.2	0.2	
	2,3,6-Trichlorotoluene	2077-46-5	0.2	0.2	
	2,4,5-Trichlorotoluene	6639-30-1	0.2	0.2	
	2,4,6-Trichlorotoluene	23749-65-7	0.2	0.2	
	3,4,5-Trichlorotoluene	21472-86-6	0.2	0.2	
	2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	0.2	
	2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	0.2	
	2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	0.2	
	Pentachlorotoluene	877-11-2	0.2	0.2	
2C. Chlorophenols	2-Chlorophenol	95-57-8	0.5	0.05	USEPA 8270 D Solvent extraction, derivatisation with KOH, acetic anhydride followed by GC/MS
	3-Chlorophenol	108-43-0	0.5	0.05	
	4-Chlorophenol	106-48-9	0.5	0.05	
	2,3-Dichlorophenol	576-24-9	0.5	0.05	
	2,4-Dichlorophenol	120-83-2	0.5	0.05	
	2,5-Dichlorophenol	583-78-8	0.5	0.05	
	2,6-Dichlorophenol	87-65-0	0.5	0.05	

Technical Report:

**(8721)251-0043**
**September 27, 2021**

Page 11 of 19

Group	Substance (Testing parameter)	CAS No.	Report Limit		Name of the testing method
			Wastewater (ug/L)/(ppb)	Sludge (mg/kg)/(ppm)	
	3,4-Dichlorophenol	95-77-2	0.5	0.05	
	3,5-Dichlorophenol	591-35-5	0.5	0.05	
	2,3,4-Trichlorophenol	15950-66-0	0.5	0.05	
	2,3,5-Trichlorophenol	933-78-8	0.5	0.05	
	2,3,6-Trichlorophenol	933-75-5	0.5	0.05	
	2,4,5-Trichlorophenol	95-95-4	0.5	0.05	
	2,4,6-Trichlorophenol	88-06-2	0.5	0.05	
	3,4,5-Trichlorophenol	609-19-8	0.5	0.05	
	2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	0.05	
	2,3,4,6-Tetrachlorophenol	58-90-2	0.5	0.05	
	2,3,5,6-Tetrachlorophenol	935-95-5	0.5	0.05	
	Pentachlorophenol (PCP)	87-86-5	0.5	0.05	
2D. Dyes - Azo (Forming Restricted Amines)	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	0.1	0.2	EN 14362. Reduction step with Sodiumdithionite, solvent extraction, GC/MS or LC/MS
	4,4'-methylenedianiline	101-77-9	0.1	0.2	
	4,4'-Oxydianiline	101-80-4	0.1	0.2	
	4-Chloroaniline	106-47-8	0.1	0.2	
	3,3'-Dimethoxybenzidine	119-90-4	0.1	0.2	
	3,3'-Dimethylbenzidine	119-93-7	0.1	0.2	
	6-methoxy-m-toluidine (p-Cresidine)	120-71-8	0.1	0.2	
	2,4,5-Trimethylaniline	137-17-7	0.1	0.2	
	4,4'-Thiodianiline	139-65-1	0.1	0.2	
	4-Aminoazobenzene	60-09-3	0.1	0.2	
	4-Methoxy-m-phenylenediamine	615-05-4	0.1	0.2	
	4,4'-Methylene-di-o-toluidine	838-88-0	0.1	0.2	
	2,6-Xylidine	87-62-7	0.1	0.2	
	o-Anisidine	90-04-0	0.1	0.2	
	2-Naphthylamine	91-59-8	0.1	0.2	
	3,3'-Dichlorobenzidine	91-94-1	0.1	0.2	
	4-Aminodiphenyl	92-67-1	0.1	0.2	
	Benzidine	92-87-5	0.1	0.2	
	o-Toluidine	95-53-4	0.1	0.2	
	2,4-Xylidine	95-68-1	0.1	0.2	
	4-Chloro-o-toluidine	95-69-2	0.1	0.2	
	4-Methyl-m-phenylenediamine	95-80-7	0.1	0.2	
	o-Aminoazotoluene	97-56-3	0.1	0.2	
	5-nitro-o-toluidine	99-55-8	0.1	0.2	
2E. Dyes- Carcinogenic or Equivalent Concern	C.I. Direct Black 38	1937-37-7	500	10	Liquid Extraction LC/MS
	C.I. Direct Blue 6	2602-46-2	500	10	
	C.I. Acid Red 26	3761-53-3	500	10	
	C.I. Basic Red 9	569-61-9	500	10	
	C.I. Direct Red 28	573-58-0	500	10	
	C.I. Basic Violet 14	632-99-5	500	10	
	C.I. Disperse Blue 1	2475-45-8	500	10	
	C.I. Disperse Blue 3	2475-46-9	500	10	
	C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	10	
	C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	10	
	C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	10	

Technical Report:

**(8721)251-0043**
**September 27, 2021**

Page 12 of 19

Group	Substance (Testing parameter)	CAS No.	Report Limit		Name of the testing method
			Wastewater (ug/L)/(ppb)	Sludge (mg/kg)/(ppm)	
2F. Dyes-disperse (sensitizing)	C.I. Basic Green 4(malachite green)	10309-95-2	500	10	Liquid Extraction LC/MS
	Disperse Orange 11	82-28-0	500	10	
	Disperse Yellow 1	119-15-3	50	2	
	Disperse Blue 102	12222-97-8	50	2	
	Disperse Blue 106	12223-01-7	50	2	
	Disperse Yellow 39	12236-29-2	50	2	
	Disperse Orange 37/59/76	13301-61-6	50	2	
	Disperse Brown 1	23355-64-8	50	2	
	Disperse Orange 1	2581-69-3	50	2	
	Disperse Yellow 3	2832-40-8	50	2	
	Disperse Red 11	2872-48-2	50	2	
	Disperse Red 1	2872-52-8	50	2	
	Disperse Red 17	3179-89-3	50	2	
	Disperse Blue 7	3179-90-6	50	2	
	Disperse Blue 26	3860-63-7	50	2	
	Disperse Yellow 49	54824-37-2	50	2	
	Disperse Blue 35	12222-75-2	50	2	
	Disperse Blue 124	61951-51-7	50	2	
	Disperse Yellow 9	6373-73-5	50	2	
	Disperse Orange 3	730-40-5	50	2	
	Disperse Blue 35	56524-77-7	50	2	
2G. Flame Retardants	Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	5	1	ISO 22032, USEPA527 and USEPA8321B. Dichloromethane extraction GC/MS or LC/MS(-MS)
	Decabromodiphenyl ether (DecaBDE)	1163-19-5	5	1	
	Tris(2,3-dibromopropyl) phosphate (TRIS/TDBPP)	126-72-7	5	1	
	Pentabromodiphenyl ether (PentaBDE)	32534-81-9	5	1	
	Octabromodiphenyl ether (OctaBDE)	32536-52-0	5	1	
	Bis(2,3-dibromopropyl) phosphate (BIS/BDBPP)	5412-25-9	5	1	
	Tris(aziridinyl)-phosphineoxide (TEPA)	545-55-1	5	1	
	Polybromobiphenyls (PBBs)	59536-65-1	5	1	
	Tetrabromobisphenol A (TBBPA)	79-94-7	5	1	
	Hexabromocyclododecane (HBCDD)	3194-55-6	5	1	
	2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	5	1	
	Tris(1,3-dichloroisopropyl) phosphate (TDCP)	13674-87-8	5	1	
	Short chain chlorinated paraffins (SCCPs) (C10-C13)	85535-84-8	5	1	
2H. Glycols	Bis(2-methoxyethyl)-ether	111-96-6	50	10	US EPA 8270 Liquid Extraction LC/MS
	2-ethoxyethanol	110-80-5	50	10	
	2-ethoxyethyl acetate	111-15-9	50	10	
	Ethylene glycol dimethyl ether	110-71-4	50	10	

Technical Report:

**(8721)251-0043**
**September 27, 2021**

Page 13 of 19

Group	Substance (Testing parameter)	CAS No.	Report Limit		Name of the testing method
			Wastewater (ug/L)/(ppb)	Sludge (mg/kg)/(ppm)	
	2-methoxyethanol	109-86-4	50	10	
	2-methoxyethylacetate	110-49-6	50	10	
	2-methoxypropylacetate	70657-70-4	50	10	
	Triethylene glycol dimethyl ether	112-49-2	50	10	
2I. Halogenated Solvents	1,2-Dichloroethane	107-06-2	1	2	USEPA 8260B Headspace GC/MS or Purgeand-Trap-GC/MS
	Methylene Chloride	75-09-2	1	2	
	Trichloroethylene	79-01-6	1	2	
	Tetrachloroethylene	127-18-4	1	2	
2J. Organotin Compounds	Mono-, di- and tri-methyltin derivatives	Multiple	0.01	0.2	ISO 17353 Derivatisation with NaB(C <sub>2</sub> H <sub>5</sub> ) GC/MS
	Mono-, di- and tri-butyltin derivatives	Multiple	0.01	0.2	
	Mono-, di- and tri-phenyltin derivatives	Multiple	0.01	0.2	
	Mono-, di- and tri-octyltin derivatives	Multiple	0.01	0.2	
	Monomethyltin	Multiple	0.01	0.2	
	Dimethyltin	Multiple	0.01	0.2	
	Trimethyltin	Multiple	0.01	0.2	
	Monobutyltin	Multiple	0.01	0.2	
	Dibutyltin	Multiple	0.01	0.2	
	Tributyltin	Multiple	0.01	0.2	
	Monophenyltin	Multiple	0.01	0.2	
	Diphenyltin	Multiple	0.01	0.2	
	Triphenyltin	Multiple	0.01	0.2	
	Monooctyltin	Multiple	0.01	0.2	
	Dioctyltin	Multiple	0.01	0.2	
	Trioctyltin	Multiple	0.01	0.2	
2K. Perfluorinated and Polyfluorinated Chemicals (PFCs)	Perfluorooctanesulfonic acid (PFOS)	1763-23-1	0.01	0.10	DIN 38407-42 (modified) Ionic PFC: Concentration or direct injection, LC/MS(-MS); Non-ionic PFC (FTOH): derivatisation with acetic anhydride, followed by GC/MS
	Perfluoro-n-octanoic acid (PFOA)	335-67-1	0.01	0.10	
	Perfluorobutanesulfonic acid (PFBS)	29420-49-3, 29420-43-3	0.01	0.10	
	Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	0.01	0.10	
	8:2 FTOH	678-39-7	1	1	
	6:2 FTOH	647-42-7	1	1	
2L. Phthalates (including all other esters of phthalic acid)	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	10	2	US EPA 8270D, ISO 18856 Dichloromethane extraction GC/MS
	Dimethoxyethyl phthalate (DMEP)	117-82-8	10	2	
	Di-n-octyl phthalate (DNOP)	117-84-0	10	2	
	Di-iso-decyl phthalate (DIDP)	26761-40-0	10	2	
	Di-iso-nonyl phthalate (DINP)	28553-12-0	10	2	
	Di-n-hexyl phthalate (DnHP)	84-75-3	10	2	
	Dibutyl phthalate (DBP)	84-74-2	10	2	
	Butyl benzyl phthalate (BBP)	85-68-7	10	2	
	Dinonyl phthalate (DNP)	84-76-4	10	2	



Technical Report:

**(8721)251-0043**
**September 27, 2021**

Page 14 of 19

Group	Substance (Testing parameter)	CAS No.	Report Limit		Name of the testing method
			Wastewater (ug/L)/(ppb)	Sludge (mg/kg)/(ppm)	
	Diethyl phthalate (DEP)	84-66-2	10	2	
	Di-n-propyl phthalate (DPRP)	131-16-8	10	2	
	Di-iso-butyl phthalate (DIBP)	84-69-5	10	2	
	Di-cyclohexyl phthalate (DCHP)	84-61-7	10	2	
	Di-iso-octyl phthalate (DIOP)	27554-26-3	10	2	
	1,2-benzenedicarboxylic acid, di-C7-11-branched and linearalkyl esters (DHNUP)	68515-42-4	10	2	
	1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	2	
2M. Poly Aromatic Hydrocarbons (PaHs)	Benzo[a]pyrene (BaP)	50-32-8	1	0.2	DIN 38407-39 Solvent extraction GC/MS
	Anthracene	120-12-7	1	0.2	
	Pyrene	129-00-0	1	0.2	
	Benzo[ghi]perylene	191-24-2	1	0.2	
	Benzo[e]pyrene	192-97-2	1	0.2	
	Indeno[1,2,3-cd]pyrene	193-39-5	1	0.2	
	Benzo[j]fluoranthene	205-82-3	1	0.2	
	Benzo[b]fluoranthene	205-99-2	1	0.2	
	Fluoranthene	206-44-0	1	0.2	
	Benzo[k]fluoranthene	207-08-9	1	0.2	
	Acenaphthylene	208-96-8	1	0.2	
	Chrysene	218-01-9	1	0.2	
	Dibenz[a,h]anthracene	53-70-3	1	0.2	
	Benzo[a]anthracene	56-55-3	1	0.2	
	Acenaphthene	83-32-9	1	0.2	
	Phenanthrene	85-01-8	1	0.2	
	Fluorene	86-73-7	1	0.2	
	Naphthalene	91-20-3	1	0.2	
2N. Volatile Organic Compound (VOCs)	Benzene	71-43-2	1	2	ISO 11423-1 Headspace- or Purge-and-Trap-GC/MS
	Xylene	1330-20-7	1	2	
	o-cresol	95-48-7	1	2	
	p-cresol	106-44-5	1	2	
	m-cresol	108-39-4	1	2	
1A. Conventional Parameters	Temperature	—	N/A	N/A	Apply the standard methods that best apply to the region (ISO, EU, US, China), please refer to ZDHC Wastewater Guidelines for more details on the testing method and the levels (Foundational, Progressive, and Aspirational).  Cyanide: With reference to APHA 4500 CN—B,C&E and
	TSS	—	N/A	N/A	
	COD	—	N/A	N/A	
	Total-N	—	N/A	N/A	
	pH	—	N/A	N/A	
	Color [m <sup>-1</sup> ] (436nm; 525nm; 620nm)	—	N/A	N/A	
	BOD5	—	N/A	N/A	
	Ammonium-N	—	N/A	N/A	
	Total-P	—	N/A	N/A	
	AoX	—	N/A	N/A	
	Oil and Grease	—	N/A	N/A	
	Phenol	—	N/A	N/A	
	Coliform(bacteria/100ml)	—	N/A	N/A	
	Persistent Foam	—	Not	Not	



Technical Report:

(8721)251-0043

September 27, 2021

Page 15 of 19

Group	Substance (Testing parameter)	CAS No.	Report Limit		Name of the testing method
			Wastewater (ug/L)/(ppb)	Sludge (mg/kg)/(ppm)	
			visible	visible	followed by UV analysis
	<b>ANIONS</b>				
	Cyanide( CN-)	Various (incl. 57-12-5)	0.02	1	
	Sulfide	—	N/A	N/A	
	Sulfite	—	N/A	N/A	
Group	Substance (Testing parameter)	CAS No.	Report Limit		Name of the testing method
			Wastewater (mg/L) / (ppm)	Sludge (mg/kg) / (ppm)	
1B. Conventional Parameters - <b>METALS</b>	Antimony( Sb )	7440-36-0	0.001	N/A	Various Acid Digestion with ICP analysis
	Chromium( Cr ), total	7440-47-3	0.001	N/A	
	Cobalt( Co )	7440-48-4	0.001	N/A	
	Copper( Cu )	7440-50-8	0.001	N/A	
	Nickel( Ni )	7440-02-0	0.001	N/A	
	Silver( Ag )	7440-22-4	0.001	N/A	please refer to ZDHC Wastewater Guidelines for more details on the testing method and the levels (Foundational, Progressive, and Aspirational).
	Zinc( Zn )	7440-66-6	0.001	N/A	
	Arsenic( As )	7440-38-2	0.001	2	
	Cadmium( Cd )	7440-43-9	0.0001	2	
	Chromium VI( CrVI )	18540-29-9	0.001	2	
	Lead( Pb )	7439-92-1	0.001	2	
	Mercury (Hg)	7439-97-6	0.00005	0.2	Cr(VI): Various Solvent extraction and derivatisation followed by UV analysis
<b>3. Conventional Parameters</b>	Dry mass (total solids)	—	N/A	N/A	US EPA 160.3 / 209A

Note / Key :

ppm = part(s) per million; ppb = part(s) per billion  
U. S. EPA = United States Environmental Protection Agency  
APHA = American Public Health Association



BUREAU  
VERITAS




Technical Report:

(8721)251-0043

September 27, 2021

Page 16 of 19

## APPENDIX C – Onsite Field Data Record Sheet

	FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)		CPSD-AN-00613-DATA 04
			Issue Date:
			Version No.: 13
			Business Line: Analytical

### General Data

Laboratory Sample Number: 8721251-0043

Client Name: MR. AVINAW Phone No: 9036397693

Project (Facility Name and Address): SHAH EXPORTS PVT. LTD. UNIT-9 171. 7th Main Road Peenya 2nd stage Bangalore

Sampling Location / Description: RAW WASTE WATER

Sample Identification: Zero discharge with sampling plan

Sample Type: Composite Sample / Grab sample (Please delete as appropriate)

Name of Sampler: GOPALAKRISHNAN M

Discharge mode: Direct discharge to environment (Specify destination: River, Sea, Stream, ...) OR Indirect discharge to sewage treatment plant ZLD plant

Date of collection: 07/09/2021

Factory Type: Dyeing / Printing / Washing / Finishing / Others (please specify):

\*Note: It would be selected more than one

### Field Data for Wastewater

Time taken for wastewater		10.30 am		Departure Time:		3.30 pm											
Arrival Time:				Temp : 28 °C		Color : light blue		Flow rate : (volume/min)									
Field Parameters		pH : 7.3															
Control No. of field equipment																	
Factory with effluent treatment plant:				✓ Yes				No									
Sample matrix:				Incoming water (If required)													
				Wastewater before treatment													
				Wastewater after treatment – water at discharge point													
Sampler container number																	
		1		2		3		4		5		6		7		8	
Recording time		ID															
		Time		10.30 Am		11.30 Am		12.30 pm		1.30 pm		2.30 pm		3.30 pm			
pH :		7.3		7.5		7.4		7.5		7.6		7.7					
Temp (°C) :		28°C		29°C		30°C		29°C		30°C		31°C					
Color (visual estimation):		light blue		light blue		light blue		light blue		light blue		light blue					
Flow rate (volume/time)		01.22 m³		03.99 m³		02.44 m³		05.12 m³		03.72 m³		02.45 m³					
Volume collected, mL		1000ml		1000ml		1000ml		1000ml		1000ml		1000ml					
Total volume collected		1000 ml		Remark: Total volume collected must be greater than total of sample size required													

Remark: Total volume collected must be greater than total of sample size required

### Analysis Required and Preservation Method

Tests (ZDHC MRSL Parameters)	Test required (v)	Total of sample size	Type of container	Preservation method
Combined test or Individual test (Remark 4)	1. Phthalate	1000 mL total or 1000 mL each	Amber Glass, washed with nitric acid, rinsed thoroughly with distilled water and dried before use	Without adding acid Store sample at 6°C
	2. Chlorobenzenes, Chlorotoluene & PAH			
	3. SCCPs			
	4. APS			
5. APEOs	✓	100 mL		
6. Chlorophenols & Cresols	✓	100 mL		
7. Flame retardant	✓	500 mL		
8. Dyes	✓	10 mL		
9. Glycol	✓	50 mL		
10. *Pesticides	X	1000 mL		
11. *Nitrosamine	X	10 mL		
12. Banned Azodyes	✓	2000 mL		
13. *Free primary aromatic amines	✓	500 mL		
14. Organotin Compounds	✓	500 mL		
15. VOC & Halogenated Solvents (Remark 6)	✓	10 mL	Amber Glass, washed with nitric acid	Acidify to pH 2 with HCl and store sample at 6°C Fill to full container without air gap; acidify to pH 2 with HCl and store sample at 6°C
16. PFCs	✓	2 mL	PE, washed with pesticide grade Acetone	Without adding acid Store sample at 6°C





**BUREAU  
VERITAS**



Technical Report:

**(8721)251-0043**

**September 27, 2021**

Page 17 of 19

	<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>		<b>CPSD-AN-00613-DATA 04</b>
			<b>Issue Date:</b>
			<b>Version No.: 13</b>
			<b>Business Line: Analytical</b>

Tests (Conventional Parameters)	Test required (V)	Total of sample size	Type of container	Preservation method
<b>Combined test or Individual test (Remark 4)</b>	17. Total suspended solids (TSS)	2000 mL total or 2000 mL each	Amber Glass, washed with nitric acid, rinsed thoroughly with distilled water and dried before use	Without adding acid Store sample at 6°C
	18. *Total dissolved solids (TDS)			
19. 5-day Biochemical Oxygen Demand (BOD5)	X	1000 mL		
20. Heavy Metals except Cr(VI) & Total-P (Remark 6)	✓	9 mL	PE, washed with nitric acid	Acidify to pH 2 with HNO <sub>3</sub> and store at 6°C
21. Cr(VI)	✓	95 mL	Amber Glass, washed with pesticide grade acetone	Filter by 0.45µm filter in field, fill to full container without air gap; adjust pH to 9.0-9.5 by adding ammonium buffer. Store sample at 6°C
22. Cyanide	X	500 mL		Adjust pH 12 with 50% NaOH, add 0.05 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> and store sample at 6°C
23. Chemical oxygen demand (COD)	X	150 mL	Amber Glass, washed with nitric acid	Acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub> Store sample at 6°C
24. Phenols	X	500 mL		Fill to full container without air gap; acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub> and store sample at 6°C
25. *Formaldehyde	X	25 mL		
26. Sulfide (Remark 5)	X	50 mL	PE, washed with pesticide grade Acetone;	Fill to full container without air gap; add 2 drops of 2M zinc acetate, adjust pH to 9 with 6M NaOH Store sample at 6°C
27. Adsorbable organically bound halogens (AOX)	X	100 mL	Amber Glass, washed with nitric acid	Add 0.05 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> , acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub> . Store sample at 6°C
28. Total Coliform (Remark 6)	X	125 mL	PE, clean, sterile, non-reactive	Add 0.05 mL of 10% Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> . Store sample at 6°C
29. Persistent foam	X	N.A.	Foam higher than 45 cm (visual estimation): <u>Yes / No</u>	
30. Sulfite	X	100 mL	Amber Glass, washed with pesticide grade acetone	Add 1mL of 2.5% EDTA, 0.5g zinc acetate Store sample at 6°C
31. Total-N	X	100 mL	Amber Glass with wide-mouth PTFE lid, washed with nitric acid;	Acidify to pH 2 with H <sub>2</sub> SO <sub>4</sub> Store sample at 6°C
32. Ammonium-N	X	500 mL		
33. Oil and Grease & Total Hydrocarbon	X	1000 mL	Amber Glass, washed with nitric acid;	Acidify to pH 2 with HCl Store sample at 6°C
34. Luminus Bacteria Toxicity	X	1000 mL	Amber Glass, washed with nitric acid, rinsed thoroughly with distilled water and dried before use	Without adding acid Store sample at 6°C
35. Sulphate	X	100 mL		
36. Chloride	X	100 mL		
37. Color	X	100 mL		
38. Others:	X			

Observation/ Remark:

\*Remarks:

- Individual sampling can be performed upon request
- The minimum sampling time for 2016 ZDHC guideline is 6 hours with no more than one hour between discrete samples. Sampling time could be adjusted upon request.
- Scope of ZDHC guideline: Parameter 1, 2, 4-9, 12, 14-17, 19-24, 26-33  
Scope of synthetic leather industry: Parameter 1, 2, 4-9, 12, 14-17, 19-33  
Scope of MMCF: Parameter 4, 5, 15, 17, 19-21, 23, 24, 26, 27, 31-34, 37  
Free primary aromatic amine, pesticides, nitrosamine and TDS are not in the scope of ZDHC Guideline, they are tested upon request.
- Refer to CPSD-AN-G00019-STIP01, locations with those CPSD test capability inside TCD matrix can perform the combined test.
- Refer to CPSD-AN-000570-MTHD for additional pretreatment of sulfide if only dissolved sulfide is required to be tested.
- Refer to CPSD-AN-00613-MTHD for preparation of field blank for specific parameters.

Recorded by:

M. Gopalakrishnan  
Full Name: **M.GOPALAKRISHNAN**

Date:

07/09/2021

Comment from factory

Acknowledgement by factory

I hereby confirmed that Bureau Veritas has completed the stated sampling activity at captioned date, time and location. All sample(s) is/are collected in designated container(s) and without any observation in leakage. Sample(s) collected by Bureau Veritas is/are stored in portable freezer / fridge that is maintained in 1-6°C

Signatory of Factory Representative:  
sdfd

AVINAW KUMAR  
Full Name: **Avinaw Kumar**

Date:

7/9/21



BUREAU  
VERITAS




Certificate No.: TC-6092

Technical Report:

(8721)251-0043

September 27, 2021

Page 18 of 19

	<b>FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)</b>		<b>CPSD-AN-00613-DATA 04</b>	
			Issue Date:	
			Version No.: 13	
			Business Line: Analytical	

**General Data**

Laboratory Sample Number:

08721/251-0043

Client Name:

Field Contact Person:

MR. AVINAW

Phone No:

9036397693

Project (Facility Name and Address):

SHAFI EXPORTS PVT. LTD UNIT-9 171-3th main road Peenya 2nd stage Bangalore

Sampling Location / Description:

Sludge

Sample Identification:

Zero discharge with sampling plan

Sample Type:

Composite Sample / Grab sample (Please delete as appropriate)

Name of Sampler:

GIOPALAKRISHNAN M

Discharge mode:

Direct discharge to environment (Specify destination: River, Sea, Stream...) OR Indirect discharge to sewage treatment plant

SLD Plant

Date of collection:

07/09/2021

Factory Type:

Dyeing / Printing / Washing / Finishing / Others (please specify):

\*Note: It would be selected more than one

**Field Data for Sludge**

Arrival Time:	11.00 AM	Departure Time:	3.30 PM
Field Parameters	pH:	Temp: °C	Color: light brown
Control No. of field equipment			

**Analysis Required and Preservation Method**

Analysis Required and Preservation Method		Yes		No				
Factory with effluent treatment plant		✓						
Sample matrix		✓	Sludge in clarifier (sedimentation tank)					
Sampler container number								
Recording time								
Tests (MRSL Parameter)		Test required (v)	Total of sample size	Type of container	Preservation method			
Combined test or Individual test (Remark 3)	1. Phthalate	✓	10g total or 10g each	Amber Glass, washed with nitric acid	Fill to full bottle without any air gap and store at 6°C			
	2. Chlorobenzenes, Chlorotoluene & PAHs	✓						
	3. SCCPs	✓						
	4. APS	✓						
5. APEOs		✓	20 g					
6. Chlorophenols & Cresols		✓	20 g					
7. Flame retardant		✓	10 g					
8. Dyes		✓	10 g					
9. Glycols		✓	100 g					
10. *Pesticides		✗	20g					
11. Banned Azodyes		✓	20 g					
12. *Free primary aromatic amines		✓	10 g					
13. Organotin Compounds		✓	10 g					
14. VOC & Halogenated Solvents		✓	10 g	Amber Glass, wash with pesticide grade acetone	Fill to full container without any air gap and acid add and store at 6°C			
15. PFCs		✓	10 g	PE, wash with pesticide garde acetone	Fill to full bottle without any air gap and store at 6°C			

Tests (Conventional Parameters)	Test required (v)	Total of sample size	Type of container	Preservation method
16. Heavy Metals except Cr(VI)	✓	0.2 g	PE, wash with nitric acid	Fill to full bottle without any air gap and store at 6°C
17. Cr(VI)	✓	2.5 g	Amber Glass, wash with pesticide grade acetone	Fill to full container without any air gap and acid add and store at 6°C
18. Adsorbable organically bound halogens (AOX)	✗	1 g		
19. Extractable organichalides (EOX)	✗	20 g		
20. Total organic carbon (TOC)	✗	20 g		
21. Cyanide	✓	50 g		Fill to full container without any air gap and adjust pH 12 with 50% NaOH and store at 6°C
22. Others				



Technical Report:

**(8721)251-0043**

**September 27, 2021**

Page 19 of 19

---

## APPENDIX D – Limitation Value of Legal Requirements

---

N/A

-END-