

TEST REPOR'



September 24, 2021 **Technical Report** (8721)261-0059 Date Received September 18, 2021 Page 1 of 19

Factory Company Name: SHAHI EXPORTS PVT LTD UNIT-23

Factory Address: #9 & 10, Beretana Agrahara, Hosur Main Road, Bangalore-560100, Karnataka

Project No.: Client Reference No.:

Sampling Method: I001) Raw Wastewater - 6 hours - Time - weighted Composite

I002) Sludge - Grab

AW-320028

30/09/2022

Progressive

N/A

N/A

Sample Pick Up Date: September 17, 2021 Others

Wastewater Discharge to: On-Site Effluent Treatment

Yes Plant (ETP):

Zero Liquid Discharge Discharge Type: N/A

Off-site ETP name (if

applicable):

Off-site ETP address (if N/A

applicable):

Local Regulation: / Ordinance /

requirements related to wastewater discharged are

followed:

Permit Validation Date: Parameters Exceeded Local

Regulation

Legal compliance:

Conventional Parameters Overall Category:

September 18, 2021 - September 23, 2021 Test Period:

N/A

Sample Description:

I001) Dark Blue color liquid - Raw Wastewater

I002) Black color Solid - Sludge

Parameters exceeded maximum

holding time:

Sampler Number: 8F146509871

Certificate No. TC-6092 (Pls Refer the website www.nabl-inida.org to view the scope of accreditation)

Bureau Veritas Consumer Products Services (I) Pvt. Ltd. AKR Tech Park, Ground floor, C Block, Survey no 112, BANGALORE

Tel: 0091-80-40701600 Fax: 0091-80-40701655

http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents





(8721)261-0059 September 24, 2021 Page 2 of 19

REMARK

If there are questions or concerns on this report, please contact the following persons:

General enquiry and invoicing Sunesh.nair@in.bureauveritas.com

080-40701621

Technical enquiry-Chemical Sudalaimuthu.vs@in.bureauveritas.com

080-40701639

This report shown the test result of the auxiliary chemical and/or raw material samples, which collected during particular factory audit. The results of this report shall not be used for any regulatory compliance purposes.

* The sampling is agreed with client.

PREPARED BY:

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (INDIA) PVT. LTD. AUTHORIZED SIGNATORIES

APPROVED BY:

P.Sugumar

Lab Manager - Analytical Services

SJ/MK (8721)261-0059





(8721)261-0059 September 24, 2021 Page 3 of 19

Executive Summary

1A) Conventional Parameters	I001	1002
Temperature		
TSS		
COD		
Total-N		
pH Value		
Color [m ⁻¹] (436nm; 525nm; 620nm)		
BOD ₅	NR	NR
Ammonium-N		NK
Total-P		
AOX		
Oil and Grease		
Phenol		
Coliform		
Persistent Foam		
ANIONS - Cyanide		
ANIONS - Sulfide		NID
ANIONS - Sulfite		NR
1B) Conventional Parameters – METALS		

Note / Key:

- □ Meet Foundational Limit / Meet discharge license criteria / Meet Reporting Limit
- - Exceeding Foundational Limit / Exceeding discharge license criteria / Exceeding Reporting Limit
- NR Not Requested / Not required

ZDHC MRSL Substances	I001	1002
2A) APs and APEOs	o	o
2B) Chlorobenzenes and Chlorotoluenes	o	o
2C) Chlorophenols	o	o
2D) Azo Dyes	o	o
2E) Carcinogenic Dyes	o	o
2F) Disperse Dyes	o	o
2G) Flame Retardants	o	o
2H) Glycols	o	o
2I) Halogenated Solvents	0	o
2J) Organotin Compounds	o	o
2K) Perfluorinated and Polyfluorinated Chemicals	o	o
2L) Phthalates	o	o
2M) Poly Aromatic Hydrocarbons	o	o
2N) Volatile Organic Compounds	0	0

Note / Key:

- • − Detected
- o Not Detected
- NR Not Requested
- N/A Not Applicable





(8721)261-0059 September 24, 2021 Page 4 of 19

Objective

The environment samples were tested for below parameters.

- 1B) Conventional Parameters METALS
- 2A) APs and APEOs
- 2B) Chlorobenzenes and Chlorotoluenes
- 2C) Chlorophenols
- 2D) Azo Dyes
- 2E) Carcinogenic Dyes
- 2F) Disperse Dyes
- 2G) Flame Retardants
- 2H) Glycols
- 2I) Halogenated Solvents
- 2J) Organotin Compounds
- 2K) Perfluorinated and Polyfluorinated Chemicals
- 2L) Phthalates
- 2M) Poly Aromatic Hydrocarbons
- 2N) Volatile Organic Compounds

Table 3 Sludge parameter

Sampling Plan

Basically, two environment samples were sampled per factory, including 1) Raw wastewater and 2) Sludge. Total number of sample collected will be depended on the actual factory facilities and manufacturing processes.

Method of sampling used is time-weighted composite grab samples (agreed with client.). Composite sampling shall be performed for no less than six hours, with no more than one hour between discrete samples. Each discrete sample shall be of equal volume. Wastewater and freshwater samples should, as much as possible, be collected simultaneously, during the time that PU is in normal operation. The sampling shall aim to analyse the snapshot of water quality characteristics of the operating PU. Under no circumstance shall samples be taken during times when the production process is not running or the wastewater is diluted due to heavy rainfall, etc.

Remark:

- Sampling procedure is with reference to below standards:
 - 1) South Australia EPA Guidelines (June 2007), Regulatory Monitoring and Testing Water and Wastewater Sampling.
 - 2) Australia EPA (Victoria) Guideline (June 2009), Sampling and Analysis of Waters, Wastewaters, Soils and Wastes.
 - 3) ISO 5667-3:2003, Water Quality Sampling Part 3: Guidance on the Preservation and Handling of Water Samples.
 - 4) ASTM D3976-92 (Reapproved 2010), Standard Practice for Preparation of Sediment Samples for Chemical Analysis.
- Field data records are attached in Appendix C.





(8721)261-0059 September 24, 2021 Page 5 of 19

Test Result

ANIONS - Cyanide

Test Method : Reference to ISO 6703-1,2, ISO 14403-1,2, US EPA 335.2, APHA 4500-CN, HJ 484

Tested Item(s)	Result	Unit	Conclusion
I002	ND	mg/kg	DATA

Note:

mg/kg = milligram per kilogram

Dry mass (total solids)

Test Method : Reference to US EPA 160.3 /209A

Tested Item(s)	Result	Unit	Conclusion
I002	30.0	%	DATA

% = % by mass





(8721)261-0059 September 24, 2021 Page 6 of 19

1B) Conventional Parameters – METALS

Heavy Metals	I001 (mg/L)	I002 (mg/kg)
Antimony(Sb)		
Foundational Limit: 0.1 mg/L;	0.006	NR
Progressive Limit: 0.05 mg/L;	(Aspirational)	IVIX
Aspirational Limit: 0.01 mg/L		
Chromium(Cr), total		
Foundational Limit: 0.2 mg/L;	0.016	ND
Progressive Limit: 0.1 mg/L;	(Aspirational)	NR
Aspirational Limit: 0.05 mg/L	-	
Cobalt(Co)		
Foundational Limit:0.05 mg/L;	0.02	ND
Progressive Limit: 0.02 mg/L;	(Progressive)	NR
Aspirational Limit: 0.01 mg/L		
Copper(Cu)		
Foundational Limit: 1 mg/L;	0.185	
Progressive Limit: 0.5 mg/L;	(Aspirational)	NR
Aspirational Limit: 0.25 mg/L	, , ,	
Nickel (Ni)		
Foundational Limit:.0.2 mg/L;	0.017	N.D.
Progressive Limit: 0.1 mg/L;	(Aspirational)	NR
Aspirational Limit: 0.05 mg/L	(·r /	
Silver (Ag)		
Foundational Limit: 0.1 mg/L;	0.002	
Progressive Limit: 0.05 mg/L;	(Aspirational)	NR
Aspirational Limit: 0.005 mg/L	(·r /	
Zinc(Zn)		
Foundational Limit: 5 mg/L;	0.616	
Progressive Limit: 1 mg/L;	(Progressive)	NR
Aspirational Limit: 0.5 mg/L	(2 /	
Arsenic (As)		
Foundational Limit: 0.05 mg/L;	ND	N.D.
Progressive Limit: 0.01 mg/L;	(Aspirational)	ND
Aspirational Limit: 0.005 mg/L	, , ,	
Cadmium(Cd)		
Foundational Limit: 0.1 mg/L;	0.002	N.D.
Progressive Limit: 0.05 mg/L;	(Aspirational)	ND
Aspirational Limit: 0.01 mg/L	, ,	
Chromium VI(CrVI)		
Foundational Limit: 0.05 mg/L;	ND	NID
Progressive Limit: 0.005 mg/L;	(Aspirational)	ND
Aspirational Limit: 0.001 mg/L	, , ,	
Lead(Pb)		
Foundational Limit:0.1 mg/L;	0.013	NID
Progressive Limit: 0.05 mg/L;	(Aspirational)	ND
Aspirational Limit: 0.01 mg/L	1,	
Mercury (Hg)		
Foundational Limit: 0.01 mg/L;	ND) T
Progressive Limit: 0.005 mg/L;	(Aspirational)	ND
Aspirational Limit :0.001 mg/L	(· r	
7		





(8721)261-0059 September 24, 2021 Page 7 of 19

Others Priority Chemical Groups

	I001 (µg/L)	I002 (mg/kg)
2A) APs and APEOs	ND	ND
2B) Chlorobenzenes and Chlorotoluenes	ND	ND
2C) Chlorophenols	ND	ND
2D) Azo Dyes	ND	ND
2E) Carcinogenic Dyes	ND	ND
2F) Disperse Dyes	ND	ND
2G) Flame Retardants	ND	ND
2H) Glycols	ND	ND
2I) Halogenated Solvents	ND	ND
2J) Organotin Compounds	ND	ND
2K) Perfluorinated and Polyfluorinated Chemicals	ND	ND
2L) Phthalates	ND	ND
2M) Poly Aromatic Hydrocarbons	ND	ND
2N) Volatile Organic Compounds	ND	ND

Remark:

- Test method, reporting limit and list of chemical are summarized in tables of Appendix B.
- ND = Not detected (Please refer to reporting limit shown in Appendix B.).
- All results are in ppb as unit.
- ppm = part(s) per million; ppb = part(s) per billion; mg/kg = milligram per kilogram





(8721)261-0059 September 24, 2021 Page 8 of 19

APPENDIX A - Photo of the Sample/ Sampling Location

I001) Sampling Point 12°51'59.9"N 77°39'28.8"E



I001) Sampling Point Surrounding Environment 12°51'59.9"N 77°39'28.8"E



I001) All sampled bottles with label



I001) pH value



I001) Sample for Phthalate Testing



I001) Packaging








(8721)261-0059 September 24, 2021 Page 9 of 19





I002) All sampled bottles with label







I002) Packaging







(8721)261-0059 September 24, 2021 Page 10 of 19

APPENDIX B

			Repor	t Limit	
Group	Substance (Testing parameter)	CAS No.	Wastew ater (ug/L)/(ppb)	Sludge (mg/kg) /(ppm)	Name of the testing method
	Nonylphenol NP, mixed isomers	Various (incl. 104-40-5, 11066-49-2, 25154-52-3, 84852-15-3)	5	0.4	NP/OP: ISO 18857-2 (modified dichloromethane
2A. Alkylphenol (AP) and	Octylphenol OP, mixed isomers	Various (incl. 140-66-9, 1806-26-4, 27193-28-8)	5	0.4	extraction) or ASTM D7065 (GC/MS or LC/MS(-MS)
Alkylphenol Ethoxylates (APEOs): including all isomers	Octylphenol ethoxylates (OPEO)	Various (incl. 9002-93-1, 9036-19-5, 68987-90-6)	5	0.4	OPEO/NPEO: ISO18857-2 or ASTM D7065(LC/MS; GC/MS or LC/MSMS for
	Nonylphenol ethoxylates (NPEO)	Various (inc. 9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0)	5	0.4	n=1,2) APEO 1-18
	Monochlorobenzene	108 00 7	0.2	0.2	AFEO 1-18
	1,2-Dichlorobenzene	108-90-7 95-50-1	0.2	0.2	1
	1,3-Dichlorobenzene	541-73-1	0.2	0.2	
	1,4-Dichlorobenzene	106-46-7	0.2	0.2	
	1,2,3-Trichlorobenzene	87-61-6	0.2	0.2	
	1,2,4-Trichlorobenzene	120-82-1	0.2	0.2	
	1.3.5-Trichlorobenzene	108-70-3	0.2	0.2	
	7- 7-	634-66-2	0.2	0.2	
	1,2,3,4-Tetrachlorobenzene	634-90-2	0.2	0.2	
	1,2,3,5-Tetraclorobenzene 1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	0.2	
	Pentachlorobenzene	608-93-5	0.2	0.2	
	Hexachlorobenzene	118-74-1	0.2	0.2	
	2-Chlorotoluene	95-49-8	0.2	0.2	11GED 1 02 (0D 0270D
AD CI.I I	3-Chlorotoluene 4-Chlorotoluene	108-41-8	0.2	0.2	USEPA 8260B,8270D.
2B. Chlorobenzenes		106-43-4	0.2		Dichloromethane
and Chlorotoluenes	2,3-Dichlorotoluene	32768-54-0	0.2	0.2	extraction followed by
	2,4-Dichlorotoluene	95-73-8	0.2	0.2	GC/MS
	2,5-Dichlorotoluene	19398-61-9	0.2	0.2	
	2,6-Dichlorotoluene	118-69-4	0.2	0.2	
	3,4-Dichlorotoluene	95-75-0	0.2	0.2	
	3,5-Dichlorotoluene	25186-47-4	0.2	0.2	
	2,3,4-Trichlorotoluene	7359-72-0	0.2	0.2	
	2,3,6-Trichlorotoluene	2077-46-5	0.2	0.2	
	2,4,5-Trichlorotoluene	6639-30-1	0.2	0.2	
	2,4,6-Trichlorotoluene	23749-65-7	0.2	0.2	
	3,4,5-Trichlorotoluene	21472-86-6	0.2	0.2	
	2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	0.2	
	2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	0.2	
	2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	0.2	
	Pentachlorotoluene	877-11-2	0.2	0.2	
	2-Chlorophenol	95-57-8	0.5	0.05	
	3-Chlorophenol	108-43-0	0.5	0.05	USEPA 8270 D
	4-Chlorophenol	106-48-9	0.5	0.05	Solvent extraction,
2C. Chlorophenols	2,3-Dichlorophenol	576-24-9	0.5	0.05	derivatisation with
Ì	2,4-Dichlorophenol	120-83-2	0.5	0.05	KOH, acetic anhydride
	2,5-Dichlorophenol	583-78-8	0.5	0.05	followed by GC/MS
	2,6-Dichlorophenol	87-65-0	0.5	0.05	





(8721)261-0059 September 24, 2021 Page 11 of 19

			Repor	t Limit	
Group	Substance (Testing parameter)	CAS No.	Wastew ater (ug/L)/(ppb)	Sludge (mg/kg) /(ppm)	Name of the testing method
	3,4-Dichlorophenol	95-77-2	0.5	0.05	
	3,5-Dichlorophenol	591-35-5	0.5	0.05	1
	2,3,4-Trichlorophenol	15950-66-0	0.5	0.05	
	2,3,5-Trichlorophenol	933-78-8	0.5	0.05	
	2,3,6-Trichlorophenol	933-75-5	0.5	0.05	
	2,4,5-Trichlorophenol	95-95-4	0.5	0.05	
	2,4,6-Trichlorophenol	88-06-2	0.5	0.05	
	3,4,5-Trichlorophenol	609-19-8	0.5	0.05	
	2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	0.05	
	2,3,4,6-Tetrachlorophenol	58-90-2	0.5	0.05	
	2,3,5,6-Tetrachlorophenol	935-95-5	0.5	0.05	
	Pentachlorophenol (PCP)	87-86-5	0.5	0.05	
	4,4`-Methylene-bis-(2-chloro-aniline)	101-14-4	0.1	0.2	
	4,4'-methylenedianiline	101-77-9	0.1	0.2]
	4,4`-Oxydianiline	101-80-4	0.1	0.2]
	4-Chloroaniline	106-47-8	0.1	0.2	
	3,3`-Dimethoxybenzidine	119-90-4	0.1	0.2	
	3,3`-Dimethylbenzidine	119-93-7	0.1	0.2	
	6-methoxy-m-toluidine (p- Cresidine)	120-71-8	0.1	0.2	
	2,4,5-Trimethylaniline	137-17-7	0.1	0.2	EN 14362. Reduction step with Sodiumdithionite, solvent extraction,
	4,4`-Thiodianiline	139-65-1	0.1	0.2	
	4-Aminoazobenzene	60-09-3	0.1	0.2	
2D. Dyes - Azo	4-Methoxy-m- phenylenediamine	615-05-4	0.1	0.2	
(Forming Restricted Amines)	4,4`-Methylene-di-o- toluidine	838-88-0	0.1	0.2	
1 11111100)	2,6-Xylidine	87-62-7	0.1	0.2	GC/MS or LC/MS
	o-Anisidine	90-04-0	0.1	0.2	
	2-Naphthylamine	91-59-8	0.1	0.2	
	3,3`-Dichlorobenzidine	91-94-1	0.1	0.2	
	4-Aminodiphenyl	92-67-1	0.1	0.2	1
	Benzidine	92-87-5	0.1	0.2	
	o-Toluidine	95-53-4	0.1	0.2	
	2,4-Xylidine	95-68-1	0.1	0.2	
	4-Chloro-o-toluidine	95-69-2	0.1	0.2]
	4-Methyl-m- phenylenediamine	95-80-7	0.1	0.2	
	o-Aminoazotoluene	97-56-3	0.1	0.2	1
	5-nitro-o-toluidine	99-55-8	0.1	0.2	
	C.I. Direct Black 38	1937-37-7	500	10	
	C.I. Direct Blue 6	2602-46-2	500	10	
	C.I. Acid Red 26	3761-53-3	500	10	
	C.I. Basic Red 9	569-61-9	500	10	_
	C.I. Direct Red 28	573-58-0	500	10	
2E. Dyes-	C.I. Basic Violet 14	632-99-5	500	10	
Carcionogenic or	C.I. Disperse Blue 1	2475-45-8	500	10	Liquid Extraction
Equivalent Concern	C.I. Disperse Blue 3	2475-46-9	500	10	LC/MS
Equivalent Concern	C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	10	
	C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	10	
	C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	10	





(8721)261-0059 September 24, 2021 Page 12 of 19

			Renor	t Limit	
			Kepoi		
Group	Substance (Testing parameter)	CAS No.	Wastew ater (ug/L)/(ppb)	Sludge (mg/kg) /(ppm)	Name of the testing method
	C.I. Basic Green	10309-95-2	500	10	
	4(malachite green) Disperse Orange 11	82-28-0	500	10	
	Disperse Yellow 1	119-15-3	50	2	
	Disperse Blue 102	12222-97-8	50	2	
	Disperse Blue 106	12223-01-7	50	2	
	Disperse Yellow 39	12236-29-2	50	2	
	Disperse Orange 37/59/76	13301-61-6	50	2	
	Disperse Brown 1	23355-64-8	50	2	
	Disperse Orange 1	2581-69-3	50	2	 -
	Disperse Yellow 3	2832-40-8	50	2	-
2F. Dyes-disperse	Disperse Red 11 Disperse Red 1	2872-48-2	50	2	Liquid Extraction
(sensitizing)	Disperse Red 17	2872-52-8 3179-89-3	50	2	LC/MS
	Disperse Blue 7	3179-90-6	50	2	
	Disperse Blue 26	3860-63-7	50	2	
	Disperse Yellow 49	54824-37-2	50	2	
	Disperse Blue 35	12222-75-2	50	2	
	Disperse Blue 124	61951-51-7	50	2	
	Disperse Yellow 9	6373-73-5	50	2	
	Disperse Orange 3	730-40-5	50	2	
	Disperse Blue 35	56524-77-7	50	2	
	Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	5	1	
	Decabromodiphenyl ether (DecaBDE)	1163-19-5	5	1	
	Tris(2,3-dibromopropyl) phosphate (TRIS/TDBPP)	126-72-7	5	1	
	Pentabromodiphenyl ether (PentaBDE)	32534-81-9	5	1	
	Octabromodiphenyl ether (OctaBDE)	32536-52-0	5	1	
	Bis(2,3-dibromopropyl) phosphate (BIS/BDBPP)	5412-25-9	5	1	100 22022 110551 527
2G. Flame	Tris(aziridinyl)- phosphineoxide (TEPA)	545-55-1	5	1	ISO 22032, USEPA527 and USEPA8321B.
Retardants	Polybromobiphenyls (PBBs)	59536-65-1	5	1	Dichloromethane extraction GC/MS or LC/MS(-MS)
	Tetrabromobisphenol A (TBBPA)	79-94-7	5	1	LC/MO(-MO)
	Hexabromocyclododecane (HBCDD)	3194-55-6	5	1	
	2,2-Bis(bromomethyl)-1,3- propanediol (BBMP)	3296-90-0	5	1	
	Tris(1,3-dichloro- isopropyl) phosphate (TDCP)	13674-87-8	5	1	
	Short chain chlorinated paraffins (SCCPs) (C10-C13)	85535-84-8	5	1	
	Bis(2-methoxyethyl)-ether	111-96-6	50	10	
	2-ethoxyethanol	110-80-5	50	10	US EPA 8270
2H. Glycols	2-ethoxyethyl acetate	111-15-9	50	10	Liquid Extraction
	Ethylene glycol dimethyl ether	110-71-4	50	10	LC/MS





(8721)261-0059 September 24, 2021 Page 13 of 19

			Repor	t Limit	
Group	Substance (Testing parameter)	CAS No.	Wastew ater (ug/L)/(ppb)	Sludge (mg/kg) /(ppm)	Name of the testing method
	2-methoxyethanol	109-86-4	50	10	
	2-methoxyethylacetate	110-49-6	50	10	1
	2-methoxypropylacetate	70657-70-4	50	10	
	Triethylene glycol dimethyl ether	112-49-2	50	10	
	1,2-Dichloroethane	107-06-2	1	2	77GED 1 02 COD
2I. Halogenated Solvents	Methylene Chloride	75-09-2	1	2	USEPA 8260B
	Trichloroethylene	79-01-6	1	2	Headspace GC/MS or
	Tetrachloroethylene	127-18-4	1	2	Purgeand-Trap-GC/MS
	Mono-, di- and tri- methyltin derivatives	Multiple	0.01	0.2	
	Mono-, di- and tri-butyltin derivatives	Multiple	0.01	0.2	
	Mono-, di- and tri-phenyltin derivatives	Multiple	0.01	0.2	
	Mono-, di- and tri-octyltin derivatives	Multiple	0.01	0.2	
	Monomethyltin	Multiple	0.01	0.2	ISO 17353 Derivatisation with NaB(C2H5) GC/MS
2J. Organotin	Dimethyltin	Multiple	0.01	0.2	
Compounds	Trimethyltin	Multiple	0.01	0.2	
Compounds	Monobutyltin	Multiple	0.01	0.2	
	Dibutyltin	Multiple	0.01	0.2	
	Tributyltin	Multiple	0.01	0.2	
	Monophenyltin	Multiple	0.01	0.2	
	Diphenyltin	Multiple	0.01	0.2	
	Triphenyltin	Multiple	0.01	0.2	
	Monooctyltin	Multiple	0.01	0.2	
	Dioctyltin	Multiple	0.01	0.2	
	Trioctyltin	Multiple	0.01	0.2	1
	Perfluorooctanesulfonic acid (PFOS)	1763-23-1	0.01	0.10	DIN 38407-42
	Perfluoro-n-octanoic acid (PFOA)	335-67-1	0.01	0.10	(modified) Ionic PFC: Concentration or direct injection, LC/MS(-MS);
2K. Perfluorinated and Polyfluorinated	Perfluorobutanesulfonic acid (PFBS)	29420-49-3, 29420-43-3	0.01	0.10	
Chemicals (PFCs)	Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	0.01	0.10	Non-ionic PFC (FTOH): derivatisation
	8:2 FTOH	678-39-7	1	1	with acetic anhydride,
	6:2 FTOH	647-42-7	1	1	followed by GC/MS
	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	10	2	
	Dimethoxyethyl phthalate (DMEP)	117-82-8	10	2	
	Di-n-octyl phthalate (DNOP)	117-84-0	10	2	
2L. Phthalates (including all other	Di-iso-decyl phthalate (DIDP)	26761-40-0	10	2	US EPA 8270D, ISO 18856 Dichloromethane extraction GC/MS
esthers of phthalic acid)	Di-iso-nonyl phthalate (DINP)	28553-12-0	10	2	
/	Di-n-hexyl phthalate (DnHP)	84-75-3	10	2	
	Dibutyl phthalate (DBP)	84-74-2	10	2	1
	Butyl benzyl phthalate (BBP)	85-68-7	10	2	
	Dinonyl phthalate (DNP)	84-76-4	10	2	





(8721)261-0059 September 24, 2021 Page 14 of 19

			Repor	t Limit	
Group	Substance (Testing parameter)	CAS No.	Wastew ater (ug/L)/(ppb)	Sludge (mg/kg) /(ppm)	Name of the testing method
	Diethyl phthalate (DEP)	84-66-2	10	2	
	Di-n-propyl phthalate (DPRP)	131-16-8	10	2	
	Di-iso-butyl phthalate (DIBP)	84-69-5	10	2	
	Di-cyclohexyl phthalate (DCHP)	84-61-7	10	2	
	Di-iso-octyl phthalate (DIOP)	27554-26-3	10	2	
	1,2-benzenedicarboxylic acid, di-C7-11-branched and linearalkyl esters (DHNUP)	68515-42-4	10	2	
	1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	2	
	Benzo[a]pyrene (BaP)	50-32-8	1	0.2	
	Anthracene	120-12-7	1	0.2	
	Pyrene	129-00-0	1	0.2	
	Benzo[ghi]perylene	191-24-2	1	0.2	
	Benzo[e]pyrene	192-97-2	1	0.2	
	Indeno[1,2,3-cd]pyrene	193-39-5	1	0.2	DIN 38407-39 Solvent extraction GC/MS
	Benzo[j]fluoranthene	205-82-3	1	0.2	
2M. Poly Aromatic	Benzo[b]fluoranthene	205-99-2	1	0.2	
Hydrocarbons	Fluoranthene	206-44-0	1	0.2	
(PaHs)	Benzo[k]fluoranthene	207-08-9	1	0.2	
(1 a113)	Acenaphthylene	208-96-8	1	0.2	GC/IVIS
	Chrysene	218-01-9	1	0.2	
	Dibenz[a,h]anthracene	53-70-3	1	0.2	
	Benzo[a]anthracene	56-55-3	1	0.2	
	Acenaphthene	83-32-9	1	0.2	
	Phenanthrene	85-01-8	1	0.2	
	Fluorene	86-73-7	1	0.2	
	Naphthalene	91-20-3	1	0.2	
	Benzene	71-43-2	1	2	
2N. Volatile	Xylene	1330-20-7	1	2	ISO 11423-1
Organic Compound	o-cresol	95-48-7	1	2	Headspace- or Purge-
(VOCs)	p-cresol	106-44-5	1	2	and-Trap-GC/MS
	m-cresol	108-39-4	1	2	
	Temperature	_	N/A	N/A	Apply the standard
	TSS	-	N/A	N/A	methods that best apply
	COD	_	N/A	N/A	to the region (ISO, EU,
	Total-N	_	N/A	N/A	US, China), please refer
	pH	_	N/A	N/A	to ZDHC Wastewater
11. 6	Color [m ⁻¹] (436nm; 525nm; 620nm)	_	N/A	N/A	Guidelines for more details on the testing
1A. Conventional Parameters	BOD5	_	N/A	N/A	method and the levels
1 arameters	Ammonium-N	_	N/A	N/A	(Foundational,
	Total-P	_	N/A	N/A	Progressive, and
	AoX	_	N/A	N/A	Aspirational).
	Oil and Grease	_	N/A	N/A	
	Phenol	_	N/A	N/A	Cyanide: With
	Coliform(bacteria/100ml)	_	N/A	N/A	reference to APHA
	Persistent Foam	_	Not	Not	4500 CN—B,C&E and





(8721)261-0059 September 24, 2021 Page 15 of 19

			Repor	t Limit	
Group	Substance (Testing parameter)	CAS No.	Wastew ater (ug/L)/(ppb)	Sludge (mg/kg) /(ppm)	Name of the testing method
			visible	visible	followed by UV
	ANIONS	·			analysis
	Cyanide(CN-)	Various (incl. 57-12-5)	0.02	1	
	Sulfide	_	N/A	N/A	1
	Sulfite	_	N/A	N/A	
			Repor	t Limit	
Group	Substance (Testing parameter)	CAS No.	Wastew ater (mg/L) / (ppm)	Sludge (mg/kg) / (ppm)	Name of the testing method
	Antimony(Sb)	7440-36-0	0.001	N/A	Various
	Chromium(Cr), total	7440-47-3	0.001	N/A	Acid Digestion with ICP analysis
	Cobalt(Co)	7440-48-4	0.001	N/A	
	Copper(Cu)	7440-50-8	0.001	N/A	
	Nickel (Ni)	7440-02-0	0.001	N/A	please refer to ZDHC
	Silver (Ag)	7440-22-4	0.001	N/A	Wastewater Guidelines
1B. Conventional	Zinc(Zn)	7440-66-6	0.001	N/A	for more details on the
Parameters -	Arsenic (As)	7440-38-2	0.001	2	testing method and the
METALS	Cadmium(Cd)	7440-43-9	0.0001	2	levels (Foundational,
	Chromium VI(CrVI)	18540-29-9	0.001	2	Progressive, and
	Lead(Pb)	7439-92-1	0.001	2	Aspirational).
	Mercury (Hg)	7439-97-6	0.00005	0.2	Cr(VI): Various Solvent extraction and derivatisation followed by UV analysis
3. Conventional Parameters	Dry mass (total solids)	_	N/A	N/A	US EPA 160.3 / 209A

Note / Key:

ppm = part(s) per million; ppb = part(s) per billion U. S. EPA = United States Environmental Protection Agency APHA = American Public Health Association





(8721)261-0059 September 24, 2021 Page 16 of 19

APPENDIX C - Onsite Field Data Record Sheet

BUREAU VERIUAS	F	IELD DATA F (COMI		N ZERO DIS DIVIDUAL S		Issue Date: Version No.					
General Data Laboratory Sample Number:		(8721)261-0059									
Client Name:									_		
Field Contact Person:		Mr. Vijay Phone No: 9629207206									
Project (Facility Name a		Shahi laposts pvr. 100 unit-23 9210 Bexetona Hose									
Sampling Location / De	escription:		Raw water water Zero discharge with sampling plan								
Sample Identification: Sample Type:		Zero discharge with sampling plan Composite Sample / Grab sample (Please delete as appropriate)									
Name of Sampler:									_		
Discharge mode:		Direct discharge	a environment (Sn	ecify destination: R	iver Sea Stream) OR Indirect disc	harrie to Sewane tr	eatment plant	en Plan		
Date of collection:		N 1				or maired dis	anargo to sewage ti	cument plant	e co raci		
Factory Type:			9 / 202	shing / Others (pl	lease specify):				-		
			selected more tha		,,,				-		
Field Data for Wastew	vater										
Arrival Time:		10.30 /	m	Departure Time:		430 pm)				
Field Parameters		pH:		Temp:	°C	Color :			(volume/min)		
Control No. of field equ	ipment										
Factory with effluent treatment plant:			Y	es/			1	No			
			Incoming water (If required)								
Sample matrix:			Wastewater before treatment								
			Wastewater after	er treatment – wa	ter at discharge p	oint					
Sampler container num	ber										
	ID	1	2	3	4	5	6	7	8		
Recording time	Time	10 5200		12.50 pm	1 60 000	2.50pm	2 mm				
pH:	Time	7.3	11.50 Am	7.4	7.6	7.5	3.80pm				
Temp (°C):		34°C	25°L	3408	36-6	34°C	36.6				
Color (visual estimation):	Dark blue	Dankble	-	Dusk Bhe	Derokblu			-		
Flow rate (volume/time)		61. Chrish	63.18 m3/n	62.32 mg	62.86 m3/h	62.18 Ph					
Volume collected, mL		woome	1000 me	1000 mg	1000 me	1000 me	64.84 mg	<u> </u>			
Total volume collected		iboona		olume collected r					-		
Analysis Danvised on	d December Mathed)						
	MRSL Parameters)	Test required	Total of sample size	Type of container			Preservation method				
	1. Phthalate	1/									
Combined test	2. Chlorobenzenes.		1000 mL total								
or Individual test	Chlorotoluene & PAH 3. SCCPs		or 1000 mL each								
(Remark 4)	4. APS	. /									
	7. APS										
5. APEOs			100 mL								
6. Chlorophenols & Cresols			100 mL	Amber Glass,washed with nitric acid.							
7. Flame retardant			500 mL	rinsed thoroughly with Without adding distillated water and Store sample a				Without adding aci Store sample at 6°	id C		
8. Dyes			10 mL	dried before use							
9. Glycol		✓	50 mL								
10. *Pesticides		X	1000 mL								
11. *Nitrosamine		V	10 mL								
12. Banned Azodyes			2000 mL	-							
		-	500 mL	_							
13. *Free primary aromatic amines		-	500 mL					And the land 2 with HCl and			
14. Organotin Compounds		+ . /		Auction Class constant cate attachment				Acidify to pH 2 with HCl and store sample at 6°C			
15. VOC & Halogenated	d Solvents (Remark 6)		10 mL				Fill to full container without air gap; acidify to pH 2 with HCl and store sample at 6°C				
16. PFCs		1/	2 mL	PE.	washed with pesti- grade Acetone	cide	Without adding acid				





(8721)261-0059 September 24, 2021

Page 17 of 19



FIELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE / INDIVIDUAL SAMPLING)

CPSD-AN-00613-DATA 04
Issue Date:
Version No.: 13
Business Line: Analytical

VERITASI					Business Line: Analytical		
Tests (Conven	tional Parameters)	Test required (v)	Total of sample size	Type of container	Preservation method		
Combined test or Individual test (Remark 4)	17. Total suspened solids (TSS) 18. *Total dissolved solids (TDS)	X	2000 mL total or 2000 mL each	Amber Glass, washed with nitric acid, rinsed thoroughly with distillated water and dried before year.	Without adding acid Store sample at 6°C		
19. 5-day Biochemical Ox	kygen Demand (BOD5)	7	1000 mL	anea before use			
20. Heavy Metals except	Cr(VI) & Total-P (Remark 6)		9 mL	PE, washed with nitric acid	Acidify to pH 2 with HNO ₃ and store at 6°C		
21. Cr(VI)		~	95 mL	Amber Glass, washed with pesticide grade acetone	Filter by 0.45µm filter in field, fill to full container without air gap; adjust pH to 9.0-9.5 by adding ammonium buffer. Store sample at 6°C		
22. Cyanide		×	500 mL		Adjust pH 12 with 50% NaOH, add 0.05 ml of 10% Na ₂ S ₂ O ₃ , and store sample at 6°C		
23. Chemical oxygen den	mand (COD)	×	150 mL		Acidify to pH 2 with H ₂ SO ₄		
24. Phenois		×	500 mL	Amber Glass; washed with nitric acid	Store sample at 6°C		
25. *Formaldehyde		×	. 25 mL		Fill to full container without air gap; acidify to pH 2 with H2SO4 and store sample at 6°C		
26. Sulfide (Remark 5)		X	50 mL	PE, washed with pesticide grade Acetone;	Fill to full container without air gap; add 2 drops of 2M zinc acetate, adjust pH to 9 with 6M NaOH Store sample at 6°C		
27. Adsorbable organical	ly bound halogens (AOX)	X	100 mL	Amber Glass, washed with nitric acid	Add 0.05 ml of 10% Na ₂ S ₂ O ₃ , acidify to pH 2 with H ₂ SO ₄ , Store sample at 6°C		
28. Total Coliform (Rema	rk 6)	X	125 mL	PE, clean, sterile, _ non-reactive	Add 0.05 ml of 10% Na2S2O3, Store sample at 6°C		
29. Persistent foam		X	N.A.	Foam higher than 45 cm (visu	ual estimation): Yes / No		
30. Sulfite		X	100 mL	Amber Glass, washed with pesticide grade acetone	Add 1mL of 2.5% EDTA, 0.5g zinc acetate Store sample at 6°C		
31. Total-N		X	100 mL	Amber Glass with wide-mouth PTFE lid;washed with	Acidify to pH 2 with H2SO4		
32. Ammonium-N		×	500 mL	nitric acid;	Store sample at 6°C		
33. Oil and Grease & Tota	al Hydrocarbon	×	1000 mL	Amber Glass; washed with nitric acid;	Acidify to pH 2 with HCI Store sample at 6°C		
34. Luminus Bacteria Tox	ticity	×	1000 mL				
35. Sulphate		X	100 mL	Amber Glass, washed with nitric acid, rinsed	Without adding acid		
36. Chloride		X	100 mL	Amber Glass, washed with nitric acid, rinsed thoroughly with distillated water and drived before use PE, washed with nitric acid Amber Glass, washed with pesticide grade acetone Amber Glass, washed with pesticide grade acetone Amber Glass, washed with pesticide grade acetone Fill to full per washed with pesticide grade acetone Amber Glass, washed with nitric acid PE, washed with pesticide grade acetone Amber Glass, washed with nitric acid Add 0.0 PE, clean, sterile,	Store sample at 6°C		
37. Color		X	100 mL				
38. Others:		/					
Observation/ Remark:							

*Re	n	na	r	k	S	

- 1.Individual sampling can be performed upon reques
- 2. The minimum sampling time for 2016 ZDHC guideline is 6 hours with no more than one hour between discrete samples. Sampling time could be adjusted upon request.
- 3. Scope of ZDHC guideline: Parameter 1, 2, 4-9, 12, 14-17, 19-24, 26-33

Scope of synthetic leather industry: Parameter 1, 2, 4-9, 12, 14-17, 19-33

Scope of MMCF: Parameter 4, 5, 15, 17, 19-21, 23, 24, 26, 27, 31-34, 37

- Free primary aromatic amine, pesticides, nitrosamine and TDS are not in the scope of ZDHC Guidline, they are tested upon request.

 4. Refer to CPSD-AN-G00019-STIP01, loactions with those CPSD test capability inside TCD matrix can perform the combined test.
- 5. Refer to CPSD-AN-000570-MTHD for additional pretreatment of sulfide if only dissolved sulfide is required to be tested.
- 6. Refer to CPSD-AN-00613-MTHD for preparation of field blank for specific parameters.

Recorded by:	Mhe	Date:	17/67/2021
	Full name:	-	
Comment from factory			

Acknowledgement by factory

I hereby confirmed that Bureau Veritas has completed the stated sampling activity at captioned date, time and location. All sample(s) is/are collected in desinated container(s) and without any observation in leakage. Sample(s) collected by Bureau Veritas is/are stored in portable freezer / fridge that is maintained in 1-6°C

Signatory of Factory Representative:



Date: 17/09/21

CPSD-AN-00613-DATA 04-FIELD DATA RECORD ZDHC SAMPLING-V13 - Wastewater.xls





(8721)261-0059 September 24, 2021 Page 18 of 19

BUREAU VERITAS	FIE	ELD DATA RECORD ON ZERO DISCHARGE SAMPLE (COMPOSITE) INDIVIDUAL SAMPLING)						CPSD-AN-00613-DATA 04 Issue Date: Version No.: 13 Business Line: Analytical			
Ganaral Data								Dusiness Li	ile. Allalytical		
General Data Laboratory Sample Nu	mher:	12	77110	61-00	59						
Client Name:	niber.		121)2	-01 -0							
Field Contact Person:		0.000	V. 1		Dhara Na	01000	0 1				
Project (Facility Name	and Addrona):	Mr. Vijay Phone No: 9629207806 Shahi exports pvT. Cod conit-23 Hypto savetang Hosus									
			i expo	ots pr	T. CTd.	cmit-2	3 +19 10	sosetan	a Hosur	men	
Sampling Location / Description: Sample Identification:		Slude									
Sample Type:		Zero discharge with sampling plan Composite Sample / Grab sample (Please delete as appropriate)									
Name of Sampler:					аѕ арргорпате)						
Discharge mode:		Ctopala Krd (knorn Dieset diseharge-to-anvironment (Specify destination River, Sea. Stream) OR Indiffact-diseharge-to-sewage treatment plant ZLD P									
Date of collection:				beeny destination.	(iver, Sea, Stream	OK Indirect die	enarge to sewage	treatment plant	200		
Factory Type:			09/2021	nishing / Others (-1						
ractory rype.			selected more that		please specify).						
Field Bate (C)		would be									
Field Data for Sludge Arrival Time:	10.00 000			Departure Time	·	Ik -	2	1			
	10.30 Am	pH:				A Colonia Colonia	30 pm				
Field Parameters		pn:		Temp :	°C	Color: B)	nu	-			
Control No. of field equ	ipment										
Analysis Required an	d Preservation Method										
Factory with effluent tre	eatment plant		V 1	r'es				No			
Sample matrix			Sludge in clarifi	ier (sedimentation	n tank)						
Sampler container number											
Recording time		2.30 Pm									
Tacte (ME	OSI Paramotor)	Test required	Total of sample		Type of containe			bassas istina math			
Tests (MRSL Parameter)		(v)	size		Type of containe	r	,	reservation meth-	od		
	1. Phthalate										
Combined test or	Chlorobenzenes, Chlorotoluene & PAHs		10g total or								
Individual test (Remark 3)	3. SCCPs		10g each								
	4. APS										
5. APEOs		1	20 g								
6. Chlorophenols & Cre	esols	. /	20 g								
7. Flame retardant				Ambor Class washed with either and			Fill to full bottle				
			10 g	Amber Glass, washed with nitric acid with				without any air gap and store at 6°C			
8. Dyes		-	10 g								
9. Glycols			100 g								
10. *Pesticides		X	20g								
11. Banned Azodyes			20 g								
12. *Free primary arom	atic amines		10 g	1							
13. Organotin Compour	nds		10 g	1							
14. VOC & Halogenate	d Solvents		10 g	Amber Glass, wash with pesticide grade acetone Fill		Fill to full container without any air gap and acid					
15. PFCs		. /		PE, wash with pesticide garde acetone			add and store at 6°C Fill to full bottle				
ID. PFUS			10 g	PE, wash	with pesticide gar	de acetone	without a	ny air gap and sto	ore at 6°C		
Tests (Conve	ntional Parameters)	l est required	Total of sample size		Type of containe	r	F	reservation method	od		
16. Heavy Metals except Cr(VI)		1	0.2 g	PE. wash with nitric acid			Fill to full bottle				
17. Cr(VI)			2.5 g				without a	ny air gap and sto	ore at 6°C		
Adsorbable organically bound halogens (AOX)		N	1 g	Amber Glass, wash with pesticide grade acetone			Fill to full container without any air gap and acid add and store at 6°C				
Adsorbable organically bound halogens (AOX) Extractable organichalides (EOX)		X	20 g								
		-	20 g								
20. Total organic carbon (TOC) 21. Cyanide			20 g	-			Fill to full cor	ntainer without an	y air gap and		
			ou g					vith 50% NaOH ar			
22. Others		1									

CPSD-AN-00613-DATA 04-FIELD DATA RECORD ZDHC SAMPLING-V13 - Sludge.xls





(8721)261-0059 September 24, 2021 Page 19 of 19

APPENDIX D - Limitation Value of Legal Requirements

N/A