

TEST REPORT

CLIENT DETAILS

Client Name: US Denim Mills (Pvt) Limited
Client Contact: Shahid Younas
Telephone: +92 300 840 2916
Email: shahid.younas@usdenimmills.com
Address: 3-KM off Defence Road, Lahore - Pakistan

LABORATORY DETAILS

SGS Affiliate: SGS Pakistan (Private) Limited, I & E
SGS Contact: Aamir Aziz
Telephone: +92 213 512 1388 – 97 Ext.: 342
Email: aamir.aziz@sgs.com
Address: H-3/3, Sector 5, Korangi Industrial Area, Karachi - Pakistan

FACTORY DETAILS

Factory Name: US Denim Mills (Pvt) Limited
Factory Contact: Shahid Younas
Telephone: +92 300 840 2916
Email: shahid.younas@usdenimmills.com
Address: 3-KM off Defence Road, Lahore - Pakistan
Types of Mills: (2) Yarn Dyeing, Bleaching (3) Fabric Dyeing, Finishing, Washing
Discharge Destination: To the Environment
Name of Municipal/Centralized ETP: -
Address of Municipal/Centralized ETP: -

SAMPLE AND TESTING DETAILS

Sampling Country: SGS Pakistan (Private) Limited - I & E
ZDHC Sampler's Certification No.: 8F146507829
Sampling Date: 24-09-2021
Sample Received Date: 24-09-2021
Test Performing Period: 24-09-2021 - 12-10-2021
No. of Samples: Water (2); Sludge (1)
Sample Descriptions: 1) Raw Wastewater (6-hour Composite)
 2) Discharged Wastewater (6-hour Composite)
 3) Sludge (Grab)
Sample Volume: 18L each water sample; 1000g sludge in total
Testing Institute: SGS Pakistan (Private) Limited, Chemical & Environmental
Discharge Method: Direct Discharge

OVERALL RESULTS

	Raw Wastewater	Discharged Wastewater	Sludge
Conventional Parameters / Anions / Metals:	Fulfill Foundational Limit	Fulfill Foundational Limit	Detected
MRSL Parameters:	Not Detected	Not Detected	Not Detected

REMARKS

1. This report cancels and supersedes the previous Report No. 5013427 dated 13/10/2021 & Colour results has been updated in this version.
2. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
3. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.

Signed for and on behalf of




Aamir Aziz

Assistant Manager - Industries & Environment

RESULT SUMMARY

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

TEST ITEMS	Raw Wastewater	Discharged Wastewater	Sludge
Conventional Parameters	-	Please refer to the information in TEST RESULTS	-
Anions	-	O	O
Metals	X	X	X
Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs)	O	O	O
Chlorobenzenes and Chlorotoluenes	O	O	O
Chlorophenols	O	O	O
Dyes - Azo (Forming Restricted Amines)	O	O	O
Dyes - Carcinogenic or Equivalent Concern	O	O	O
Dyes - Disperse (Sensitising)	O	O	O
Flame Retardants	O	O	O
Glycols	O	O	O
Halogenated Solvents	O	O	O
Organotin Compounds	O	O	O
Perfluorinated and Polyfluorinated Chemicals (PFCs)	O	O	O
Ortho-Phthalates	O	O	O
Polycyclic Aromatic Hydrocarbons (PAHs)	O	O	O
Volatile Organic Compounds (VOCs)	O	O	O

Note:

X - Detected

O - Not Detected

N/A - Not Tested

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
Factory Address: 3-KM off Defence Road, Lahore - Pakistan

	Sample ID			KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances			Local Wastewater Discharge Requirement**
	Date of Sampling			24-09-2021	24-09-2021	-	-	24-09-2021				
	Sampling Location			ETP Inlet	ETP Outlet	-	-	Sludge				
	Sampling Start Time			11:10	11:00	-	-	17:30				
	Sampling End Time			17:10	17:00	-	-	17:30				
	Date of Sample Received			24-09-2021	24-09-2021	-	-	24-09-2021				
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	SludgeΦ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
Sample Colour Description	-	-	-	Dark Black	Dark Gray	-	-	Dark Black	-	-	-	-
Average Wastewater Flow***	-	-	L/hr	-	27110	-	-	-	-	-	-	-
Conventional Parameters												
Temp-Difference	-	-	°C	-	1.8	-	-	-	-	Fulfill Aspirational Limit	-	≤ 3
Temp-Discharge Pipe	-	-	°C	-	33.9	-	-	-	-		-	N/A
Temp-Receiving Water	-	-	°C	-	32.1	-	-	-	-		-	N/A
Total Suspended Solids (TSS)	-	5	mg/L	-	14	-	-	-	-	Fulfill Progressive Limit	-	< 200
Chemical Oxygen Demand (COD)	-	10	mg/L	-	48	-	-	-	-	Fulfill Progressive Limit	-	< 150
Total Nitrogen	-	5	mg/L	-	n.d.	-	-	-	-	Fulfill Aspirational Limit	-	N/A
pH Value	-	-	-	-	8.0	-	-	-	-	Fulfill Aspirational Limit	-	6.0 - 9.0
Colour (436nm)	-	0.1	m ⁻¹	-	4.2	-	-	-	-	Fulfill Foundational Limit	-	N/A
Colour (525nm)	-	0.1	m ⁻¹	-	2.8	-	-	-	-		-	N/A
Colour (620nm)	-	0.1	m ⁻¹	-	2.3	-	-	-	-		-	N/A
5-Days Biochemical Oxygen Demand (BOD ₅)	-	5	mg/L	-	14	-	-	-	-	Fulfill Progressive Limit	-	< 80
Ammonium-N	-	0.5	mg/L	-	0.6	-	-	-	-	Fulfill Progressive Limit	-	< 40
Total Phosphorus	-	0.1	mg/L	-	n.d.	-	-	-	-	Fulfill Aspirational Limit	-	N/A
AOX	-	0.1	mg/L	-	n.d.	-	-	-	-	Fulfill Aspirational Limit	-	N/A
Oil and Grease	-	0.5	mg/L	-	n.d.	-	-	-	-	Fulfill Aspirational Limit	-	< 10
Phenol	-	0.001	mg/L	-	n.d.	-	-	-	-	Fulfill Aspirational Limit	-	< 0.1
Coliform	-	25	Bacteria / 100mL	-	12	-	-	-	-	Fulfill Aspirational Limit	-	N/A
Persistent Foam	-	Not Visible	-	-	Not Visible	-	-	-	-	Fulfill Aspirational Limit	-	N/A
Anions												
Cyanide	-	0.05	mg/L	-	n.d.	1	mg/kg	n.d.	-	Fulfill Aspirational Limit	Not Detected	< 1
Sulfide	-	0.01	mg/L	-	n.d.	-	-	-	-	Fulfill Aspirational Limit	-	< 1
Sulfite	-	0.2	mg/L	-	n.d.	-	-	-	-	Fulfill Aspirational Limit	-	N/A
Metals												
Total Antimony (Sb)*	7440-36-0	0.01	mg/L	n.d.	n.d.	-	-	-	Fulfill Aspirational Limit	Fulfill Aspirational Limit	-	N/A

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
Factory Address: 3-KM off Defence Road, Lahore - Pakistan

	Sample ID			KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances			Local Wastewater Discharge Requirement**
	Date of Sampling			24-09-2021	24-09-2021	-	-	24-09-2021				
	Sampling Location			ETP Inlet	ETP Outlet	-	-	Sludge				
	Sampling Start Time			11:10	11:00	-	-	17:30				
	Sampling End Time			17:10	17:00	-	-	17:30				
	Date of Sample Received			24-09-2021	24-09-2021	-	-	24-09-2021				
	Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units				
Total Chromium (Cr)	7440-47-3	0.05	mg/L	n.d.	n.d.	-	-	-	Fulfill Aspirational Limit	Fulfill Aspirational Limit	-	< 1
Total Cobalt (Co)	7440-48-4	0.01	mg/L	n.d.	n.d.	-	-	-	Aspirational Limit Fulfill	Aspirational Limit Fulfill	-	N/A
Total Copper (Cu)	7440-50-8	0.25	mg/L	n.d.	n.d.	-	-	-	Aspirational Limit Fulfill	Aspirational Limit Fulfill	-	< 1
Total Nickel (Ni)	7440-02-0	0.05	mg/L	n.d.	n.d.	-	-	-	Aspirational Limit Fulfill	Aspirational Limit Fulfill	-	< 1
Total Silver (Ag)	7440-22-4	0.005	mg/L	n.d.	n.d.	-	-	-	Aspirational Limit Fulfill	Aspirational Limit Fulfill	-	< 1
Total Zinc (Zn)	7440-66-6	0.5	mg/L	n.d.	n.d.	-	-	-	Aspirational Limit Fulfill	Aspirational Limit Fulfill	-	< 5
Total Arsenic (As)	7440-38-2	0.005	mg/L	0.019	0.017	2	mg/kg	3	Foundational Limit Fulfill	Foundational Limit Fulfill	Detected	< 1
Total Cadmium (Cd)	7440-43-9	0.01	mg/L	n.d.	n.d.	2	mg/kg	n.d.	Aspirational Limit Fulfill	Aspirational Limit Fulfill	Not Detected	< 0.1
Chromium-Hexavalent (Cr-VI)	7440-47-3, 18540-29-9	0.001	mg/L	n.d.	n.d.	2	mg/kg	n.d.	Aspirational Limit Fulfill	Aspirational Limit Fulfill	Not Detected	< 1
Total Lead (Pb)	7439-92-1	0.01	mg/L	n.d.	n.d.	2	mg/kg	7	Aspirational Limit Fulfill	Aspirational Limit Fulfill	Detected	< 0.5
Total Mercury (Hg)	7439-97-6	0.001	mg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Aspirational Limit Fulfill	Aspirational Limit Fulfill	Not Detected	< 0.01
Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs)												
Nonylphenol (NP), mixed isomers	Multiple, including 104-40-5, 11066-49-2, 25154-52-3, 84852-15-3, 90481-04-2, 1173019-62-9	5	µg/L	n.d.	n.d.	0.4	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Octylphenol (OP), mixed isomers	Multiple, including 140-66-9, 1806-26-4, 27193-28-8	5	µg/L	n.d.	n.d.	0.4	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Octylphenol ethoxylates (OPEO)	Multiple, including 9002-93-1, 9036-19-5, 68987-90-6	5	µg/L	n.d.	n.d.	0.4	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Nonylphenol ethoxlates (NPEO)	Multiple, including 9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	5	µg/L	n.d.	n.d.	0.4	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Chlorobenzenes & Chlorotoluenes												
Monochlorobenzenes	108-90-7	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,2-Dichlorobenzene	95-50-1	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,3-Dichlorobenzene	541-73-1	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,4-Dichlorobenzene	106-46-7	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,2,3-Trichlorobenzene	87-61-6	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,2,4-Trichlorobenzene	120-82-1	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,3,5-Trichlorobenzene	108-70-3	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

Sample ID				KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances			Local Wastewater Discharge Requirement**
Date of Sampling				24-09-2021	24-09-2021	-	-	24-09-2021				
Sampling Location				ETP Inlet	ETP Outlet	-	-	Sludge				
Sampling Start Time				11:10	11:00	-	-	17:30				
Sampling End Time				17:10	17:00	-	-	17:30				
Date of Sample Received				24-09-2021	24-09-2021	-	-	24-09-2021				
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	SludgeΦ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Pentachlorobenzene	608-93-5	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Hexachlorobenzene	118-74-1	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Chlorotoluene	95-49-8	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3-Chlorotoluene	108-41-8	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
4-Chlorotoluene	106-43-4	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3-Dichlorotoluene	32768-54-0	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4-Dichlorotoluene	95-73-8	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,5-Dichlorotoluene	19398-61-9	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,6-Dichlorotoluene	118-69-4	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,4-Dichlorotoluene	95-75-0	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,5-Dichlorotoluene	25186-47-4	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,4-Trichlorotoluene	7359-72-0	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,6-Trichlorotoluene	2077-46-5	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4,5-Trichlorotoluene	6639-30-1	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4,6-Trichlorotoluene	23749-65-7	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,4,5-Trichlorotoluene	21472-86-6	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Pentachlorotoluene	877-11-2	0.2	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Chlorophenols												
2-Chlorophenol	95-57-8	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3-Chlorophenol	108-43-0	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
4-Chlorophenol	106-48-9	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3-Dichlorophenol	576-24-9	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

Sample ID				KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances			Local Wastewater Discharge Requirement**
Date of Sampling				24-09-2021	24-09-2021	-	-	24-09-2021				
Sampling Location				ETP Inlet	ETP Outlet	-	-	Sludge				
Sampling Start Time				11:10	11:00	-	-	17:30				
Sampling End Time				17:10	17:00	-	-	17:30				
Date of Sample Received				24-09-2021	24-09-2021	-	-	24-09-2021				
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	SludgeΦ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
2,4-Dichlorophenol	120-83-2	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,5-Dichlorophenol	583-78-8	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,6-Dichlorophenol	87-65-0	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,4-Dichlorophenol	95-77-2	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,5-Dichlorophenol	591-35-5	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,4-Trichlorophenol	15950-66-0	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,5-Trichlorophenol	933-78-8	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,6-Trichlorophenol	933-75-5	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4,5-Trichlorophenol	95-95-4	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4,6-Trichlorophenol	88-06-2	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,4,5-Trichlorophenol	609-19-8	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Pentachlorophenol	87-86-5	0.5	µg/L	n.d.	n.d.	0.05	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dyes - Azo (Forming Restricted Amines)												
4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
4,4'-Diaminodiphenylmethane	101-77-9	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
4,4'-Oxydianiline	101-80-4	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
p-Chloroaniline	106-47-8	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,3'-Dimethoxybenzidine	119-90-4	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,3'-Dimethylbenzidine	119-93-7	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
p-Cresidine	120-71-8	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4,5-Trimethylaniline	137-17-7	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
4,4'-Thiodianiline	139-65-1	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
p-Aminoazobenzene	60-09-3	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

	Sample ID			KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances	Local Wastewater Discharge Requirement**		
	Date of Sampling			24-09-2021	24-09-2021	-	-	24-09-2021				
	Sampling Location			ETP Inlet	ETP Outlet	-	-	Sludge				
	Sampling Start Time			11:10	11:00	-	-	17:30				
	Sampling End Time			17:10	17:00	-	-	17:30				
	Date of Sample Received			24-09-2021	24-09-2021	-	-	24-09-2021				
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	SludgeΦ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
2,4-Diaminoanisole	615-05-4	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,6-Xylidine	87-62-7	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
o-Anisidine	90-04-0	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Naphthylamine	91-59-8	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
3,3'-Dichlorobenzidine	91-94-1	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
4-Aminodiphenyl	92-67-1	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Benzidine	92-87-5	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
o-Toluidine	95-53-4	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4-Xylidine	95-68-1	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
4-Chloro-o-Toluidine	95-69-2	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,4-Toluylenediamine	95-80-7	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
o-Aminoazotoluene	97-56-3	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Amino-4-Nitrotoluene	99-55-8	0.1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dyes - Carcinogenic or Equivalent Concern												
Direct Black 38	1937-37-7	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Direct Blue 6	2602-46-2	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Acid Red 26	3761-53-3	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Basic Red 9	569-61-9	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Direct Red 28	573-58-0	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Basic Violet 14	632-99-5	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 1	2475-45-8	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 3	2475-46-9	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Basic Blue 26	2580-56-5	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Basic Green 4 (malachite green chloride)^	569-64-2	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Basic Green 4 (malachite green oxalate)^	2437-29-8	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

	Sample ID			KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances	Local Wastewater Discharge Requirement**		
	Date of Sampling			24-09-2021	24-09-2021	-	-	24-09-2021				
	Sampling Location			ETP Inlet	ETP Outlet	-	-	Sludge				
	Sampling Start Time			11:10	11:00	-	-	17:30				
	Sampling End Time			17:10	17:00	-	-	17:30				
	Date of Sample Received			24-09-2021	24-09-2021	-	-	24-09-2021				
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	SludgeΦ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
Basic Green 4 (malachite green)	10309-95-2	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Orange 11	82-28-0	500	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dyes - Disperse (Sensitising)												
Disperse Yellow 1	119-15-3	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 102	12222-97-8	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 106	12223-01-7	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Yellow 39	12236-29-2	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Orange 37/59/76	13301-61-6	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Brown 1	23355-64-8	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Orange 1	2581-69-3	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Yellow 3	2832-40-8	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Red 11	2872-48-2	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Red 1	2872-52-8	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Red 17	3179-89-3	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 7	3179-90-6	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 26	3860-63-7	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Yellow 49	54824-37-2	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 35	12222-75-2, 56524-77-7	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Blue 124	61951-51-7	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Yellow 9	6373-73-5	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Disperse Orange 3	730-40-5	50	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Flame Retardants												
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Decabromodiphenyl ethers (DecaBDE)	1163-19-5	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Pentabromodiphenyl ethers (PentaBDE)	32534-81-9	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Octabromodiphenyl ethers (OctaBDE)	32536-52-0	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

	Sample ID			KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances			Local Wastewater Discharge Requirement**
	Date of Sampling			24-09-2021	24-09-2021	-	-	24-09-2021				
	Sampling Location			ETP Inlet	ETP Outlet	-	-	Sludge				
	Sampling Start Time			11:10	11:00	-	-	17:30				
	Sampling End Time			17:10	17:00	-	-	17:30				
	Date of Sample Received			24-09-2021	24-09-2021	-	-	24-09-2021				
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	SludgeΦ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
Bis(2,3-dibromopropyl)phosphate (BIS)	5412-25-9	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Tris(1-aziridinyl)phosphine oxide) (TEPA)	545-55-1	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Polybrominated biphenyls (PBBs)	59536-65-1	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Tetrabromobisphenol A (TBBPA)	79-94-7	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Hexabromocyclododecane (HBCDD)	134237-50-6, 134237-51-7, 134237-52-8, 25637-99-4, 3194-55-6	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Tris(1,3-dichloro-2-propyl)phosphate (TDCPP)	13674-87-8	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Short Chain Chlorinated Paraffins (SCCP), C ₁₀ -C ₁₃	85535-84-8	5	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Glycols												
Bis(2-methoxyethyl)-ether	111-96-6	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Ethoxyethanol	110-80-5	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Ethoxyethyl acetate	111-15-9	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Ethylene glycol dimethyl ether	110-71-4	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Methoxyethanol	109-86-4	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Methoxyethylacetate	110-49-6	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
2-Methoxypropylacetate	70657-70-4	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Triethylene glycol dimethyl ether	112-49-2	50	µg/L	n.d.	n.d.	10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Halogenated Solvents												
1,2-Dichloroethane	107-06-2	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Methylene chloride	75-09-2	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Trichloroethene	79-01-6	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Tetrachloroethene	127-18-4	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Organotin Compounds												
Mono-, di- and tri-methyltin derivatives	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Monomethyltin (MMT)	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dimethyltin (DMT)	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Trimethyltin (TMT)	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

	Sample ID			KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances			Local Wastewater Discharge Requirement**
	Date of Sampling			24-09-2021	24-09-2021	-	-	24-09-2021				
	Sampling Location			ETP Inlet	ETP Outlet	-	-	Sludge				
	Sampling Start Time			11:10	11:00	-	-	17:30				
	Sampling End Time			17:10	17:00	-	-	17:30				
	Date of Sample Received			24-09-2021	24-09-2021	-	-	24-09-2021				
	Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units				
Mono-, di- and tri-butyltin derivatives	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Monobutyltin (MBT)	1118-46-3, 78763-54-9	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dibutyltin (DBT)	1002-53-5	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Tributyltin (TBT)	56573-85-4	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Mono-, di- and tri-phenyltin derivatives	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Monophenyltin (MPhT)	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Diphenyltin (DPhT)	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Triphenyltin (TPhT)	892-20-6, 668-34-8	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Mono-, di- and tri-octyltin derivatives	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Monooctyltin (MOT)	15231-57-9	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Diocetyltn (DOT)	94410-05-6, 12531-44-4	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Triocetyltn (TOT)	Multiple	0.01	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)												
PFOS	1763-23-1	0.01	µg/L	n.d.	n.d.	0.10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
PFOA	335-67-1	0.01	µg/L	n.d.	n.d.	0.10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
PFBS	375-73-5, 59933-66-3, 29420-49-3, 29420-43-3	0.01	µg/L	n.d.	n.d.	0.10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
PFHxA	307-24-4	0.01	µg/L	n.d.	n.d.	0.10	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
8:2 FTOH	678-39-7	1	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
6:2 FTOH	647-42-7	1	µg/L	n.d.	n.d.	1	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Ortho-Phthalates												
Di(2-Ethyl Hexyl) Phthalate (DEHP)	117-81-7	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Bis(2-methoxyethyl)phthalate (DMEP)	117-82-8	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Di-N-Octyl Phthalate (DNOP)	117-84-0	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Di-Iso-Decyl Phthalate (DIDP)	26761-40-0, 68515-49-1	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Di-Iso-Nonyl Phthalate (DINP)	28553-12-0, 68515-48-0	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Di-N-Hexyl Phthalate (DNHP)	84-75-3	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dibutyl Phthalate (DBP)	84-74-2	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

Sample ID				KH21-04781-01	KH21-04781-02	-	-	KH21-04781-03	Factory Performances			Local Wastewater Discharge Requirement**
Date of Sampling				24-09-2021	24-09-2021	-	-	24-09-2021				
Sampling Location				ETP Inlet	ETP Outlet	-	-	Sludge				
Sampling Start Time				11:10	11:00	-	-	17:30				
Sampling End Time				17:10	17:00	-	-	17:30				
Date of Sample Received				24-09-2021	24-09-2021	-	-	24-09-2021				
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	SludgeΦ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
Benzyl Butyl Phthalate (BBP)	85-68-7	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dinonyl phthalate (DNP)	84-76-4	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Diethyl Phthalate (DEP)	84-66-2	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Di-N-Propyl Phthalate (DPRP)	131-16-8	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Di-Iso-Butyl Phthalate (DIBP)	84-69-5	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dicyclohexyl Phthalate (DCHP)	84-61-7	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Di-Iso-Octyl Phthalate (DIOP)	27554-26-3	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,2-Benzenedicarboxylic acid, Di-C7-11 Branched and Linear Alkyl Esters (DHNUP)	68515-42-4	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
1,2-Benzenedicarboxylic acid, Di-C6-8 Branched Alkyl Esters, C7-rich (DIHP)	71888-89-6	10	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Polycyclic Aromatic Hydrocarbons (PAHs)												
Bezo[a]pyrene	50-32-8	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Anthracene	120-12-7	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Pyrene	129-00-0	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Benzo[ghi]perylene	191-24-2	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Benzo[e]pyrene	192-97-2	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Indeno[1,2,3-cd]pyrene	193-39-5	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Benzo[j]fluoranthene	205-82-3	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Benzo[b]fluoranthene	205-99-2	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Fluoranthene	206-44-0	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Benzo[k]fluoranthene	207-08-9	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Acenaphthylene	208-96-8	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Chrysene	218-01-9	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Dibenz[a,h]anthracene	53-70-3	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Benzo[a]anthracene	56-55-3	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Acenaphthene	83-32-9	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Phenanthrene	85-01-8	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-

TEST RESULTS

Factory Name: US Denim Mills (Pvt) Limited
Factory Address: 3-KM off Defence Road, Lahore - Pakistan

Factory Performances												
Local Wastewater Discharge Requirement**												
Sample ID												
Date of Sampling												
Sampling Location												
Sampling Start Time												
Sampling End Time												
Date of Sample Received												
Items	CAS No.	Reporting Limit	Units	Raw Wastewater	Discharged Wastewater	Reporting Limit	Units	Sludge ^Φ	Raw Wastewater	Discharged Wastewater	Sludge	Discharged Wastewater
Fluorene	86-73-7	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Naphthalene	91-20-3	1	µg/L	n.d.	n.d.	0.2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Volatile Organic Compounds (VOCs)												
Benzene	71-43-2	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Xylene	1330-20-7	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
o-cresol	95-48-7	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
p-cresol	106-44-5	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
m-cresol	108-39-4	1	µg/L	n.d.	n.d.	2	mg/kg	n.d.	Not Detected	Not Detected	Not Detected	-
Additional Parameters												
Dry Mass (Total Solids)	-	-	-	-	-		%	10.1	-	-	-	-

Remarks:

"n.d." = Not Detected
 "N/A" = Not Tested / Not Applicable
 "-" = Not Required to be Test
 ^The test result is based on the calculation of selected element(s) and to the worst-case scenario
 ΦSludge results are reported based on dry mass
 *Data collection only for polyester production
 **Please refer to the details of the Local Wastewater Discharge Requirement in the Appendix Section
 ***Test data is measured/provided by the client

TEST PARAMETERS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

ITEMS	CAS No.	METHODS	ZDHC REQUIREMENTS			Units
			Foundational Limit	Progressive Limit	Aspirational Limit	
Conventional Parameters						
Temperature	-	USEPA 170.1, APHA 2550, GB/T 13195, DIN 38404-4 or IS 3025 (Part 9)	Δ15 or max. 35	Δ10 or max. 30	Δ5 or max. 25	°C
Total Suspended Solids (TSS)	-	USEPA 160.2, APHA 2540-D, ISO 11923, GB/T 11901 or IS 3025 (Part 17)	50	15	5	mg/L
Chemical Oxygen Demand (COD)	-	USEPA 410.4, APHA 5220-D, ISO 6060, ISO 15705, HJ 828 or IS 3025 (Part 58)	150	80	40	mg/L
Total Nitrogen	-	USEPA 351.2, APHA 4500-N-B or C, APHA 4500-P-J, ISO 5663, ISO 11905, ISO 29441, HJ 636, GB 11891 or IS 3025 (Part 34)	20	10	5	mg/L
pH Value	-	USEPA 150.1, APHA 4500-H+, ISO 10523, GB/T 6920, HJ 1147-2020 or IS 3025 (Part 11)	6-9	6-9	6-9	-
Colour (436nm; 525nm; 620nm)	-	ISO 7887-B	7; 5; 3	5; 3; 2	2; 1; 1	m ⁻¹
5-Days Biochemical Oxygen Demand (BOD ₅)	-	USEPA 405.1, APHA 5210-B, ISO 5815-1, EN 1899-1, HJ 505 or IS 3035 (Part 44)	30	15	5	mg/L
Ammonium-N	-	USEPA 350.1, USEPA 350.3, APHA 4500 NH ₃ -N-D, E, F, G or H, ISO 7150, ISO 11732, HJ 535, HJ 536 or IS 3025 (Part 34)	10	1	0.5	mg/L
Total Phosphorus	-	USEPA 200.7, USEPA 200.8, USEPA 365.4, USEPA 6010C, USEPA 6020A, APHA 4500-P-J, ISO 6878, ISO 11885, ISO 17294, GB/T 11893, IS 3025 (Part 31) or IS 3025 (Part 65)	3	0.5	0.1	mg/L
AOX	-	USEPA 1650, ISO 9562, EN ISO 9563 or HJ/T 83-2001	5	1	0.1	mg/L
Oil and Grease	-	USEPA 1664, APHA 5520-B or C, ISO 9377-1, HJ 637 or IS 3025 (Part 39)	10	2	0.5	mg/L
Phenol	-	APHA 5530-B or C, ISO 6439, ISO 14402, HJ 503 or IS 3025 (Part 43)	0.5	0.01	0.001	mg/L
Coliform	-	USEPA 9132, ISO 9308-1, EN ISO 9308-1 or GB/T 5750.12	400	100	25	Bacteria / 100mL
Persistent Foam	-	-	Not visible	Not visible	Not visible	-
Anions						
Cyanide	-	<u>Wastewater:</u> USEPA 335.2, APHA 4500-CN, ISO 6703-1, 2, 3, ISO 14403-1, 2 or HJ 484 <u>Sludge:</u> With reference to USEPA 9013, USEPA 9014, USEPA 9213, ISO 11262, HJ 745 or CN converted to HCN by reflux-distillation to NaOH followed by colourimetry or ISE	0.2	0.1	0.05	mg/L
Sulfide	-	APHA 4500-S ₂ -D, E, G or I, ISO 10530, GB/T 16489 or IS 3025 (Part 29)	0.5	0.05	0.01	mg/L
Sulfite	-	USEPA 377.1, ISO 10304-3 or EN ISO 10304-3	2	0.5	0.2	mg/L
Metals						
Total Antimony (Sb)	7440-36-0	<u>Wastewater:</u> With reference to USEPA 200.7, USEPA 200.8, USEPA 245.1, USEPA 245.2, USEPA 1631 E, USEPA 6010C, USEPA 6020A, ISO 11885, ISO 12846, ISO 17294, ISO 17852, ISO 18412, GB 7466, GB 7467, GB 7472, GB 7475, GB 11907, HJ 597, HJ 694, HJ 700, IS 3025 (Part 2), IS 3025 (Part 41), IS 3025 (Part 42), IS 3025 (Part 47), IS 3025 (Part 48), IS 3025 (Part 49), IS 3025 (Part 52), IS 3025 (Part 54), IS 3025 (Part 65) or acid digestion followed by ICP or ICP/MS analysis <u>Sludge:</u> With reference to USEPA 3050, USEPA 3051A, USEPA 3060A, USEPA 6010D, USEPA 6020B, USEPA 7471B or acid/peroxide digestion followed by ICP or ICP/MS analysis	0.1	0.05	0.01	mg/L
Total Chromium (Cr)	7440-47-3		0.2	0.1	0.05	mg/L
Total Cobalt (Co)	7440-48-4		0.05	0.02	0.01	mg/L
Total Copper (Cu)	7440-50-8		1	0.5	0.25	mg/L
Total Nickel (Ni)	7440-02-0		0.2	0.1	0.05	mg/L
Total Silver (Ag)	7440-22-4		0.1	0.05	0.005	mg/L
Total Zinc (Zn)	7440-66-6		5.0	1.0	0.5	mg/L
Total Arsenic (As)	7440-38-2		0.05	0.01	0.005	mg/L
Total Cadmium (Cd)	7440-43-9		0.1	0.05	0.01	mg/L

TEST PARAMETERS

Factory Name: US Denim Mills (Pvt) Limited
 Factory Address: 3-KM off Defence Road, Lahore - Pakistan

ITEMS	CAS No.	METHODS	ZDHC REQUIREMENTS			Units
			Foundational Limit	Progressive Limit	Aspirational Limit	
Total Lead (Pb)	7439-92-1	<u>Wastewater:</u> With reference to USEPA 200.7, USEPA 200.8, USEPA 245.1, USEPA 245.2, USEPA 1631 E, USEPA 6010C, USEPA 6020A, ISO 11885, ISO 12846, ISO 17294, ISO 17852, ISO 18412, GB 7466, GB 7467, GB 7472, GB 7475, GB 11907, HJ 597, HJ 694, HJ 700, IS 3025 (Part 2), IS 3025 (Part 41), IS 3025 (Part 42), IS 3025 (Part 47), IS 3025 (Part 48), IS 3025 (Part 49), IS 3025 (Part 52), IS 3025 (Part 54), IS 3025 (Part 65) or acid digestion followed by ICP or ICP/MS analysis	0.1	0.05	0.01	mg/L
Total Mercury (Hg)	7439-97-6	<u>Sludge:</u> With reference to USEPA 3050, USEPA 3051A, USEPA 3060A, USEPA 6010D, USEPA 6020B, USEPA 7471B or acid/peroxide digestion followed by ICP or ICP/MS analysis	0.01	0.005	0.001	mg/L
Chromium-Hexavalent (Cr-VI)	7440-47-3, 18540-29-9	<u>Wastewater:</u> With reference to USEPA 218.6, ISO 18412, GB 7467, IS 3025 (Part 52) or solvent extraction and derivatisation followed by UV/VIS analysis <u>Sludge:</u> With reference to USEPA 3060A, USEPA 7196, USEPA 7199 or alkaline digestion followed by colourimetric UV/VIS or colourimetric IC analysis	0.05	0.005	0.001	mg/L
Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs)						
NP / OP		<u>Wastewater:</u> With reference to ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS(-MS) analysis <u>Sludge:</u> With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS analysis			-	
NPEO / OPEO		<u>Wastewater:</u> With reference to ISO 18254-1, ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS analysis <u>Sludge:</u> With reference to ISO 18254-1, ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS analysis			-	
Chlorobenzenes & Chlorotoluenes		<u>Wastewater:</u> With reference to USEPA 8260B, USEPA 8270D or solvent extraction followed by GC/MS analysis <u>Sludge:</u> With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, USEPA 3650, USEPA 8270 or solvent extraction followed by GC/MS analysis			-	
Chlorophenols		<u>Wastewater:</u> With reference to USEPA 8270D, ISO 14154:2005 or solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis <u>Sludge:</u> With reference to ISO 14154, acid/base liquid extraction, acetylation or liquid/liquid extraction followed by GC/MS analysis			-	
Dyes - Azo (Forming Restricted Amines)		<u>Wastewater:</u> With reference to EN 14362-1, EN 14362-3 or solvent extraction with sodium dithionite reduction followed by GC/MS or LC/MS analysis <u>Sludge:</u> With reference to ISO 14362-1, ISO 14362-3 or solvent extraction with sodium dithionite reduction followed by GC/MS or LC/MS analysis			-	
Dyes - Carcinogenic or Equivalent Concern		<u>Wastewater:</u> Solvent extraction followed by LC/MS analysis <u>Sludge:</u> With reference to ISO 16373 or solvent extraction followed by LC/MS analysis			-	


TEST PARAMETERS

Factory Name: US Denim Mills (Pvt) Limited
Factory Address: 3-KM off Defence Road, Lahore - Pakistan

ITEMS	CAS No.	METHODS	ZDHC REQUIREMENTS			Units
			Foundational Limit	Progressive Limit	Aspirational Limit	
Dyes - Disperse (Sensitising)		<u>Wastewater:</u> Solvent extraction followed by LC/MS analysis <u>Sludge:</u> With reference to ISO 16373 or solvent extraction followed by LC/MS analysis		-		
Flame Retardants		<u>Wastewater:</u> With reference to USEPA 527, USEPA 8270, USEPA 8321B, ISO 22032 or solvent extraction followed by GC/MS or LC/MS analysis <u>Sludge:</u> With reference to ISO 22032 or solvent extraction followed by GC/MS or LC/MS analysis		-		
Glycols		<u>Wastewater:</u> With reference to USEPA 8270 or solvent extraction followed by GC/MS or LC/MS analysis <u>Sludge:</u> With reference to USEPA 8270D, ISO 22892 or solvent extraction followed by GC/MS or LC/MS analysis		-		
Halogenated Solvents		<u>Wastewater:</u> With reference to USEPA 8260B, Headspace, Purge-and-Trap or solvent extraction followed by GC/MS analysis <u>Sludge:</u> With reference to USEPA 5035, USEPA 50211, USEPA 8010 or solvent extraction followed by GC/MS analysis		-		
Organotin Compounds		<u>Wastewater:</u> With reference to ISO 17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis <u>Sludge:</u> With reference to ISO 23161 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis		-		
Perfluorinated and Polyfluorinated Chemicals (PFCs)						
FTOHs (Non-ionic)		<u>Wastewater:</u> With reference to DIN 38407-42 or CEN/TS 15968 and derivatisation with acetic anhydride followed by GC/MS analysis <u>Sludge:</u> With reference to DIN 38407-42 and derivatisation with acetic anhydride followed by GC/MS analysis		-		
Others (Ionic)		<u>Wastewater:</u> With reference to DIN 38407-42 or CEN/TS 15968 followed by LC/MS or LC/MS(-MS) analysis <u>Sludge:</u> With reference to DIN 38407-42 followed by LC/MS or LC/MS(-MS) analysis		-		
Ortho-Phthalates		<u>Wastewater:</u> With reference to USEPA 8270D, ISO 18856 or solvent extraction followed by GC/MS analysis <u>Sludge:</u> With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, ISO 18856 or solvent extraction followed by GC/MS analysis		-		
Polycyclic Aromatic Hydrocarbons (PAHs)		<u>Wastewater:</u> With reference to USEPA 8270, DIN 38407-39 or solvent extraction followed by GC/MS analysis <u>Sludge:</u> With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, USEPA 3650, USEPA 8270 or solvent extraction followed by GC/MS analysis		-		
Volatile Organic Compounds (VOCs)		<u>Wastewater:</u> With reference to USEPA 8260, ISO 11423-1, Headspace, Purge-and-Trap or solvent extraction followed by GC/MS analysis <u>Sludge:</u> With reference to USEPA 5035, USEPA 5021, USEPA 8260, DIN 38407 Part 43 or solvent extraction followed by GC/MS analysis		-		

PIPING PLAN

Factory Name: US Denim Mills (Pvt) Limited
Factory Address: 3-KM off Defence Road, Lahore - Pakistan



SAMPLING PHOTOS


Factory Name: US Denim Mills (Pvt) Limited

Factory Address: 3-KM off Defence Road, Lahore - Pakistan

PERSISTENT FOAM

Date & Time of Measurement: 24-09-2021 at 11:15

Sampling Location: Aeration Tank




A photograph showing a large rectangular aeration tank. The water surface is covered with a thick, white, persistent foam. A yellow metal railing runs along the edge of the tank. A blue sign with white text "AERATION TANK-A" is attached to the railing. The background shows some greenery and industrial structures.

DISCHARGED WASTEWATER

GPS Data: 31°23' 57.19" N, 74°12' 12.27" E.

SAMPLING LOCATION, CLOSE-UP VIEW



A close-up photograph of a wastewater discharge point. A large, dark, cylindrical pipe is discharging a thick, white, foamy effluent into a concrete structure. The surrounding area is industrial, with metal pipes and structures visible.

SAMPLING LOCATION, FAR VIEW



A wide-angle photograph of the sampling location. It shows a concrete structure with a large pipe discharging wastewater. A white plastic bucket is placed on the ground in the foreground. The background shows a dirt area and some vegetation.

SAMPLING PHOTOS


Factory Name: US Denim Mills (Pvt) Limited

Factory Address: 3-KM off Defence Road, Lahore - Pakistan

RAW WASTEWATER

GPS Data: 31°23' 59.43" N, 74°12' 11.65" E.


SAMPLING LOCATION, CLOSE-UP VIEW




SLUDGE

GPS Data: 31°23' 56.63" N, 74°12' 11.87" E.


SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW



SAMPLING LOCATION, FAR VIEW



LOCAL WASTEWATER DISCHARGE REQUIREMENT

REGULATORY REQUIREMENTS BASED ON PAKISTAN: SO(G)/EPD/7-26/2013, PUNJAB ENVIRONMENTAL QUALITY STANDARDS (PEQS)

Factory Name: US Denim Mills (Pvt) Limited

Factory Address: 3-KM off Defence Road, Lahore - Pakistan

Paramters	Discharged Waste Water		
	Discharge into Inland water		
	Value		Unit
Temperature or Temperature Increase*	≤	3	°C
TSS	<	200	mg/L
COD	<	150	mg/L
pH Value (min.)	-	6.0	-
pH Value (max.)	-	9.0	-
BOD (5-day)	<	80	mg/L
Oil and Grease	<	10	mg/L
Phenol	<	0.1	mg/L
Cyanide	<	1	mg/L
Sulfide	<	1	mg/L
Ammonia (NH ₃)	<	40	mg/L
Total Chromium (Cr)	<	1	mg/L
Total Copper (Cu)	<	1	mg/L
Total Nickel (Ni)	<	1	mg/L
Total Silver (Ag)	<	1	mg/L
Total Zinc (Zn)	<	5	mg/L
Total Arsenic (As)	<	1	mg/L
Total Cadmium (Cd)	<	0.1	mg/L
Hexavalent Chromium (Cr-VI)	<	1	mg/L
Total Lead (Pb)	<	0.5	mg/L
Total Mercury (Hg)	<	0.01	mg/L

*The effluent should not result in temperature increase of more than 3°C at the edge of the zone where initial mixing and dilution take place in the receiving body. In case zone is not defined, use 100 meters from the point of discharge.

***** END OF REPORT *****