



# Test Report

REPORT NO 1001210766

PAGE: PAGE 1/27

To: Olimpias Industrielle Tunisie  
Route De Sousse Oued Hamdoun.  
Sahline, Monastir 5012  
Tunisia  
ATTN:Sondes Skhiri  
Sondes.Skhiri@olimpias.com

Received Date: Mar 30, 2021  
Date In: Mar 30, 2021  
Report Date: Apr 25, 2021

### PHOTO OF SUBMITTED SAMPLE(S):



SAMPLE INFORMATION:	
<b>Sample Description</b>	I001:Incoming water,R001:Raw Wastewater,D001:Discharged Water
<b>Sampler ID</b>	8F146507910
<b>ZDHC Option</b>	Option 2
<b>Sampling</b>	Manual Sampling. Composite sample: Six Hours

### Sample description assigned by laboratory:

Number of Samples: 3

Sample Number:	Description:
D001	D001-Discharged Water
I001	I001-Incoming Water
R001	R001-Raw Wastewater

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 2/27

TEST	I001	R001	D001
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs) Content	-	PASS	PASS
Azo Dyes Content	-	PASS	PASS
Absorbable Organic Halogens (AOX)	-	-	PASS
Ammonium as N	-	-	FAIL
Biological Oxygen Demand (BOD)	-	-	FAIL
Chemical Oxygen Demand (COD)	-	-	FAIL
Coliform	-	-	FAIL
Colour (436, 525, 620nm)	-	-	PASS
Cyanide	-	-	PASS
Persistent Foam	-	-	PASS
Sulfide	-	-	PASS
Sulfite	-	-	PASS
Temperature	-	-	PASS
Total Nitrogen as N	-	-	FAIL
Total Phenol	-	-	PASS
Total Phosphorus as P	-	-	PASS
Total Suspended Solids (TSS)	-	-	FAIL
pH Value	-	-	PASS
Oil and Grease	-	-	PASS
Chlorinated Paraffins Content	-	PASS	PASS
Chlorophenols Content	-	PASS	PASS
Allergenic Disperse Dyes Content	-	PASS	PASS
Carcinogenic Dyes Content	-	PASS	PASS
Flame Retardants Content	-	PASS	PASS
Total Heavy Metals Content	-	PASS	PASS
Chlorobenzenes and Chlorotoluenes Content	PASS	FAIL	FAIL
Glycols Content	-	PASS	PASS
Organotin Compounds Content	PASS	FAIL	FAIL
Polycyclic Aromatic Hydrocarbons (PAHs) Content	-	PASS	PASS
Perfluorinated Compounds (PFCs) Content	-	PASS	PASS
Phthalates Content	-	PASS	PASS
Halogenated Solvents Content	-	PASS	PASS
Volatile Organic Compounds (VOC) Content	PASS	FAIL	PASS

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 3/27

Note: NC = No Comment; NA = Not Applicable; NR = Not Requested; NT = Not Tested; Ref Only = Reference only; \*\* = test result(s) will be added later

Note:

1. The results relate only to the items tested

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 4/27

Approved By

A handwritten signature in black ink, appearing to read 'Foued Mellouli'.

FOUED MELLOULI

Approved By

A handwritten signature in black ink, appearing to read 'Mohamed Bakira'.

MOHAMED BAKIRA

---

Consumer Manager

Chemical Laboratory  
Supervisor

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 5/27

Test Performed: Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs) Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Octylphenol (OP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Nonylphenol (NP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
OPEO, n=1-2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
OPEO, n>2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
NPEO, n=1-2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
NPEO, n>2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.

Test Performed: Azo Dyes Content			
Test Method: With reference to EN 14362-1&3 and followed by GCMS &/or LCMS Analysis.			
Sample Number:	R001	D001	
	Result	Result	Requirements
benzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-aminodiphenyl	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-chloro-o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2-naphthylamine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
o-aminoazotoluene	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
5-nitro-o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-chloroaniline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-methoxy-m-phenylenediamine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-diaminodiphenylmethane	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
3,3-dichlorobenzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
3,3-dimethoxybenzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
3,3-dimethylbenzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-methylenedi-o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 6/27

Test Performed: Azo Dyes Content			
p-cresidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-methylene-bis-(2-chloroaniline)	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-oxydianiline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-thiodianiline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2,4,5-trimethylaniline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-methyl-m-phenylenediamine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
o-anisidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2,4-xylidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2,6-xylidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-aminoazobenzene	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			
benzidine (CAS No. 92-87-5); 4-aminodiphenyl (CAS No. 92-67-1); 4-chloro-o-toluidine (CAS No. 95-69-2); 2-naphthylamine (CAS No. 91-59-8); o-aminoazotoluene (CAS No. 97-56-3); 5-nitro-o-toluidine (CAS No. 99-55-8); 4-chloroaniline (CAS No. 106-47-8); 4-methoxy-m-phenylenediamine (CAS No. 615-05-4); 4,4-diaminodiphenylmethane (CAS No. 101-77-9); 3,3-dichlorobenzidine (CAS No. 91-94-1); 3,3-dimethoxybenzidine (CAS No. 119-90-4); 3,3-dimethylbenzidine (CAS No. 119-93-7); 4,4-methylenedi-o-toluidine (CAS No. 838-88-0); p-cresidine (CAS No. 120-71-8); 4,4-methylene-bis-(2-chloroaniline) (CAS No. 101-14-4); 4,4-oxydianiline (CAS No. 101-80-4); 4,4-thiodianiline (CAS No. 139-65-1); o-toluidine (CAS No. 95-53-4); 2,4,5-trimethylaniline (CAS No. 137-17-7); 4-methyl-m-phenylenediamine (CAS No. 95-80-7); o-anisidine (CAS No. 90-04-0); 2,4-xylidine (CAS No. 95-68-1); 2,6-xylidine (CAS No. 87-62-7); 4-aminoazobenzene (CAS No. 60-09-3);			

Test Performed: Absorbable Organic Halogens (AOX)		
Test Method : Photometric measurement.		
Sample Number:	D001	
	Result	Requirements
Absorbable Organic Halogens (AOX)	<0.1 mg/L	≤ 5.0 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the		

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 7/27

<b>Test Performed: Absorbable Organic Halogens (AOX)</b>
limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "mg/L" means milligrams per liter.

<b>Test Performed: Ammonium as N</b>		
Test Method : With reference to APHA/SM 4500 NH3-N.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Ammonium as N	17 mg/L	≤ 10.0 mg/L
Conclusion	FAIL	
Remark:		
1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.		
2. "<" means less than; "≤" means less than or equal to.		
3. "mg/L" means milligrams per liter.		

<b>Test Performed: Biological Oxygen Demand (BOD)</b>		
Test Method : With reference to APHA/SM 5210B.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
BOD (5-day)	59.0 mg/L	≤ 30.0 mg/L
Conclusion	FAIL	

<b>Test Performed: Chemical Oxygen Demand (COD)</b>		
Test Method : With reference to APHA/SM 5220D.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
COD	208 mg/L	≤ 150.0 mg/L
Conclusion	FAIL	
Remark:		
1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.		
2. "<" means less than; "≤" means less than or equal to.		
3. "mg/L" means milligrams per liter.		

<b>Test Performed: Coliform</b>		
Test Method : With reference to USEPA 9132.		
<b>Sample Number:</b>	D001	

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 8/27

Test Performed: Coliform		
	Result	Requirements
Coliform Colonies/100mL	29000	≤ 400.0
Conclusion	FAIL	

Test Performed: Colour (436, 525, 620nm)		
Test Method : With reference to ISO 7887 Method B.		
Sample Number:	D001	
	Result	Requirements
Colour (436nm)	3.6 absorbance	≤ 7.0 absorbance
Colour (525nm)	2.9 absorbance	≤ 5.0 absorbance
Colour (620nm)	2.2 absorbance	≤ 3.0 absorbance
Conclusion	PASS	

Test Performed: Cyanide		
Test Method : With reference to APHA/SM 4500 CN.		
Sample Number:	D001	
	Result	Requirements
Cyanide	<0.05 mg/L	≤ 0.2 mg/L
Conclusion	PASS	
Remark:		
1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.		
2. "<" means less than; "≤" means less than or equal to.		
3. "mg/L" means milligrams per liter.		

Test Performed: Persistent Foam		
Test Method : Visual analysis		
Sample Number:	D001	
	Result	Requirements
Persistent Foam	Not Visible	Not Visible
Conclusion	PASS	

Test Performed: Sulfide		
Test Method : With reference to APHA/SM 4500-S2-D.		
Sample Number:	D001	
	Result	Requirements
Sulfide	<0.01 mg/L	≤ 0.5 mg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.





# Test Report

REPORT NO 1001210766

PAGE: PAGE 9/27

Test Performed: Sulfide		
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

Test Performed: Sulfite		
Test Method : With reference to USEPA 377.1.		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
Sulfite	<0.2 mg/L	≤ 2.0 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

Test Performed: Temperature		
Test Method : With reference to USEPA 170.1.		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
Temperature	27.8 °C	≤ 35.0 °C
Conclusion	PASS	
Remark: 1. "<" means less than; "≤" means less than or equal to. 2. "°C " means degrees Celsius.		

Test Performed: Total Nitrogen as N		
Test Method : With reference to APHA/SM 4500N-C.		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
Total Nitrogen as N	52.2 mg/L	≤ 20.0 mg/L
Conclusion	FAIL	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the		

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 10/27

<b>Test Performed: Total Nitrogen as N</b>
limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.

<b>Test Performed: Total Phenol</b>		
Test Method : With reference APHA/ SM 5530B, C&D.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Total Phenol	<0.001 mg/L	≤ 0.5 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

<b>Test Performed: Total Phosphorus as P</b>		
Test Method : With reference to APHA/SM 4500P-J.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Total Phosphorus as P	1.0 mg/L	≤ 3.0 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

<b>Test Performed: Total Suspended Solids (TSS)</b>		
Test Method : With reference to APHA/SM 2540D.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
TSS	100.0 mg/L	≤ 50.0 mg/L
Conclusion	FAIL	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 11/27

Test Performed: pH Value		
Test Method : With reference to USEPA 150.1.		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
pH value	7.7	6.0 to 9.0
Conclusion	PASS	

Test Performed: Oil and Grease		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
n-Hexane Extractable Material (HEM)	<0.5 mg/L	≤ 10.0 mg/L
Conclusion	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "mg/L" means milligrams per liter.

Test Performed: Chlorinated Paraffins Content			
Sample Number:	R001	D001	
	<b>Result</b>	<b>Result</b>	<b>Requirements</b>
SCCP	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 12/27

## Test Performed: Chlorophenols Content

Test Method: With reference USEPA 8270D, Solvent extraction and derivatization with KOH, acetic anhydride followed by GCMS analysis

Sample Number:	R001	D001	Requirements
	Result	Result	
PCP	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,5,6-Tetrachlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,4,6-Tetrachlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,4,5-Tetrachlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,4,6-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,4,5-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,4-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,5-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3,4,5-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,6-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,4-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,5-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,6-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3,4-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3,5-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2-Chlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3-Chlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
4-Chlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
Conclusion	PASS	PASS	

### Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

## Test Performed: Allergenic Disperse Dyes Content

Sample Number:	R001	D001	Requirements
	Result	Result	

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 13/27

Test Performed: Allergenic Disperse Dyes Content			
C.I. Disperse Blue 7 (CAS 3179-90-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 26 (CAS 3860-63-7)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 35 (CAS 12222-75-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 35 (CAS 56524-77-7/CAS 56524-76-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 102 (CAS 12222-97-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 106 (CAS 12223-01-7)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 124 (CAS 61951-51-7)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Brown 1 (CAS 23355-64-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Orange 1 (CAS 2581-69-3)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Orange 3 (CAS 730-40-5)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Orange 37/59/76 (CAS 12223-33-5/13301-61-6/ 51811-42-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Red 1 (CAS 2872-52-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Red 11 (CAS 2872-48-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Red 17 (CAS 3179-89-3)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 1 (CAS 119-15-3)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 3 (CAS 2832-40-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 9 (CAS 6373-73-5)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 14/27

Test Performed: Allergenic Disperse Dyes Content			
C.I. Disperse Yellow 39 (CAS 12236-29-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 49 (CAS 54824-37-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Blue colorant (CAS 118685-33-9)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

Test Performed: Carcinogenic Dyes Content			
Sample Number:	R001	D001	Requirements
	Result	Result	
C.I. Disperse Blue 1 (CAS 2475-45-8)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Disperse Blue 3 (CAS 2475-46-9)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Disperse Orange 11 (CAS 82-28-0)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Acid Red 26 (CAS 3761-53-3)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Blue 26 (CAS 2580-56-5)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Red 9 (CAS 569-61-9)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Green 4 (malachite green chloride) (CAS 569-64-2)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Green 4 (malachite green oxalate) (CAS 2437-29-8)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Green 4			

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 15/27

<b>Test Performed: Carcinogenic Dyes Content</b>			
(malachite green)(CAS 10309-95-2)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Violet 14 (CAS 632-99-5)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Direct Black 38 (CAS 1937-37-7)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Direct Blue 6 (CAS 2602-46-2)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Direct Red 28 (CAS 573-58-0)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

<b>Test Performed: Flame Retardants Content</b>			
<b>Sample Number:</b>	R001	D001	
	<b>Result</b>	<b>Result</b>	<b>Requirements</b>
Hexabromocyclododecane (HBCDD)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Pentabromo diphenyl ether (PentaBDE)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Octabromodiphenyl ether (OctaBDE)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Decabromodiphenyl ether (DecaDBE)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Polybrominatedbiphenyl (PBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Monobromobiphenyls (MonoBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Dibromobiphenyls (DiBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tribromobiphenyls (TriBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 16/27

Test Performed: Flame Retardants Content			
Tetrabromobiphenyls (TetraBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Pentabromobiphenyls (PentaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Hexabromobiphenyls (HexaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Heptabromobiphenyls (HeptaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Octabromobiphenyls (OctaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Nonabromobiphenyls (NonaBB)	<5.0 µg/L	<5.0 µg/L	-
Decabromobiphenyls (DecaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
2,2-Bis(bromomethyl)propan-1,3-diol (BBMP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Bis (2,3-dibromopropyl) phosphate (BDBPP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tris- (2,3 Dibromopropyl) phosphate (TRIS)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tris-aziridinyl phosphine oxide (TEPA)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tetrabromo Bisphenol A (TBBPA)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tris(2-chloroethyl)phosphate (TCEP)	<5.0 µg/L	<5.0 µg/L	-
Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.





# Test Report

REPORT NO 1001210766

PAGE: PAGE 17/27

## Test Performed: Flame Retardants Content

Hexabromocyclododecane (HBCDD) (CAS No. 25637-99-4/3194-55-6); Pentabromo diphenyl ether (PentaBDE) (CAS No. 32534-81-9); Octabromodiphenyl ether (OctaBDE) (CAS No. 32536-52-0); Decabromodiphenyl Ether (DecaDBE) (CAS No. 1163-19-5); Polybrominatedbiphenyl (PBB) (CAS No. 59536-65-1); Monobromobiphenyls (MonoBB) (CAS No. 26264-10-8); Dibromobiphenyls (DiBB) (CAS No. 27479-65-8); Tribromobiphenyls (TriBB) (CAS No. 51202-79-0); Tetrabromobiphenyls (TetraBB) (CAS No. 40088-45-7); Pentabromobiphenyls (PentaBB) (CAS No. 56307-79-0); Hexabromobiphenyls (HexaBB) (CAS No. 36355-01-8); Heptabromobiphenyls (HeptaBB) (CAS No. 35194-78-6); Octabromobiphenyls (OctaBB) (CAS No. 27858-07-7); Nonabromobiphenyls (NonaBB) (CAS No. 27753-52-2); Decabromobiphenyls (DecaBB) (CAS No. 13654-09-6); 2,2-Bis(bromomethyl)propan-1,3-diol (BBMP) (CAS No. 3296-90-0); Bis (2,3-dibromopropyl) phosphate (BDBPP) (CAS No. 5412-25-9); Tris- (2,3 Dibromopropyl) phosphate (TRIS) (CAS No. 126-72-7); Tris-aziridinyl phosphine oxide (TEPA) (CAS No. 545-55-1); Tetrabromo Bisphenol A (TBBPA) (CAS No. 79-94-7); Tris(2-chloroethyl)phosphate (TCEP) (CAS No. 115-96-8); Tris(1,3-dichloro-2-propyl) phosphate (TDCPP) (CAS No. 13674-87-8);

## Test Performed: Total Heavy Metals Content

Sample Number:	R001	D001	Requirements
	Result	Result	
Antimony (Sb)	<0.01 mg/L	<0.01 mg/L	≤ 0.1 mg/L
Arsenic (As)	<0.005 mg/L	<0.005 mg/L	≤ 0.05 mg/L
Cadmium (Cd)	<0.01 mg/L	<0.01 mg/L	≤ 0.1 mg/L
Total Chromium (Cr)	<0.05 mg/L	<0.05 mg/L	≤ 0.2 mg/L
Hexavalent Chromium (CrVI)	<0.001 mg/L	<0.001 mg/L	≤ 0.05 mg/L
Cobalt (Co)	<0.01 mg/L	<0.01 mg/L	≤ 0.05 mg/L
Copper (Cu)	<0.25 mg/L	<0.25 mg/L	≤ 1.0 mg/L
Lead (Pb)	<0.01 mg/L	<0.01 mg/L	≤ 0.1 mg/L
Mercury (Hg)	<0.001 mg/L	<0.001 mg/L	≤ 0.01 mg/L
Nickel (Ni)	<0.05 mg/L	<0.05 mg/L	≤ 0.2 mg/L
Silver (Ag)	<0.005 mg/L	<0.005 mg/L	≤ 0.1 mg/L
Zinc (Zn)	<0.50 mg/L	<0.50 mg/L	≤ 5.0 mg/L
Conclusion	PASS	PASS	

### Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "mg/L" means milligrams per liter.

## Test Performed: Chlorobenzenes and Chlorotoluenes Content

Sample Number:	I001	R001	D001	Requirements
	Result	Result	Result	
Monochlorobenzene	<0.2 µg/L	0.4 µg/L	0.7 µg/L	< 0.2 µg/L
1,2-Dichlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 18/27

Test Performed: Chlorobenzenes and Chlorotoluenes Content				
1,3-Dichlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
1,4-Dichlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
1,2,3-Trichlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
1,2,4-Trichlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
1,3,5-Trichlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
1,2,3,4-Tetrachlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
1,2,3,5-Tetrachlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
1,2,4,5-Tetrachlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
Pentachlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
Hexachlorobenzene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2-Chlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
3-Chlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
4-Chlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,3-Dichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,5-Dichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,6-Dichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,4-Dichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
3,4-Dichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
3,5-Dichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,3,6-Trichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,4,5-Trichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,3,4-Trichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
3,4,5-Trichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,4,6-Trichlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,3,4,5-Tetrachlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,3,4,6-Tetrachlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,3,5,6-Tetrachlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L
2,3,4,5,6-Pentachlorotoluene	<0.2 µg/L	<0.2 µg/L	<0.2 µg/L	< 0.2 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 19/27

Test Performed: Chlorobenzenes and Chlorotoluenes Content				
Conclusion	PASS	FAIL	FAIL	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.				
Monochlorobenzene (CAS No. 108-90-7); 1,2-Dichlorobenzene (CAS No. 95-50-1); 1,3-Dichlorobenzene (CAS No. 541-73-1); 1,4-Dichlorobenzene (CAS No. 106-46-7); 1,2,3-Trichlorobenzene (CAS No. 87-61-6); 1,2,4-Trichlorobenzene (CAS No. 120-82-1); 1,3,5-Trichlorobenzene (CAS No. 108-70-3); 1,2,3,4-Tetrachlorobenzene (CAS No. 634-66-2); 1,2,3,5-Tetrachlorobenzene (CAS No. 634-90-2); 1,2,4,5-Tetrachlorobenzene (CAS No. 95-94-3); Pentachlorobenzene (CAS No. 608-93-5); Hexachlorobenzene (CAS No. 118-74-1); 2-Chlorotoluene (CAS No. 95-49-8); 3-Chlorotoluene (CAS No. 108-41-8); 4-Chlorotoluene (CAS No. 106-43-4); 2,3-Dichlorotoluene (CAS No. 32768-54-0); 2,5-Dichlorotoluene (CAS No. 19398-61-9); 2,6-Dichlorotoluene (CAS No. 118-69-4); 2,4-Dichlorotoluene (CAS No. 95-73-8); 3,4-Dichlorotoluene (CAS No. 95-75-0); 3,5-Dichlorotoluene (CAS No. 25186-47-4); 2,3,6-Trichlorotoluene (CAS No. 2077-46-5); 2,4,5-Trichlorotoluene (CAS No. 6639-30-1); 2,3,4-Trichlorotoluene (CAS No. 7359-72-0); 3,4,5-Trichlorotoluene (CAS No. 21472-86-6); 2,4,6-Trichlorotoluene (CAS No. 23749-65-7); 2,3,4,5-Tetrachlorotoluene (CAS No. 76057-12-0); 2,3,4,6-Tetrachlorotoluene (CAS No. 875-40-1); 2,3,5,6-Tetrachlorotoluene (CAS No. 29733-70-8); 2,3,4,5,6-Pentachlorotoluene (CAS No. 877-11-2);				

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 20/27

Test Performed: Glycols Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
2-Ethoxyethylacetate (CAS No. 111-15-9)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Bis-(2-methoxyethyl) ether (CAS No. 111-96-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Ethoxyethanol (CAS No. 110-80-5)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Ethylene glycol dimethyl ether (CAS No. 110-71-4)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Methoxyethanol (CAS No. 109-86-4)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Triethylene glycol dimethyl ether (CAS No. 112-49-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Methoxyethylacetate (CAS No. 110-49-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Methoxypropylacetate (CAS No. 70657-70-4)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 21/27

Test Performed: Organotin Compounds Content				
Sample Number:	D001	R001	I001	
	Result	Result	Result	Requirements
Monobutyltin (MBT)	<0.01 µg/L	0.03 µg/L	<0.01 µg/L	< 0.01 µg/L
Dibutyltin (DBT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tributyltin (TBT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tetrabutyltin (TeBT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Triphenyltin (TPhT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Monooctyltin (MOT)	0.02 µg/L	0.02 µg/L	<0.01 µg/L	< 0.01 µg/L
Diocetyl tin (DOT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tricyclohexyltin (TCyT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Triocetyl tin (TOcT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tributyltin oxide (TBTO)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tripropyltin (TPrT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Diphenyltin (DPhT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Dimethyltin (DMT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Trimethyltin (TMT)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tetraethyltin (TeET)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Dibutyltin dichloride (DBTC)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Triphenyltin(1+)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Dibutyltin hydrogen borate (DBB)	<0.01 µg/L	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Conclusion	FAIL	FAIL	PASS	

Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 22/27

Test Performed: Polycyclic Aromatic Hydrocarbons (PAHs) Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Acenaphthylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Acenaphthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Fluorene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Phenanthrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Anthracene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Naphthalene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(a)anthracene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Chrysene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(b)fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(k)fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(a)pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Dibenzo(a,h)anthracene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(g,h,i)perylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Indeno(123-cd)pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(e)pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(j)fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Conclusion	PASS	PASS	

Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

Acenaphthylene (CAS No. 208-96-8); Acenaphthene (CAS No. 83-32-9); Fluorene (CAS No. 86-73-7); Phenanthrene (CAS No. 85-01-8); Anthracene (CAS No. 120-12-7); Fluoranthene (CAS No. 206-44-0); Pyrene (CAS No. 129-00-0); Naphthalene (CAS No. 91-20-3); Benzo(a)anthracene (CAS No. 56-55-3); Chrysene (CAS No. 218-01-9); Benzo(b)fluoranthene (CAS No. 205-99-2); Benzo(k)fluoranthene (CAS No. 207-08-9); Benzo(a)pyrene (CAS No. 50-32-8); Dibenzo(a,h)anthracene (CAS No. 53-70-3); Benzo(g,h,i)perylene (CAS No. 191-24-2); Indeno(123-cd)pyrene (CAS No. 193-39-5); Benzo(e)pyrene (CAS No. 192-97-2); Benzo(j)fluoranthene (CAS No. 205-82-3);

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 23/27

Test Performed: Perfluorinated Compounds (PFCs) Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Perfluorohexane sulfonate (PFHxS) (CAS No 3871-99-6, 355-46-4)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Perfluorooctane sulfonate (PFOS) (CAS No 1763-23-1)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Perfluorohexanoate (PFHxA) (CAS No 307-24-4)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Perfluorooctanoate (PFOA) (CAS No 335-67-1)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH) (CAS No 647-42-7)	<0.01 µg/L	<0.01 µg/L	< 1.0 µg/L
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No 678-39-7)	<0.01 µg/L	<0.01 µg/L	< 1.0 µg/L
Perfluorobutanesulfonate K-salt (LPFBS) (CAS No 29420-49-3)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

Test Performed: Phthalates Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Di-iso-nonyl phthalate, DINP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-n-octyl phthalate, DNOP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Bis(2-ethylhexyl) phthalate, DEHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 24/27

Test Performed: Phthalates Content			
Diisodecyl phthalate, DIDP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Dibutyl phthalate, DBP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Benzyl butyl phthalate, BBP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-iso-butyl phthalate, DIBP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Bis(2-methoxyethyle) phthalate, BMEP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Diethyl phthalate, DEP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-n-propyl phthalate, DPrP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-n-hexyl phthalate, DHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Dicyclohexyl phthalate, DCHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Dinonyl phthalate, DNP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-iso-octyl phthalate, DIOP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-iso-heptyl phthalate, DIHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di- (heptyl, nonyl, undecyl) phthalate), DHNUP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			
Di-iso-nonyl phthalate, DINP (CAS No. 28553-12-0/68515-48-0); Di-n-octyl phthalate, DNOP (CAS No. 117-84-0); Bis(2-ethylhexyl) phthalate, DEHP (CAS No. 117-81-7); Diisodecyl phthalate, DIDP (CAS No. 26761-40-0/ 68515-49-0); Dibutyl phthalate, DBP (CAS No. 84-74-2); Benzyl butyl phthalate, BBP (CAS No. 85-68-7); Di-iso-butyl phthalate, DIBP (CAS No. 84-69-5); Bis(2-methoxyethyle) phthalate, BMEP (CAS No. 117-82-8); Diethyl phthalate, DEP (CAS No. 84-66-2); Di-n-propyl phthalate, DPrP (CAS No. 131-16-8); Di-n-hexyl phthalate, DHP (CAS No. 84-75-3); Dicyclohexyl phthalate, DCHP (CAS No. 84-61-7); Dinonyl phthalate, DNP (CAS No. 84-76-4); Di-iso-octyl phthalate, DIOP (CAS No. 27554-26-3); Di-iso-heptyl phthalate, DIHP (CAS No. 71888-89-6 /41451-28); Di- (heptyl, nonyl, undecyl) phthalate), DHNUP (CAS No. 68515-42-4);			

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.





# Test Report

REPORT NO 1001210766

PAGE: PAGE 25/27

Test Performed: Halogenated Solvents Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
1,2-Dichloroethane	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Trichloroethylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Tetrachloroethylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Dichloromethane	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Conclusion	PASS	PASS	

Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

1,2-Dichloroethane (CAS No. 107-06-2); Trichloroethylene (CAS No. 79-01-6); Tetrachloroethylene (CAS No. 127-18-4); Dichloromethane (CAS No. 75-09-2);

Test Performed: Volatile Organic Compounds (VOC) Content				
Sample Number:	D001	R001	I001	
	Result	Result	Result	Requirements
Benzene	<1.0 µg/L	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Total Xylenes	<1.0 µg/L	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
p-Cresol	<1.0 µg/L	168.0 µg/L	<1.0 µg/L	< 1.0 µg/L
m-Cresol	<1.0 µg/L	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
o-Cresol	<1.0 µg/L	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Conclusion	PASS	FAIL	PASS	

Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

Benzene (CAS No. 71-43-2); Total Xylenes (CAS No. 1330-20-7); p-Cresol (CAS No. 106-44-5); m-Cresol (CAS No. 108-39-4); o-Cresol (CAS No. 95-48-7);

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 26/27

## ADDITIONAL PHOTO:



Discharged Waste Water Sampling Point



Raw Waste Water Sampling Point

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.



# Test Report

REPORT NO 1001210766

PAGE: PAGE 27/27



Incoming Water Sampling Point

---

End of Report

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TUNAC accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline.