

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Date : Aug 09, 2022

Factory:

Factory's name : JIAXING XINQIAO DYEING AND FINISHING CO., LTD
Address : NO,18 QIUMAO ROAD, WANGJIANG TOWN, XIUZHOU DISTRICT
On-site Wastewater treatment plant : Yes
Type of wastewater discharge : Indirect discharge

Date of sampling : Jul 25, 2022

Sample type
Sample / Raw wastewater : Brown, composite sample at 08:14; 09:14; 10:14; 11:14; 12:14; 13:14;
14:14
Sample / Wastewater (treated) : Yellow, composite sample at 08:21; 09:21; 10:21; 11:21; 12:21; 13:21;
14:21

ZDHC sampler accreditation
certification number : 8F146506983

Local legal standard name^[a] : Discharge standards of water pollutants for dyeing and finishing of
textile industry
Local legal standard no. ^[a] : GB 4287-2012
Parameters (ZDHC WWG V1,1, Table
1A-1B) exceeded local regulation : No exceeded
Discharge permit provided : Yes
Ambient temperature of receiving
water body : N/A
Date of received/Date test started : Jul 26, 2022 PM
Test performing period : Jul 26, 2022 PM to Aug 08, 2022

Tests conducted:

As requested by a brand program, for details refer to attached page(s).

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai



Jane Wu
General Manager of Softlines

Intertek Testing Services Ltd., Shanghai

2/F, Building No.4, Shanghai Comalong Technology Service Park,
889 Yishan Road, Shanghai 200233, China
上海天祥质量技术服务有限公司

中国上海宜山路 889 号上海齐来科技服务园区 4 号楼 2 楼 邮编:200233
Tel: +86 21 5339 5999 Fax: +86 21 5426 2030 E-mail: textile.shanghai@intertek.com Website: Intertek.com
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

SOFTLINES WASTEWATER TESTING


Number : SHAT07345040

Summary of test results:

Wastewater / Conventional parameters - Test items	Wastewater (Treated)		
	Foundational	Progressive	Aspirational
Temperature [°C] / Δ	38.3		
TSS		X	
COD	X		
Total-N	29		
Ph	6.7		
Colour [m-1]			X
BOD ₅	35		
Ammonium-N	16		
Total-P			X
AOX			X
Oil and grease			X
Phenol			X
Coliform [bacterial/100 ml]	5.2x10 ³		
Foam	Not visible		
Cyanide			X
Sulfide			X
Sulfite			X

Wastewater / Heavy metals - Test items	Wastewater (Treated)		
	Foundational	Progressive	Aspirational
Antimony, Sb		X	
Chromium, Cr (total)			X
Cobalt, Co		X	
Copper, Cu			X
Nickel, Ni		X	
Silver, Ag			X
Zinc, Zn			X
Arsenic, As			X
Cadmium, Cd			X
Chromium (VI), Cr VI			X
Lead, Pb			X
Mercury, Hg			X

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai



Jane Wu
General Manager of Softlines

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Test items	Raw Wastewater	Wastewater (Treated)
Cyanide	N/A	ND
Sulfide	N/A	ND
Sulfite	N/A	ND
Heavy metals	D	D
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	D	ND
Chlorobenzenes and Chlorotoluenes	ND	ND
Chlorophenols	D	ND
Azo dyes (Forming restricted amines)	D	D
Carcinogenic dyes	ND	ND
Disperse dyes	ND	ND
Flame retardants	ND	ND
Glycols	ND	ND
Halogenated solvents	ND	ND
Organotin compounds	D	ND
Perfluorinated & Polyfluorinated chemicals (PFCs)	D	D
Phthalates (Ortho-phthalates)	ND	ND
Polycyclic aromatic hydrocarbons (PAHs)	ND	ND
Volatile organic compounds (VOCs)	ND	ND

Note :	
ND = Not detected	
D = Detected <i>[please specify actual result]</i>	
N/A = Not applicable	- = Did not perform
# = No comment	* = See Remark
@ = Maximum holding time exceeded.	
[a] = The local legal standard name and legal standard no. is referenced to discharge permit (or contractual agree by CETP) that provided by applicant.	
This report shown the test result of the environment samples of above factory which collected on specific date and time. The results of this report shall not be used for any regulatory compliance purposes.	

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai



Jane Wu
General Manager of Softlines

Intertek Testing Services Ltd., Shanghai

2/F, Building No.4, Shanghai Comalong Technology Service Park,
889 Yishan Road, Shanghai 200233, China
上海天祥质量技术服务有限公司

中国上海宜山路 889 号上海齐来科技服务园区 4 号楼 2 楼 邮编:200233
Tel: +86 21 5339 5999 Fax: +86 21 5426 2030 E-mail: textile.shanghai@intertek.com Website: Intertek.com
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

Sample / Wastewater

1 Conventional Parameters:

Parameters	Test method	Limit			Legal* Requirement	Reporting limit	Result
		Foundational	Progressive	Aspirational			Wastewater (Treated)
Temperature	GB/T 13195 / EPA 170.1	△15 or 35°C	△10 or 30°C	△5 or 25°C	N/A	N/A	38.3 (°C)
TSS	GB/T 11901 / EPA 160.2	50 mg/L	15 mg/L	5 mg/L	100 mg/L	5 mg/L	8 (mg/L)
COD	HJ 828 / ISO 6060	150 mg/L	80 mg/L	40 mg/L	200 mg/L	16 mg/L	124 (mg/L)
Total-N	HJ 636 / ISO 5663	20 mg/L	10 mg/L	5 mg/L	30 mg/L	1 mg/L	29 (mg/L)
pH	HJ 1147 / EPA 150.1	6-9			6-9	N/A	6.7
Colour [m-1]	ISO 7887-B	7;5;3	5;3;2	2;1;1	N/A	N/A	1.7;0.7;0.3
BOD ₅	HJ 505 / APHA 5210	30 mg/L	15 mg/L	5 mg/L	50 mg/L	2.0 mg/L	35 (mg/L)
Ammonium-N	HJ 535 / ISO 11732	10 mg/L	1 mg/L	0.5 mg/L	20 mg/L	0.2 mg/L	16 (mg/L)
Total-P	GB/T 11893 / ISO 11885	3 mg/L	0.5 mg/L	0.1 mg/L	1.5 mg/L	0.04 mg/L	ND
AOX	HJ/T 83 / ISO 9562	5 mg/L	1 mg/L	0.1 mg/L	N/A	0.06 mg/L	0.10 (mg/L)
Oil and grease	HJ 637 / ISO 9377-2	10 mg/L	2 mg/L	0.5 mg/L	N/A	0.5 mg/L	ND
Phenol	HJ 503 / ISO 14402	0.5 mg/L	0.01 mg/L	0.001 mg/L	N/A	0.001 mg/L	ND
Coliform [bacterial/ 100 ml]	GB/T 5750.12 / ISO 9308-1	400	100	25	N/A	2 bacterial/ 100 mL	5.2x10 ³ (bacterial/ 100 mL)
Foam	/	Not visible			N/A	N/A	Not visible
Cyanide	HJ484 / ISO 6703 / ISO 14403	0.2 mg/L	0.1 mg/L	0.05 mg/L	N/A	0.02 mg/L	ND
Sulfide	GB/T 16489 / APHA 4500-S2-D	0.5 mg/L	0.05 mg/L	0.01 mg/L	0.5 mg/L	0.01 mg/L	ND
Sulfite	HJ84/ISO 10304-3 / USEPA 377.1 SM 4500 SO3	2 mg/L	0.5 mg/L	0.2 mg/L	N/A	0.2 mg/L	ND

Remark: ND = Not detected

△ is the degree above ambient temperature of receiving water body.

* Legal requirement based on Regulation/Standard information for discharged wastewater as well as the limitation value (or contractual limit value agreed by CETP) for the required parameters (mandatory). It is Quoted only when the test method used is identical to the ZDHC WWG listed method.

@ = Maximum holding time exceeded.

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

2 Heavy Metals:

With reference to ISO 11885, ISO 18412, ISO 12846, ISO 17852, US EPA 200.7, US EPA 200.8, US EPA 6010c, US EPA 6020a, US EPA 218.6, GB 7467, HJ700, GB7475 and by Inductively Coupled Argon Plasma-Mass Spectrometry (ICP-MS) analysis, or by Colourimetric UV/VIS or Colourimetric IC analysis.

Chemical substances	CAS no.	Limit			Legal* Requirement (mg/L)	Reporting limit (mg/L)	Raw Waste water (mg/L)	Waste water (Treated) (mg/L)
		Foundational (mg/L)	Progressive (mg/L)	Aspirational (mg/L)				
Antimony, Sb	7440-36-0	0.1	0.05	0.01	0.1	0.001	0.489	0.012
Chromium, Cr (total)	7440-47-3	0.2	0.1	0.05	N/A	0.001	0.040	0.006
Cobalt, Co	7440-48-4	0.05	0.02	0.01	N/A	0.001	0.015	0.014
Copper, Cu	7440-50-8	1.0	0.5	0.25	N/A	0.001	0.008	0.002
Nickel, Ni	7440-02-0	0.2	0.1	0.05	N/A	0.001	0.051	0.073
Silver, Ag	7440-22-4	0.1	0.05	0.005	N/A	0.001	0.003	0.002
Zinc, Zn	7440-66-6	5.0	1.0	0.5	N/A	0.001	0.074	0.114
Arsenic, As	7440-38-2	0.05	0.01	0.005	N/A	0.001	0.001	ND
Cadmium, Cd	7440-43-9	0.1	0.05	0.01	N/A	0.0001	ND	ND
Chromium (VI), Cr VI	18540-29-9	0.05	0.005	0.001	0.5	0.001	ND	ND
Lead, Pb	7439-92-1	0.1	0.05	0.01	N/A	0.001	0.001	0.007
Mercury, Hg	7439-97-6	0.01	0.005	0.001	N/A	0.00005	ND	ND

Remark : ND = Not detected

* Regulation/Standard information for discharged wastewater as well as the limitation value (or contractual limit value agreed by CETP) for the required parameters (mandatory).

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

3 Alkylphenol ethoxylates / Alkylphenols (APEOs/APs):

With reference to ISO 18857-2/ASTM D7065, ISO 18254-1/2, and by Gas Chromatography-Mass Spectrometry (GC-MS) and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Nonylphenol(NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5.0	ND	ND
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	5.0	ND	ND
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	5.0	ND	ND
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	5.0	14.1	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

4 Chlorobenzenes And Chlorotoluenes:

With reference to US EPA 8260B, US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Monochlorobenzene	108-90-7	0.2	ND	ND
1,2-Dichlorobenzene	95-50-1	0.2	ND	ND
1,3-Dichlorobenzene	541-73-1	0.2	ND	ND
1,4-Dichlorobenzene	106-46-7	0.2	ND	ND
1,2,4-Trichlorobenzene	120-82-1	0.2	ND	ND
1,2,3-Trichlorobenzene	87-61-6	0.2	ND	ND
1,3,5-Trichlorobenzene	108-70-3	0.2	ND	ND
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	ND	ND
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	ND	ND
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	ND	ND
Pentachlorobenzene	608-93-5	0.2	ND	ND
Hexachlorobenzene	118-74-1	0.2	ND	ND
2-Chlorotoluene	95-49-8	0.2	ND	ND
3-Chlorotoluene	108-41-8	0.2		
4-Chlorotoluene	106-43-4	0.2		
2,3-Dichlorotoluene	32768-54-0	0.2	ND	ND
3,4-Dichlorotoluene	95-75-0	0.2	ND	ND
2,4-Dichlorotoluene	95-73-8	0.2		
2,5-Dichlorotoluene	19398-61-9	0.2		
2,6-Dichlorotoluene	118-69-4	0.2		
3,5-Dichlorotoluene	25186-47-4	0.2	ND	ND
2,3,4-Trichlorotoluene	7359-72-0	0.2	ND	ND
2,3,6-Trichlorotoluene	2077-46-5	0.2	ND	ND
3,4,5-Trichlorotoluene	21472-86-6	0.2		
2,4,5-Trichlorotoluene	6639-30-1	0.2	ND	ND
2,4,6-Trichlorotoluene	23749-65-7	0.2		
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	ND	ND
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	ND	ND
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2		
Pentachlorotoluene	877-11-2	0.2	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

5 Chlorophenols:

With reference to US EPA 8270D and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
2-Chlorophenol	95-57-8	0.5	ND	ND
2,4-Dichlorophenol	120-83-2	0.5	ND	ND
2,5-Dichlorophenol	583-78-8	0.5	ND	ND
2,6-Dichlorophenol	87-65-0	0.5	ND	ND
Pentachlorophenol (PCP)	87-86-5	0.5	0.5	ND
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	0.7	ND
2,4,5-Trichlorophenol	95-95-4	0.5	ND	ND
2,4,6-Trichlorophenol	88-06-2	0.5	ND	ND
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	ND
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	ND
2,3,6-Trichlorophenol	933-75-5	0.5	ND	ND
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	ND
2,3,5-Trichlorophenol	933-78-8	0.5	ND	ND
3,4,5-Trichlorophenol	609-19-8	0.5	ND	ND
3,5- Dichlorophenol	591-35-5	0.5	ND	ND
2,3-Dichlorophenol	576-24-9	0.5	ND	ND
3,4-Dichlorophenol	95-77-2	0.5	ND	ND
3-chlorophenol	108-43-0	0.5	ND	ND
4-chlorophenol	106-48-9	0.5	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

6 Azo Dyes (Forming Restricted Amines):

With reference to EN 14362-1/3, and by Gas Chromatographic - Mass Spectrometric (GC-MS) or and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
2,4,5-Trimethylaniline	137-17-7	0.1	ND	ND
4-methoxy-m-phenylenediamine	615-05-4	0.1	ND	ND
4-methyl-m-phenylenediamine	95-80-7	0.1	ND	ND
2,4-Xylidine	95-68-1	0.1	ND	ND
2,6-Xylidine	87-62-7	0.1	ND	ND
2-Naphthylamine	91-59-8	0.1	ND	ND
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	ND
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	ND
4,4'-methylenedi-o-toluidine	838-88-0	0.1	ND	ND
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	ND
4,4'-methylenedianiline	101-77-9	0.1	ND	ND
4,4'-Methylene-bis (2-chloroaniline)	101-14-4	0.1	ND	ND
4,4'-Oxydianiline	101-80-4	0.1	ND	ND
4,4'-Thiodianiline	139-65-1	0.1	ND	ND
4-Aminodiphenyl	92-67-1	0.1	ND	ND
4-Chloroaniline	106-47-8	0.1	1.3	1.0
4-Chloro-o-toluidine	95-69-2	0.1	ND	ND
5-Nitro-o-toluidine	99-55-8	0.1	ND	ND
4-Aminoazobenzene	60-09-3	0.1	ND	ND
Benzidine	92-87-5	0.1	ND	ND
o-Aminoazotoluene	97-56-3	0.1	ND	ND
o-Anisidine	90-04-0	0.1	ND	ND
o-Toluidine	95-53-4	0.1	ND	ND
6-methoxy-m-toluidine	120-71-8	0.1	ND	ND

Remark : ND = Not detected

The Result Of p-Aminoazobenzene Shown For Raw Wastewater/Wastewater Treated Were Analysed And Confirmed By European Standard EN 14362-3: 2012

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

7 Carcinogenic dyes:

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
C.I. Direct Black 38	1937-37-7	500	ND	ND
C.I. Direct Blue 6	2602-46-2	500	ND	ND
C.I. Acid Red 26	3761-53-3	500	ND	ND
C.I. Basic Red 9	569-61-9	500	ND	ND
C.I. Direct Red 28	573-58-0	500	ND	ND
C.I. Basic Violet 14	632-99-5	500	ND	ND
C.I. Disperse Blue 1	2475-45-8	500	ND	ND
C.I. Disperse Blue 3	2475-46-9	500	ND	ND
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	ND
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	ND
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	ND
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	ND
Disperse Orange 11	82-28-0	500	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

8 Disperse dyes:

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Disperse Yellow 1	119-15-3	50	ND	ND
Disperse Blue 102	12222-97-8	50	ND	ND
Disperse Blue 106	12223-01-7	50	ND	ND
Disperse Yellow 39	12236-29-2	50	ND	ND
Disperse Orange 37/59/76	13301-61-6	50	ND	ND
Disperse Brown 1	23355-64-8	50	ND	ND
Disperse Orange 1	2581-69-3	50	ND	ND
Disperse Yellow 3	2832-40-8	50	ND	ND
Disperse Red 11	2872-48-2	50	ND	ND
Disperse Red 1	2872-52-8	50	ND	ND
Disperse Red 17	3179-89-3	50	ND	ND
Disperse Blue 7	3179-90-6	50	ND	ND
Disperse Blue 26	3860-63-7	50	ND	ND
Disperse Yellow 49	54824-37-2	50	ND	ND
Disperse Blue 35	12222-75-2 56524-77-7	50	ND	ND
Disperse Blue 124	61951-51-7	50	ND	ND
Disperse Yellow 9	6373-73-5	50	ND	ND
Disperse Orange 3	730-40-5	50	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

9 Flame Retardants:

With reference to US EPA 8270, ISO 22032, US EPA 527, EPA 8321B, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Decabromodiphenyl ether (DecaBDE)	1163-19-5	5.0	ND	ND
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	5.0	ND	ND
Octabromodiphenylether (OctaBDE)	32536-52-0	5.0	ND	ND
Tris(1-aziridiny) phosphine oxide (TEPA)	545-55-1	5.0	ND	ND
Polybromobiphenyls (PBBs)	59536-65-1	5.0	ND	ND
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	5.0	ND	ND
Tetrabromobisphenol A (TBBPA)	79-94-7	5.0	ND	ND
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	5.0	ND	ND
Bis(2,3-dibromopropyl) phosphate (BIS)	5412-25-9	5.0	ND	ND
Hexabromocyclododecane (HBCDD)	3194-55-6	5.0	ND	ND
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	5.0	ND	ND
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	5.0	ND	ND
Short-chain chlorinated paraffins (SCCP) (C10-C13)	85535-84-8	5.0	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

10 Glycols:

With reference to US EPA 8270 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	ND
2-ethoxyethanol	110-80-5	50	ND	ND
2-ethoxyethyl acetate	111-15-9	50	ND	ND
Ethylene glycol dimethyl ether	110-71-4	50	ND	ND
2-methoxyethanol	109-86-4	50	ND	ND
2-methoxyethylacetate	110-49-6	50	ND	ND
2-methoxypropylacetate	70657-70-4	50	ND	ND
Triethylene glycol dimethyl ether	112-49-2	50	ND	ND

Remark : ND = Not detected

11 Halogenated Solvents:

With reference to US EPA 8260B, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
1,2-Dichloroethane	107-06-2	1.0	ND	ND
Methylene chloride	75-09-2	1.0	ND	ND
Tetrachloroethylene	127-18-4	1.0	ND	ND
Trichloroethylene	79-01-6	1.0	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

12 Organotin Compounds:

With reference to ISO 17353, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Mono-, di- and tri-butyltin derivatives	Multiple	0.01	ND	ND
Mono, di-, and tri-octyltin derivatives	Multiple	0.01	ND	ND
Mono, di-, and tri-methyltin derivatives	Multiple	0.01	0.05	ND
Mono, di-, and tri-phenyltin derivatives	Multiple	0.01	ND	ND

Remark : ND = Not detected

13 Perfluorinated & Polyfluorinated Chemicals (PFCs):

With reference to DIN 38407-42 (modified), and Liquid Chromatography-tandem Mass Spectrometry (LC-MS/MS) analysis and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
PFOA	335-67-1	0.01	0.20	0.16
PFOS	1763-23-1	0.01	ND	ND
PFBS	375-73-5; 29420-49-3; 29420-43-3	0.01	ND	ND
PFHxA	307-24-4	0.01	0.16	0.09
8:2 FTOH	678-39-7	1.0	ND	ND
6:2 FTOH	647-42-7	1.0	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

14 Phthalates (Ortho-Phthalates):

With reference to US EPA 8270D, ISO 18856 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	ND
Dibutyl phthalate (DBP)	84-74-2	10	ND	ND
Diethyl phthalate (DEP)	84-66-2	10	ND	ND
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	ND
Di-isononyl phthalate (DINP)	28553-12-0	10	ND	ND
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND	ND
Di-isobutyl phthalate (DIBP)	84-69-5	10	ND	ND
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	ND
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	ND	ND
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	ND
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	ND
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	ND
Dinonyl phthalate (DNP)	84-76-4	10	ND	ND
1,2-benzenedicarboxylic acid, di-C7-11- branched and linear alkyl esters (DHNUP)	68515-42-4	10	ND	ND
1,2-benzenedicarboxylic acid, di-C6-8- branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

15 Polycyclic Aromatic Hydrocarbons (PAHs):

With reference to US EPA 8270, DIN 38407-39 and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Chemical Substances	CAS No.	Reporting Limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Benzo[a]pyrene (BaP)	50-32-8	1.0	ND	ND
Anthracene	120-12-7	1.0	ND	ND
Pyrene	129-00-0	1.0	ND	ND
Benzo[ghi]perylene	191-24-2	1.0	ND	ND
Benzo[e]pyrene	192-97-2	1.0	ND	ND
Indeno[1,2,3-cd]pyrene	193-39-5	1.0	ND	ND
Benzo[j]fluoranthene	205-82-3	1.0	ND	ND
Benzo[b]fluoranthene	205-99-2	1.0	ND	ND
Fluoranthene	206-44-0	1.0	ND	ND
Benzo[k]fluoranthene	207-08-9	1.0	ND	ND
Acenaphthylene	208-96-8	1.0	ND	ND
Chrysene	218-01-9	1.0	ND	ND
Dibenz[a,h]anthracene	53-70-3	1.0	ND	ND
Benzo[a]anthracene	56-55-3	1.0	ND	ND
Acenaphthene	83-32-9	1.0	ND	ND
Phenanthrene	85-01-8	1.0	ND	ND
Fluorene	86-73-7	1.0	ND	ND
Naphthalene	91-20-3	1.0	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

16 Volatile Organic Compounds (VOCs):

With reference to ISO 11423-1 by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.
With reference to US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit (µg/L)	Raw Wastewater (µg/L)	Wastewater (Treated) (µg/L)
Benzene	71-43-2	1.0	ND	ND
Xylene	1330-20-7	1.0	ND	ND
o-cresol	95-48-7	1.0	ND	ND
p-cresol	106-44-5	1.0	ND	ND
m-cresol	108-39-4	1.0	ND	ND

Remark : ND = Not detected

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

Photo of sampling points:



Raw wastewater



Raw wastewater



Wastewater (treated)



Wastewater (treated)

TEST REPORT

SOFTLINES WASTEWATER TESTING

Number : SHAT07345040

Tests Conducted (As Requested By The Applicant)

Photo of samples:



Raw wastewater



Wastewater (treated)

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.