

## TEST REPORT

19-05-2022

THIS REPORT CANCELS AND SUPERSEDES THE TEST REPORT NO. SL92209263604801FW DATE: 11-05-2022, ISSUED BY SGS

### CLIENT DETAILS

**Client Name:** Foshan Lisheng Textile Company Ltd  
**Client Contact:** Tracy  
**Telephone:** 075786816507  
**Email:** [shipping@vitaindigo.com](mailto:shipping@vitaindigo.com)  
**Address:** Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

### LABORATORY DETAILS

**SGS Affiliate:** SGS-CSTC Ltd.  
**SGS Contact:** Nancy Sun  
**Telephone:** +86(020)32136120  
**Email:** [Nancy.Sun@sgs.com](mailto:Nancy.Sun@sgs.com)  
**Address:** 2&3/F Building No.1, 198 Kezhu Road, Sciencetech Park Guangzhou Economic&Development District, Guangzhou, China

### FACTORY DETAILS

**Factory Name:** Foshan Lisheng Textile Company Ltd  
**Factory Contact:** Tracy  
**Telephone:** 075786816507  
**Email:** [shipping@vitaindigo.com](mailto:shipping@vitaindigo.com)  
**Address:** Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China  
**Types of Mills:** (2) Yarn Dyeing, Bleaching (3) Fabric Dyeing, Finishing, Washing  
**On-Site ETP:** Yes  
**Discharge Destination:** To Centralized Waste Water Treatment Plant  
**Name of Municipal/Centralized ETP:** Foshan Nanhai Xinlong water treatment Co., Ltd  
**Address of Municipal/Centralized ETP:** 8 Xinzhi Avenue, A district, Xiqiao science and Technology Industrial Park, Nanhai District, Foshan City

### SAMPLE AND TESTING DETAILS

**Sampling Country:** SGS China SL  
**ZDHC Sampler's Certification No.:** 8F146507257  
**Sampling Date:** 25-04-2022  
**Sample Received Date:** 25-04-2022  
**Test Performing Period:** 25-04-2022 ~ 11-05-2022  
**No. of Samples:** Water (2);  
**Sample Descriptions:** 1) Incoming water (Grab)  
 2) Raw Wastewater(Discharged Wastewater) (6-hour Composite)  
**Sample Volume:** 1) Incoming water 8L  
 2) Raw Wastewater(Discharged Wastewater) 20L  
**Testing Institute:** SGS China GZ Lab  
**Discharge Method:** Indirect Discharge


### OVERALL RESULTS

|                                                  | Incoming Water             | Raw Wastewater(Discharged Wastewater)           |
|--------------------------------------------------|----------------------------|-------------------------------------------------|
| <b>Conventional Parameters / Anion / Metals:</b> | Fulfill Aspirational Limit | Please refer to the information in TEST RESULTS |
| <b>MRS� Parameters:</b>                          | Detected                   | Detected                                        |

### REMARKS

1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd.  
 Guangzhou Branch



Ivan Xie  
 Technical Manager

**RESULT SUMMARY**

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

| TEST ITEMS                                                    | Incoming Water | Raw Waste Water<br>(Discharged Waste Water)        |
|---------------------------------------------------------------|----------------|----------------------------------------------------|
| <b>Conventional Parameters</b>                                | -              | Please refer to the information in<br>TEST RESULTS |
| <b>Anions</b>                                                 | -              | X                                                  |
| <b>Metals</b>                                                 | O              | X                                                  |
| <b>Alkylphenol (AP) &amp; Alkylphenol Ethoxylates (APEOs)</b> | N/A            | O                                                  |
| <b>Chlorobenzenes and Chlorotoluenes</b>                      | N/A            | O                                                  |
| <b>Chlorophenols</b>                                          | N/A            | O                                                  |
| <b>Dyes - Azo (Forming Restricted Amines)</b>                 | N/A            | O                                                  |
| <b>Dyes - Carcinogenic or Equivalent Concern</b>              | N/A            | O                                                  |
| <b>Dyes - Disperse (Sensitising)</b>                          | N/A            | O                                                  |
| <b>Flame Retardants</b>                                       | N/A            | O                                                  |
| <b>Glycols</b>                                                | N/A            | O                                                  |
| <b>Halogenated Solvents</b>                                   | X              | X                                                  |
| <b>Organotin Compounds</b>                                    | N/A            | O                                                  |
| <b>Perfluorinated and Polyfluorinated Chemicals (PFCs)</b>    | N/A            | O                                                  |
| <b>Ortho-Phthalates</b>                                       | N/A            | O                                                  |
| <b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>                | N/A            | O                                                  |
| <b>Volatile Organic Compounds (VOCs)</b>                      | N/A            | O                                                  |

Note:

X - Detected

O - Not Detected

N/A - Not Tested

## TEST RESULTS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

|                                                      | Sample ID               |                 | 92209263604801-1    | 92209263604801-2      | Factory Performances                     |                | Local Wastewater Discharge Requirement** |                       |
|------------------------------------------------------|-------------------------|-----------------|---------------------|-----------------------|------------------------------------------|----------------|------------------------------------------|-----------------------|
|                                                      | Date of Sampling        |                 | 25-04-2022          | 25-04-2022            |                                          |                |                                          |                       |
|                                                      | Sampling Location       |                 | Incoming water pipe | Wastewater discharged |                                          |                |                                          |                       |
|                                                      | Sampling Start Time     |                 | 14:40               | 9:40                  |                                          |                |                                          |                       |
|                                                      | Sampling End Time       |                 | 14:50               | 15:40                 |                                          |                |                                          |                       |
|                                                      | Date of Sample Received |                 | 25-04-2022          | 25-04-2022            |                                          |                |                                          |                       |
| Items                                                | CAS No.                 | Reporting Limit | Units               | Incoming Water        | Raw Waste Water (Discharged Waste Water) | Incoming Water | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater |
| Sample Colour Description                            | -                       | -               | -                   | Colourless            | Indigo                                   | -              | -                                        | -                     |
| Average Wastewater Flow***                           | -                       | -               | L/hr                | -                     | 1.17X10 <sup>4</sup>                     | -              | -                                        | -                     |
| Conventional Parameters                              |                         |                 |                     |                       |                                          |                |                                          |                       |
| Temp-Difference                                      | -                       | -               | °C                  | -                     | N/A                                      | -              | N/A                                      | N/A                   |
| Temp-Discharge Pipe                                  | -                       | -               | °C                  | -                     | 31.9                                     | -              |                                          | 35                    |
| Temp-Receiving Water <sup>Δ</sup>                    | -                       | -               | °C                  | -                     | N/A                                      | -              |                                          | N/A                   |
| Total Suspended Solids (TSS)                         | -                       | 5               | mg/L                | -                     | 300                                      | -              |                                          | 250                   |
| Chemical Oxygen Demand (COD)                         | -                       | 10              | mg/L                | -                     | 1395                                     | -              |                                          | 500                   |
| Total Nitrogen                                       | -                       | 5               | mg/L                | -                     | 36                                       | -              |                                          | N/A                   |
| pH Value                                             | -                       | -               | -                   | -                     | 10.9                                     | -              |                                          | 6.0–9.0               |
| Colour (436nm)                                       | -                       | 0.1             | m <sup>-1</sup>     | -                     | 26.6                                     | -              |                                          | N/A                   |
| Colour (525nm)                                       | -                       | 0.1             | m <sup>-1</sup>     | -                     | 27.4                                     | -              |                                          | N/A                   |
| Colour (620nm)                                       | -                       | 0.1             | m <sup>-1</sup>     | -                     | 47.5                                     | -              |                                          | N/A                   |
| Colour                                               | -                       | -               | -                   | -                     | 3200                                     | -              |                                          | 350                   |
| 5-Days Biochemical Oxygen Demand (BOD <sub>5</sub> ) | -                       | 5               | mg/L                | -                     | 748                                      | -              |                                          | 350                   |
| Ammonium-N                                           | -                       | 0.5             | mg/L                | -                     | n.d.                                     | -              |                                          | 25                    |
| Total Phosphorus                                     | -                       | 0.1             | mg/L                | -                     | 13.1                                     | -              |                                          | 3                     |
| AOX                                                  | -                       | 0.1             | mg/L                |                       | n.d.                                     | -              |                                          | N/A                   |
| Oil and Grease                                       | -                       | 0.5             | mg/L                | -                     | 42.3                                     | -              |                                          | 100                   |
| Phenol                                               | -                       | 0.001           | mg/L                | -                     | n.d.                                     | -              | 1.0                                      |                       |
| Coliform                                             | -                       | 25              | Bacteria / 100mL    | -                     | n.d.                                     | -              | N/A                                      |                       |
| Persistent Foam                                      | -                       | Not Visible     | -                   | -                     | Not Visible                              | -              | N/A                                      |                       |
| Anions                                               |                         |                 |                     |                       |                                          |                |                                          |                       |
| Cyanide                                              | -                       | 0.05            | mg/L                | -                     | n.d.                                     | -              | N/A                                      | 0.5                   |
| Sulfide                                              | -                       | 0.01            | mg/L                | -                     | n.d.                                     | -              | N/A                                      | 1.0                   |
| Sulfite                                              | -                       | 0.2             | mg/L                | -                     | 1234.8                                   | -              | N/A                                      | N/A                   |
| Metals                                               |                         |                 |                     |                       |                                          |                |                                          |                       |

### TEST RESULTS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province,China

| Sample ID                                          |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
|----------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------|-------|----------------|------------------------------------------|----------------------------|------------------------------------------|-----------------------|
| Date of Sampling                                   |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Sampling Location                                  |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Sampling Start Time                                |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Sampling End Time                                  |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Date of Sample Received                            |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Factory Performances                               |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Local Wastewater Discharge Requirement**           |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Items                                              | CAS No.                                                                                    | Reporting Limit | Units | Incoming Water | Raw Waste Water (Discharged Waste Water) | Incoming Water             | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater |
| Total Antimony (Sb)*                               | 7440-36-0                                                                                  | 0.01            | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 1.0                   |
| Total Chromium (Cr)                                | 7440-47-3                                                                                  | 0.05            | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 1.5                   |
| Total Cobalt (Co)                                  | 7440-48-4                                                                                  | 0.01            | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | N/A                   |
| Total Copper (Cu)                                  | 7440-50-8                                                                                  | 0.25            | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 2.0                   |
| Total Nickel (Ni)                                  | 7440-02-0                                                                                  | 0.05            | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 1.0                   |
| Total Silver (Ag)                                  | 7440-22-4                                                                                  | 0.005           | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | N/A                   |
| Total Zinc (Zn)                                    | 7440-66-6                                                                                  | 0.5             | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 5.0                   |
| Total Arsenic (As)                                 | 7440-38-2                                                                                  | 0.005           | mg/L  | n.d.           | 0.006                                    | Fulfill Aspirational Limit | Fulfill Progressive Limit                | 0.5                   |
| Total Cadmium (Cd)                                 | 7440-43-9                                                                                  | 0.01            | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 0.1                   |
| Chromium-Hexavalent (Cr-VI)                        | 7440-47-3, 18540-29-9                                                                      | 0.001           | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 0.5                   |
| Total Lead (Pb)                                    | 7439-92-1                                                                                  | 0.01            | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 1.0                   |
| Total Mercury (Hg)                                 | 7439-97-6                                                                                  | 0.001           | mg/L  | n.d.           | n.d.                                     | Fulfill Aspirational Limit | Fulfill Aspirational Limit               | 0.05                  |
| Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs) |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Nonylphenol (NP), mixed isomers                    | Multiple, including 104-40-5, 11066-49-2, 25154-52-3, 84852-15-3, 90481-04-2, 1173019-62-9 | 5               | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| Octylphenol (OP), mixed isomers                    | Multiple, including 140-66-9, 1806-26-4, 27193-28-8                                        | 5               | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| Octylphenol ethoxylates (OPEO)                     | Multiple, including 9002-93-1, 9036-19-5, 68987-90-6                                       | 5               | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| Nonylphenol ethoxylates (NPEO)                     | Multiple, including 9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0             | 5               | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| Chlorobenzenes & Chlorotoluenes                    |                                                                                            |                 |       |                |                                          |                            |                                          |                       |
| Monochlorobenzenes                                 | 108-90-7                                                                                   | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| 1,2-Dichlorobenzene                                | 95-50-1                                                                                    | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| 1,3-Dichlorobenzene                                | 541-73-1                                                                                   | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| 1,4-Dichlorobenzene                                | 106-46-7                                                                                   | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| 1,2,3-Trichlorobenzene                             | 87-61-6                                                                                    | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| 1,2,4-Trichlorobenzene                             | 120-82-1                                                                                   | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| 1,3,5-Trichlorobenzene                             | 108-70-3                                                                                   | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |
| 1,2,3,4-Tetrachlorobenzene                         | 634-66-2                                                                                   | 0.2             | µg/L  | N/A            | n.d.                                     | N/A                        | Not Detected                             | -                     |

**TEST RESULTS**

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province,China

|                            |            | Sample ID               |       | 92209263604801-1    | 92209263604801-2                         | Factory Performances |                                          | Local Wastewater Discharge Requirement** |
|----------------------------|------------|-------------------------|-------|---------------------|------------------------------------------|----------------------|------------------------------------------|------------------------------------------|
|                            |            | Date of Sampling        |       | 25-04-2022          | 25-04-2022                               |                      |                                          |                                          |
|                            |            | Sampling Location       |       | Incoming water pipe | Wastewater discharged                    |                      |                                          |                                          |
|                            |            | Sampling Start Time     |       | 14:40               | 9:40                                     |                      |                                          |                                          |
|                            |            | Sampling End Time       |       | 14:50               | 15:40                                    |                      |                                          |                                          |
|                            |            | Date of Sample Received |       | 25-04-2022          | 25-04-2022                               |                      |                                          |                                          |
| Items                      | CAS No.    | Reporting Limit         | Units | Incoming Water      | Raw Waste Water (Discharged Waste Water) | Incoming Water       | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater                    |
| 1,2,3,5-Tetrachlorobenzene | 634-90-2   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 1,2,4,5-Tetrachlorobenzene | 95-94-3    | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Pentachlorobenzene         | 608-93-5   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Hexachlorobenzene          | 118-74-1   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2-Chlorotoluene            | 95-49-8    | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 3-Chlorotoluene            | 108-41-8   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 4-Chlorotoluene            | 106-43-4   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,3-Dichlorotoluene        | 32768-54-0 | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,4-Dichlorotoluene        | 95-73-8    | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,5-Dichlorotoluene        | 19398-61-9 | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,6-Dichlorotoluene        | 118-69-4   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 3,4-Dichlorotoluene        | 95-75-0    | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 3,5-Dichlorotoluene        | 25186-47-4 | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,3,4-Trichlorotoluene     | 7359-72-0  | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,3,6-Trichlorotoluene     | 2077-46-5  | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,4,5-Trichlorotoluene     | 6639-30-1  | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,4,6-Trichlorotoluene     | 23749-65-7 | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 3,4,5-Trichlorotoluene     | 21472-86-6 | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,3,4,5-Tetrachlorotoluene | 76057-12-0 | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,3,5,6-Tetrachlorotoluene | 29733-70-8 | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,3,4,6-Tetrachlorotoluene | 875-40-1   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Pentachlorotoluene         | 877-11-2   | 0.2                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Chlorophenols              |            |                         |       |                     |                                          |                      |                                          |                                          |
| 2-Chlorophenol             | 95-57-8    | 0.5                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 3-Chlorophenol             | 108-43-0   | 0.5                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 4-Chlorophenol             | 106-48-9   | 0.5                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 2,3-Dichlorophenol         | 576-24-9   | 0.5                     | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |

**TEST RESULTS**

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

| Sample ID                                     |            |                 |       |                |                                          |                |                                          |                       |
|-----------------------------------------------|------------|-----------------|-------|----------------|------------------------------------------|----------------|------------------------------------------|-----------------------|
| Date of Sampling                              |            |                 |       |                |                                          |                |                                          |                       |
| Sampling Location                             |            |                 |       |                |                                          |                |                                          |                       |
| Sampling Start Time                           |            |                 |       |                |                                          |                |                                          |                       |
| Sampling End Time                             |            |                 |       |                |                                          |                |                                          |                       |
| Date of Sample Received                       |            |                 |       |                |                                          |                |                                          |                       |
| Factory Performances                          |            |                 |       |                |                                          |                |                                          |                       |
| Local Wastewater Discharge Requirement**      |            |                 |       |                |                                          |                |                                          |                       |
| Items                                         | CAS No.    | Reporting Limit | Units | Incoming Water | Raw Waste Water (Discharged Waste Water) | Incoming Water | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater |
| 2,4-Dichlorophenol                            | 120-83-2   | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,5-Dichlorophenol                            | 583-78-8   | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,6-Dichlorophenol                            | 87-65-0    | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 3,4-Dichlorophenol                            | 95-77-2    | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 3,5-Dichlorophenol                            | 591-35-5   | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,3,4-Trichlorophenol                         | 15950-66-0 | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,3,5-Trichlorophenol                         | 933-78-8   | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,3,6-Trichlorophenol                         | 933-75-5   | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,4,5-Trichlorophenol                         | 95-95-4    | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,4,6-Trichlorophenol                         | 88-06-2    | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 3,4,5-Trichlorophenol                         | 609-19-8   | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,3,4,5-Tetrachlorophenol                     | 4901-51-3  | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,3,4,6-Tetrachlorophenol                     | 58-90-2    | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,3,5,6-Tetrachlorophenol                     | 935-95-5   | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Pentachlorophenol                             | 87-86-5    | 0.5             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| <b>Dyes - Azo (Forming Restricted Amines)</b> |            |                 |       |                |                                          |                |                                          |                       |
| 4,4'-Methylene-Bis(2-Chloroaniline)           | 101-14-4   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 4,4'-Diaminodiphenylmethane                   | 101-77-9   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 4,4'-Oxydianiline                             | 101-80-4   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| p-Chloroaniline                               | 106-47-8   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 3,3'-Dimethoxybenzidine                       | 119-90-4   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 3,3'-Dimethylbenzidine                        | 119-93-7   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| p-Cresidine                                   | 120-71-8   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,4,5-Trimethylaniline                        | 137-17-7   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 4,4'-Thiodianiline                            | 139-65-1   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| p-Aminoazobenzene                             | 60-09-3    | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,4-Diaminoanisole                            | 615-05-4   | 0.1             | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |



**TEST RESULTS**

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

| Sample ID                                |                        |                 |       |                |                                          |                |                                          |                       |
|------------------------------------------|------------------------|-----------------|-------|----------------|------------------------------------------|----------------|------------------------------------------|-----------------------|
| Date of Sampling                         |                        |                 |       |                |                                          |                |                                          |                       |
| Sampling Location                        |                        |                 |       |                |                                          |                |                                          |                       |
| Sampling Start Time                      |                        |                 |       |                |                                          |                |                                          |                       |
| Sampling End Time                        |                        |                 |       |                |                                          |                |                                          |                       |
| Date of Sample Received                  |                        |                 |       |                |                                          |                |                                          |                       |
| Factory Performances                     |                        |                 |       |                |                                          |                |                                          |                       |
| Local Wastewater Discharge Requirement** |                        |                 |       |                |                                          |                |                                          |                       |
| Items                                    | CAS No.                | Reporting Limit | Units | Incoming Water | Raw Waste Water (Discharged Waste Water) | Incoming Water | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater |
| Disperse Yellow 1                        | 119-15-3               | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Blue 102                        | 12222-97-8             | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Blue 106                        | 12223-01-7             | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Yellow 39                       | 12236-29-2             | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Orange 37/59/76                 | 13301-61-6             | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Brown 1                         | 23355-64-8             | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Orange 1                        | 2581-69-3              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Yellow 3                        | 2832-40-8              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Red 11                          | 2872-48-2              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Red 1                           | 2872-52-8              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Red 17                          | 3179-89-3              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Blue 7                          | 3179-90-6              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Blue 26                         | 3860-63-7              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Yellow 49                       | 54824-37-2             | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Blue 35                         | 12222-75-2, 56524-77-7 | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Blue 124                        | 61951-51-7             | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Yellow 9                        | 6373-73-5              | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Disperse Orange 3                        | 730-40-5               | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| <b>Flame Retardants</b>                  |                        |                 |       |                |                                          |                |                                          |                       |
| Tris(2-chloroethyl) phosphate (TCEP)     | 115-96-8               | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Decabromodiphenyl ethers (DecaBDE)       | 1163-19-5              | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Tris(2,3-dibromopropyl) phosphate (TRIS) | 126-72-7               | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Pentabromodiphenyl ethers (PentaBDE)     | 32534-81-9             | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Octabromodiphenyl ethers (OctaBDE)       | 32536-52-0             | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Bis(2,3-dibromopropyl)phosphate (BIS)    | 5412-25-9              | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Tris(1-aziridinyl)phosphine oxide (TEPA) | 545-55-1               | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Polybrominated biphenyls (PBBs)          | 59536-65-1             | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |

### TEST RESULTS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

| Sample ID                                                                  |                                                              |                 |       |                |                                          |                |                                          |                       |
|----------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|-------|----------------|------------------------------------------|----------------|------------------------------------------|-----------------------|
| Date of Sampling                                                           |                                                              |                 |       |                |                                          |                |                                          |                       |
| Sampling Location                                                          |                                                              |                 |       |                |                                          |                |                                          |                       |
| Sampling Start Time                                                        |                                                              |                 |       |                |                                          |                |                                          |                       |
| Sampling End Time                                                          |                                                              |                 |       |                |                                          |                |                                          |                       |
| Date of Sample Received                                                    |                                                              |                 |       |                |                                          |                |                                          |                       |
| Factory Performances                                                       |                                                              |                 |       |                |                                          |                |                                          |                       |
| Local Wastewater Discharge Requirement**                                   |                                                              |                 |       |                |                                          |                |                                          |                       |
| Items                                                                      | CAS No.                                                      | Reporting Limit | Units | Incoming Water | Raw Waste Water (Discharged Waste Water) | Incoming Water | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater |
| Tetrabromobisphenol A (TBBPA)                                              | 79-94-7                                                      | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Hexabromocyclododecane (HBCDD)                                             | 134237-50-6, 134237-51-7, 134237-52-8, 25637-99-4, 3194-55-6 | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)                                | 3296-90-0                                                    | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)                              | 13674-87-8                                                   | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Short Chain Chlorinated Paraffins (SCCP), C <sub>10</sub> -C <sub>13</sub> | 85535-84-8                                                   | 5               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| <b>Glycols</b>                                                             |                                                              |                 |       |                |                                          |                |                                          |                       |
| Bis(2-methoxyethyl)-ether                                                  | 111-96-6                                                     | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2-Ethoxyethanol                                                            | 110-80-5                                                     | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2-Ethoxyethyl acetate                                                      | 111-15-9                                                     | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Ethylene glycol dimethyl ether                                             | 110-71-4                                                     | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2-Methoxyethanol                                                           | 109-86-4                                                     | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2-Methoxyethylacetate                                                      | 110-49-6                                                     | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 2-Methoxypropylacetate                                                     | 70657-70-4                                                   | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Triethylene glycol dimethyl ether                                          | 112-49-2                                                     | 50              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| <b>Halogenated Solvents</b>                                                |                                                              |                 |       |                |                                          |                |                                          |                       |
| 1,2-Dichloroethane                                                         | 107-06-2                                                     | 1               | µg/L  | n.d.           | n.d.                                     | Not Detected   | Not Detected                             | -                     |
| Methylene chloride                                                         | 75-09-2                                                      | 1               | µg/L  | 4.6            | 36.8                                     | Detected       | Detected                                 | -                     |
| Trichloroethene                                                            | 79-01-6                                                      | 1               | µg/L  | n.d.           | n.d.                                     | Not Detected   | Not Detected                             | -                     |
| Tetrachloroethene                                                          | 127-18-4                                                     | 1               | µg/L  | n.d.           | n.d.                                     | Not Detected   | Not Detected                             | -                     |
| <b>Organotin Compounds</b>                                                 |                                                              |                 |       |                |                                          |                |                                          |                       |
| Mono-, di- and tri-methyltin derivatives                                   | Multiple                                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Monomethyltin (MMT)                                                        | Multiple                                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |

### TEST RESULTS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province,China

| Sample ID                                           |                                              |                 |       |                |                                          |                |                                          |                       |
|-----------------------------------------------------|----------------------------------------------|-----------------|-------|----------------|------------------------------------------|----------------|------------------------------------------|-----------------------|
| Date of Sampling                                    |                                              |                 |       |                |                                          |                |                                          |                       |
| Sampling Location                                   |                                              |                 |       |                |                                          |                |                                          |                       |
| Sampling Start Time                                 |                                              |                 |       |                |                                          |                |                                          |                       |
| Sampling End Time                                   |                                              |                 |       |                |                                          |                |                                          |                       |
| Date of Sample Received                             |                                              |                 |       |                |                                          |                |                                          |                       |
| Factory Performances                                |                                              |                 |       |                |                                          |                |                                          |                       |
| Local Wastewater Discharge Requirement**            |                                              |                 |       |                |                                          |                |                                          |                       |
| Items                                               | CAS No.                                      | Reporting Limit | Units | Incoming Water | Raw Waste Water (Discharged Waste Water) | Incoming Water | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater |
| Dimethyltin (DMT)                                   | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Trimethyltin (TMT)                                  | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Mono-, di- and tri-butyltin derivatives             | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Monobutyltin (MBT)                                  | 1118-46-3, 78763-54-9                        | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Dibutyltin (DBT)                                    | 1002-53-5                                    | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Tributyltin (TBT)                                   | 56573-85-4                                   | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Mono-, di- and tri-phenyltin derivatives            | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Monophenyltin (MPhT)                                | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Diphenyltin (DPhT)                                  | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Triphenyltin (TPhT)                                 | 892-20-6, 668-34-8                           | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Mono-, di- and tri-octyltin derivatives             | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Monooctyltin (MOT)                                  | 15231-57-9                                   | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Diocetyl tin (DOT)                                  | 94410-05-6, 12531-44-4                       | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Triocetyl tin (TOT)                                 | Multiple                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Perfluorinated and Polyfluorinated Chemicals (PFCs) |                                              |                 |       |                |                                          |                |                                          |                       |
| PFOS                                                | 1763-23-1                                    | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| PFOA                                                | 335-67-1                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| PFBS                                                | 375-73-5, 59933-66-3, 29420-49-3, 29420-45-3 | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| PFHxA                                               | 307-24-4                                     | 0.01            | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 8:2 FTOH                                            | 678-39-7                                     | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| 6:2 FTOH                                            | 647-42-7                                     | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Ortho-Phthalates                                    |                                              |                 |       |                |                                          |                |                                          |                       |
| Di(2-Ethyl Hexyl) Phthalate (DEHP)                  | 117-81-7                                     | 10              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Bis(2-methoxyethyl)phthalate (DMEP)                 | 117-82-8                                     | 10              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Di-N-Octyl Phthalate (DNOP)                         | 117-84-0                                     | 10              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Di-Iso-Decyl Phthalate (DIDP)                       | 26761-40-0, 68515-49-1                       | 10              | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |

**TEST RESULTS**

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province,China

|                                                                                 |                        | Sample ID               |       | 92209263604801-1    | 92209263604801-2                         | Factory Performances |                                          | Local Wastewater Discharge Requirement** |
|---------------------------------------------------------------------------------|------------------------|-------------------------|-------|---------------------|------------------------------------------|----------------------|------------------------------------------|------------------------------------------|
|                                                                                 |                        | Date of Sampling        |       | 25-04-2022          | 25-04-2022                               |                      |                                          |                                          |
|                                                                                 |                        | Sampling Location       |       | Incoming water pipe | Wastewater discharged                    |                      |                                          |                                          |
|                                                                                 |                        | Sampling Start Time     |       | 14:40               | 9:40                                     |                      |                                          |                                          |
|                                                                                 |                        | Sampling End Time       |       | 14:50               | 15:40                                    |                      |                                          |                                          |
|                                                                                 |                        | Date of Sample Received |       | 25-04-2022          | 25-04-2022                               |                      |                                          |                                          |
| Items                                                                           | CAS No.                | Reporting Limit         | Units | Incoming Water      | Raw Waste Water (Discharged Waste Water) | Incoming Water       | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater                    |
| Di-Iso-Nonyl Phthalate (DINP)                                                   | 28553-12-0, 68515-48-0 | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Di-N-Hexyl Phthalate (DNHP)                                                     | 84-75-3                | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Dibutyl Phthalate (DBP)                                                         | 84-74-2                | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Benzyl Butyl Phthalate (BBP)                                                    | 85-68-7                | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Dinonyl phthalate (DNP)                                                         | 84-76-4                | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Diethyl Phthalate (DEP)                                                         | 84-66-2                | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Di-N-Propyl Phthalate (DPRP)                                                    | 131-16-8               | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Di-Iso-Butyl Phthalate (DIBP)                                                   | 84-69-5                | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Dicyclohexyl Phthalate (DCHP)                                                   | 84-61-7                | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Di-Iso-Octyl Phthalate (DIOP)                                                   | 27554-26-3             | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 1,2-Benzenedicarboxylic acid, Di-C7-11 Branched and Linear Alkyl Esters (DHNUP) | 68515-42-4             | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| 1,2-Benzenedicarboxylic acid, Di-C6-8 Branched Alkyl Esters, C7-rich (DIHP)     | 71888-89-6             | 10                      | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Polycyclic Aromatic Hydrocarbons (PAHs)                                         |                        |                         |       |                     |                                          |                      |                                          |                                          |
| Benzo[a]pyrene                                                                  | 50-32-8                | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Anthracene                                                                      | 120-12-7               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Pyrene                                                                          | 129-00-0               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Benzo[ghi]perylene                                                              | 191-24-2               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Benzo[e]pyrene                                                                  | 192-97-2               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Indeno[1,2,3-cd]pyrene                                                          | 193-39-5               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Benzo[j]fluoranthene                                                            | 205-82-3               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Benzo[b]fluoranthene                                                            | 205-99-2               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Fluoranthene                                                                    | 206-44-0               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Benzo[k]fluoranthene                                                            | 207-08-9               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Acenaphthylene                                                                  | 208-96-8               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Chrysene                                                                        | 218-01-9               | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |
| Dibenz[a,h]anthracene                                                           | 53-70-3                | 1                       | µg/L  | N/A                 | n.d.                                     | N/A                  | Not Detected                             | -                                        |

**TEST RESULTS**

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province,China

| Factory Performances                     |           |                 |       |                |                                          |                |                                          |                       |
|------------------------------------------|-----------|-----------------|-------|----------------|------------------------------------------|----------------|------------------------------------------|-----------------------|
| Local Wastewater Discharge Requirement** |           |                 |       |                |                                          |                |                                          |                       |
| Sample ID                                |           |                 |       |                |                                          |                |                                          |                       |
| Date of Sampling                         |           |                 |       |                |                                          |                |                                          |                       |
| Sampling Location                        |           |                 |       |                |                                          |                |                                          |                       |
| Sampling Start Time                      |           |                 |       |                |                                          |                |                                          |                       |
| Sampling End Time                        |           |                 |       |                |                                          |                |                                          |                       |
| Date of Sample Received                  |           |                 |       |                |                                          |                |                                          |                       |
| Items                                    | CAS No.   | Reporting Limit | Units | Incoming Water | Raw Waste Water (Discharged Waste Water) | Incoming Water | Raw Waste Water (Discharged Waste Water) | Discharged Wastewater |
| Benzo[a]anthracene                       | 56-55-3   | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Acenaphthene                             | 83-32-9   | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Phenanthrene                             | 85-01-8   | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Fluorene                                 | 86-73-7   | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Naphthalene                              | 91-20-3   | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| <b>Volatile Organic Compounds (VOCs)</b> |           |                 |       |                |                                          |                |                                          |                       |
| Benzene                                  | 71-43-2   | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| Xylene                                   | 1330-20-7 | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| o-cresol                                 | 95-48-7   | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| p-cresol                                 | 106-44-5  | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |
| m-cresol                                 | 108-39-4  | 1               | µg/L  | N/A            | n.d.                                     | N/A            | Not Detected                             | -                     |

**Remarks:**

\*n.d.\* = Not Detected

\*N/A\* = Not Tested / Not Applicable

\*- = Not Required to be Test

\*The test result is based on the calculation of selected element(s) and to the worst-case scenario

\*Data collection only for polyester production

\*\*Please refer to the details of the Local Wastewater Discharge Requirement in the Appendix Section

△ Due to inaccessible of the location of Receiving Water, the measurement of Temp-Receiving Water cannot be determined

\*\*\*Test data is measured/provided by the client

\*\*\*\*\*

**TEST PARAMETERS**

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

| ITEMS                                                | CAS No.   | METHODS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ZDHC REQUIREMENTS  |                   |                    | Units           |
|------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------|--------------------|-----------------|
|                                                      |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Foundational Limit | Progressive Limit | Aspirational Limit |                 |
| Conventional Parameters                              |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |                 |
| Temperature                                          | -         | USEPA 170.1, APHA 2550, GB/T 13195, DIN 38404-4 or IS 3025 (Part 9)                                                                                                                                                                                                                                                                                                                                                                                                                            | -                  | -                 | -                  | °C              |
| Total Suspended Solids (TSS)                         | -         | USEPA 160.2, APHA 2540-D, ISO 11923, GB/T 11901 or IS 3025 (Part 17)                                                                                                                                                                                                                                                                                                                                                                                                                           | -                  | -                 | -                  | mg/L            |
| Chemical Oxygen Demand (COD)                         | -         | USEPA 410.4, APHA 5220-D, ISO 6060, ISO 15705, HJ 828 or IS 3025 (Part 58)                                                                                                                                                                                                                                                                                                                                                                                                                     | -                  | -                 | -                  | mg/L            |
| Total Nitrogen                                       | -         | USEPA 351.2, APHA 4500-N-B or C, APHA 4500-P-J, ISO 5663, ISO 11905, ISO 29441, HJ 636, GB 11891 or IS 3025 (Part 34)                                                                                                                                                                                                                                                                                                                                                                          | -                  | -                 | -                  | mg/L            |
| pH Value                                             | -         | USEPA 150.1, APHA 4500-H+, ISO 10523, GB/T 6920, HJ 1147-2020 or IS 3025 (Part 11)                                                                                                                                                                                                                                                                                                                                                                                                             | -                  | -                 | -                  | -               |
| Colour (436nm; 525nm; 620nm)                         | -         | ISO 7887-B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | -                  | -                 | -                  | m <sup>-1</sup> |
| Colour                                               | -         | GB 11903-1989                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | -                  | -                 | -                  | -               |
| 5-Days Biochemical Oxygen Demand (BOD <sub>5</sub> ) | -         | USEPA 405.1, APHA 5210-B, ISO 5815-1, EN 1899-1, HJ 505 or IS 3035 (Part 44)                                                                                                                                                                                                                                                                                                                                                                                                                   | -                  | -                 | -                  | mg/L            |
| Ammonium-N                                           | -         | USEPA 350.1, USEPA 350.3, APHA 4500 NH <sub>3</sub> -N-D, E, F, G or H, ISO 7150, ISO 11732, HJ 535, HJ 536 or IS 3025 (Part 34)                                                                                                                                                                                                                                                                                                                                                               | -                  | -                 | -                  | mg/L            |
| Total Phosphorus                                     | -         | USEPA 200.7, USEPA 200.8, USEPA 365.4, USEPA 6010C, USEPA 6020A, APHA 4500-P-J, ISO 6878, ISO 11885, ISO 17294, GB/T 11893, IS 3025 (Part 31) or IS 3025 (Part 65)                                                                                                                                                                                                                                                                                                                             | -                  | -                 | -                  | mg/L            |
| AOX                                                  | -         | USEPA 1650, ISO 9562, EN ISO 9563 or HJ/T 83-2001                                                                                                                                                                                                                                                                                                                                                                                                                                              | -                  | -                 | -                  | mg/L            |
| Oil and Grease                                       | -         | USEPA 1664, APHA 5520-B or C, ISO 9377-1, HJ 637 or IS 3025 (Part 39)                                                                                                                                                                                                                                                                                                                                                                                                                          | -                  | -                 | -                  | mg/L            |
| Phenol                                               | -         | APHA 5530-B or C, ISO 6439, ISO 14402, HJ 503 or IS 3025 (Part 43)                                                                                                                                                                                                                                                                                                                                                                                                                             | -                  | -                 | -                  | mg/L            |
| Coliform                                             | -         | USEPA 9132, ISO 9308-1, EN ISO 9308-1 or GB/T 5750.12                                                                                                                                                                                                                                                                                                                                                                                                                                          | -                  | -                 | -                  | Bacteria/100mL  |
| Persistent Foam                                      | -         | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | -                  | -                 | -                  | -               |
| Anions                                               |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |                 |
| Cyanide                                              | -         | <u>Wastewater:</u><br>USEPA 335.2, APHA 4500-CN, ISO 6703-1, 2, 3, ISO 14403-1, 2 or HJ 484<br><u>Sludge:</u><br>With reference to USEPA 9013, USEPA 9014, USEPA 9213, ISO 11262, HJ 745 or CN converted to HCN by reflux-distillation to NaOH followed by colourimetry or ISE                                                                                                                                                                                                                 | -                  | -                 | -                  | mg/L            |
| Sulfide                                              | -         | APHA 4500-S <sub>2</sub> -D, E, G or I, ISO 10530, GB/T 16489 or IS 3025 (Part 29)                                                                                                                                                                                                                                                                                                                                                                                                             | -                  | -                 | -                  | mg/L            |
| Sulfite                                              | -         | USEPA 377.1, ISO 10304-3 or EN ISO 10304-3                                                                                                                                                                                                                                                                                                                                                                                                                                                     | -                  | -                 | -                  | mg/L            |
| Metals                                               |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |                 |
| Total Antimony (Sb)                                  | 7440-36-0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.1                | 0.05              | 0.01               | mg/L            |
| Total Chromium (Cr)                                  | 7440-47-3 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.2                | 0.1               | 0.05               | mg/L            |
| Total Cobalt (Co)                                    | 7440-48-4 | <u>Wastewater:</u><br>With reference to USEPA 200.7, USEPA 200.8, USEPA 245.1, USEPA 245.2, USEPA 1631 E, USEPA 6010C, USEPA 6020A, ISO 11885, ISO 12846, ISO 17294, ISO 17852, ISO 18412, GB 7466, GB 7467, GB 7472, GB 7475, GB 11907, HJ 597, HJ 694, HJ 700, IS 3025 (Part 2), IS 3025 (Part 41), IS 3025 (Part 42), IS 3025 (Part 47), IS 3025 (Part 48), IS 3025 (Part 49), IS 3025 (Part 52), IS 3025 (Part 54), IS 3025 (Part 65) or acid digestion followed by ICP or ICP/MS analysis | 0.05               | 0.02              | 0.01               | mg/L            |
| Total Copper (Cu)                                    | 7440-50-8 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1                  | 0.5               | 0.25               | mg/L            |
| Total Nickel (Ni)                                    | 7440-02-0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.2                | 0.1               | 0.05               | mg/L            |
| Total Silver (Ag)                                    | 7440-22-4 | <u>Sludge:</u><br>With reference to USEPA 3050, USEPA 3051A, USEPA 3060A, USEPA 6010D, USEPA 6020B, USEPA 7471B or acid/peroxide digestion followed by ICP or ICP/MS analysis                                                                                                                                                                                                                                                                                                                  | 0.1                | 0.05              | 0.005              | mg/L            |
| Total Zinc (Zn)                                      | 7440-66-6 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 5.0                | 1.0               | 0.5                | mg/L            |
| Total Arsenic (As)                                   | 7440-38-2 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.05               | 0.01              | 0.005              | mg/L            |
| Total Cadmium (Cd)                                   | 7440-43-9 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.1                | 0.05              | 0.01               | mg/L            |

## TEST PARAMETERS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

| ITEMS                                              | CAS No.               | METHODS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ZDHC REQUIREMENTS  |                   |                    | Units |
|----------------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------|--------------------|-------|
|                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Foundational Limit | Progressive Limit | Aspirational Limit |       |
| Total Lead (Pb)                                    | 7439-92-1             | <u>Wastewater:</u><br>With reference to USEPA 200.7, USEPA 200.8, USEPA 245.1, USEPA 245.2, USEPA 1631 E, USEPA 6010C, USEPA 6020A, ISO 11885, ISO 12846, ISO 17294, ISO 17852, ISO 18412, GB 7466, GB 7467, GB 7472, GB 7475, GB 11907, HJ 597, HJ 694, HJ 700, IS 3025 (Part 2), IS 3025 (Part 41), IS 3025 (Part 42), IS 3025 (Part 47), IS 3025 (Part 48), IS 3025 (Part 49), IS 3025 (Part 52), IS 3025 (Part 54), IS 3025 (Part 65) or acid digestion followed by ICP or ICP/MS analysis | 0.1                | 0.05              | 0.01               | mg/L  |
| Total Mercury (Hg)                                 | 7439-97-6             | <u>Sludge:</u><br>With reference to USEPA 3050, USEPA 3051A, USEPA 3060A, USEPA 6010D, USEPA 6020B, USEPA 7471B or acid/peroxide digestion followed by ICP or ICP/MS analysis                                                                                                                                                                                                                                                                                                                  | 0.01               | 0.005             | 0.001              | mg/L  |
| Chromium-Hexavalent (Cr-VI)                        | 7440-47-3, 18540-29-9 | <u>Wastewater:</u><br>With reference to USEPA 218.6, ISO 18412, GB 7467, IS 3025 (Part 52) or solvent extraction and derivatisation followed by UV/VIS analysis<br><u>Sludge:</u><br>With reference to USEPA 3060A, USEPA 7196, USEPA 7199 or alkaline digestion followed by colourimetric UV/VIS or colourimetric IC analysis                                                                                                                                                                 | 0.05               | 0.005             | 0.001              | mg/L  |
|                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |       |
| Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs) |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |       |
| NP / OP                                            |                       | <u>Wastewater:</u><br>With reference to ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS(-MS) analysis<br><u>Sludge:</u><br>With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS analysis                                                                                                                                                                                                                                       | -                  |                   |                    |       |
| NPEO / OPEO                                        |                       | <u>Wastewater:</u><br>With reference to ISO 18254-1, ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS analysis<br><u>Sludge:</u><br>With reference to ISO 18254-1, ISO 18857-2 or ASTM D7065 followed by GC/MS or LC/MS analysis                                                                                                                                                                                                                                                           |                    |                   |                    |       |
|                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |       |
| Chlorobenzenes & Chlorotoluenes                    |                       | <u>Wastewater:</u><br>With reference to USEPA 8260B, USEPA 8270D or solvent extraction followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, USEPA 3650, USEPA 8270 or solvent extraction followed by GC/MS analysis                                                                                                                                                                                                                      | -                  |                   |                    |       |
|                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |       |
| Chlorophenols                                      |                       | <u>Wastewater:</u><br>With reference to USEPA 8270D, ISO 14154:2005 or solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to ISO 14154, acid/base liquid extraction, acetylation or liquid/liquid extraction followed by GC/MS analysis                                                                                                                                                                           | -                  |                   |                    |       |
|                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |       |
| Dyes - Azo (Forming Restricted Amines)             |                       | <u>Wastewater:</u><br>With reference to EN 14362-1, EN 14362-3 or solvent extraction with sodium dithionite reduction followed by GC/MS or LC/MS analysis<br><u>Sludge:</u><br>With reference to ISO 14362-1, ISO 14362-3 or solvent extraction with sodium dithionite reduction followed by GC/MS or LC/MS analysis                                                                                                                                                                           | -                  |                   |                    |       |
|                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |       |
| Dyes - Carcinogenic or Equivalent Concern          |                       | <u>Wastewater:</u><br>Solvent extraction followed by LC/MS analysis<br><u>Sludge:</u><br>With reference to ISO 16373 or solvent extraction followed by LC/MS analysis                                                                                                                                                                                                                                                                                                                          | -                  |                   |                    |       |
|                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                   |                    |       |

### TEST PARAMETERS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

| ITEMS                                                      | CAS No. | METHODS                                                                                                                                                                                                                                                                   | ZDHC REQUIREMENTS  |                   |                    | Units |
|------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------|--------------------|-------|
|                                                            |         |                                                                                                                                                                                                                                                                           | Foundational Limit | Progressive Limit | Aspirational Limit |       |
| <b>Dyes - Disperse (Sensitising)</b>                       |         | <u>Wastewater:</u><br>Solvent extraction followed by LC/MS analysis<br><u>Sludge:</u><br>With reference to ISO 16373 or solvent extraction followed by LC/MS analysis                                                                                                     |                    | -                 |                    |       |
| <b>Flame Retardants</b>                                    |         | <u>Wastewater:</u><br>With reference to USEPA 527, USEPA 8270, USEPA 8321B, ISO 22032 or solvent extraction followed by GC/MS or LC/MS analysis<br><u>Sludge:</u><br>With reference to ISO 22032 or solvent extraction followed by GC/MS or LC/MS analysis                |                    | -                 |                    |       |
| <b>Glycols</b>                                             |         | <u>Wastewater:</u><br>With reference to USEPA 8270 or solvent extraction followed by GC/MS or LC/MS analysis<br><u>Sludge:</u><br>With reference to USEPA 8270D, ISO 22892 or solvent extraction followed by GC/MS or LC/MS analysis                                      |                    | -                 |                    |       |
| <b>Halogenated Solvents</b>                                |         | <u>Wastewater:</u><br>With reference to USEPA 8260B, Headspace, Purge-and-Trap or solvent extraction followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to USEPA 5035, USEPA 50211, USEPA 8010 or solvent extraction followed by GC/MS analysis               |                    | -                 |                    |       |
| <b>Organotin Compounds</b>                                 |         | <u>Wastewater:</u><br>With reference to ISO 17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to ISO 23161 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis    |                    | -                 |                    |       |
| <b>Perfluorinated and Polyfluorinated Chemicals (PFCs)</b> |         |                                                                                                                                                                                                                                                                           |                    |                   |                    |       |
| FTOHs (Non-ionic)                                          |         | <u>Wastewater:</u><br>With reference to DIN 38407-42 or CEN/TS 15968 and derivatisation with acetic anhydride followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to DIN 38407-42 and derivatisation with acetic anhydride followed by GC/MS analysis          |                    | -                 |                    |       |
| Others (Ionic)                                             |         | <u>Wastewater:</u><br>With reference to DIN 38407-42 or CEN/TS 15968 followed by LC/MS or LC/MS(-MS) analysis<br><u>Sludge:</u><br>With reference to DIN 38407-42 followed by LC/MS or LC/MS(-MS) analysis                                                                |                    | -                 |                    |       |
| <b>Ortho-Phthalates</b>                                    |         | <u>Wastewater:</u><br>With reference to USEPA 8270D, ISO 18856 or solvent extraction followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, ISO 18856 or solvent extraction followed by GC/MS analysis                |                    | -                 |                    |       |
| <b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>             |         | <u>Wastewater:</u><br>With reference to USEPA 8270, DIN 38407-39 or solvent extraction followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to USEPA 3540/3541, USEPA 3550, USEPA 3560, USEPA 3650, USEPA 8270 or solvent extraction followed by GC/MS analysis |                    | -                 |                    |       |



Report No.:SL92209263604801FW-1  
19-05-2022

TEST PARAMETERS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China


| ITEMS                             | CAS No. | METHODS                                                                                                                                                                                                                                                                                   | ZDHC REQUIREMENTS  |                   |                    | Units |
|-----------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------|--------------------|-------|
|                                   |         |                                                                                                                                                                                                                                                                                           | Foundational Limit | Progressive Limit | Aspirational Limit |       |
| Volatile Organic Compounds (VOCs) |         | <u>Wastewater:</u><br>With reference to USEPA 8260, ISO 11423-1, Headspace, Purge-and-Trap or solvent extraction followed by GC/MS analysis<br><u>Sludge:</u><br>With reference to USEPA 5035, USEPA 5021, USEPA 8260, DIN 38407 Part 43 or solvent extraction followed by GC/MS analysis | -                  |                   |                    |       |

\*\*\*\*\*

## PIPING PLAN

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China




Remark:

- 1.Incoming water
- 2.Raw waste water(Discharged waste water)

## SAMPLING PHOTOS

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China



## LOCAL WASTEWATER DISCHARGE REQUIREMENT

## 污水处理合同

合同编号: 鑫龙合同 (销)【2020】93 号

甲方: 佛山市南海西樵鑫龙水处理有限公司

乙方: 佛山市立笙纺织有限公司

Factory Name: Foshan Lisheng Textile Company Ltd

Factory Address: Dalang Nanbian, Shaying Baidong, Xiqiao Technical Industrial Part, Nanhai, Foshan City, Guangdong Province, China

表 1: 接收污水水质指标

| 序号 | 项目名称                       | 单位           | 最高<br>允许浓度 | 序号 | 项目名称           | 单位   | 最高<br>允许浓度     |
|----|----------------------------|--------------|------------|----|----------------|------|----------------|
| 1  | pH 值                       |              | 6.0~9.0    | 19 | 总铅             | mg/L | 1.0            |
| 2  | 悬浮物                        | mg/L         | 250        | 20 | 总铜             | mg/L | 2.0            |
| 3  | 易沉固体                       | mg/L · 15min | 10         | 21 | 总锌             | mg/L | 5.0            |
| 4  | 油脂                         | mg/L         | 100        | 22 | 总镍             | mg/L | 1.0            |
| 5  | 矿物油类                       | mg/L         | 20.0       | 23 | 总锰             | mg/L | 2.0 (5.0)      |
| 6  | 苯系物                        | mg/L         | 2.5        | 24 | 总铁             | mg/L | 10.0           |
| 7  | 氰化物                        | mg/L         | 0.5        | 25 | 总铊             | mg/L | 1.0            |
| 8  | 硫化物                        | mg/L         | 1.0        | 26 | 六价铬            | mg/L | 0.5            |
| 9  | 挥发性酚                       | mg/L         | 1.0        | 27 | 总铬             | mg/L | 1.5            |
| 10 | 温度                         | ℃            | 35         | 28 | 总砷             | mg/L | 2.0            |
| 11 | 生化需氧量 (BOD <sub>5</sub> )  | mg/L         | 350        | 29 | 总砷             | mg/L | 0.5            |
| 12 | 化学需氧量 (COD <sub>Cr</sub> ) | mg/L         | 500        | 30 | 硫酸盐            | mg/L | 600            |
| 13 | 溶解性固体                      | mg/L         | 2000       | 31 | 硝基苯类           | mg/L | 5.0            |
| 14 | 总磷                         | mg/L         | 3          | 32 | 阴离子表面活性剂 (LAS) | mg/L | 10.0<br>(20.0) |
| 15 | 苯胺                         | mg/L         | 5.0        | 33 | 氨氮             | mg/L | 25.0<br>(35.0) |
| 16 | 氟化物                        | mg/L         | 20.0       | 34 | 磷酸盐 (以 P 计)    | mg/L | 1.0 (8.0)      |
| 17 | 总汞                         | mg/L         | 0.05       | 35 | 色度             | 倍    | 350            |
| 18 | 总镉                         | mg/L         | 0.1        |    |                |      |                |

注: 括号内数值适用于有城市污水处理厂的城市下水道系统

\*\*\*\*\* END OF REPORT \*\*\*\*\*