

SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

Date: 29/09/2022

Factory: NSL TEXTILES LTD.
Factory's name : NSL TEXTILES LTD.
Address : 371-380 Kunchalavaripalem Village, Chandole Post, Cherukupalli Mandal,
Guntur District,, Andhra Pradesh, Andhra Pradesh,
New, 522311, India
Facility Type : Zero Liquid Discharge (ZLD)
Date of sampling : 23/09/2022

Sample type:
Sample / Wastewater before treatment [Colour: Dark Grey, Composite sample at 12:30 PM, 01:30 PM, 02:30 PM, 03:30 PM, 04:30 PM, 05:30 PM]
Sample / Wastewater after treatment -
Sample / Sludge [Colour: Dark Grey at 05.10 PM]

Date received/Date test started : 24/09/2022

Tests conducted:

As requested by a brand program, for details refer to attached page(s).

Wastewater / Heavy metals – Test items	Wastewater		
	Foundational	Progressive	Aspirational
Antimony, Sb		x	
Chromium, Cr (total)			x
Cobalt, Co			x
Copper, Cu			x
Nickel, Ni			x
Silver, Ag			x
Zinc, Zn			x
Arsenic, As			x
Cadmium, Cd			x
Chromium (VI), Cr VI			x
Lead, Pb			x
Mercury, Hg			x

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

Test items	Wastewater	Sludge
Heavy metals	D	ND
Alkylphenol ethoxylates / Alkylphenols (APEOs/Aps)	ND	ND
Chlorobenzenes and Chlorotoluenes	ND	ND
Chlorophenols	ND	ND
Azo dyes (Forming restricted amines)	ND	ND
Carcinogenic dyes	ND	ND
Disperse dyes	ND	ND
Flame retardants	ND	ND
Glycols	ND	ND
Halogenated solvents	ND	ND
Organotin compounds	ND	ND
Perfluorinated & Polyfluorinated chemicals (PFCs)	ND	ND
Phthalates (Ortho-phthalates)	ND	ND
Polycyclic aromatic hydrocarbons (PAHs)	ND	ND
Volatile organic compounds (VOCs)	ND	ND

Note :	
ND = Not detected or result less than limit	
D = Detected [<i>please specify actual result</i>] or result above <i>limit</i>	
N/A = Not applicable	- = Did not perform
# = No comment	* = See Remark

Authorized by:
for Intertek India Private Limited [Analytical – Bangalore]

P. Aatheswaran

AATHEESWARAN.S
Laboratory Manager – Analytical

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

Sample / Wastewater

1. Conventional parameters

Parameters	Test method	Limit			Result
		Foundational	Progressive	Aspirational	
Temperature	GB/T 13195-1991 / EPA 170.1	35°C	30°C	25°C	NA
TSS	GB/T 11901-1989 / EPA 160.2	50 mg/L	15 mg/L	5 mg/L	NA
COD	HJ 828-2017 / ISO 6060	150 mg/L	80 mg/L	40 mg/L	NA
Total-N	HJ 636-2012 / ISO 5663	20 mg/L	10 mg/L	5 mg/L	NA
Ph	GB/T 6920-1986 / EPA 150.1	6-9	6-9	6-9	NA
Colour [m-1]	ISO 7887-B	7;5;3	5;3;2	2;1;1	NA
BOD ₅	HJ 505-2009 / APHA 5210	30 mg/L	15 mg/L	5 mg/L	NA
Ammonium-N	HJ 535-2009 / ISO 11732	10 mg/L	1 mg/L	0.5 mg/L	NA
Total-P	GB/T 11893-1989 / ISO 11885	3 mg/L	0.5 mg/L	0.1 mg/L	NA
AOX	HJ/T 83-2001 / ISO 9562	5 mg/L	1 mg/L	0.1 mg/L	NA
Oil and grease	HJ 637-2012 / ISO 9377-2	10 mg/L	2 mg/L	0.5 mg/L	NA
Phenol	HJ 503-2009 / ISO 14402	0.5 mg/L	0.01 mg/L	0.001 mg/L	NA
Coliform [bacterial/100 ml]	GB/T 5750.12-2006 / ISO 9308-1	400	100	25	NA
Foam	/	Not visible	Not visible	Not visible	NA
Cyanide	HJ484-2009 / ISO 6703 / ISO 14403	0.2 mg/L	0.1 mg/L	0.05 mg/L	NA
Sulfide	GB/T 16489-1996 / APHA 4500-S2-D	0.5 mg/L	0.05 mg/L	0.01 mg/L	NA
Sulfite	ISO 10304-3 / USEPA 377.1 SM 4500 SO ₃	2 mg/L	0.5 mg/L	0.2 mg/L	NA

Remark: NA = Not Applicable

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

2. Heavy metals

With reference to ISO 11885, ISO 18412, ISO 12846, ISO 17852, US EPA 200.7, US EPA 200.8, US EPA 6010c, US EPA 6020a, US EPA 218.6 and by Inductively Coupled Argon Plasma-Mass Spectrometry (ICP-MS) analysis.

Chemical substances	CAS no.	Limit			Reporting limit	Wastewater (mg/L)
		Foundational	Progressive	Aspirational		
Antimony, Sb	7440-36-0	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.001 mg/L	0.012
Chromium, Cr (total)	7440-47-3	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001 mg/L	0.022
Cobalt, Co	7440-48-4	0.05 mg/L	0.02 mg/L	0.01 mg/L	0.001 mg/L	ND
Copper, Cu	7440-50-8	1 mg/L	0.5 mg/L	0.25 mg/L	0.001 mg/L	ND
Nickel, Ni	7440-02-0	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001 mg/L	0.022
Silver, Ag	7440-22-4	0.1 mg/L	0.05 mg/L	0.005 mg/L	0.001 mg/L	ND
Zinc, Zn	7440-66-6	5.0 mg/L	1.0 mg/L	0.5 mg/L	0.001 mg/L	ND
Arsenic, As	7440-38-2	0.05 mg/L	0.01 mg/L	0.005 mg/L	0.001 mg/L	0.004
Cadmium, Cd	7440-43-9	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.0001 mg/L	ND
Chromium (VI), Cr VI	7440-47-3	0.05 mg/L	0.005 mg/L	0.001 mg/L	0.001 mg/L	ND
Lead, Pb	7439-92-1	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.001 mg/L	ND
Mercury, Hg	7439-97-6	0.01 mg/L	0.005 mg/L	0.001 mg/L	0.00005 mg/L	ND

Remark: ND = result less than limit

3. Alkylphenol ethoxylates / Alkylphenols (APEOs/Aps)

With reference to ISO 18857-2/ASTM D7065, ISO 18254-1/2, and by Gas Chromatography-Mass Spectrometry (GC-MS) and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5 µg/L	ND
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	5 µg/L	ND
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	5 µg/L	ND
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	5 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

4. Chlorobenzenes and Chlorotoluenes

With reference to US EPA 8260B, US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Monochlorobenzene	108-90-7	0.2 µg/L	ND
4-Chlorotoluene	106-43-4	0.2 µg/L	ND
1,2-Dichlorobenzene	95-50-1	0.2 µg/L	ND
1,3-Dichlorobenzene	541-73-1	0.2 µg/L	ND
1,4-Dichlorobenzene	106-46-7	0.2 µg/L	ND
1,2,4-Trichlorobenzene	120-82-1	0.2 µg/L	ND
1,2,3-Trichlorobenzene	87-61-6	0.2 µg/L	ND
1,3,5-Trichlorobenzene	108-70-3	0.2 µg/L	ND
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2 µg/L	ND
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2 µg/L	ND
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2 µg/L	ND
Pentachlorobenzene	608-93-5	0.2 µg/L	ND
Hexachlorobenzene	118-74-1	0.2 µg/L	ND
2-Chlorotoluene	95-49-8	0.2 µg/L	ND
3-Chlorotoluene	108-41-8	0.2 µg/L	ND
2,3-Dichlorotoluene	32768-54-0	0.2 µg/L	ND
2,4-Dichlorotoluene	95-73-8	0.2 µg/L	ND
2,5-Dichlorotoluene	19398-61-9	0.2 µg/L	ND
2,6-Dichlorotoluene	118-69-4	0.2 µg/L	ND
3,4-Dichlorotoluene	95-75-0	0.2 µg/L	ND
3,5-Dichlorotoluene	25186-47-4	0.2 µg/L	ND
2,3,4-Trichlorotoluene	7359-72-0	0.2 µg/L	ND
2,3,6-Trichlorotoluene	2077-46-5	0.2 µg/L	ND
2,4,6-Trichlorotoluene	23749-65-7	0.2 µg/L	ND
2,4,5-Trichlorotoluene	6639-30-1	0.2 µg/L	ND
3,4,5-Trichlorotoluene	21472-86-6	0.2 µg/L	ND
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2 µg/L	ND
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2 µg/L	ND
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2 µg/L	ND
Pentachlorotoluene	877-11-2	0.2 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022, Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

5. Chlorophenols

With reference to US EPA 8270D and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
2-Chlorophenol	95-57-8	0.5 µg/L	ND
2,4-Dichlorophenol	120-83-2	0.5 µg/L	ND
2,5-Dichlorophenol	583-78-8	0.5 µg/L	ND
2,6-Dichlorophenol	87-65-0	0.5 µg/L	ND
Pentachlorophenol (PCP)	87-86-5	0.5 µg/L	ND
2,3,4,6-Tetrachlorophenol	58-90-2	0.5 µg/L	ND
2,4,5-Trichlorophenol	95-95-4	0.5 µg/L	ND
2,4,6-Trichlorophenol	88-06-2	0.5 µg/L	ND
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5 µg/L	ND
2,3,5,6-Tetrachlorophenol	935-95-5	0.5 µg/L	ND
2,3,6-Trichlorophenol	933-75-5	0.5 µg/L	ND
2,3,4-Trichlorophenol	15950-66-0	0.5 µg/L	ND
2,3,5-Trichlorophenol	933-78-8	0.5 µg/L	ND
3,4,5-Trichlorophenol	609-19-8	0.5 µg/L	ND
3,5- Dichlorophenol	591-35-5	0.5 µg/L	ND
2,3-Dichlorophenol	576-24-9	0.5 µg/L	ND
3,4-Dichlorophenol	95-77-2	0.5 µg/L	ND
3-chlorophenol	108-43-0	0.5 µg/L	ND
4-chlorophenol	106-48-9	0.5 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

6. Azo dyes (Forming restricted amines)

With reference to EN 14362-1/3, and by Gas Chromatographic – Mass Spectrometric (GC-MS) or and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
2,4,5-Trimethylaniline	137-17-7	0.1 µg/L	ND
2,4-Diaminoanisoole	615-05-4	0.1 µg/L	ND
2,4-Diaminotoluene	95-80-7	0.1 µg/L	ND
2,4-Xylidine	95-68-1	0.1 µg/L	ND
2,6-Xylidine	87-62-7	0.1 µg/L	ND
2-Naphthylamine	91-59-8	0.1 µg/L	ND
3,3'-Dichlorobenzidine	91-94-1	0.1 µg/L	ND
3,3'-Dimethoxybenzidine	119-90-4	0.1 µg/L	ND
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	0.1 µg/L	ND
3,3'-Dimethylbenzidine	119-93-7	0.1 µg/L	ND
4,4'-Diaminodiphenylmethane	101-77-9	0.1 µg/L	ND
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1 µg/L	ND
4,4'-Oxydianiline	101-80-4	0.1 µg/L	ND
4,4'-Thiodianiline	139-65-1	0.1 µg/L	ND
4-Aminobiphenyl	92-67-1	0.1 µg/L	ND
4-Chloroaniline	106-47-8	0.1 µg/L	ND
4-Chloro-o-toluidine	95-69-2	0.1 µg/L	ND
5-Nitro-o-toluidine	99-55-8	0.1 µg/L	ND
4-Aminoazobenzene	60-09-3	0.1 µg/L	ND
Benzidine	92-87-5	0.1 µg/L	ND
o-Aminoazotoluene	97-56-3	0.1 µg/L	ND
o-Anisidine	90-04-0	0.1 µg/L	ND
o-Toluidine	95-53-4	0.1 µg/L	ND
p-Cresidine	120-71-8	0.1 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

7. Carcinogenic dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
C.I. Direct Black 38	1937-37-7	500 µg/L	ND
C.I. Direct Blue 6	2602-46-2	500 µg/L	ND
C.I. Acid Red 26	3761-53-3	500 µg/L	ND
C.I. Basic Red 9	569-61-9	500 µg/L	ND
C.I. Direct Red 28	573-58-0	500 µg/L	ND
C.I. Basic Violet 14	632-99-5	500 µg/L	ND
C.I. Disperse Blue 1	2475-45-8	500 µg/L	ND
C.I. Disperse Blue 3	2475-46-9	500 µg/L	ND
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500 µg/L	ND
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500 µg/L	ND
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500 µg/L	ND
C.I. Basic Green 4 (malachite green)	10309-95-2	500 µg/L	ND
Disperse Orange 11	82-28-0	500 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

8. Disperse dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Disperse Yellow 1	119-15-3	50 µg/L	ND
Disperse Blue 102	12222-97-8	50 µg/L	ND
Disperse Blue 106	12223-01-7	50 µg/L	ND
Disperse Yellow 39	12236-29-2	50 µg/L	ND
Disperse Orange 37/59/76	13301-61-6	50 µg/L	ND
Disperse Brown 1	23355-64-8	50 µg/L	ND
Disperse Orange 1	2581-69-3	50 µg/L	ND
Disperse Yellow 3	2832-40-8	50 µg/L	ND
Disperse Red 11	2872-48-2	50 µg/L	ND
Disperse Red 1	2872-52-8	50 µg/L	ND
Disperse Red 17	3179-89-3	50 µg/L	ND
Disperse Blue 7	3179-90-6	50 µg/L	ND
Disperse Blue 26	3860-63-7	50 µg/L	ND
Disperse Yellow 49	54824-37-2	50 µg/L	ND
Disperse Blue 35	12222-75-2 56524-77-7	50 µg/L	ND
Disperse Blue 124	61951-51-7	50 µg/L	ND
Disperse Yellow 9	6373-73-5	50 µg/L	ND
Disperse Orange 3	730-40-5	50 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

9. Flame retardants

With reference to US EPA 8270, ISO 22032, US EPA 527, EPA 8321B, and by Gas Chromatography – Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Decabromodiphenyl ether (DecaBDE)	1163-19-5	5 µg/L	ND
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	5 µg/L	ND
Octabromodiphenyl ether (OctaBDE)	32536-52-0	5 µg/L	ND
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	5 µg/L	ND
Polybromobiphenyls (PBBs)	59536-65-1	5 µg/L	ND
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	5 µg/L	ND
Tetrabromobisphenol A (TBBPA)	79-94-7	5 µg/L	ND
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	5 µg/L	ND
Bis(2,3-dibromopropyl) phosphate	5412-25-9	5 µg/L	ND
Hexabromocyclododecane (HBCDD)	3194-55-6	5 µg/L	ND
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	5 µg/L	ND
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	5 µg/L	ND
Short chain chlorinated paraffins (SCCP) (C10-C13)	85535-84-8	5 µg/L	ND

Remark: ND = Not detected

10. Glycols

With reference to US EPA 8270 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Bis(2-methoxyethyl)-ether	111-96-6	50 µg/L	ND
2-ethoxyethanol	110-80-5	50 µg/L	ND
2-ethoxyethyl acetate	111-15-9	50 µg/L	ND
Ethylene glycol dimethyl ether	110-71-4	50 µg/L	ND
2-methoxyethanol	109-86-4	50 µg/L	ND
2-methoxyethylacetate	110-49-6	50 µg/L	ND
2-methoxypropylacetate	70657-70-4	50 µg/L	ND
Triethylene glycol dimethyl ether	112-49-2	50 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

11. Halogenated solvents

With reference to US EPA 8260B, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
1,2-Dichloroethane	107-06-2	1 µg/L	ND
Methylene chloride	75-09-2	1 µg/L	ND
Tetrachloroethene	127-18-4	1 µg/L	ND
Trichloroethene	79-01-6	1 µg/L	ND

Remark: ND = Not detected

12. Organotin compounds

With reference to ISO 17353, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Mono-, di- and tri-butyltin dervatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-octyltin dervatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-methyltin dervatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-phenyltin dervatives	Multiple	0.01 µg/L	ND

Remark: ND = Not detected

13. Perfluorinated & polyfluorinated chemicals (PFCs)

With reference to DIN 38407-42 (modified), and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
PFOA	335-67-1	0.01 µg/L	ND
PFOS	335-46-4 ; 432-50-7	0.01 µg/L	ND
PFBS	29420-49-3; 29420-43-3	0.01 µg/L	ND
PFHxA	307-24-4	0.01 µg/L	ND
8:2 FTOH	678-39-7	1 µg/L	ND
6:2 FTOH	647-42-7	1 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

14. Phthalates (Ortho-phthalates)

With reference to US EPA 8270D, ISO 18856 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	10 µg/L	ND
Butyl benzyl phthalate (BBP)	85-68-7	10 µg/L	ND
Di-n-butyl phthalate (DBP)	84-74-2	10 µg/L	ND
Diethyl phthalate	84-66-2	10 µg/L	ND
Di-n-octyl phthalate (DNOP)	117-84-0	10 µg/L	ND
Di-isononyl phthalate (DINP)	28553-12-0	10 µg/L	ND
Di-iso-decyl phthalate (DIDP)	26761-40-0	10 µg/L	ND
Di-isobutyl phthalate (DIBP)	84-69-5	10 µg/L	ND
Di-n-hexyl phthalate	84-75-3	10 µg/L	ND
Dimethoxyethyl phthalate (DMEP)	117-82-8	10 µg/L	ND
Di-n-propyl phthalate (DPRP)	131-16-8	10 µg/L	ND
Di-iso-octyl phthalate (DIOP)	27554-26-3	10 µg/L	ND
Di-cyclohexyl phthalate (DCHP)	84-61-7	10 µg/L	ND
Dinonyl phthalate (DNP)	84-76-4	10 µg/L	ND
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	10 µg/L	ND
1,2-benzenedicarboxylic acid, di-C6-11-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10 µg/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

15. Polycyclic aromatic hydrocarbons (PAHs)

With reference to US EPA 8270, DIN 38407-39 and by Gas Chromatography – Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Benzo[a]pyrene (BaP)	50-32-8	1 ug/L	ND
Anthracene	120-12-7	1 ug/L	ND
Pyrene	129-00-0	1 ug/L	ND
Benzo[ghi]perylene	191-24-2	1 ug/L	ND
Benzo[e]pyrene	192-97-2	1 ug/L	ND
Indeno[1,2,3-cd]pyrene	193-39-5	1 ug/L	ND
Benzo[j]fluoranthene	205-82-3	1 ug/L	ND
Benzo[b]fluoranthene	205-99-2	1 ug/L	ND
Fluoranthene	206-44-0	1 ug/L	ND
Benzo[k]fluoranthene	207-08-9	1 ug/L	ND
Acenaphthylene	208-96-8	1 ug/L	ND
Chrysene	218-01-9	1 ug/L	ND
Dibenz[a,h]anthracene	53-70-3	1 ug/L	ND
Benzo[a]anthracene	56-55-3	1 ug/L	ND
Acenaphthene	83-32-9	1 ug/L	ND
Phenanthrene	85-01-8	1 ug/L	ND
Fluorene	86-73-7	1 ug/L	ND
Naphthalene	91-20-3	1 ug/L	ND

Remark: ND = Not detected

16. Volatile organic compounds (VOCs)

With reference to ISO 11423-1, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.
With reference to US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater (µg/L)
Benzene	71-43-2	1 ug/L	ND
Xylene	1330-20-7	1 ug/L	ND
o-cresol	95-48-7	1 ug/L	ND
p-cresol	106-44-5	1 ug/L	ND
m-cresol	108-39-4	1 ug/L	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

Sample / Sludge

Dry Mass (total solids)

Analysis: US EPA 160.3 / 209A Dry @ 105°C, gravimetric

	Result
Dry Mass (total solids)	54.82%

1. Heavy metals

With reference to ISO 11885, ISO 18412, ISO 12846, ISO 17852, US EPA 200.7, US EPA 200.8, US EPA 6010c, US EPA 6020a, US EPA 218.6, ISO 14403-1,-2, and by Inductively Coupled Argon Plasma-Mass Spectrometry (ICP-MS) and (UV) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Lead, Pb	7439-92-1	2 mg/kg	ND
Cadmium, Cd	7440-43-9	2 mg/kg	ND
Mercury, Hg	7439-97-6	0.2 mg/kg	ND
Arsenic, As	7440-38-2	2 mg/kg	ND
Chromium (VI), Cr VI	7440-47-3	2 mg/kg	ND
Cyanide	NA	1.0 mg/kg	ND

Remark: ND = result less than limit

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

2. Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)

With reference to ISO 18857-2/ASTM D7065, ISO 18254-1, and by Gas Chromatography-Mass Spectrometry (GC-MS) and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	0.4 mg/kg	ND
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	0.4 mg/kg	ND
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	0.4 mg/kg	ND
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	0.4 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

3. Chlorobenzenes and Chlorotoluenes

With reference to US EPA 8260B, US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Monochlorobenzene	108-90-7	0.2 mg/kg	ND
4-Chlorotoluene	106-43-4	0.2 mg/kg	ND
1,2-Dichlorobenzene	95-50-1	0.2 mg/kg	ND
1,3-Dichlorobenzene	541-73-1	0.2 mg/kg	ND
1,4-Dichlorobenzene	106-46-7	0.2 mg/kg	ND
1,2,4-Trichlorobenzene	120-82-1	0.2 mg/kg	ND
1,2,3-Trichlorobenzene	87-61-6	0.2 mg/kg	ND
1,3,5-Trichlorobenzene	108-70-3	0.2 mg/kg	ND
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2 mg/kg	ND
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2 mg/kg	ND
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2 mg/kg	ND
Pentachlorobenzene	608-93-5	0.2 mg/kg	ND
Hexachlorobenzene	118-74-1	0.2 mg/kg	ND
2-Chlorotoluene	95-49-8	0.2 mg/kg	ND
3-Chlorotoluene	108-41-8	0.2 mg/kg	ND
2,3-Dichlorotoluene	32768-54-0	0.2 mg/kg	ND
2,4-Dichlorotoluene	95-73-8	0.2 mg/kg	ND
2,5-Dichlorotoluene	19398-61-9	0.2 mg/kg	ND
2,6-Dichlorotoluene	118-69-4	0.2 mg/kg	ND
3,4-Dichlorotoluene	95-75-0	0.2 mg/kg	ND
3,5-Dichlorotoluene	25186-47-4	0.2 mg/kg	ND
2,3,4-Trichlorotoluene	7359-72-0	0.2 mg/kg	ND
2,3,6-Trichlorotoluene	2077-46-5	0.2 mg/kg	ND
2,4,6-Trichlorotoluene	23749-65-7	0.2 mg/kg	ND
2,4,5-Trichlorotoluene	6639-30-1	0.2 mg/kg	ND
3,4,5-Trichlorotoluene	21472-86-6	0.2 mg/kg	ND
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2 mg/kg	ND
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2 mg/kg	ND
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2 mg/kg	ND
Pentachlorotoluene	877-11-2	0.2 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022, Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

4. Chlorophenols

With reference to US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
2-Chlorophenol	95-57-8	0.05 mg/kg	ND
2,4-Dichlorophenol	120-83-2	0.05 mg/kg	ND
2,5-Dichlorophenol	583-78-8	0.05 mg/kg	ND
2,6-Dichlorophenol	87-65-0	0.05 mg/kg	ND
Pentachlorophenol (PCP)	87-86-5	0.05 mg/kg	ND
2,3,4,6-Tetrachlorophenol	58-90-2	0.05 mg/kg	ND
2,4,5-Trichlorophenol	95-95-4	0.05 mg/kg	ND
2,4,6-Trichlorophenol	88-06-2	0.05 mg/kg	ND
2,3,4,5-Tetrachlorophenol	4901-51-3	0.05 mg/kg	ND
2,3,5,6-Tetrachlorophenol	935-95-5	0.05 mg/kg	ND
2,3,6-Trichlorophenol	933-75-5	0.05 mg/kg	ND
2,3,4-Trichlorophenol	15950-66-0	0.05 mg/kg	ND
2,3,5-Trichlorophenol	933-78-8	0.05 mg/kg	ND
3,4,5-Trichlorophenol	609-19-8	0.05 mg/kg	ND
3,5- Dichlorophenol	591-35-5	0.05 mg/kg	ND
2,3-Dichlorophenol	576-24-9	0.05 mg/kg	ND
3,4-Dichlorophenol	95-77-2	0.05 mg/kg	ND
3-chlorophenol	108-43-0	0.05 mg/kg	ND
4-chlorophenol	106-48-9	0.05 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

5. Azo dyes (Forming restricted amines)

With reference to EN 14362-1/3, and by Gas Chromatographic - Mass Spectrometric (GC-MS) or and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
2,4,5-Trimethylaniline	137-17-7	0.2 mg/kg	ND
2,4-Diaminoanisole	615-05-4	0.2 mg/kg	ND
2,4-Diaminotoluene	95-80-7	0.2 mg/kg	ND
2,4-Xylidine	95-68-1	0.2 mg/kg	ND
2,6-Xylidine	87-62-7	0.2 mg/kg	ND
2-Naphthylamine	91-59-8	0.2 mg/kg	ND
3,3'-Dichlorobenzidine	91-94-1	0.2 mg/kg	ND
3,3'-Dimethoxybenzidine	119-90-4	0.2 mg/kg	ND
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	0.2 mg/kg	ND
3,3'-Dimethylbenzidine	119-93-7	0.2 mg/kg	ND
4,4'-Diaminodiphenylmethane	101-77-9	0.2 mg/kg	ND
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.2 mg/kg	ND
4,4'-Oxydianiline	101-80-4	0.2 mg/kg	ND
4,4'-Thiodianiline	139-65-1	0.2 mg/kg	ND
4-Aminobiphenyl	92-67-1	0.2 mg/kg	ND
4-Chloroaniline	106-47-8	0.2 mg/kg	ND
4-Chloro-o-toluidine	95-69-2	0.2 mg/kg	ND
5-Nitro-o-toluidine	99-55-8	0.2 mg/kg	ND
4-Aminoazobenzene	60-09-3	0.2 mg/kg	ND
Benzidine	92-87-5	0.2 mg/kg	ND
o-Aminoazotoluene	97-56-3	0.2 mg/kg	ND
o-Anisidine	90-04-0	0.2 mg/kg	ND
o-Toluidine	95-53-4	0.2 mg/kg	ND
p-Cresidine	120-71-8	0.2 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

6. Carcinogenic dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
C.I. Direct Black 38	1937-37-7	10 mg/kg	ND
C.I. Direct Blue 6	2602-46-2	10 mg/kg	ND
C.I. Acid Red 26	3761-53-3	10 mg/kg	ND
C.I. Basic Red 9	569-61-9	10 mg/kg	ND
C.I. Direct Red 28	573-58-0	10 mg/kg	ND
C.I. Basic Violet 14	632-99-5	10 mg/kg	ND
C.I. Disperse Blue 1	2475-45-8	10 mg/kg	ND
C.I. Disperse Blue 3	2475-46-9	10 mg/kg	ND
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	10 mg/kg	ND
C.I. Basic Green 4 (malachite green chloride)	569-64-2	10 mg/kg	ND
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	10 mg/kg	ND
C.I. Basic Green 4 (malachite green)	10309-95-2	10 mg/kg	ND
Disperse Orange 11	82-28-0	10 mg/kg	ND

Remark: ND = Not detected

7. Disperse dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Disperse Yellow 1	119-15-3	2 mg/kg	ND
Disperse Blue 102	12222-97-8	2 mg/kg	ND
Disperse Blue 106	12223-01-7	2 mg/kg	ND
Disperse Yellow 39	12236-29-2	2 mg/kg	ND
Disperse Orange 37/59/76	13301-61-6	2 mg/kg	ND
Disperse Brown 1	23355-64-8	2 mg/kg	ND
Disperse Orange 1	2581-69-3	2 mg/kg	ND
Disperse Yellow 3	2832-40-8	2 mg/kg	ND
Disperse Red 11	2872-48-2	2 mg/kg	ND
Disperse Red 1	2872-52-8	2 mg/kg	ND
Disperse Red 17	3179-90-6	2 mg/kg	ND
Disperse Blue 7	3179-90-6	2 mg/kg	ND
Disperse Blue 26	3860-63-7	2 mg/kg	ND
Disperse Yellow 49	54824-37-2	2 mg/kg	ND
Disperse Blue 35	12222-75-2 56524-77-7	2 mg/kg	ND
Disperse Blue 124	61951-51-7	2 mg/kg	ND
Disperse Yellow 9	6373-73-5	2 mg/kg	ND
Disperse Orange 3	730-40-5	2 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

8. Flame retardants

With reference to US EPA 8270, ISO 22032, US EPA 527, US EPA 8321B, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Decabromodiphenyl ether (DecaBDE)	1163-19-5	1 mg/kg	ND
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	1 mg/kg	ND
Octabromodiphenyl ether (OctaBDE)	32536-52-0	1 mg/kg	ND
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	1 mg/kg	ND
Polybromobiphenyls (PBBs)	59536-65-1	1 mg/kg	ND
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	1 mg/kg	ND
Tetrabromobisphenol A (TBBPA)	79-94-7	1 mg/kg	ND
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	1 mg/kg	ND
Bis(2,3-dibromopropyl) phosphate	5412-25-9	1 mg/kg	ND
Hexabromocyclododecane (HBCDD)	3194-55-6	1 mg/kg	ND
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	1 mg/kg	ND
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	1 mg/kg	ND
Short chain chlorinated paraffins (SCCP) (C10-C13)	85535-84-8	0.5 mg/kg	ND

Remark: ND = Not detected

9. Glycols

With reference to US EPA 8270, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis or Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Bis(2-methoxyethyl)-ether	111-96-6	10 mg/kg	ND
2-ethoxyethanol	110-80-5	10 mg/kg	ND
2-ethoxyethyl acetate	111-15-9	10 mg/kg	ND
Ethylene glycol dimethyl ether	110-71-4	10 mg/kg	ND
2-methoxyethanol	109-86-4	10 mg/kg	ND
2-methoxyethylacetate	110-49-6	10 mg/kg	ND
2-methoxypropylacetate	70657-70-4	10 mg/kg	ND
Triethylene glycol dimethyl ether	112-49-2	10 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGLA22007527

10. Halogenated solvents

With reference to US EPA 8260B, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
1,2-Dichloroethane	107-06-2	2 mg/kg	ND
Methylene chloride	75-09-2	2 mg/kg	ND
Tetrachloroethene	127-18-4	2 mg/kg	ND
Trichloroethene	79-01-6	2 mg/kg	ND

Remark: ND = Not detected

11. Organotin compounds

With reference to ISO 17353, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Mono-, di- and tri-butyltin derivatives	Multiple	0.2 mg/kg	ND
Mono, di-, and tri-octyltin derivatives	Multiple	0.2 mg/kg	ND
Mono, di-, and tri-methyltin derivatives	Multiple	0.2 mg/kg	ND
Mono, di-, and tri-phenyltin derivatives	Multiple	0.2 mg/kg	ND

Remark: ND = Not detected

12. Perfluorinated & polyfluorinated Chemicals (PFCs)

With reference to DIN 38407-42 (modified), and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
PFOA	335-67-1	0.1 mg/kg	ND
PFOS	335-46-4; 432-50-7	0.1 mg/kg	ND
PFBS	29420-49-3; 29420-43-3	0.1 mg/kg	ND
PFHxA	307-24-4	0.1 mg/kg	ND
8:2 FTOH	678-39-7	1 mg/kg	ND
6:2 FTOH	647-42-7	1 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka, India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

13. Phthalates (Ortho-phthalates)

With reference to US EPA 8270D, ISO 18856, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	2 mg/kg	ND
Butyl benzyl phthalate (BBP)	85-68-7	2 mg/kg	ND
Di-n-butyl phthalate (DBP)	84-74-2	2 mg/kg	ND
Diethyl phthalate	84-66-2	2 mg/kg	ND
Di-n-octyl phthalate (DNOP)	117-84-0	2 mg/kg	ND
Di-isononyl phthalate (DINP)	28553-12-0	2 mg/kg	ND
Di-iso-decyl phthalate (DIDP)	26761-40-0	2 mg/kg	ND
Di-isobutyl phthalate (DIBP)	84-69-5	2 mg/kg	ND
Di-n-hexyl phthalate	84-75-3	2 mg/kg	ND
Dimethoxyethyl phthalate (DMEP)	117-82-8	2 mg/kg	ND
Di-n-propyl phthalate (DPRP)	131-16-8	2 mg/kg	ND
Di-iso-octyl phthalate (DIOP)	27554-26-3	2 mg/kg	ND
Di-cyclohexyl phthalate (DCHP)	84-61-7	2 mg/kg	ND
Dinonyl phthalate (DNP)	84-76-4	2 mg/kg	ND
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	2 mg/kg	ND
1,2-benzenedicarboxylic acid, di-C6-11-branched alkyl esters, C7-rich (DIHP)	71888-89-6	2 mg/kg	ND

Remark: ND = Not detected

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022, Karnataka, India.
Tel : 080 - 40213700 Fax : 080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

14. Polycyclic aromatic hydrocarbons (PAHs)

With reference to US EPA 8270, DIN 38407-39, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Benzo[a]pyrene (BaP)	50-32-8	0.2 mg/kg	ND
Anthracene	120-12-7	0.2 mg/kg	ND
Pyrene	129-00-0	0.2 mg/kg	ND
Benzo[ghi]perylene	191-24-2	0.2 mg/kg	ND
Benzo[e]pyrene	192-97-2	0.2 mg/kg	ND
Indeno[1,2,3-cd]pyrene	193-39-5	0.2 mg/kg	ND
Benzo[j]fluoranthene	205-82-3	0.2 mg/kg	ND
Benzo[b]fluoranthene	205-99-2	0.2 mg/kg	ND
Fluoranthene	206-44-0	0.2 mg/kg	ND
Benzo[k]fluoranthene	207-08-9	0.2 mg/kg	ND
Acenaphthylene	208-96-8	0.2 mg/kg	ND
Chrysene	218-01-9	0.2 mg/kg	ND
Dibenz[a,h]anthracene	53-70-3	0.2 mg/kg	ND
Benzo[a]anthracene	56-55-3	0.2 mg/kg	ND
Acenaphthene	83-32-9	0.2 mg/kg	ND
Phenanthrene	85-01-8	0.2 mg/kg	ND
Fluorene	86-73-7	0.2 mg/kg	ND
Naphthalene	91-20-3	0.2 mg/kg	ND

Remark: ND = Not detected

15. Volatile organic compounds (VOCs)

With reference to ISO 11423-1, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.
With reference to US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Sludge (mg/kg)
Benzene	71-43-2	2 mg/kg	ND
Xylene	1330-20-7	2 mg/kg	ND
o-cresol	95-48-7	2 mg/kg	ND
p-cresol	106-44-5	2 mg/kg	ND
m-cresol	108-39-4	2 mg/kg	ND

Remark: ND = Not detected

Testing period: From 24/09/2022 to 29/09/2022

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

Photo of sampling points:



BEFORE TREATMENT



SLUDGE

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960

Page 24 of 25



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGLA22007527

Photo of samples:



BGLA22007527

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Addressee in respect of this report and only accepts liability to the Addressee insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute.

<http://www.intertek.com/terms>.

Intertek India Private Ltd.

17/F, Industrial Suburb, 2nd stage, Yeshwanthpur Industrial Area, Bangalore - 560022. Karnataka. India.
Tel : 080 - 40213700 Fax :080 - 40213960

Page 25 of 25

