



# Test Report


REPORT NO 1001509927

PAGE: PAGE 1/29

To: GARMENT DYEING SERVICE GDS  
Z.I HENCHIR AYED RTE DE TUNIS KORBA  
Nabeul  
TN 8070  
Tunisia  
ATTN:Naima Bouraoui  
direction@gds.com.tn

Received Date: Mar 30, 2022  
Date In: Mar 30, 2022  
Test Date: Mar 31, 2022 - Apr 29, 2022  
Report Date: Apr 29, 2022

## PHOTO OF SUBMITTED SAMPLE(S):



© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.

UL Tunisia Referential: ISO/CEI 17025:2017. Accreditation Number: 2-0060 Immeuble Marbrerie Les Berges Du Lac Zone d'Activites Les Berges Du Lac, CP 2015 - Le Kram, Tunis - Tunisia T: +216 71 182 094 F: +216 71 182 112



# Test Report

REPORT NO 1001509927

PAGE: PAGE 2/29

SAMPLE INFORMATION:	
Sample Description	Incoming Water, Raw Wastewater, Discharged Wastewater
Sampler ID	8F1465010244

**Sample description assigned by laboratory:**

**Number of Samples:** 1

Sample Number:	Description:	Sub-Sample Of:
001	Wastewater Samples	
D001	Discharged Wastewater	001
I001	Incoming Water	001
R001	Raw Wastewater	001

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 3/29

TEST	001
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs) Content	PASS
Azo Dyes Content	PASS
Absorbable Organic Halogens (AOX)	PASS
Ammonium as N	PASS
Biological Oxygen Demand (BOD)	FAIL
Chemical Oxygen Demand (COD)	FAIL
Coliform	FAIL
Cyanide	PASS
Oil and Grease	PASS
Sulfide	PASS
Sulfite	PASS
Temperature	PASS
Total Nitrogen as N	PASS
Total Phenol	PASS
Total Phosphorus as P	PASS
Total Suspended Solids (TSS)	FAIL
pH Value	PASS
Colour (436, 525, 620nm)	PASS
Persistent Foam	PASS
Chlorinated Paraffins Content	PASS
Chlorophenols Content	PASS
Allergenic Disperse Dyes Content	PASS
Carcinogenic Dyes Content	PASS
Flame Retardants Content	PASS
Total Heavy Metals Content	PASS
Chlorobenzenes and Chlorotoluenes Content	PASS
Glycols Content	PASS
Organotin Compounds Content	PASS
Polycyclic Aromatic Hydrocarbons (PAHs) Content	PASS
Perfluorinated Compounds (PFCs) Content	PASS
Phthalates Content	PASS
Halogenated Solvents Content	PASS
Volatile Organic Compounds (VOC) Content	PASS

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 4/29

Note: NC = No Comment; NA = Not Applicable; NR = Not Requested; NT = Not Tested; Ref Only = Reference only; \*\* = test result(s) will be added later

Note:

1. The results relate only to the items tested

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 5/29

Approved By

FOUED MELLOULI

Approved By

MOHAMED BAKIRA

---

Consumer Manager

Chemical Laboratory  
Supervisor

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 6/29

Test Performed: Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs) Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Octylphenol (OP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Nonylphenol (NP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
OPEO, n=1-2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
OPEO, n>2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
NPEO, n=1-2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
NPEO, n>2	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.

Test Performed: Azo Dyes Content			
Test Method: With reference to EN 14362-1&3 and followed by GCMS &/or LCMS Analysis.			
Test Method : With reference to EN 14362-1&3 and followed by GCMS &/or LCMS Analysis			
Sample Number:	R001	D001	
	Result	Result	Requirements
benzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-aminodiphenyl	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-chloro-o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2-naphthylamine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
o-aminoazotoluene	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
5-nitro-o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-chloroaniline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-methoxy-m-phenylenediamine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-diaminodiphenylmethane	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
3,3-dichlorobenzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
3,3-dimethoxybenzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
3,3-dimethylbenzidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 7/29

## Test Performed: Azo Dyes Content

4,4-methylenedi-o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
p-cresidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-methylene-bis-(2-chloroaniline)	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-oxydianiline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4,4-thiodianiline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
o-toluidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2,4,5-trimethylaniline	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-methyl-m-phenylenediamine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
o-anisidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2,4-xylidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
2,6-xylidine	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
4-aminoazobenzene	<0.1 µg/L	<0.1 µg/L	< 0.1 µg/L
Conclusion	PASS	PASS	

### Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.

benzidine (CAS No. 92-87-5); 4-aminodiphenyl (CAS No. 92-67-1); 4-chloro-o-toluidine (CAS No. 95-69-2); 2-naphthylamine (CAS No. 91-59-8); o-aminoazotoluene (CAS No. 97-56-3); 5-nitro-o-toluidine (CAS No. 99-55-8); 4-chloroaniline (CAS No. 106-47-8); 4-methoxy-m-phenylenediamine (CAS No. 615-05-4); 4,4-diaminodiphenylmethane (CAS No. 101-77-9); 3,3-dichlorobenzidine (CAS No. 91-94-1); 3,3-dimethoxybenzidine (CAS No. 119-90-4); 3,3-dimethylbenzidine (CAS No. 119-93-7); 4,4-methylenedi-o-toluidine (CAS No. 838-88-0); p-cresidine (CAS No. 120-71-8); 4,4-methylene-bis-(2-chloroaniline) (CAS No. 101-14-4); 4,4-oxydianiline (CAS No. 101-80-4); 4,4-thiodianiline (CAS No. 139-65-1); o-toluidine (CAS No. 95-53-4); 2,4,5-trimethylaniline (CAS No. 137-17-7); 4-methyl-m-phenylenediamine (CAS No. 95-80-7); o-anisidine (CAS No. 90-04-0); 2,4-xylidine (CAS No. 95-68-1); 2,6-xylidine (CAS No. 87-62-7); 4-aminoazobenzene (CAS No. 60-09-3);

## Test Performed: Absorbable Organic Halogens (AOX)

Test Method : Photometric measurement.

<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Absorbable Organic Halogens (AOX)	<0.1 mg/L	≤ 5.0 mg/L
Conclusion	PASS	

### Remark:

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 8/29

Test Performed: Absorbable Organic Halogens (AOX)		
1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.		
2. "<" means less than; "≤" means less than or equal to.		
3. "mg/L" means milligrams per liter.		

Test Performed: Ammonium as N		
Test Method : With reference to APHA/SM 4500 NH3-N.		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
Ammonium as N	<0.5 mg/L	≤ 10.0 mg/L
Conclusion	PASS	
Remark:		
1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.		
2. "<" means less than; "≤" means less than or equal to.		
3. "mg/L" means milligrams per liter.		

Test Performed: Biological Oxygen Demand (BOD)		
Test Method : With reference to APHA/SM 5210B.		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
BOD (5-day)	112.0 mg/L	≤ 30.0 mg/L
Conclusion	FAIL	

Test Performed: Chemical Oxygen Demand (COD)		
Test Method : With reference to APHA/SM 5220D.		
Sample Number:	D001	
	<b>Result</b>	<b>Requirements</b>
COD	248 mg/L	≤ 150.0 mg/L
Conclusion	FAIL	
Remark:		
1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.		
2. "<" means less than; "≤" means less than or equal to.		
3. "mg/L" means milligrams per liter.		

Test Performed: Coliform		
Test Method : With reference to USEPA 9132.		

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.





# Test Report

REPORT NO 1001509927

PAGE: PAGE 9/29

Test Performed: Coliform		
Sample Number:	D001	
	Result	Requirements
Coliform Colonies/100mL	>80000	≤ 400.0
Conclusion	FAIL	

Test Performed: Cyanide		
Test Method : With reference to APHA/SM 4500 CN.		
Sample Number:	D001	
	Result	Requirements
Cyanide	<0.05 mg/L	≤ 0.2 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

Test Performed: Oil and Grease		
Test Method : With reference to USEPA 1664.		
Sample Number:	D001	
	Result	Requirements
n-Hexane Extractable Material (HEM)	<0.5 mg/L	≤ 10.0 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

Test Performed: Sulfide		
Test Method : With reference to APHA/SM 4500-S2-D.		
Sample Number:	D001	
	Result	Requirements
Sulfide	<0.01 mg/L	≤ 0.5 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.		

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 10/29

<b>Test Performed: Sulfide</b>
2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.

<b>Test Performed: Sulfite</b>		
Test Method : With reference to USEPA 377.1.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Sulfite	<0.2 mg/L	≤ 2.0 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

<b>Test Performed: Temperature</b>		
Test Method : With reference to USEPA 170.1.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Temperature	29.2 °C	≤ 35.0 °C
Conclusion	PASS	
Remark: 1. "<" means less than; "≤" means less than or equal to. 2. "°C " means degrees Celsius.		

<b>Test Performed: Total Nitrogen as N</b>		
Test Method : With reference to APHA/SM 4500N-C.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Total Nitrogen as N	8.9 mg/L	≤ 20.0 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

<b>Test Performed: Total Phenol</b>
-------------------------------------

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 11/29

<b>Test Performed: Total Phenol</b>		
Test Method : With reference APHA/ SM 5530B, C&D.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Total Phenol	<0.001 mg/L	≤ 0.5 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

<b>Test Performed: Total Phosphorus as P</b>		
Test Method : With reference to APHA/SM 4500P-J.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
Total Phosphorus as P	1.4 mg/L	≤ 3.0 mg/L
Conclusion	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

<b>Test Performed: Total Suspended Solids (TSS)</b>		
Test Method : With reference to APHA/SM 2540D.		
<b>Sample Number:</b>	D001	
	<b>Result</b>	<b>Requirements</b>
TSS	68.0 mg/L	≤ 50.0 mg/L
Conclusion	FAIL	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "mg/L" means milligrams per liter.		

<b>Test Performed: pH Value</b>		
Test Method : With reference to USEPA 150.1.		
<b>Sample Number:</b>	D001	

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 12/29

Test Performed: pH Value		
	Result	Requirements
pH value	7.2	6.0 to 9.0
Conclusion	PASS	

Test Performed: Colour (436, 525, 620nm)		
Sample Number:	D001	
	Result	Requirements
Colour (436nm)	<2.0 absorbance	≤ 7.0 absorbance
Colour (525nm)	<1.0 absorbance	≤ 5.0 absorbance
Colour (620nm)	<1.0 absorbance	≤ 3.0 absorbance
Conclusion	PASS	

Test Performed: Persistent Foam		
Sample Number:	D001	
	Result	Requirements
Persistent Foam	Not Visible	Not Visible
Conclusion	PASS	

Test Performed: Chlorinated Paraffins Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
SCCP	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 13/29

## Test Performed: Chlorophenols Content

Test Method: With reference USEPA 8270D, Solvent extraction and derivatization with KOH, acetic anhydride followed by GCMS analysis

Test Method : With reference to USEPA 8270, USEPA 527, USEPA 8321B Solvent extraction followed by GC/MS & LCMS

Sample Number:	R001	D001	
	Result	Result	Requirements
PCP	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,5,6-Tetrachlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,4,6-Tetrachlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,4,5-Tetrachlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,4,6-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,4,5-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,4-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,5-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3,4,5-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3,6-Trichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,3-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,4-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,5-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2,6-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3,4-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3,5-Dichlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
2-Chlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
3-Chlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
4-Chlorophenol	<0.5 µg/L	<0.5 µg/L	< 0.5 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.

## Test Performed: Allergenic Disperse Dyes Content

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 14/29

<b>Test Performed: Allergenic Disperse Dyes Content</b>			
Test Method : Extraction by organic solvent. Detection and quantification with LC-MS/MS			
<b>Sample Number:</b>	<b>R001</b>	<b>D001</b>	
	<b>Result</b>	<b>Result</b>	<b>Requirements</b>
C.I. Disperse Blue 7 (CAS 3179-90-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 26 (CAS 3860-63-7)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 35 (CAS 12222-75-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 35 (CAS 56524-77-7/CAS 56524-76-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 102 (CAS 12222-97-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 106 (CAS 12223-01-7)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Blue 124 (CAS 61951-51-7)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Brown 1 (CAS 23355-64-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Orange 1 (CAS 2581-69-3)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Orange 3 (CAS 730-40-5)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Orange 37/59/76 (CAS 12223-33-5/ 13301-61-6/ 51811-42-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Red 1 (CAS 2872-52-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Red 11 (CAS 2872-48-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Red 17 (CAS 3179-89-3)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 1 (CAS 119-15-3)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 15/29

Test Performed: Allergenic Disperse Dyes Content			
C.I. Disperse Yellow 3 (CAS 2832-40-8)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 9 (CAS 6373-73-5)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 39 (CAS 12236-29-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
C.I. Disperse Yellow 49 (CAS 54824-37-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Blue colorant (CAS 118685-33-9)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

Test Performed: Carcinogenic Dyes Content			
Test Method : Extraction by organic solvent. Detection and quantification with LC-MS/MS			
Sample Number:	R001	D001	
	Result	Result	Requirements
C.I. Disperse Blue 1 (CAS 2475-45-8)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Disperse Blue 3 (CAS 2475-46-9)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Disperse Orange 11 (CAS 82-28-0)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Acid Red 26 (CAS 3761-53-3)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Blue 26 (CAS 2580-56-5)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Red 9 (CAS 569-61-9)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Green 4 (malachite green chloride)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 16/29

Test Performed: Carcinogenic Dyes Content			
(CAS 569-64-2)			
C.I. Basic Green 4 (malachite green oxalate) (CAS 2437-29-8)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Green 4 (malachite green)(CAS 10309-95-2)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Basic Violet 14 (CAS 632-99-5)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Direct Black 38 (CAS 1937-37-7)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Direct Blue 6 (CAS 2602-46-2)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
C.I. Direct Red 28 (CAS 573-58-0)	<500.0 µg/L	<500.0 µg/L	< 500.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

Test Performed: Flame Retardants Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Hexabromocyclododecane (HBCDD)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Pentabromo diphenyl ether (PentaBDE)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Octabromodiphenyl ether (OctaBDE)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Decabromodiphenyl ether (DecaDBE)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Polybrominatedbiphenyl (PBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.





# Test Report

REPORT NO 1001509927

PAGE: PAGE 17/29

Test Performed: Flame Retardants Content			
Monobromobiphenyls (MonoBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Dibromobiphenyls (DiBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tribromobiphenyls (TriBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tetrabromobiphenyls (TetraBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Pentabromobiphenyls (PentaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Hexabromobiphenyls (HexaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Heptabromobiphenyls (HeptaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Octabromobiphenyls (OctaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Nonabromobiphenyls (NonaBB)	<5.0 µg/L	<5.0 µg/L	-
Decabromobiphenyls (DecaBB)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
2,2-Bis(bromomethyl)propan-1,3-diol (BBMP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Bis (2,3-dibromopropyl) phosphate (BDBPP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tris- (2,3 Dibromopropyl) phosphate (TRIS)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tris-aziridinyl phosphine oxide (TEPA)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tetrabromo Bisphenol A (TBBPA)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Tris(2-chloroethyl)phosphate (TCEP)	<5.0 µg/L	<5.0 µg/L	-
Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	<5.0 µg/L	<5.0 µg/L	< 5.0 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 18/29

## Test Performed: Flame Retardants Content

limit of quantification expressed by that number.

- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

Hexabromocyclododecane (HBCDD) (CAS No. 25637-99-4/3194-55-6); Pentabromo diphenyl ether (PentaBDE) (CAS No. 32534-81-9); Octabromodiphenyl ether (OctaBDE) (CAS No. 32536-52-0); Decabromodiphenyl Ether (DecaDBE) (CAS No. 1163-19-5); Polybrominatedbiphenyl (PBB) (CAS No. 59536-65-1); Monobromobiphenyls (MonoBB) (CAS No. 26264-10-8); Dibromobiphenyls (DiBB) (CAS No. 27479-65-8); Tribromobiphenyls (TriBB) (CAS No. 51202-79-0); Tetrabromobiphenyls (TetraBB) (CAS No. 40088-45-7); Pentabromobiphenyls (PentaBB) (CAS No. 56307-79-0); Hexabromobiphenyls (HexaBB) (CAS No. 36355-01-8); Heptabromobiphenyls (HeptaBB) (CAS No. 35194-78-6); Octabromobiphenyls (OctaBB) (CAS No. 27858-07-7); Nonabromobiphenyls (NonaBB) (CAS No. 27753-52-2); Decabromobiphenyls (DecaBB) (CAS No. 13654-09-6); 2,2-Bis(bromomethyl)propan-1,3-diol (BBMP) (CAS No. 3296-90-0); Bis (2,3-dibromopropyl) phosphate (BDBPP) (CAS No. 5412-25-9); Tris- (2,3 Dibromopropyl) phosphate (TRIS) (CAS No. 126-72-7); Tris-aziridinyl phosphine oxide (TEPA) (CAS No. 545-55-1); Tetrabromo Bisphenol A (TBBPA) (CAS No. 79-94-7); Tris(2-chloroethyl)phosphate (TCEP) (CAS No. 115-96-8); Tris(1,3-dichloro-2-propyl) phosphate (TDCPP) (CAS No. 13674-87-8);

## Test Performed: Total Heavy Metals Content

Sample Number:	R001	D001	Requirements
	Result	Result	
Antimony (Sb)	<0.01 mg/L	<0.01 mg/L	≤ 0.1 mg/L
Arsenic (As)	<0.005 mg/L	<0.005 mg/L	≤ 0.05 mg/L
Cadmium (Cd)	<0.01 mg/L	<0.01 mg/L	≤ 0.1 mg/L
Total Chromium (Cr)	<0.05 mg/L	<0.05 mg/L	≤ 0.2 mg/L
Hexavalent Chromium (CrVI)	<0.001 mg/L	<0.001 mg/L	≤ 0.05 mg/L
Cobalt (Co)	<0.01 mg/L	<0.01 mg/L	≤ 0.05 mg/L
Copper (Cu)	<0.25 mg/L	<0.25 mg/L	≤ 1.0 mg/L
Lead (Pb)	<0.01 mg/L	<0.01 mg/L	≤ 0.1 mg/L
Mercury (Hg)	<0.001 mg/L	<0.001 mg/L	≤ 0.01 mg/L
Nickel (Ni)	<0.05 mg/L	<0.05 mg/L	≤ 0.2 mg/L
Silver (Hg)	<0.001 mg/L	<0.001 mg/L	≤ 0.1 mg/L
Zinc (Zn)	<0.50 mg/L	<0.50 mg/L	≤ 5.0 mg/L
Conclusion	PASS	PASS	

Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "mg/L" means milligrams per liter.

## Test Performed: Chlorobenzenes and Chlorotoluenes Content

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 19/29

<b>Test Performed: Chlorobenzenes and Chlorotoluenes Content</b>		
Test Method : With reference USEPA 8260B & 8270D, Solvent extraction with GCMS analysis		
<b>Sample Number:</b>	R001	
	<b>Result</b>	<b>Requirements</b>
Monochlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2-Dichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,3-Dichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,4-Dichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,3-Trichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,4-Trichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,3,5-Trichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,3,4-Tetrachlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,3,5-Tetrachlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,4,5-Tetrachlorobenzene	<0.2 µg/L	< 0.2 µg/L
Pentachlorobenzene	<0.2 µg/L	< 0.2 µg/L
Hexachlorobenzene	<0.2 µg/L	< 0.2 µg/L
2-Chlorotoluene	<0.2 µg/L	< 0.2 µg/L
3-Chlorotoluene	<0.2 µg/L	< 0.2 µg/L
4-Chlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,5-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,6-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,4-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
3,4-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
3,5-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,6-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,4,5-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
3,4,5-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,4,6-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4,5-Tetrachlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4,6-Tetrachlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,5,6-Tetrachlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4,5,6-Pentachlorotoluene	<0.2 µg/L	< 0.2 µg/L
Conclusion	PASS	
<b>Sample Number:</b>	D001	

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 20/29

Test Performed: Chlorobenzenes and Chlorotoluenes Content		
	Result	Requirements
Monochlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2-Dichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,3-Dichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,4-Dichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,3-Trichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,4-Trichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,3,5-Trichlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,3,4-Tetrachlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,3,5-Tetrachlorobenzene	<0.2 µg/L	< 0.2 µg/L
1,2,4,5-Tetrachlorobenzene	<0.2 µg/L	< 0.2 µg/L
Pentachlorobenzene	<0.2 µg/L	< 0.2 µg/L
Hexachlorobenzene	<0.2 µg/L	< 0.2 µg/L
2-Chlorotoluene	<0.2 µg/L	< 0.2 µg/L
3-Chlorotoluene	<0.2 µg/L	< 0.2 µg/L
4-Chlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,5-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,6-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,4-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
3,4-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
3,5-Dichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,6-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,4,5-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
3,4,5-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,4,6-Trichlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4,5-Tetrachlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4,6-Tetrachlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,5,6-Tetrachlorotoluene	<0.2 µg/L	< 0.2 µg/L
2,3,4,5,6-Pentachlorotoluene	<0.2 µg/L	< 0.2 µg/L
Conclusion	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 21/29

## Test Performed: Chlorobenzenes and Chlorotoluenes Content

3. "µg/L" means micrograms per liter.

Monochlorobenzene (CAS No. 108-90-7); 1,2-Dichlorobenzene (CAS No. 95-50-1); 1,3-Dichlorobenzene (CAS No. 541-73-1); 1,4-Dichlorobenzene (CAS No. 106-46-7); 1,2,3-Trichlorobenzene (CAS No. 87-61-6); 1,2,4-Trichlorobenzene (CAS No. 120-82-1); 1,3,5-Trichlorobenzene (CAS No. 108-70-3); 1,2,3,4-Tetrachlorobenzene (CAS No. 634-66-2); 1,2,3,5-Tetrachlorobenzene (CAS No. 634-90-2); 1,2,4,5-Tetrachlorobenzene (CAS No. 95-94-3); Pentachlorobenzene (CAS No. 608-93-5); Hexachlorobenzene (CAS No. 118-74-1); 2-Chlorotoluene (CAS No. 95-49-8); 3-Chlorotoluene (CAS No. 108-41-8); 4-Chlorotoluene (CAS No. 106-43-4); 2,3-Dichlorotoluene (CAS No. 32768-54-0); 2,5-Dichlorotoluene (CAS No. 19398-61-9); 2,6-Dichlorotoluene (CAS No. 118-69-4); 2,4-Dichlorotoluene (CAS No. 95-73-8); 3,4-Dichlorotoluene (CAS No. 95-75-0); 3,5-Dichlorotoluene (CAS No. 25186-47-4); 2,3,6-Trichlorotoluene (CAS No. 2077-46-5); 2,4,5-Trichlorotoluene (CAS No. 6639-30-1); 2,3,4-Trichlorotoluene (CAS No. 7359-72-0); 3,4,5-Trichlorotoluene (CAS No. 21472-86-6); 2,4,6-Trichlorotoluene (CAS No. 23749-65-7); 2,3,4,5-Tetrachlorotoluene (CAS No. 76057-12-0); 2,3,4,6-Tetrachlorotoluene (CAS No. 875-40-1); 2,3,5,6-Tetrachlorotoluene (CAS No. 29733-70-8); 2,3,4,5,6-Pentachlorotoluene (CAS No. 877-11-2);

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 22/29

Test Performed: Glycols Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
2-Ethoxyethylacetate (CAS No. 111-15-9)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Bis-(2-methoxyethyl) ether (CAS No. 111-96-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Ethoxyethanol (CAS No. 110-80-5)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Ethylene glycol dimethyl ether (CAS No. 110-71-4)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Methoxyethanol (CAS No. 109-86-4)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Triethylene glycol dimethyl ether (CAS No. 112-49-2)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Methoxyethylacetate (CAS No. 110-49-6)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
2-Methoxypropylacetate (CAS No. 70657-70-4)	<50.0 µg/L	<50.0 µg/L	< 50.0 µg/L
Conclusion	PASS	PASS	

Remark:

1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
2. "<" means less than; "≤" means less than or equal to.
3. "µg/L" means micrograms per liter.

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 23/29

<b>Test Performed: Organotin Compounds Content</b>			
Test Method : With reference to ISO 17353 and following by GC-MS analysis			
<b>Sample Number:</b>	<b>R001</b>	<b>D001</b>	
	<b>Result</b>	<b>Result</b>	<b>Requirements</b>
Monobutyltin (MBT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Dibutyltin (DBT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tributyltin (TBT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tetrabutyltin (TeBT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Triphenyltin (TPhT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Monooctyltin (MOT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Diocetyl tin (DOT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tricyclohexyltin (TCyT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Triocetyl tin (TOcT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tributyltin oxide (TBTO)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tripropyltin (TPrT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Diphenyltin (DPhT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Dimethyltin (DMT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Trimethyltin (TMT)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Tetraethyltin (TeET)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Dibutyltin dichloride (DBTC)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Triphenyltin(1+)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Dibutyltin hydrogen borate (DBB)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 24/29

Test Performed: Polycyclic Aromatic Hydrocarbons (PAHs) Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Acenaphthylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Acenaphthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Fluorene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Phenanthrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Anthracene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Naphthalene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(a)anthracene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Chrysene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(b)fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(k)fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(a)pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Dibenzo(a,h)anthracene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(g,h,i)perylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Indeno(123-cd)pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(e)pyrene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Benzo(j)fluoranthene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			
Acenaphthylene (CAS No. 208-96-8); Acenaphthene (CAS No. 83-32-9); Fluorene (CAS No. 86-73-7); Phenanthrene (CAS No. 85-01-8); Anthracene (CAS No. 120-12-7); Fluoranthene (CAS No. 206-44-0); Pyrene (CAS No. 129-00-0); Naphthalene (CAS No. 91-20-3); Benzo(a)anthracene (CAS No. 56-55-3); Chrysene (CAS No. 218-01-9); Benzo(b)fluoranthene (CAS No. 205-99-2); Benzo(k)fluoranthene (CAS No. 207-08-9); Benzo(a)pyrene (CAS No. 50-32-8); Dibenzo(a,h)anthracene (CAS No. 53-70-3); Benzo(g,h,i)perylene (CAS No. 191-24-2); Indeno(123-cd)pyrene (CAS No. 193-39-5); Benzo(e)pyrene (CAS No. 192-97-2); Benzo(j)fluoranthene (CAS No. 205-82-3);			

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.





# Test Report

REPORT NO 1001509927

PAGE: PAGE 25/29

<b>Test Performed: Perfluorinated Compounds (PFCs) Content</b>			
<b>Sample Number:</b>	R001	D001	
	<b>Result</b>	<b>Result</b>	<b>Requirements</b>
Perfluorohexane sulfonate (PFHxS) (CAS No 3871-99-6, 355-46-4)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Perfluorooctane sulfonate (PFOS) (CAS No 1763-23-1)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Perfluorohexanoate (PFHxA) (CAS No 307-24-4)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
Perfluorooctanoate (PFOA) (CAS No 335-67-1)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH) (CAS No 647-42-7)	<1.00 µg/L	<1.00 µg/L	< 1.0 µg/L
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No 678-39-7)	<1.00 µg/L	<1.00 µg/L	< 1.0 µg/L
Perfluorobutanesulfonate K-salt (LPFBS) (CAS No 29420-49-3)	<0.01 µg/L	<0.01 µg/L	< 0.01 µg/L
<b>Conclusion</b>	<b>PASS</b>	<b>PASS</b>	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			

<b>Test Performed: Phthalates Content</b>			
<b>Sample Number:</b>	R001	D001	
	<b>Result</b>	<b>Result</b>	<b>Requirements</b>
Di-iso-nonyl phthalate, DINP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-n-octyl phthalate, DNOP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Bis(2-ethylhexyl) phthalate, DEHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 26/29

Test Performed: Phthalates Content			
Diisodecyl phthalate,DIDP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Dibutyl phthalate,DBP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Benzyl butyl phthalate,BBP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-iso-butyl phthalate,DIBP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Bis(2-methoxyethyle) phthalate,BMEP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Diethyl phthalate,DEP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-n-propyl phthalate,DPrP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-n-hexyl phthalate,DHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Dicyclohexyl phthalate,DCHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Dinonyl phthalate,DNP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-iso-octyl phthalate,DIOP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di-iso-heptyl phthalate,DIHP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Di- (heptyl, nonyl, undecyl) phthalate),DHNUP	<10.0 µg/L	<10.0 µg/L	< 10.0 µg/L
Conclusion	PASS	PASS	
Remark: 1. Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number. 2. "<" means less than; "≤" means less than or equal to. 3. "µg/L" means micrograms per liter.			
Di-iso-nonyl phthalate,DINP (CAS No. 28553-12-0/68515-48-0); Di-n-octyl phthalate,DNOP (CAS No. 117-84-0); Bis(2-ethylhexyl) phthalate,DEHP (CAS No. 117-81-7); Diisodecyl phthalate,DIDP (CAS No. 26761-40-0/ 68515-49-0); Dibutyl phthalate,DBP (CAS No. 84-74-2); Benzyl butyl phthalate,BBP (CAS No. 85-68-7); Di-iso-butyl phthalate,DIBP (CAS No. 84-69-5); Bis(2-methoxyethyle) phthalate,BMEP (CAS No. 117-82-8); Diethyl phthalate,DEP (CAS No. 84-66-2); Di-n-propyl phthalate,DPrP (CAS No. 131-16-8); Di-n-hexyl phthalate,DHP (CAS No. 84-75-3); Dicyclohexyl phthalate,DCHP (CAS No. 84-61-7); Dinonyl phthalate,DNP (CAS No. 84-76-4); Di-iso-octyl phthalate,DIOP (CAS No. 27554-26-3); Di-iso-heptyl phthalate,DIHP (CAS No. 71888-89-6 /41451-28); Di- (heptyl, nonyl, undecyl) phthalate),DHNUP (CAS No. 68515-42-4);			

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 27/29

Test Performed: Halogenated Solvents Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
1,2-Dichloroethane	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Trichloroethylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Tetrachloroethylene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Dichloromethane	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Conclusion	PASS	PASS	

Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

1,2-Dichloroethane (CAS No. 107-06-2); Trichloroethylene (CAS No. 79-01-6); Tetrachloroethylene (CAS No. 127-18-4); Dichloromethane (CAS No. 75-09-2);

Test Performed: Volatile Organic Compounds (VOC) Content			
Sample Number:	R001	D001	
	Result	Result	Requirements
Benzene	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Total Xylenes	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
p-Cresol	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
m-Cresol	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
o-Cresol	<1.0 µg/L	<1.0 µg/L	< 1.0 µg/L
Conclusion	PASS	PASS	

Remark:

- Regarding the results found the symbol "<" followed by a number indicates that the concentration of the substance is less than the limit of quantification expressed by that number.
- "<" means less than; "≤" means less than or equal to.
- "µg/L" means micrograms per liter.

Benzene (CAS No. 71-43-2); Total Xylenes (CAS No. 1330-20-7); p-Cresol (CAS No. 106-44-5); m-Cresol (CAS No. 108-39-4); o-Cresol (CAS No. 95-48-7);

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 28/29

## ADDITIONAL PHOTO:



Discharged wastewater sampling point



Raw waste water sampling point

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.



# Test Report

REPORT NO 1001509927

PAGE: PAGE 29/29



Incoming water sampling point

---

End of Report

© 2016 UL. All rights reserved. This report is issued for the exclusive use of the client to whom it is addressed. No use of the UL Contracting Party's or any of its affiliates' names, abbreviations, symbols, or marks is permitted except as expressly authorized in writing by UL. The UL Contracting Party has not performed a complete assessment of the client's product, and this report is limited to an assessment of the client's samples' conformity to the agreed upon or client provided: requirements, specifications and/or protocols and does not express any opinion regarding the bulk from which the samples were drawn. This report does not result in or imply safety, performance or other certification, and the UL Contracting Party and its affiliates have no responsibility to make any independent safety assessment of any samples. The total liability of the UL Contracting Party with respect to services rendered is limited to the amount of consideration paid for such service and under no circumstances shall the UL Contracting Party be liable for any consequential, incidental or punitive damages. This report is intended for exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission.